

SAFETY DATA SHEET



Indoxacarb Formulation

Version
6.0

Revision Date:
28.09.2024

SDS Number:
25510-00028

Date of last issue: 06.07.2024
Date of first issue: 24.10.2014

SECTION 1. IDENTIFICATION

Product identifier : Indoxacarb Formulation

Manufacturer or supplier's details

Company : MSD

Address : Rua Coronel Bento Soares, 530
Cruzeiro - Sao Paulo - Brazil CEP 12730-340

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification in accordance with ABNT NBR 14725 Standard

Flammable liquids : Category 2

Acute toxicity (Oral) : Category 4

Eye irritation : Category 2A

Skin sensitization : Category 1

Specific target organ toxicity - single exposure : Category 3

Specific target organ toxicity - repeated exposure : Category 1 (Blood, Nervous system, Heart)

Short-term (acute) aquatic hazard : Category 2

Long-term (chronic) aquatic hazard : Category 2

GHS label elements in accordance with ABNT NBR 14725 Standard

SAFETY DATA SHEET



Indoxacarb Formulation

Version 6.0	Revision Date: 28.09.2024	SDS Number: 25510-00028	Date of last issue: 06.07.2024 Date of first issue: 24.10.2014
----------------	------------------------------	----------------------------	-------------------------------------------------------------------

Hazard pictograms	:	
Signal Word	:	Danger
Hazard Statements	:	<p>H225 Highly flammable liquid and vapor. H302 Harmful if swallowed. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H372 Causes damage to organs (Blood, Nervous system, Heart) through prolonged or repeated exposure. H411 Toxic to aquatic life with long lasting effects.</p>
Precautionary Statements	:	<p>Prevention: P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>Response: P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P314 Get medical advice/ attention if you feel unwell. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P391 Collect spillage.</p> <p>Storage: P405 Store locked up.</p>

Other hazards which do not result in classification

Vapors may form explosive mixture with air.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

SAFETY DATA SHEET



Indoxacarb Formulation

Version 6.0 Revision Date: 28.09.2024 SDS Number: 25510-00028 Date of last issue: 06.07.2024 Date of first issue: 24.10.2014

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Propan-2-ol	67-63-0	Flam. Liq., 2 Eye Irrit., 2A STOT SE, 3	>= 30 - < 50
Indoxacarb (ISO)	173584-44-6	Acute Tox. (Oral), 3 Acute Tox. (Inhalation), 4 Skin Sens., 1B STOT RE, (Blood, Nervous system, Heart), 1 Aquatic Acute, 1 Aquatic Chronic, 1	>= 10 - < 20

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.

In case of eye contact : Thoroughly clean shoes before reuse.
In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed : Harmful if swallowed.
May cause an allergic skin reaction.
Causes serious eye irritation.
May cause drowsiness or dizziness.
Causes damage to organs through prolonged or repeated exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray

Indoxacarb Formulation

Version 6.0	Revision Date: 28.09.2024	SDS Number: 25510-00028	Date of last issue: 06.07.2024 Date of first issue: 24.10.2014
----------------	------------------------------	----------------------------	-------------------------------------------------------------------

	Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: High volume water jet
Specific hazards during fire fighting	: Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapors may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Remove all sources of ignition. Ventilate the area. Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	: Non-sparking tools should be used. Soak up with inert absorbent material. Suppress (knock down) gases/vapors/mists with a water spray jet. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and

Indoxacarb FormulationVersion
6.0Revision Date:
28.09.2024SDS Number:
25510-00028Date of last issue: 06.07.2024
Date of first issue: 24.10.2014

disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	: If sufficient ventilation is unavailable, use with local exhaust ventilation. Use explosion-proof electrical, ventilating and lighting equipment.
Advice on safe handling	: Do not get on skin or clothing. Do not breathe mist or vapors. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Non-sparking tools should be used. Keep container tightly closed. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use.
Conditions for safe storage	: Keep in properly labeled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Keep away from heat and sources of ignition.
Materials to avoid	: Do not store with the following product types: Strong oxidizing agents Self-reactive substances and mixtures Organic peroxides Flammable solids Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures which in contact with water emit flammable gases Explosives

SAFETY DATA SHEET



Indoxacarb Formulation

Version 6.0	Revision Date: 28.09.2024	SDS Number: 25510-00028	Date of last issue: 06.07.2024 Date of first issue: 24.10.2014
----------------	------------------------------	----------------------------	-------------------------------------------------------------------

Gases
Very acutely toxic substances and mixtures

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Propan-2-ol	67-63-0	LT	310 ppm 765 mg/m ³	BR OEL
	Further information: Absorption through the skin, Degree of harmfulness: medium			
		TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
Indoxacarb (ISO)	173584-44-6	TWA	50 µg/m ³ (OEB 3)	Internal
	Further information: DSEN			
		Wipe limit	100 µg/100 cm ²	Internal

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
Propan-2-ol	67-63-0	Acetone	Urine	End of workday at end of work- week	40 mg/l	BR BEI
		Acetone	Urine	End of shift at end of work- week	40 mg/l	ACGIH BEI

Engineering measures : Minimize workplace exposure concentrations.
If sufficient ventilation is unavailable, use with local exhaust ventilation.
Use explosion-proof electrical, ventilating and lighting equipment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapor type
Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often!
For special applications, we recommend clarifying the

SAFETY DATA SHEET



Indoxacarb Formulation

Version 6.0 Revision Date: 28.09.2024

SDS Number:
25510-00028

Date of last issue: 06.07.2024
Date of first issue: 24.10.2014

	resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Take note that the product is flammable, which may impact the selection of hand protection. Wash hands before breaks and at the end of workday.
Eye protection	: Wear the following personal protective equipment: Safety goggles
Skin and body protection	: Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Wear the following personal protective equipment: If assessment demonstrates that there is a risk of explosive atmospheres or flash fires, use flame retardant antistatic protective clothing. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: liquid
Color	: White to light yellow
Odor	: sweet
Odor Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: 18 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: No data available

Indoxacarb Formulation

Version 6.0	Revision Date: 28.09.2024	SDS Number: 25510-00028	Date of last issue: 06.07.2024
			Date of first issue: 24.10.2014

Density	: 1,12 g/cm ³
Solubility(ies)	
Water solubility	: No data available
Partition coefficient: n-octanol/water	: Not applicable
Autoignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, kinematic	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: No data available
Particle characteristics	
Particle size	: Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Highly flammable liquid and vapor. Vapors may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	: Inhalation Skin contact Ingestion Eye contact
------------------------------------------	----------------------------------------------------------

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity	: Acute toxicity estimate: 916,54 mg/kg Method: Calculation method
Acute inhalation toxicity	: Acute toxicity estimate: > 10 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method

SAFETY DATA SHEET



Indoxacarb Formulation

Version
6.0

Revision Date:
28.09.2024

SDS Number:
25510-00028

Date of last issue: 06.07.2024
Date of first issue: 24.10.2014

Components:

Propan-2-ol:

Acute oral toxicity	: LD50 (Rat): > 5.000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 25 mg/l Exposure time: 6 h Test atmosphere: vapor
Acute dermal toxicity	: LD50 (Rabbit): > 5.000 mg/kg

Indoxacarb (ISO):

Acute oral toxicity	: LD50 (Rat, female): 179 mg/kg Symptoms: Loss of reflexes, Breathing difficulties, Tremors
	: LD50 (Rat, male): 843 mg/kg
Acute inhalation toxicity	: LC50 (Rat, female): 4,2 mg/l Exposure time: 4 h Test atmosphere: dust/mist

Skin corrosion/irritation

Not classified based on available information.

Components:

Propan-2-ol:

Species	: Rabbit
Result	: No skin irritation

Indoxacarb (ISO):

Result	: No skin irritation
--------	----------------------

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Propan-2-ol:

Species	: Rabbit
Result	: Irritation to eyes, reversing within 21 days

Indoxacarb (ISO):

Result	: No eye irritation
--------	---------------------

Indoxacarb FormulationVersion
6.0Revision Date:
28.09.2024SDS Number:
25510-00028Date of last issue: 06.07.2024
Date of first issue: 24.10.2014**Respiratory or skin sensitization****Skin sensitization**

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Components:**Propan-2-ol:**

Test Type	:	Buehler Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative

Indoxacarb (ISO):

Test Type	:	Maximization Test
Species	:	Guinea pig
Result	:	positive

Germ cell mutagenicity

Not classified based on available information.

Components:**Propan-2-ol:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative

Indoxacarb (ISO):

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: Chromosomal aberration Test system: mammalian cells Result: negative
		Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells Result: negative
Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse

Indoxacarb FormulationVersion
6.0Revision Date:
28.09.2024SDS Number:
25510-00028Date of last issue: 06.07.2024
Date of first issue: 24.10.2014Cell type: Bone marrow
Result: negative**Carcinogenicity**

Not classified based on available information.

Components:**Propan-2-ol:**

Species	:	Rat
Application Route	:	inhalation (vapor)
Exposure time	:	104 weeks
Method	:	OECD Test Guideline 451
Result	:	negative

Indoxacarb (ISO):

Species	:	Rat, male and female
Application Route	:	oral (feed)
Exposure time	:	2 Years
Frequency of Treatment	:	daily
Result	:	negative

Species	:	Mouse, male and female
Application Route	:	oral (feed)
Exposure time	:	18 Months
Frequency of Treatment	:	daily
Result	:	negative

Reproductive toxicity

Not classified based on available information.

Components:**Propan-2-ol:**

Effects on fertility	:	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
Effects on fetal development	:	Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Result: negative

Indoxacarb (ISO):

Effects on fertility	:	Test Type: Two-generation study Species: Rat Application Route: Oral General Toxicity F1: NOAEL: 1,3 mg/kg body weight Result: negative
		Test Type: Two-generation study Species: Rat

Indoxacarb Formulation

Version 6.0	Revision Date: 28.09.2024	SDS Number: 25510-00028	Date of last issue: 06.07.2024 Date of first issue: 24.10.2014
----------------	------------------------------	----------------------------	-------------------------------------------------------------------

		Application Route: Oral General Toxicity Parent: NOAEL: 1,3 mg/kg body weight General Toxicity F1: NOAEL: > 6,7 mg/kg body weight Result: Embryotoxic effects and adverse effects on the offspring were detected.
Effects on fetal development	:	Test Type: Development Species: Rat Developmental Toxicity: NOAEL: 2 mg/kg body weight Result: No teratogenic effects.
		Test Type: Development Species: Rabbit Application Route: Oral Developmental Toxicity: NOAEL: 500 mg/kg body weight Result: No adverse effects.
		Test Type: Development Species: Rat Application Route: Oral Developmental Toxicity: NOAEL: 10 mg/kg body weight
		Test Type: Development Species: Rat Application Route: Oral Developmental Toxicity: LOAEL: 100 mg/kg body weight

STOT-single exposure

May cause drowsiness or dizziness.

Components:**Propan-2-ol:**

Assessment	:	May cause drowsiness or dizziness.
------------	---	------------------------------------

STOT-repeated exposure

Causes damage to organs (Blood, Nervous system, Heart) through prolonged or repeated exposure.

Components:**Indoxacarb (ISO):**

Target Organs	:	Blood, Nervous system, Heart
Assessment	:	Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****Propan-2-ol:**

Species	:	Rat
NOAEL	:	12,5 mg/l
Application Route	:	inhalation (vapor)

Indoxacarb Formulation

Version 6.0 Revision Date: 28.09.2024 SDS Number: 25510-00028 Date of last issue: 06.07.2024
Date of first issue: 24.10.2014

||| Exposure time : 104 Weeks

Indoxacarb (ISO):

Species	: Rat, male and female
NOAEL	: 1,7 mg/kg
LOAEL	: 4,1 mg/kg
Application Route	: Oral
Exposure time	: 90 d
Target Organs	: Blood, Central nervous system
Species	: Rat, male and female
NOAEL	: 50 mg/kg
LOAEL	: 500 mg/kg
Application Route	: Dermal
Exposure time	: 28 d
Target Organs	: Blood
Species	: Rat
NOAEL	: 4.6 mg/m ³
LOAEL	: 23 mg/m ³
Application Route	: Inhalation
Exposure time	: 4 Weeks
Target Organs	: Blood, Lungs
Species	: Rat, male and female
NOAEL	: 1 mg/kg
LOAEL	: 2 mg/kg
Application Route	: Oral
Exposure time	: 1 y
Target Organs	: Blood
Species	: Dog
NOAEL	: 1 mg/kg
LOAEL	: 2 mg/kg
Application Route	: Oral
Exposure time	: 1 y
Target Organs	: Blood
Species	: Mouse
NOAEL	: 3 mg/kg
LOAEL	: 14 mg/kg
Application Route	: oral (feed)
Exposure time	: 18 Months
Target Organs	: Nervous system, Heart

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Indoxacarb (ISO):**

||| General Information : No human information is available.

Indoxacarb FormulationVersion
6.0Revision Date:
28.09.2024SDS Number:
25510-00028Date of last issue: 06.07.2024
Date of first issue: 24.10.2014**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Propan-2-ol:**

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 9.640 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 10.000 mg/l Exposure time: 24 h
Toxicity to microorganisms	: EC50 (Pseudomonas putida): > 1.050 mg/l Exposure time: 16 h

Indoxacarb (ISO):

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 0,65 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,9 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0,6 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): > 0,6 mg/l Exposure time: 72 h NOEC (Pseudokirchneriella subcapitata (green algae)): 0,46 mg/l Exposure time: 72 h
M-Factor (Acute aquatic toxicity)	: 1
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0,09 mg/l Exposure time: 21 d
M-Factor (Chronic aquatic toxicity)	: 1

Persistence and degradability**Components:****Propan-2-ol:**

Biodegradability	: Result: rapidly degradable
BOD/COD	: BOD: 1,19 (BOD5) COD: 2,23

SAFETY DATA SHEET



Indoxacarb Formulation

Version 6.0 Revision Date: 28.09.2024 SDS Number: 25510-00028 Date of last issue: 06.07.2024 Date of first issue: 24.10.2014

|| BOD/COD: 53 %

Bioaccumulative potential

Components:

Propan-2-ol:

|| Partition coefficient: n-octanol/water : log Pow: 0,05

Indoxacarb (ISO):

|| Partition coefficient: n-octanol/water : log Pow: 4,65

Mobility in soil

Components:

Indoxacarb (ISO):

|| Distribution among environmental compartments : log Koc: 3,9

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
Empty containers retain residue and can be dangerous.
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 1219
Proper shipping name : ISOPROPANOL SOLUTION
Class : 3
Packing group : II
Labels : 3
Environmentally hazardous : no

IATA-DGR

UN/ID No. : UN 1219
Proper shipping name : Isopropanol solution
Class : 3
Packing group : II

SAFETY DATA SHEET



Indoxacarb Formulation

Version 6.0 Revision Date: 28.09.2024 SDS Number: 25510-00028 Date of last issue: 06.07.2024 Date of first issue: 24.10.2014

Labels : Flammable Liquids
Packing instruction (cargo aircraft) : 364
Packing instruction (passenger aircraft) : 353

IMDG-Code

UN number : UN 1219
Proper shipping name : ISOPROPANOL SOLUTION (Indoxacarb (ISO))
Class : 3
Packing group : II
Labels : 3
EmS Code : F-E, S-D
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

ANTT

UN number : UN 1219
Proper shipping name : ISOPROPANOL, SOLUTION
Class : 3
Packing group : II
Labels : 3
Hazard Identification Number : 33

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

National List of Carcinogenic Agents for Humans - (LINACH) : Not applicable

Brazil. List of chemicals controlled by the Federal Police : Propan-2-ol

The ingredients of this product are reported in the following inventories:

AICS : not determined
DSL : not determined
IECSC : not determined

SECTION 16. OTHER INFORMATION

SAFETY DATA SHEET



Indoxacarb Formulation

Version 6.0 Revision Date: 28.09.2024 SDS Number: 25510-00028 Date of last issue: 06.07.2024 Date of first issue: 24.10.2014

Revision Date : 28.09.2024
Date format : dd.mm.yyyy

Further information

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	: ACGIH - Biological Exposure Indices (BEI)
BR BEI	: Brazil. NR7. Parameters for Biological Control of Occupational Exposure to Some Chemical Agents
BR OEL	: Brazil. NR 15 - Unhealthy activities and operations
ACGIH / TWA	: 8-hour, time-weighted average
ACGIH / STEL	: Short-term exposure limit
BR OEL / LT	: Up to 48 hours /week

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

SAFETY DATA SHEET



Indoxacarb Formulation

Version
6.0

Revision Date:
28.09.2024

SDS Number:
25510-00028

Date of last issue: 06.07.2024
Date of first issue: 24.10.2014

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8