

Fenbendazole (20%) Solid Formulation

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: |
| 7.0 | 2025/04/14 | 24665-00030 | 2024/07/06 |
| | | | Date of first issue: 2014/10/22 |

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Fenbendazole (20%) Solid Formulation

Manufacturer or supplier's details

Company : MSD

Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION**GHS Classification**

Reproductive toxicity : Category 2

Specific target organ toxicity - repeated exposure (Oral) : Category 2 (Liver, Stomach, Nervous system, Lymph nodes)

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H361D Suspected of damaging fertility. Suspected of damaging the unborn child.
H373 May cause damage to organs (Liver, Stomach, Nervous system, Lymph nodes) through prolonged or repeated exposure if swallowed.

Fenbendazole (20%) Solid Formulation

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: |
| 7.0 | 2025/04/14 | 24665-00030 | 2024/07/06 |
| | | | Date of first issue: 2014/10/22 |

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

Prevention:
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P391 Collect spillage.

Storage:
P405 Store locked up.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Dust contact with the eyes can lead to mechanical irritation.
Contact with dust can cause mechanical irritation or drying of the skin.
May form explosive dust-air mixture during processing, handling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

| Chemical name | CAS-No. | Concentration (% w/w) |
|-------------------|------------|-----------------------|
| Calcium carbonate | 471-34-1 | >= 10 -< 30 |
| Starch | 9005-25-8 | >= 10 -< 30 |
| fenbendazole | 43210-67-9 | >= 10 -< 25 |

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

Fenbendazole (20%) Solid Formulation

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: |
| 7.0 | 2025/04/14 | 24665-00030 | 2024/07/06 |
| | | | Date of first issue: 2014/10/22 |

| | |
|---|--|
| In case of eye contact | : If in eyes, rinse well with water. Get medical attention if irritation develops and persists. |
| If swallowed | : If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water. |
| Most important symptoms and effects, both acute and delayed | : Contact with dust can cause mechanical irritation or drying of the skin. Dust contact with the eyes can lead to mechanical irritation. Suspected of damaging fertility. Suspected of damaging the unborn child. May cause damage to organs through prolonged or repeated exposure if swallowed. |
| Protection of first-aiders | : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). |
| Notes to physician | : Treat symptomatically and supportively. |

5. FIREFIGHTING MEASURES

| | |
|---|---|
| Suitable extinguishing media | : Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical |
| Unsuitable extinguishing media | : None known. |
| Specific hazards during fire-fighting | : Exposure to combustion products may be a hazard to health. |
| Hazardous combustion products | : Carbon oxides Nitrogen oxides (NO _x) Sulphur oxides Metal oxides |
| Specific extinguishing methods | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area. |
| Special protective equipment for firefighters | : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. |

6. ACCIDENTAL RELEASE MEASURES

| | |
|---|--|
| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8). |
| Environmental precautions | : Avoid release to the environment. |

Fenbendazole (20%) Solid Formulation

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: |
| 7.0 | 2025/04/14 | 24665-00030 | 2024/07/06 |
| | | | Date of first issue: 2014/10/22 |

Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

| | |
|-----------------------------|--|
| Technical measures | : Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. |
| Local/Total ventilation | : Use only with adequate ventilation. |
| Advice on safe handling | : Do not breathe dust. Do not swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment. |
| Conditions for safe storage | : Keep in properly labelled containers. Store locked up. Store in accordance with the particular national regulations. |
| Materials to avoid | : Do not store with the following product types: Strong oxidizing agents |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

| Components | CAS-No. | Value type | Control parame- | Basis |
|------------|---------|------------|-----------------|-------|
|------------|---------|------------|-----------------|-------|

Fenbendazole (20%) Solid Formulation

Version 7.0 Revision Date: 2025/04/14 SDS Number: 24665-00030 Date of last issue: 2024/07/06
 Date of first issue: 2014/10/22

| | | (Form of exposure) | ters / Permissible concentration | |
|-------------------|---|--------------------|--|----------|
| Calcium carbonate | 471-34-1 | NAB (Inhalable) | 10 mg/m ³ (Calcium carbonate) | ID OEL |
| Starch | 9005-25-8 | NAB | 10 mg/m ³ | ID OEL |
| | Further information: Not classified as carcinogenic to humans. Not enough data to classify these materials as carcinogenic to humans or animals | | | |
| | | TWA | 10 mg/m ³ | ACGIH |
| fenbendazole | 43210-67-9 | TWA | 100 µg/m ³ (OEB 2) | Internal |

Engineering measures : Use feasible engineering controls to minimize exposure to compound.
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection : Chemical-resistant gloves

Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
 When using do not eat, drink or smoke.
 Wash contaminated clothing before re-use.
 The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : granules

Colour : light yellow

Odour : odourless

Fenbendazole (20%) Solid Formulation

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2024/07/06 |
| 7.0 | 2025/04/14 | 24665-00030 | Date of first issue: 2014/10/22 |

| | | |
|--|---|---|
| Odour Threshold | : | No data available |
| pH | : | 6 - 8 |
| Melting point/freezing point | : | No data available |
| Initial boiling point and boiling range | : | No data available |
| Flash point | : | No data available |
| Evaporation rate | : | No data available |
| Flammability (solid, gas) | : | May form explosive dust-air mixture during processing, handling or other means. |
| Flammability (liquids) | : | No data available |
| Upper explosion limit / Upper flammability limit | : | No data available |
| Lower explosion limit / Lower flammability limit | : | No data available |
| Vapour pressure | : | No data available |
| Relative vapour density | : | No data available |
| Relative density | : | No data available |
| Density | : | No data available |
| Solubility(ies) | | |
| Water solubility | : | insoluble |
| Partition coefficient: n-octanol/water | : | No data available |
| Auto-ignition temperature | : | No data available |
| Decomposition temperature | : | No data available |
| Viscosity | | |
| Viscosity, kinematic | : | No data available |
| Explosive properties | : | Not explosive |
| Oxidizing properties | : | The substance or mixture is not classified as oxidizing. |
| Molecular weight | : | No data available |

Fenbendazole (20%) Solid Formulation

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: |
| 7.0 | 2025/04/14 | 24665-00030 | 2024/07/06 |
| | | | Date of first issue: 2014/10/22 |

Minimum ignition energy : > 500 mJ

Particle characteristics
Particle size : No data available

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.
Avoid dust formation.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Components:**Calcium carbonate:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 420
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): > 3 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Starch:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Fenbendazole (20%) Solid Formulation

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2024/07/06 |
| 7.0 | 2025/04/14 | 24665-00030 | Date of first issue: 2014/10/22 |

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

fenbendazole:

Acute oral toxicity : LD50 (Rat): > 10,000 mg/kg
LD50 (Mouse): > 10,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:**Calcium carbonate:**

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

fenbendazole:

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Calcium carbonate:**

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Starch:

Species : Rabbit
Result : No eye irritation

fenbendazole:

Species : Rabbit
Result : No eye irritation

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Fenbendazole (20%) Solid Formulation

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2024/07/06 |
| 7.0 | 2025/04/14 | 24665-00030 | Date of first issue: 2014/10/22 |

Components:**Calcium carbonate:**

| | |
|-----------------|---------------------------------|
| Test Type | : Local lymph node assay (LLNA) |
| Exposure routes | : Skin contact |
| Species | : Mouse |
| Method | : OECD Test Guideline 429 |
| Result | : negative |

Starch:

| | |
|-----------------|---------------------|
| Test Type | : Maximisation Test |
| Exposure routes | : Skin contact |
| Species | : Guinea pig |
| Result | : negative |

Germ cell mutagenicity

Not classified based on available information.

Components:**Calcium carbonate:**

| | |
|-----------------------|--|
| Genotoxicity in vitro | : Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative |
| | Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative |
| | Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative |

Starch:

| | |
|-----------------------|--|
| Genotoxicity in vitro | : Test Type: Bacterial reverse mutation assay (AMES) Result: negative |
|-----------------------|--|

fenbendazole:

| | |
|-----------------------|--|
| Genotoxicity in vitro | : Test Type: Bacterial reverse mutation assay (AMES) Result: negative |
| | Test Type: DNA Repair Result: negative |
| | Test Type: Chromosomal aberration Result: negative |
| | Test Type: in vitro assay Test system: mouse lymphoma cells Metabolic activation: Metabolic activation |

Fenbendazole (20%) Solid Formulation

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2024/07/06 |
| 7.0 | 2025/04/14 | 24665-00030 | Date of first issue: 2014/10/22 |

Result: equivocal

Carcinogenicity

Not classified based on available information.

Components:**fenbendazole:**

| | |
|-------------------|-------------------------|
| Species | : Mouse |
| Application Route | : oral (feed) |
| Exposure time | : 2 Years |
| NOAEL | : 405 mg/kg body weight |
| Result | : negative |

| | |
|-------------------|-----------------------|
| Species | : Rat |
| Application Route | : Oral |
| Exposure time | : 2 Years |
| NOAEL | : 5 mg/kg body weight |
| Result | : negative |
| Target Organs | : Lymph nodes, Liver |

Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

Components:**Calcium carbonate:**

| | |
|----------------------|---|
| Effects on fertility | : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test Species: Rat Application Route: Ingestion Method: OECD Test Guideline 422 Result: negative |
|----------------------|---|

| | |
|-------------------------------|---|
| Effects on foetal development | : Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative |
|-------------------------------|---|

fenbendazole:

| | |
|----------------------|---|
| Effects on fertility | : Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: oral (feed) General Toxicity - Parent: NOAEL: 15 mg/kg body weight Fertility: LOAEL: 45 mg/kg body weight Result: Effects on fertility |
|----------------------|---|

| | |
|-------------------------------|---|
| Effects on foetal development | : Test Type: Development Species: Dog, female Application Route: Oral |
|-------------------------------|---|

Fenbendazole (20%) Solid Formulation

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: |
| 7.0 | 2025/04/14 | 24665-00030 | 2024/07/06 |
| | | | Date of first issue: 2014/10/22 |

Developmental Toxicity: LOAEL: 100 mg/kg body weight
Result: Embryotoxic effects and adverse effects on the offspring were detected., No teratogenic effects

Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: NOAEL: 25 mg/kg body weight
Result: Fetotoxicity

Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: LOAEL: 63 mg/kg body weight

Test Type: Embryo-foetal development
Species: Rat
Application Route: Oral
Developmental Toxicity: NOAEL: 120 mg/kg body weight
Result: No effects on foetal development

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs (Liver, Stomach, Nervous system, Lymph nodes) through prolonged or repeated exposure if swallowed.

Components:**fenbendazole:**

| | |
|-----------------|--|
| Exposure routes | : Ingestion |
| Target Organs | : Liver, Stomach, Nervous system, Lymph nodes |
| Assessment | : May cause damage to organs through prolonged or repeated exposure. |

Repeated dose toxicity**Components:****Calcium carbonate:**

| | |
|-------------------|---------------------------|
| Species | : Rat |
| NOAEL | : > 1,000 mg/kg |
| Application Route | : Ingestion |
| Exposure time | : 28 Days |
| Method | : OECD Test Guideline 422 |

Fenbendazole (20%) Solid Formulation

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2024/07/06 |
| 7.0 | 2025/04/14 | 24665-00030 | Date of first issue: 2014/10/22 |

Starch:

| | |
|-------------------|---------------------------|
| Species | : Rat |
| NOAEL | : $\geq 2,000$ mg/kg |
| Application Route | : Skin contact |
| Exposure time | : 28 Days |
| Method | : OECD Test Guideline 410 |

fenbendazole:

| | |
|-------------------|-----------------|
| Species | : Rat |
| LOAEL | : 500 mg/kg |
| Application Route | : Oral |
| Exposure time | : 2 Weeks |
| Target Organs | : Kidney, Liver |

| | |
|-------------------|--|
| Species | : Rat |
| NOAEL | : $> 2,500$ mg/kg |
| Application Route | : Oral |
| Exposure time | : 30 Days |
| Remarks | : No significant adverse effects were reported |

| | |
|-------------------|--------------------------|
| Species | : Rat |
| LOAEL | : 1,600 mg/kg |
| Application Route | : Oral |
| Exposure time | : 90 Days |
| Target Organs | : Central nervous system |
| Symptoms | : Tremors |

| | |
|---------------|--|
| Species | : Dog |
| NOAEL | : 4 mg/kg |
| LOAEL | : 8 mg/kg |
| Exposure time | : 6 Months |
| Target Organs | : Stomach, Nervous system, Lymph nodes |

Aspiration toxicity

Not classified based on available information.

Components:**fenbendazole:**

|| No aspiration toxicity classification

Experience with human exposure**Components:****fenbendazole:**

|| Ingestion : Symptoms: Rapid respiration, Salivation, anorexia, Diarrhoea

Fenbendazole (20%) Solid Formulation

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: |
| 7.0 | 2025/04/14 | 24665-00030 | 2024/07/06 |
| | | | Date of first issue: 2014/10/22 |

12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Calcium carbonate:**

| | |
|---|--|
| Toxicity to fish | : LL50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203 |
| Toxicity to daphnia and other aquatic invertebrates | : EL50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 202 |
| Toxicity to algae/aquatic plants | : NOELR (Pseudokirchneriella subcapitata (green algae)): 50 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 EL50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 |
| Toxicity to microorganisms | : NOEC: 1,000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 EC50: > 1,000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 |

fenbendazole:

| | |
|--|--|
| Toxicity to fish | : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.009 mg/l Exposure time: 21 d |
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Daphnia magna (Water flea)): 0.0088 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 |
| M-Factor (Acute aquatic toxicity) | : 100 |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : NOEC (Daphnia magna (Water flea)): 0.00113 mg/l Exposure time: 21 Days Method: OECD Test Guideline 211 |

Fenbendazole (20%) Solid Formulation

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2024/07/06 |
| 7.0 | 2025/04/14 | 24665-00030 | Date of first issue: 2014/10/22 |

M-Factor (Chronic aquatic toxicity) : 10

Persistence and degradability

No data available

Bioaccumulative potential**Components:****fenbendazole:**

Partition coefficient: n-octanol/water : log Pow: 3.32

Mobility in soil**Components:****fenbendazole:**

Distribution among environmental compartments : log Koc: 3.8 - 4.7
Method: FDA 3.08

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS**Disposal methods**

| | |
|------------------------|---|
| Waste from residues | : Do not dispose of waste into sewer. Dispose of in accordance with local regulations. |
| Contaminated packaging | : Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product. |

14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

| | |
|---------------------------|--|
| UN number | : UN 3077 |
| Proper shipping name | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (fenbendazole) |
| Class | : 9 |
| Packing group | : III |
| Labels | : 9 |
| Environmentally hazardous | : yes |

IATA-DGR

| | |
|----------------------|--|
| UN/ID No. | : UN 3077 |
| Proper shipping name | : Environmentally hazardous substance, solid, n.o.s. (fenbendazole) |
| Class | : 9 |

Fenbendazole (20%) Solid Formulation

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2024/07/06 |
| 7.0 | 2025/04/14 | 24665-00030 | Date of first issue: 2014/10/22 |

Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 956
Packing instruction (passenger aircraft) : 956
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (fenbendazole)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.

Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered : Not applicable

Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use : Not applicable
Prohibited substances : Not applicable
Restricted substances : Not applicable

Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials

Type of hazardous materials subject to distribution and control, Annex I : Not applicable

Type of hazardous materials subject to distribution and control, Annex II : Not applicable

Fenbendazole (20%) Solid Formulation

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2024/07/06 |
| 7.0 | 2025/04/14 | 24665-00030 | Date of first issue: 2014/10/22 |

The components of this product are reported in the following inventories:

| | | |
|-------|---|----------------|
| AICS | : | not determined |
| DSL | : | not determined |
| IECSC | : | not determined |

16. OTHER INFORMATION

Revision Date : 2025/04/14

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

| | | |
|--------|---|---|
| ACGIH | : | USA. ACGIH Threshold Limit Values (TLV) |
| ID OEL | : | Indonesia. Occupational Exposure Limits |

| | | |
|--------------|---|-------------------------------|
| ACGIH / TWA | : | 8-hour, time-weighted average |
| ID OEL / NAB | : | Long term exposure limit |

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances

Fenbendazole (20%) Solid Formulation

| | | | |
|---------|----------------|-------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 2024/07/06 |
| 7.0 | 2025/04/14 | 24665-00030 | Date of first issue: 2014/10/22 |

es; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN