

Emamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
11.1	2025/04/14	24926-00029	Date of first issue: 2014/10/23

1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Emamectin Formulation

Supplier's company name, address and phone number

Company name of supplier : MSD

Address : 1-13-12, Kudan-kita, Chiyoda-ku, Tokyo, Japan

Telephone : 03-6272-1099

E-mail address : EHSDATASTEWARD@msd.com

Emergency telephone number : +1-908-423-6000

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

GHS classification of chemical product

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms :



Signal word : Warning

Hazard statements : H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

Prevention:

P273 Avoid release to the environment.

Response:

P391 Collect spillage.

Disposal:

P501 Dispose of contents/ container to an approved waste

Emamectin Formulation

Version 11.1 Revision Date: 2025/04/14 SDS Number: 24926-00029 Date of last issue: 2024/09/28
Date of first issue: 2014/10/23

disposal plant.

Other hazards which do not result in classification

Important symptoms and outlines of the emergency assumed : Dust contact with the eyes can lead to mechanical irritation.
Contact with dust can cause mechanical irritation or drying of the skin.
May form explosive dust-air mixture during processing, handling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Starch	9005-25-8	$\geq 40 - < 50$	8-98
Propylene glycol	57-55-6	$\geq 1 - < 10$	2-234
Emamectin	137512-74-4	$\geq 0.1 - < 0.25$	-

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.

In case of skin contact : Wash with water and soap.
Get medical attention if symptoms occur.

In case of eye contact : If in eyes, rinse well with water.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : Contact with dust can cause mechanical irritation or drying of the skin.
Dust contact with the eyes can lead to mechanical irritation.

Protection of first-aiders : No special precautions are necessary for first aid responders.

Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Emamectin Formulation

Version 11.1	Revision Date: 2025/04/14	SDS Number: 24926-00029	Date of last issue: 2024/09/28 Date of first issue: 2014/10/23
-----------------	------------------------------	----------------------------	---

- Unsuitable extinguishing media : None known.
- Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Exposure to combustion products may be a hazard to health.
- Hazardous combustion products : Carbon oxides
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

Emamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
11.1	2025/04/14	24926-00029	Date of first issue: 2014/10/23

7. HANDLING AND STORAGE**Handling**

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe dust.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Minimize dust generation and accumulation.
Keep container closed when not in use.
Keep away from heat and sources of ignition.
Take precautionary measures against static discharges.
Take care to prevent spills, waste and minimize release to the environment.
- Avoidance of contact : Oxidizing agents
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Storage

- Conditions for safe storage : Keep in properly labelled containers.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
- Packaging material : Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Threshold limit value and permissible exposure limits for each component in the work environment**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Concentration standard / Permissible concentration	Basis
Starch	9005-25-8	TWA	10 mg/m3	ACGIH
Emamectin	137512-74-4	TWA	15 µg/m3 (OEB 3)	Internal
Further information: Skin				
		Wipe limit	150 µg/100 cm2	Internal

Emamectin Formulation

Version 11.1	Revision Date: 2025/04/14	SDS Number: 24926-00029	Date of last issue: 2024/09/28 Date of first issue: 2014/10/23
-----------------	------------------------------	----------------------------	---

Engineering measures : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state : powder

Colour : white

Odour : No data available

Odour Threshold : No data available

Melting point/freezing point : No data available

Boiling point, initial boiling point and boiling range : No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing, handling or other means.

Flammability (liquids) : No data available

Emamectin Formulation

Version 11.1	Revision Date: 2025/04/14	SDS Number: 24926-00029	Date of last issue: 2024/09/28 Date of first issue: 2014/10/23
-----------------	------------------------------	----------------------------	---

Lower explosion limit and upper explosion limit / flammability limit

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Flash point : No data available

Decomposition temperature : No data available

pH : No data available

Evaporation rate : No data available

Auto-ignition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-octanol/water : No data available

Vapour pressure : No data available

Density and / or relative density

Relative density : No data available

Relative vapour density : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : No data available

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.
Can react with strong oxidizing agents.

Emamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
11.1	2025/04/14	24926-00029	Date of first issue: 2014/10/23

Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure :

- Inhalation
- Skin contact
- Ingestion
- Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Components:**Starch:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Propylene glycol:

Acute oral toxicity : LD50 (Rat): 22,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 44.9 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Emamectin:

Acute oral toxicity : LD50 (Rat): 76 - 78 mg/kg
Symptoms: Irritability, Salivation, Lachrymation, Tremors

LD50 (Mouse): 22 - 31 mg/kg
Symptoms: Tremors

Emamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
11.1	2025/04/14	24926-00029	Date of first issue: 2014/10/23

		TDLo (Rat): 0.5 - 25 mg/kg Target Organs: Central nervous system, Peripheral nervous system
Acute inhalation toxicity	:	LC50 (Rat, male and female): > 0.663 - 1.049 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg LD0 (Rabbit): 500 - 1,000 mg/kg Target Organs: Peripheral nervous system, Central nervous system Symptoms: Tremors, Dilatation of the pupil

Skin corrosion/irritation

Not classified based on available information.

Components:**Propylene glycol:**

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Emamectin:

Species	:	Rabbit
Result	:	Mild skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Starch:**

Species	:	Rabbit
Result	:	No eye irritation

Propylene glycol:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

Emamectin:

Species	:	Rabbit
Result	:	Irreversible effects on the eye

Emamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
11.1	2025/04/14	24926-00029	Date of first issue: 2014/10/23

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**Starch:**

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Result	: negative

Propylene glycol:

Test Type	: Maximisation Type
Exposure routes	: Skin contact
Species	: Guinea pig
Result	: negative

Emamectin:

Test Type	: Local lymph node assay (LLNA)
Exposure routes	: Skin contact
Species	: Mouse
Assessment	: Does not cause skin sensitisation.
Result	: negative

Germ cell mutagenicity

Not classified based on available information.

Components:**Starch:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES)
	Result: negative

Propylene glycol:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES)
	Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
	Species: Mouse
	Application Route: Intraperitoneal injection

Emamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
11.1	2025/04/14	24926-00029	Date of first issue: 2014/10/23

Result: negative

Emamectin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster lung cells
Result: negative

Test Type: Chromosomal aberration
Test system: Chinese hamster ovary cells
Result: negative

Test Type: Alkaline elution assay
Test system: rat hepatocytes
Result: negative

Genotoxicity in vivo : Test Type: in vivo assay
Species: Mouse
Cell type: Bone marrow
Result: negative

Carcinogenicity

Not classified based on available information.

Components:**Propylene glycol:**

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

Emamectin:

Species : Mouse
Application Route : Oral
Exposure time : 79 weeks
Dose : 0.5 - 7.5 mg/kg body weight
Result : negative

Species : Rat
Application Route : Oral
Exposure time : 105 weeks
Dose : 0.25 - 2.5 mg/kg body weight
Result : negative

Reproductive toxicity

Not classified based on available information.

Emamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
11.1	2025/04/14	24926-00029	Date of first issue: 2014/10/23

Components:**Propylene glycol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Mouse
Application Route: Ingestion
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Mouse
Application Route: Ingestion
Result: negative

Emamectin:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat, male and female
Application Route: oral (feed)
General Toxicity - Parent: NOAEL: 0.6 mg/kg body weight
Fertility: NOAEL Parent: 0.6 mg/kg body weight
Early Embryonic Development: LOAEL F1: 0.6 mg/kg body weight
Symptoms: Effect on reproduction capacity, Effects on fertility, Effects on F1 offspring
Result: positive

Effects on foetal development : Test Type: Development
Species: Rabbit
Application Route: Oral
Duration of Single Treatment: 12 d
General Toxicity Maternal: NOAEL: 3 mg/kg body weight
Developmental Toxicity: NOAEL F1: 6 mg/kg body weight
Result: No teratogenic effects, Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

Test Type: Development
Species: Rat
Application Route: Oral
Duration of Single Treatment: 13 d
Developmental Toxicity: NOAEL F1: 4 mg/kg body weight
Result: No teratogenic effects, Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

STOT - single exposure

Not classified based on available information.

Components:**Emamectin:**

Exposure routes : Ingestion, Skin contact

Emamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
11.1	2025/04/14	24926-00029	Date of first issue: 2014/10/23

Target Organs : Peripheral nervous system, Central nervous system
Assessment : Causes damage to organs.

STOT - repeated exposure

Not classified based on available information.

Components:**Emamectin:**

Target Organs : Peripheral nervous system, Central nervous system
Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****Starch:**

Species : Rat
NOAEL : $\geq 2,000$ mg/kg
Application Route : Skin contact
Exposure time : 28 Days
Method : OECD Test Guideline 410

Propylene glycol:

Species : Rat, male
NOAEL : $\geq 1,700$ mg/kg
Application Route : Ingestion
Exposure time : 2 yr

Emamectin:

Species : Rat
NOAEL : 0.25 mg/kg
LOAEL : 1 mg/kg
Application Route : Oral
Exposure time : 105 Weeks
Target Organs : Central nervous system

Species : Mouse
NOAEL : 2.5 mg/kg
LOAEL : 12.5 mg/kg
Application Route : Oral
Exposure time : 79 Weeks
Target Organs : Peripheral nervous system
Symptoms : Tremors, Fatality

Species : Dog
NOAEL : 0.25 mg/kg
LOAEL : 0.5 mg/kg
Application Route : Oral

Emamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
11.1	2025/04/14	24926-00029	Date of first issue: 2014/10/23

Exposure time	:	53 Weeks
Target Organs	:	Peripheral nervous system, Central nervous system
Symptoms	:	Tremors, Dilatation of the pupil

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Emamectin:**

Eye contact	:	Symptoms: Severe irritation Remarks: Based on Animal Evidence
Ingestion	:	Target Organs: Gastro-intestinal system Symptoms: Nausea, Vomiting, Abdominal pain, confusion

12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Propylene glycol:**

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Ceriodaphnia dubia (water flea)): 18,340 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 (Skeletonema costatum (marine diatom)): 19,300 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Ceriodaphnia dubia (water flea)): 13,020 mg/l Exposure time: 7 d
Toxicity to microorganisms	:	NOEC (Pseudomonas putida): > 20,000 mg/l Exposure time: 18 h

Emamectin:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0.174 mg/l Exposure time: 96 h LC50 (Cyprinodon variegatus (sheepshead minnow)): 1.34 mg/l Exposure time: 96 h LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.18 mg/l
------------------	---	---

Emamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
11.1	2025/04/14	24926-00029	Date of first issue: 2014/10/23

Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.00099 mg/l
Exposure time: 48 hEC50 (Americamysis): 0.000043 mg/l
Exposure time: 48 h

M-Factor (Acute aquatic toxicity) : 10,000

M-Factor (Chronic aquatic toxicity) : 10,000

Persistence and degradability**Components:****Propylene glycol:**Biodegradability : Result: Readily biodegradable.
Biodegradation: 98.3 %
Exposure time: 28 d
Method: OECD Test Guideline 301F**Bioaccumulative potential****Components:****Propylene glycol:**Partition coefficient: n-octanol/water : log Pow: -1.07
Method: Regulation (EC) No. 440/2008, Annex, A.8**Emamectin:**Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): 80

Partition coefficient: n-octanol/water : log Pow: 5

Mobility in soil

No data available

Hazardous to the ozone layer

Not applicable

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS**Disposal methods**Waste from residues : Dispose of in accordance with local regulations.
Do not dispose of waste into sewer.

Emamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
11.1	2025/04/14	24926-00029	Date of first issue: 2014/10/23

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Emamectin)
Class	: 9
Packing group	: III
Labels	: 9
Environmentally hazardous	: yes

IATA-DGR

UN/ID No.	: UN 3077
Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Emamectin)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 956
Packing instruction (passenger aircraft)	: 956
Environmentally hazardous	: yes

IMDG-Code

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Emamectin)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Emamectin Formulation

Version 11.1 Revision Date: 2025/04/14 SDS Number: 24926-00029 Date of last issue: 2024/09/28
Date of first issue: 2014/10/23

ERG Code : 171

15. REGULATORY INFORMATION

Related Regulations

Fire Service Law

Not applicable to dangerous materials / designated flammables.

Chemical Substance Control Law

Priority Assessment Chemical Substance

Chemical name	Number
Propane-1,2-diol	106

Industrial Safety and Health Law

Harmful Substances Prohibited from Manufacture

Not applicable

Harmful Substances Required Permission for Manufacture

Not applicable

Substances Prevented From Impairment of Health

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

Substances Subject to be Notified Names

Law Article 57-2 (Ministerial Order Article 34-2 Appended Table 2)

Chemical name	Concentration (%)	Remarks
Propylene glycol	≥ 1 - < 10	From April 1st, 2025

Substances Subject to be Indicated Names

Law Article 57 (Ministerial Order Article 30 Appended Table 2)

Chemical name	Remarks
Propylene glycol	From April 1st, 2025

Skin and Eye Damage Substances (ISHL MO Art. 594-2)

Not applicable

Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)

Not applicable

Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

Ordinance on Prevention of Lead Poisoning

Not applicable

Emamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
11.1	2025/04/14	24926-00029	Date of first issue: 2014/10/23

Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

Poisonous and Deleterious Substances Control Law

Not applicable

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

Not applicable

High Pressure Gas Safety Act

Not applicable

Explosive Control Law

Not applicable

Vessel Safety Law

Miscellaneous dangerous substances and articles (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

Aviation Law

Miscellaneous dangerous substances and articles (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Not classified as noxious liquid substance

Pack transportation : Classified as marine pollutant

Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

Waste Disposal and Public Cleansing Law

Industrial waste

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

Emamectin Formulation

Version 11.1	Revision Date: 2025/04/14	SDS Number: 24926-00029	Date of last issue: 2024/09/28 Date of first issue: 2014/10/23
-----------------	------------------------------	----------------------------	---

16. OTHER INFORMATION

In this SDS, if the concentration of substances subject to notification under the Industrial Safety and Health Law is indicated as a range, it includes cases where it is a trade secret.

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only

Emamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
11.1	2025/04/14	24926-00029	Date of first issue: 2014/10/23

to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN