

SAFETY DATA SHEET



Trenbolone / Estradiol Formulation

Version 15.0 Revision Date: 10.11.2025 SDS Number: 28289-00034 Date of last issue: 03.11.2025 Date of first issue: 05.11.2014

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Trenbolone / Estradiol Formulation
Other means of identification : COOPERS REVALOR 400 GROWTH PROMOTANT FOR GRASS FED HEIFERS AND STEERS (48945)
COOPERS REVALOR FLEX GROWTH PROMOTANT FOR NON BREEDING CATTLE (58656)
COOPERS REVALOR S STEER GROWTH PROMOTANT AND FINISHING IMPLANTS (46111)
COOPERS REVALOR-H GROWTH PROMOTANT AND FINISHING IMPLANTS (47248)
Coopers Revalor XR Growth Promotant and Finishing Implants (90903)

Manufacturer or supplier's details

Company name of supplier : MSD
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Carcinogenicity : Category 1A
Reproductive toxicity : Category 1A
Specific target organ toxicity - repeated exposure : Category 1 (Liver, Bone, Blood, Endocrine system)
Specific target organ toxicity - repeated exposure (Oral) : Category 1 (Endocrine system, Blood)

GHS label elements

Hazard pictograms :

Signal Word : Danger

Hazard Statements : H350 May cause cancer.
H360FD May damage fertility. May damage the unborn child.
H372 Causes damage to organs (Liver, Bone, Blood, Endocrine system) through prolonged or repeated exposure.
H372 Causes damage to organs (Endocrine system, Blood)

SAFETY DATA SHEET



Trenbolone / Estradiol Formulation

Version 15.0	Revision Date: 10.11.2025	SDS Number: 28289-00034	Date of last issue: 03.11.2025 Date of first issue: 05.11.2014
-----------------	------------------------------	----------------------------	---

through prolonged or repeated exposure if swallowed.

Precautionary Statements

: **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe dust.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Storage:
P405 Store locked up.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

Dust contact with the eyes can lead to mechanical irritation.
Contact with dust can cause mechanical irritation or drying of the skin.
May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
17 β -hydroxyestra-4,9,11-trien-3-one 17-acetate	10161-34-9	>= 70 - < 90
Estradiol	50-28-2	>= 10 - < 20
Magnesium stearate	557-04-0	>= 5 - < 10

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.

In case of eye contact : Thoroughly clean shoes before reuse.
If in eyes, rinse well with water.

SAFETY DATA SHEET



Trenbolone / Estradiol Formulation

Version 15.0	Revision Date: 10.11.2025	SDS Number: 28289-00034	Date of last issue: 03.11.2025 Date of first issue: 05.11.2014
-----------------	------------------------------	----------------------------	---

If swallowed	Get medical attention if irritation develops and persists. : If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: May cause cancer. May damage fertility. May damage the unborn child. Causes damage to organs through prolonged or repeated exposure. Contact with dust can cause mechanical irritation or drying of the skin.
Protection of first-aiders	: Dust contact with the eyes can lead to mechanical irritation. First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Metal oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages

SAFETY DATA SHEET



Trenbolone / Estradiol Formulation

Version
15.0

Revision Date:
10.11.2025

SDS Number:
28289-00034

Date of last issue: 03.11.2025
Date of first issue: 05.11.2014

cannot be contained.

Methods and materials for containment and cleaning up :

- Sweep up or vacuum up spillage and collect in suitable container for disposal.
- Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
- Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
- Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
- Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures :

- Static electricity may accumulate and ignite suspended dust causing an explosion.
- Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation :

- If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling :

- Do not get on skin or clothing.
- Do not breathe dust.
- Do not swallow.
- Avoid contact with eyes.
- Wash skin thoroughly after handling.
- Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
- Keep container tightly closed.
- Minimize dust generation and accumulation.
- Keep container closed when not in use.
- Keep away from heat and sources of ignition.
- Take precautionary measures against static discharges.
- Do not eat, drink or smoke when using this product.
- Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures :

- If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
- When using do not eat, drink or smoke.
- Wash contaminated clothing before re-use.
- The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Conditions for safe storage :

- Keep in properly labeled containers.
- Store locked up.
- Keep tightly closed.

SAFETY DATA SHEET



Trenbolone / Estradiol Formulation

Version 15.0	Revision Date: 10.11.2025	SDS Number: 28289-00034	Date of last issue: 03.11.2025 Date of first issue: 05.11.2014
-----------------	------------------------------	----------------------------	---

Materials to avoid : Store in accordance with the particular national regulations.
Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Explosives
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
17 β -hydroxyestra-4,9,11-trien-3-one 17-acetate	10161-34-9	TWA	0.2 $\mu\text{g}/\text{m}^3$ (OEB 5)	Internal
		Wipe limit	2 $\mu\text{g}/100 \text{ cm}^2$	Internal
Estradiol	50-28-2	TWA	0.05 $\mu\text{g}/\text{m}^3$ (OEB 5)	Internal
Further information: Skin				
		Wipe limit	0.5 $\mu\text{g}/100 \text{ cm}^2$	Internal
Magnesium stearate	557-04-0	VLE-PPT	10 mg/ m^3	NOM-010-STPS-2014
		TWA (Inhalable particulate matter)	10 mg/ m^3	ACGIH
		TWA (Respirable particulate matter)	3 mg/ m^3	ACGIH

Engineering measures

: The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable. Use closed processing systems or containment technologies to control at source (e.g., glove boxes/isolators) and to prevent leakage of compounds into the workplace. All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. No open handling permitted.

SAFETY DATA SHEET



Trenbolone / Estradiol Formulation

Version
15.0

Revision Date:
10.11.2025

SDS Number:
28289-00034

Date of last issue: 03.11.2025
Date of first issue: 05.11.2014

Totally enclosed processes and materials transport systems are required.

Operations require the use of appropriate containment technology designed to prevent leakage of compounds into the workplace.

Personal protective equipment

Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	: Particulates type
Hand protection	
Material	: Chemical-resistant gloves
Remarks	: Consider double gloving.
Eye protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: powder
Color	: yellow
Odor	: No data available
Odor Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	: No data available

SAFETY DATA SHEET



Trenbolone / Estradiol Formulation

Version 15.0 Revision Date: 10.11.2025 SDS Number: 28289-00034 Date of last issue: 03.11.2025
Date of first issue: 05.11.2014

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapor pressure : No data available

Relative vapor density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)
Water solubility : No data available

Partition coefficient: n-octanol/water : No data available

Autoignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics
Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.
Avoid dust formation.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

SAFETY DATA SHEET



Trenbolone / Estradiol Formulation

Version 15.0 Revision Date: 10.11.2025 SDS Number: 28289-00034 Date of last issue: 03.11.2025 Date of first issue: 05.11.2014

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:

17 β -hydroxyestra-4,9,11-trien-3-one 17-acetate:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
LD50 (Mouse): 2,700 mg/kg

Estradiol:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Acute toxicity (other routes of administration) : LD50 (Rat): > 300 mg/kg
Application Route: Subcutaneous

Magnesium stearate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 423
Assessment: The substance or mixture has no acute oral toxicity
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Components:

Magnesium stearate:

Species : Rabbit
Result : No skin irritation
Remarks : Based on data from similar materials

Serious eye damage/eye irritation

Not classified based on available information.

SAFETY DATA SHEET



Trenbolone / Estradiol Formulation

Version 15.0 Revision Date: 10.11.2025 SDS Number: 28289-00034 Date of last issue: 03.11.2025
Date of first issue: 05.11.2014

Components:

Estradiol:

Result : No eye irritation

Magnesium stearate:

Species	:	Rabbit
Result	:	No eye irritation
Remarks	:	Based on data from similar materials

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Estradiol:

Routes of exposure	:	Skin contact
Species	:	Guinea pig
Assessment	:	Does not cause skin sensitization.
Result	:	negative

Magnesium stearate:

Test Type	:	Maximization Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative
Remarks	:	Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Components:

17 β -hydroxyestra-4,9,11-trien-3-one 17-acetate:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Test system: Salmonella typhimurium Result: negative
		Test Type: Micronucleus test Test system: Chinese hamster fibroblasts Result: negative
Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Result: negative
		Test Type: Micronucleus test

SAFETY DATA SHEET



Trenbolone / Estradiol Formulation

Version 15.0 Revision Date: 10.11.2025 SDS Number: 28289-00034 Date of last issue: 03.11.2025
Date of first issue: 05.11.2014

Species: Rat
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Estradiol:

Genotoxicity in vitro : Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Test system: mammalian cells
Result: positive

Test Type: Chromosome aberration test in vitro
Test system: mammalian cells
Result: positive

Test Type: Chromosomal aberration
Test system: mammalian cells
Result: positive

Genotoxicity in vivo : Test Type: Chromosomal aberration
Species: Rat
Cell type: Bone marrow
Result: negative

Test Type: Chromosomal aberration
Species: Mouse
Cell type: Bone marrow
Result: negative

Magnesium stearate:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative
Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)
Result: negative
Remarks: Based on data from similar materials

Carcinogenicity

May cause cancer.

Components:

17 β -hydroxyestra-4,9,11-trien-3-one 17-acetate:

Species : Mouse, male and female
Application Route : Oral
Result : positive

SAFETY DATA SHEET



Trenbolone / Estradiol Formulation

Version 15.0 Revision Date: 10.11.2025 SDS Number: 28289-00034 Date of last issue: 03.11.2025 Date of first issue: 05.11.2014

Target Organs	:	Liver
Species	:	Rat, male and female
Application Route	:	Oral
Result	:	positive
Target Organs	:	Pancreas
Carcinogenicity - Assessment	:	Limited evidence of carcinogenicity in animal studies

Estradiol:

Species	:	Mouse
Application Route	:	Ingestion
Exposure time	:	24 Months
LOAEL	:	100 µg/kg
Result	:	positive
Target Organs	:	female reproductive organs
Species	:	Rat
Application Route	:	Subcutaneous
Exposure time	:	13 weeks
LOAEL	:	20 mg/kg body weight
Result	:	positive
Target Organs	:	Endocrine system
Carcinogenicity - Assessment	:	Positive evidence from human epidemiological studies

Reproductive toxicity

May damage fertility. May damage the unborn child.

Components:

17β-hydroxyestra-4,9,11-trien-3-one 17-acetate:

Effects on fertility	:	Test Type: Two-generation study Species: Rat Application Route: Oral Fertility: LOAEL: 0.18 mg/kg body weight Result: Postimplantation loss.
Effects on fetal development	:	Test Type: Embryo-fetal development Species: Rat Application Route: oral (feed) Developmental Toxicity: LOAEL: 20 mg/kg body weight Result: Malformations were observed.
Reproductive toxicity - Assessment	:	Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

Estradiol:

Effects on fertility	:	Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion
----------------------	---	---

SAFETY DATA SHEET



Trenbolone / Estradiol Formulation

Version
15.0

Revision Date:
10.11.2025

SDS Number:
28289-00034

Date of last issue: 03.11.2025
Date of first issue: 05.11.2014

Fertility: LOAEL: 0.5 mg/kg body weight
Result: Effects on fertility.

Test Type: One-generation reproduction toxicity study
Species: Rat
Duration of Single Treatment: 90 d
Fertility: LOAEL: 0.69 mg/kg body weight
Result: Effects on fertility.

Test Type: Two-generation study
Species: Mouse
Application Route: Oral
Fertility: LOAEL: 0.1 mg/kg body weight
Result: Effects on fertility.

Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse, female
Application Route: Subcutaneous
Teratogenicity: LOAEL: 4 mg/kg body weight
Symptoms: Malformations were observed.
Result: positive, Teratogenic effects.

Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Subcutaneous
Teratogenicity: LOAEL: 2.5 µg/kg body weight
Symptoms: Reduced body weight
Result: positive, Embryotoxic effects and adverse effects on the offspring were detected.

Test Type: Embryo-fetal development
Species: Rat
Application Route: Subcutaneous
Developmental Toxicity: LOAEL: 0.2 mg/kg body weight
Symptoms: Early Resorptions / resorption rate., Reduced number of viable fetuses., Reduced body weight
Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses

Reproductive toxicity - Assessment : May damage fertility. May damage the unborn child.

Magnesium stearate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Result: negative

SAFETY DATA SHEET



Trenbolone / Estradiol Formulation

Version 15.0 Revision Date: 10.11.2025 SDS Number: 28289-00034 Date of last issue: 03.11.2025
Date of first issue: 05.11.2014

Remarks: Based on data from similar materials

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Causes damage to organs (Liver, Bone, Blood, Endocrine system) through prolonged or repeated exposure.

Causes damage to organs (Endocrine system, Blood) through prolonged or repeated exposure if swallowed.

Components:

17 β -hydroxyestra-4,9,11-trien-3-one 17-acetate:

Routes of exposure	:	Ingestion
Target Organs	:	Endocrine system, Blood
Assessment	:	Causes damage to organs through prolonged or repeated exposure.

Estradiol:

Target Organs	:	Liver, Bone, Blood, Endocrine system
Assessment	:	Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

17 β -hydroxyestra-4,9,11-trien-3-one 17-acetate:

Species	:	Pig
NOAEL	:	0.004 mg/kg
LOAEL	:	0.08 mg/kg
Exposure time	:	14 Weeks
Target Organs	:	Testis, Ovary, Liver, Uterus (including cervix)

Species	:	Rat
NOAEL	:	0.04 mg/kg
LOAEL	:	3.6 mg/kg
Application Route	:	Oral
Exposure time	:	23 Weeks
Target Organs	:	Blood

Species	:	Monkey, female
NOAEL	:	0.01 mg/kg
LOAEL	:	0.04 mg/kg
Application Route	:	Oral
Exposure time	:	122 Days
Target Organs	:	female reproductive organs

Species	:	Monkey, male
NOAEL	:	0.002 mg/kg
LOAEL	:	0.04 mg/kg
Application Route	:	Oral
Exposure time	:	30 Days

SAFETY DATA SHEET



Trenbolone / Estradiol Formulation

Version 15.0 Revision Date: 10.11.2025 SDS Number: 28289-00034 Date of last issue: 03.11.2025 Date of first issue: 05.11.2014

Target Organs	:	male reproductive organs
Species	:	Rat
NOAEL	:	0.05 mg/kg
LOAEL	:	0.1 mg/kg
Application Route	:	Oral
Exposure time	:	3 Months
Target Organs	:	male reproductive organs, Ovary, Uterus (including cervix)

Estradiol:

Species	:	Rat
LOAEL	:	>= 0.17 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 d
Target Organs	:	Mammary gland, Ovary, Uterus (including cervix), Liver, Bone, Endocrine system, Blood, Testis

Magnesium stearate:

Species	:	Rat
NOAEL	:	> 100 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days
Remarks	:	Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

17 β -hydroxyestra-4,9,11-trien-3-one 17-acetate:

Ingestion	:	Symptoms: male reproductive effects, gynecomastia, changes in libido
-----------	---	--

Estradiol:

Inhalation	:	Symptoms: tingling, Nose bleeding
Skin contact	:	Symptoms: Skin irritation, Redness, pruritis
Ingestion	:	Symptoms: Headache, Gastrointestinal disturbance, Dizziness, Vomiting, Diarrhea, water retention, liver function change, changes in libido, breast tenderness, menstrual irregularities

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

17 β -hydroxyestra-4,9,11-trien-3-one 17-acetate:

Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0.000035 mg/l Exposure time: 21 d
-------------------------------------	---	---

SAFETY DATA SHEET



Trenbolone / Estradiol Formulation

Version
15.0

Revision Date:
10.11.2025

SDS Number:
28289-00034

Date of last issue: 03.11.2025
Date of first issue: 05.11.2014

Method: OECD Test Guideline 229

Remarks: Based on data from similar materials

Estradiol:

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): 3.9 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.7 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 1.7 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

EC50 (Pseudokirchneriella subcapitata (green algae)): > 1.7 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Oryzias latipes (Japanese medaka)): 0.000003 mg/l
Exposure time: 160 d
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.2 mg/l
Exposure time: 21 d

Toxicity to microorganisms : EC50: > 100 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

NOEC: 100 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

Magnesium stearate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l
Exposure time: 48 h
Method: DIN 38412
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): > 1 mg/l
Exposure time: 47 h
Test substance: Water Accommodated Fraction
Method: Directive 67/548/EEC, Annex V, C.2.
Remarks: Based on data from similar materials
No toxicity at the limit of solubility.

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l
Exposure time: 72 h

SAFETY DATA SHEET



Trenbolone / Estradiol Formulation

Version 15.0 Revision Date: 10.11.2025 SDS Number: 28289-00034 Date of last issue: 03.11.2025
Date of first issue: 05.11.2014

Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials
No toxicity at the limit of solubility.

NOELR (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l
Exposure time: 72 h
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC10 (Pseudomonas putida): > 100 mg/l
Exposure time: 16 h
Test substance: Water Accommodated Fraction
Remarks: Based on data from similar materials

Persistence and degradability

Components:

Estradiol:

Biodegradability : Result: rapidly degradable
Biodegradation: 84 %
Exposure time: 24 hrs

Magnesium stearate:

Biodegradability : Result: Not biodegradable
Remarks: Based on data from similar materials

Bioaccumulative potential

Components:

17 β -hydroxyestra-4,9,11-trien-3-one 17-acetate:

Partition coefficient: n-octanol/water : log Pow: 3.77

Estradiol:

Partition coefficient: n-octanol/water : log Pow: 4.01

Magnesium stearate:

Partition coefficient: n-octanol/water : log Pow: > 4

Mobility in soil

Components:

Estradiol:

Distribution among environmental compartments : log Koc: 3.81

SAFETY DATA SHEET



Trenbolone / Estradiol Formulation

Version 15.0 Revision Date: 10.11.2025 SDS Number: 28289-00034 Date of last issue: 03.11.2025 Date of first issue: 05.11.2014

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Estradiol, 17 β -hydroxyestra-4,9,11-trien-3-one 17-acetate)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(Estradiol, 17 β -hydroxyestra-4,9,11-trien-3-one 17-acetate)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 956
Packing instruction (passenger aircraft) : 956
Environmentally hazardous : yes
Remarks : Above applies only to containers over 119 gallons (450 liters) in case of liquids, or 882 lbs. (400 kg) in case of solids.

IMDG-Code

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Estradiol, 17 β -hydroxyestra-4,9,11-trien-3-one 17-acetate)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes
Remarks : Above applies only to containers over 119 gallons (450 liters) in case of liquids, or 882 lbs. (400 kg) in case of solids.

SAFETY DATA SHEET



Trenbolone / Estradiol Formulation

Version 15.0 Revision Date: 10.11.2025 SDS Number: 28289-00034 Date of last issue: 03.11.2025 Date of first issue: 05.11.2014

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

NOM-002-SCT

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Estradiol, 17 β -hydroxyestra-4,9,11-trien-3-one 17-acetate)
Class : 9
Packing group : III
Labels : 9

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Federal Law for the control of chemical precursors, : Not applicable
essential chemical products and machinery for
producing capsules, tablets and pills.

The ingredients of this product are reported in the following inventories:

AICS : not determined
CA. DSL : not determined
IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date : 10.11.2025
Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
NOM-010-STPS-2014 : Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting the Work Environment - Identification, Assessment and Control - Appendix 1 Occupational Exposure Limits
ACGIH / TWA : 8-hour, time-weighted average
NOM-010-STPS-2014 / VLE- : Time weighted average limit value
PPT

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECx - Concentration associated with

SAFETY DATA SHEET



Trenbolone / Estradiol Formulation

Version
15.0

Revision Date:
10.11.2025

SDS Number:
28289-00034

Date of last issue: 03.11.2025
Date of first issue: 05.11.2014

x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECL - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8