

# SAFETY DATA SHEET



## Deltamethrin Collar

Version  
8.0

Revision Date:  
14.04.2025

SDS Number:  
85721-00029

Date of last issue: 03.11.2023  
Date of first issue: 01.04.2015

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Deltamethrin Collar

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Veterinary product

Recommended restrictions on use : Not applicable

#### 1.3 Details of the supplier of the safety data sheet

Company : MSD  
20 Spartan Road  
1619 Spartan, South Africa

Telephone : +27119239300

E-mail address of person responsible for the SDS : EHSDATASTEWARD@msd.com

#### 1.4 Emergency telephone number

+1-908-423-6000

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4

H302: Harmful if swallowed.

Skin sensitisation, Category 1

H317: May cause an allergic skin reaction.

Reproductive toxicity, Category 2

H361fd: Suspected of damaging fertility. Suspected of damaging the unborn child.

Specific target organ toxicity - repeated exposure, Category 2

H373: May cause damage to organs through prolonged or repeated exposure.

Long-term (chronic) aquatic hazard, Category 3

H412: Harmful to aquatic life with long lasting effects.

Endocrine disruptor for environment, Category 1

EUH430: May cause endocrine disruption in the environment

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

# SAFETY DATA SHEET



## Deltamethrin Collar

Version  
8.0

Revision Date:  
14.04.2025

SDS Number:  
85721-00029

Date of last issue: 03.11.2023  
Date of first issue: 01.04.2015

Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H302 Harmful if swallowed. H317 May cause an allergic skin reaction. H361fd Suspected of damaging fertility. Suspected of damaging the unborn child. H373 May cause damage to organs through prolonged or repeated exposure. H412 Harmful to aquatic life with long lasting effects. EUH430 May cause endocrine disruption in the environment
Precautionary statements	:	<b>Prevention:</b> P201 Obtain special instructions before use. P270 Do not eat, drink or smoke when using this product. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  <b>Response:</b> P308 + P313 IF exposed or concerned: Get medical advice/ attention. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

Hazardous components which must be listed on the label:  
deltamethrin (ISO)

### Additional Labelling

EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

##### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)

# SAFETY DATA SHEET



## Deltamethrin Collar

Version 8.0 Revision Date: 14.04.2025 SDS Number: 85721-00029 Date of last issue: 03.11.2023 Date of first issue: 01.04.2015

Triphenyl phosphate	115-86-6 204-112-2	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 ED ENV 1; EUH430  M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 30 - < 50
deltamethrin (ISO)	52918-63-5 258-256-6 607-319-00-X	Acute Tox. 3; H301 Acute Tox. 3; H331 Eye Irrit. 2; H319 Skin Sens. 1A; H317 Repr. 2; H361fd STOT SE 3; H335 STOT RE 1; H372 (Central nervous system, Immune system) STOT RE 1; H372 (Central nervous system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 1.000.000 M-Factor (Chronic aquatic toxicity): 1.000.000	>= 3 - < 10

For explanation of abbreviations see section 16.

---

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

# SAFETY DATA SHEET



## Deltamethrin Collar

Version  
8.0

Revision Date:  
14.04.2025

SDS Number:  
85721-00029

Date of last issue: 03.11.2023  
Date of first issue: 01.04.2015

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

Risks : This product contains a pyrethroid.  
Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.

Harmful if swallowed.  
May cause an allergic skin reaction.  
Suspected of damaging fertility. Suspected of damaging the unborn child.  
May cause damage to organs through prolonged or repeated exposure.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Bromine compounds  
Chlorine compounds  
Oxides of phosphorus

**Deltamethrin Collar**

---

Version 8.0	Revision Date: 14.04.2025	SDS Number: 85721-00029	Date of last issue: 03.11.2023 Date of first issue: 01.04.2015
----------------	------------------------------	----------------------------	---

---

**II****5.3 Advice for firefighters**

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

---

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

**6.2 Environmental precautions**

Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

**6.3 Methods and material for containment and cleaning up**

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

**6.4 Reference to other sections**

See sections: 7, 8, 11, 12 and 13.

---

**SECTION 7: Handling and storage****7.1 Precautions for safe handling**

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing. Avoid breathing dust, fume, gas, mist, vapours or spray. Do not swallow. Avoid contact with eyes. Wash skin thoroughly after handling.

**III**

# SAFETY DATA SHEET



## Deltamethrin Collar

Version  
8.0

Revision Date:  
14.04.2025

SDS Number:  
85721-00029

Date of last issue: 03.11.2023  
Date of first issue: 01.04.2015



### Hygiene measures

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the environment.

- : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use.
- The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep in properly labelled containers. Store locked up. Store in accordance with the particular national regulations.

Advice on common storage : Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Explosives  
Gases

### 7.3 Specific end use(s)

Specific use(s) : No data available

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Polyvinyl chloride	9002-86-2	OEL-RL (respirable dust fraction)	2 mg/m <sup>3</sup>	ZA OEL
	Further information: Occupational Exposure Limits - Restricted Limits For Hazardous Chemical Agents			
Triphenyl phosphate	115-86-6	OEL-RL	6 mg/m <sup>3</sup>	ZA OEL
	Further information: danger of cutaneous absorption, Occupational Exposure Limits - Restricted Limits For Hazardous Chemical Agents			
deltamethrin (ISO)	52918-63-5	TWA	15 µg/m <sup>3</sup> (OEB 3)	Internal
	Further information: DSEN, Skin			
Titanium dioxide	13463-67-7	Wipe limit	100 µg/100 cm <sup>2</sup>	Internal
	Further information: Occupational Exposure Limits - Restricted Limits For Hazardous Chemical Agents, denotes carcinogenicity, which is based on GHS			

## Deltamethrin Collar

Version  
8.0

Revision Date:  
14.04.2025

SDS Number:  
85721-00029

Date of last issue: 03.11.2023  
Date of first issue: 01.04.2015



categorisation, including category 1A, 1B

**This substance(s) is not bioavailable and therefore does not contribute to a dust inhalation hazard.**

Titanium dioxide

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
Triphenyl phosphate	Workers	Inhalation	Long-term systemic effects	5,2 mg/m <sup>3</sup>
	Workers	Skin contact	Long-term systemic effects	5,55 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0,9 mg/m <sup>3</sup>
	Consumers	Skin contact	Long-term systemic effects	1,98 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0,5 mg/kg bw/day

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
Triphenyl phosphate	Fresh water	0,0037 mg/l
	Marine water	0,00037 mg/l
	Intermittent use/release	0,0025 mg/l
	Sewage treatment plant	5 mg/l
	Fresh water sediment	1,103 mg/kg dry weight (d.w.)
	Marine sediment	0,1103 mg/kg dry weight (d.w.)
	Soil	0,2183 mg/kg dry weight (d.w.)
	Oral (Secondary Poisoning)	16,667 mg/kg food

## 8.2 Exposure controls

### Engineering measures

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

### Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Hand protection



Material

: Chemical-resistant gloves

# SAFETY DATA SHEET



## Deltamethrin Collar

Version 8.0	Revision Date: 14.04.2025	SDS Number: 85721-00029	Date of last issue: 03.11.2023 Date of first issue: 01.04.2015
----------------	------------------------------	----------------------------	---

II	Remarks
Skin and body protection	: Consider double gloving. : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	: Particulates type (P)

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance	: solid
Colour	: white
Odour	: very faint
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: > 148,8 °C
Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: Not classified as a flammability hazard
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: Not applicable
Relative vapour density	: Not applicable
Relative density	: No data available
Density	: No data available
Solubility(ies)	
Water solubility	: No data available
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: No data available

# SAFETY DATA SHEET



## Deltamethrin Collar

Version 8.0      Revision Date: 14.04.2025      SDS Number: 85721-00029      Date of last issue: 03.11.2023  
Date of first issue: 01.04.2015

---

Decomposition temperature : No data available  
Viscosity : Not applicable  
Viscosity, kinematic : Not applicable  
Explosive properties : Not explosive  
Oxidizing properties : The substance or mixture is not classified as oxidizing.

### 9.2 Other information

Molecular weight : Not applicable  
Particle size : Not applicable

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Not classified as a reactivity hazard.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

### 10.4 Conditions to avoid

Conditions to avoid : None known.

### 10.5 Incompatible materials

Materials to avoid : Oxidizing agents

### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Information on likely routes of exposure : Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

||| Harmful if swallowed.

#### Product:

Acute oral toxicity : Acute toxicity estimate: 1.668 mg/kg  
Method: Calculation method

**Deltamethrin Collar**

Version 8.0	Revision Date: 14.04.2025	SDS Number: 85721-00029	Date of last issue: 03.11.2023
			Date of first issue: 01.04.2015

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

**Components:****Triphenyl phosphate:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
Acute dermal toxicity : LD50 (Rabbit): > 10.000 mg/kg

**deltamethrin (ISO):**

Acute oral toxicity : LD50 (Rat): 66,7 mg/kg  
LD50 (Rat): 9 - 139 mg/kg  
LD50 (Mouse): 19 - 34 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0,8 mg/l  
Exposure time: 2 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): 2.000 mg/kg  
LD50 (Rat): > 800 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 2,5 mg/kg  
Application Route: Intravenous  
LD50 (Mouse): 10 mg/kg  
Application Route: Intraperitoneal

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Triphenyl phosphate:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**deltamethrin (ISO):**

Species : Rabbit  
Result : No skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Triphenyl phosphate:**

**Deltamethrin Collar**

Version 8.0	Revision Date: 14.04.2025	SDS Number: 85721-00029	Date of last issue: 03.11.2023 Date of first issue: 01.04.2015
----------------	------------------------------	----------------------------	---

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

**deltamethrin (ISO):**

Species	:	Rabbit
Result	:	Moderate eye irritation

**Respiratory or skin sensitisation****Skin sensitisation**

May cause an allergic skin reaction.
--------------------------------------

**Respiratory sensitisation**

Not classified based on available information.
--

**Components:****Triphenyl phosphate:**

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative

**deltamethrin (ISO):**

Test Type	:	Maximisation Test
Exposure routes	:	Dermal
Species	:	Guinea pig
Result	:	negative

Test Type	:	Human repeat insult patch test (HRIPT)
Exposure routes	:	Dermal
Species	:	Humans
Result	:	positive

**Germ cell mutagenicity**

Not classified based on available information.
--

**Components:****Triphenyl phosphate:**

Genotoxicity in vitro	:	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative
		Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
		Test Type: In vitro mammalian cell gene mutation test Result: negative

**Deltamethrin Collar**

Version 8.0	Revision Date: 14.04.2025	SDS Number: 85721-00029	Date of last issue: 03.11.2023 Date of first issue: 01.04.2015
----------------	------------------------------	----------------------------	---

**deltamethrin (ISO):**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: DNA Repair Test system: Escherichia coli Result: negative
	Test Type: Chromosomal aberration Test system: Chinese hamster ovary cells Result: negative
	Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster lung cells Concentration: LOAEL: 20 mg/kg Result: positive
Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Application Route: Oral Result: negative
	Test Type: dominant lethal test Species: Mouse Application Route: Oral Result: negative
	Test Type: sister chromatid exchange assay Species: Mouse Cell type: Bone marrow Application Route: Oral Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****deltamethrin (ISO):**

Species	: Mouse, male and female
Application Route	: oral (feed)
Exposure time	: 104 weeks
NOAEL	: 8 mg/kg body weight
LOAEL	: 4 mg/kg body weight
Result	: positive
Target Organs	: Lymph nodes
Species	: Rat, male and female
Application Route	: oral (feed)
Exposure time	: 2 Years
Result	: negative
Species	: Dog, male and female
Application Route	: oral (feed)
Exposure time	: 2 Years

# SAFETY DATA SHEET



## Deltamethrin Collar

Version 8.0      Revision Date: 14.04.2025      SDS Number: 85721-00029      Date of last issue: 03.11.2023  
Date of first issue: 01.04.2015

|| NOAEL : 1 mg/kg body weight  
|| Result : negative

### Reproductive toxicity

|| Suspected of damaging fertility. Suspected of damaging the unborn child.

#### Components:

##### **Triphenyl phosphate:**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative

**deltamethrin (ISO):**

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: oral (feed)  
Early Embryonic Development: NOAEL: 50 mg/kg body weight  
Symptoms: No effects on fertility, Embryo-foetal toxicity  
Remarks: Significant toxicity observed in testing

Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
Early Embryonic Development: LOAEL: 84 - 149 mg/kg body weight  
Symptoms: No effects on fertility, Embryo-foetal toxicity

Test Type: Fertility  
Species: Rat, male  
Application Route: Oral  
Fertility: LOAEL: 1 mg/kg body weight  
Symptoms: Effects on fertility  
Target Organs: Testes

Effects on foetal development : Test Type: Development  
Species: Mouse  
Application Route: oral (gavage)  
Developmental Toxicity: LOAEL: 1 mg/kg body weight  
Result: Skeletal malformations  
Remarks: Maternal toxicity observed.

Test Type: Development  
Species: Rat, female  
Developmental Toxicity: NOAEL: 10 mg/kg body weight  
Symptoms: No effects on foetal development

# SAFETY DATA SHEET



## Deltamethrin Collar

Version 8.0	Revision Date: 14.04.2025	SDS Number: 85721-00029	Date of last issue: 03.11.2023 Date of first issue: 01.04.2015
----------------	------------------------------	----------------------------	---

	Test Type: Development Species: Rabbit, female Application Route: oral (gavage) Developmental Toxicity: NOAEL: 16 mg/kg body weight Symptoms: No effects on foetal development
Reproductive toxicity - Assessment	: Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

### STOT - single exposure

Not classified based on available information.

#### Components:

##### **deltamethrin (ISO):**

Assessment : May cause respiratory irritation.

### STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

#### Components:

##### **deltamethrin (ISO):**

Exposure routes : Ingestion  
Target Organs : Central nervous system, Immune system  
Assessment : Causes damage to organs through prolonged or repeated exposure.

Exposure routes : inhalation (dust/mist/fume)  
Target Organs : Central nervous system  
Assessment : Causes damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

#### Components:

##### **Triphenyl phosphate:**

Species : Rat  
NOAEL : 105 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Method : OECD Test Guideline 408

##### **deltamethrin (ISO):**

Species : Rat, male and female  
NOAEL : 1 mg/kg  
LOAEL : 2,5 mg/kg  
Application Route : Oral  
Exposure time : 13 Weeks  
Target Organs : Nervous system  
Symptoms : hyperexcitability

# SAFETY DATA SHEET



## Deltamethrin Collar

Version 8.0	Revision Date: 14.04.2025	SDS Number: 85721-00029	Date of last issue: 03.11.2023 Date of first issue: 01.04.2015
----------------	------------------------------	----------------------------	---

Species	:	Rat
LOAEL	:	3 mg/m3
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	2 wk / 5 d/wk / 6 h/d
Symptoms	:	Local irritation, respiratory tract irritation
Species	:	Dog
NOAEL	:	0,1 mg/kg
LOAEL	:	1 mg/kg
Application Route	:	Oral
Exposure time	:	13 Weeks
Target Organs	:	Nervous system
Symptoms	:	Dilatation of the pupil, Vomiting, Tremors, Diarrhoea, Salivation
Species	:	Rat
NOAEL	:	14 mg/kg
LOAEL	:	54 mg/kg
Application Route	:	Oral
Exposure time	:	91 d
Target Organs	:	Nervous system
Species	:	Mouse
LOAEL	:	6 mg/kg
Application Route	:	Oral
Exposure time	:	12 Weeks
Target Organs	:	Immune system
Symptoms	:	immune system effects

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Product:

Skin contact	:	Remarks: Can be absorbed through skin. Based on Animal Evidence May irritate skin.
Ingestion	:	Remarks: May be harmful if swallowed.

#### Components:

##### **deltamethrin (ISO):**

Inhalation	:	Symptoms: respiratory tract irritation, Dizziness, Sweating, Headache, Nausea, Vomiting, anorexia, Fatigue, tingling, Palpitation, Blurred vision, muscle twitching
Skin contact	:	Symptoms: Skin irritation, Erythema, pruritis, Headache, Nausea, Vomiting, Dizziness, tingling, Sweating, muscle twitching, Blurred vision, Fatigue, anorexia, Allergic reactions
Ingestion	:	Symptoms: muscle pain, Small pupils

**Deltamethrin Collar**Version  
8.0Revision Date:  
14.04.2025SDS Number:  
85721-00029Date of last issue: 03.11.2023  
Date of first issue: 01.04.2015**SECTION 12: Ecological information****12.1 Toxicity****Product:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 13 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

**Ecotoxicology Assessment**

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

**Components:****Triphenyl phosphate:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,4 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Mysidopsis bahia (opossum shrimp)): > 0,18 - 0,32 mg/l  
Exposure time: 96 h

Toxicity to algae/aquatic plants : ErC50 (Raphidocelis subcapitata (freshwater green alga)): 3,73 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Raphidocelis subcapitata (freshwater green alga)): 0,25 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : EC10: 0,0048 mg/l  
Exposure time: 73 d  
Species: Danio rerio (zebra fish)  
Method: OECD Test Guideline 234

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,254 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1

**deltamethrin (ISO):**

# SAFETY DATA SHEET



## Deltamethrin Collar

Version 8.0      Revision Date: 14.04.2025      SDS Number: 85721-00029      Date of last issue: 03.11.2023  
Date of first issue: 01.04.2015

Toxicity to fish	: LC50 (Cyprinodon variegatus (sheepshead minnow)): 0,00048 mg/l Exposure time: 96 h  LC50 (Oncorhynchus mykiss (rainbow trout)): 0,00039 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Mysidopsis bahia (opossum shrimp)): 0,0037 µg/l Exposure time: 48 h  EC50 (Daphnia magna (Water flea)): 0,0035 mg/l Exposure time: 48 h  LC50 (Gammarus fasciatus (freshwater shrimp)): 0,0003 µg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): > 9,1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
M-Factor (Acute aquatic toxicity)	: 1.000.000
Toxicity to fish (Chronic toxicity)	: NOEC: 0,000022 mg/l Exposure time: 36 d Species: Pimephales promelas (fathead minnow)  NOEC: 0,000017 mg/l Exposure time: 260 d Species: Pimephales promelas (fathead minnow)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 0,0041 µg/l Exposure time: 21 d Species: Daphnia magna (Water flea)
M-Factor (Chronic aquatic toxicity)	: 1.000.000

## 12.2 Persistence and degradability

### Components:

#### **Triphenyl phosphate:**

Biodegradability	: Result: Readily biodegradable. Biodegradation: 83 - 94 % Exposure time: 28 d
------------------	--

#### **deltamethrin (ISO):**

Stability in water	: Hydrolysis: 0 %(30 d)
--------------------	-------------------------

**Deltamethrin Collar**

Version 8.0      Revision Date: 14.04.2025      SDS Number: 85721-00029      Date of last issue: 03.11.2023  
Date of first issue: 01.04.2015

---

**12.3 Bioaccumulative potential****Components:****Triphenyl phosphate:**

Bioaccumulation : Species: Oryzias latipes (Orange-red killifish)  
Bioconcentration factor (BCF): 144

Partition coefficient: n-octanol/water : log Pow: 4,63

**deltamethrin (ISO):**

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 1.800

Partition coefficient: n-octanol/water : log Pow: 4,6

**12.4 Mobility in soil****Components:****deltamethrin (ISO):**

Distribution among environmental compartments : log Koc: 7,2

**12.5 Results of PBT and vPvB assessment****Product:**

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**12.6 Other adverse effects****Product:**

Endocrine disrupting potential : This substance/mixture contains components considered to have endocrine disrupting properties for environment, according to REACH Article 57(f), Commission Regulation (EU) 2018/605 or Commission Delegated Regulation (EU) 2017/2100.

**Components:****Triphenyl phosphate:**

Endocrine disrupting potential : The substance is considered to have endocrine disrupting properties according to REACH Article 57(f) for the environment.

---

**SECTION 13: Disposal considerations****13.1 Waste treatment methods**

Product : Dispose of in accordance with local regulations.

# SAFETY DATA SHEET



## Deltamethrin Collar

Version 8.0	Revision Date: 14.04.2025	SDS Number: 85721-00029	Date of last issue: 03.11.2023 Date of first issue: 01.04.2015
----------------	------------------------------	----------------------------	---

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

## SECTION 14: Transport information

### 14.1 UN number

ADN : Not regulated as a dangerous good  
ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

### 14.2 UN proper shipping name

ADN : Not regulated as a dangerous good  
ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good  
ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA : Not regulated as a dangerous good

### 14.4 Packing group

ADN : Not regulated as a dangerous good  
ADR : Not regulated as a dangerous good  
RID : Not regulated as a dangerous good  
IMDG : Not regulated as a dangerous good  
IATA (Cargo) : Not regulated as a dangerous good  
IATA (Passenger) : Not regulated as a dangerous good

### 14.5 Environmental hazards

Not regulated as a dangerous good

### 14.6 Special precautions for user

Not applicable

# SAFETY DATA SHEET



## Deltamethrin Collar

Version 8.0      Revision Date: 14.04.2025      SDS Number: 85721-00029      Date of last issue: 03.11.2023  
Date of first issue: 01.04.2015

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### The components of this product are reported in the following inventories:

AICS : not determined  
DSL : not determined  
IECSC : not determined

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

#### Full text of H-Statements

EUH430 : May cause endocrine disruption in the environment  
H301 : Toxic if swallowed.  
H317 : May cause an allergic skin reaction.  
H319 : Causes serious eye irritation.  
H331 : Toxic if inhaled.  
H335 : May cause respiratory irritation.  
H361fd : Suspected of damaging fertility. Suspected of damaging the unborn child.  
H372 : Causes damage to organs through prolonged or repeated exposure if inhaled.  
H372 : Causes damage to organs through prolonged or repeated exposure if swallowed.  
H400 : Very toxic to aquatic life.  
H410 : Very toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

Acute Tox. : Acute toxicity  
Aquatic Acute : Short-term (acute) aquatic hazard  
Aquatic Chronic : Long-term (chronic) aquatic hazard  
ED ENV : Endocrine disruptor for environment  
Eye Irrit. : Eye irritation  
Repr. : Reproductive toxicity  
Skin Sens. : Skin sensitisation  
STOT RE : Specific target organ toxicity - repeated exposure  
STOT SE : Specific target organ toxicity - single exposure  
ZA OEL : South Africa. The Regulations for Hazardous Chemical Agents, Occupational Exposure Limits

# SAFETY DATA SHEET



## Deltamethrin Collar

Version 8.0 Revision Date: 14.04.2025 SDS Number: 85721-00029 Date of last issue: 03.11.2023 Date of first issue: 01.04.2015

ZA OEL / OEL-RL : Occupational Exposure Limit Restricted limit - 8- hour exposure or equivalent (12 hour shifts)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

### Classification of the mixture:

Acute Tox. 4	H302
Skin Sens. 1	H317
Repr. 2	H361fd
STOT RE 2	H373
Aquatic Chronic 3	H412
ED ENV 1	EUH430

### Classification procedure:

Calculation method
Calculation method
Calculation method
Calculation method
Based on product data or assessment
Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

# SAFETY DATA SHEET



## Deltamethrin Collar

Version  
8.0

Revision Date:  
14.04.2025

SDS Number:  
85721-00029

Date of last issue: 03.11.2023  
Date of first issue: 01.04.2015

---

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ZA / EN