

**Fluralaner**

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	02.10.2025	186539-00036	Date of first issue: 17.06.2015

---

**SECTION 1. IDENTIFICATION**

Product identifier : Fluralaner

Product code : Fluralaner, Fluralaner

Other means of identification : BRAVECTO QUANTUM FLURALANER 150 mg/mL  
INJECTABLE SUSPENSION FOR DOGS (91883)  
Bravecto Quantum (powder vial) (A011993)  
Bravecto 365

**Manufacturer or supplier's details**

Company : MSD

Address : Rua Coronel Bento Soares, 530  
Cruzeiro - Sao Paulo - Brazil CEP 12730-340

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Pharmaceutical

Restrictions on use : Not applicable



---

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification of the substance or mixture in accordance with ABNT NBR 14725 Standard**

Reproductive toxicity : Category 2

Long-term (chronic) aquatic hazard : Category 1

**GHS label elements in accordance with ABNT NBR 14725 Standard**

Hazard pictograms :  

Signal Word : Warning

Hazard Statements : H361d Suspected of damaging the unborn child.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**

## Fluralaner

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	02.10.2025	186539-00036	Date of first issue: 17.06.2015

P201 Obtain special instructions before use.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P391 Collect spillage.

**Storage:**

P405 Store locked up.

**Other hazards which do not result in classification**

Dust contact with the eyes can lead to mechanical irritation.  
Contact with dust can cause mechanical irritation or drying of the skin.  
May form combustible dust concentrations in air.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Substance  
Substance name : Fluralaner  
  
CAS-No. : 864731-61-3

**Components**

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Fluralaner	864731-61-3	Repr., 2 Aquatic Chronic, 1	>= 90 -<= 100

**SECTION 4. FIRST AID MEASURES****Description of necessary first-aid measures**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

Most important symptoms : Suspected of damaging the unborn child.

**Fluralaner**

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	02.10.2025	186539-00036	Date of first issue: 17.06.2015

and effects, both acute and delayed

Contact with dust can cause mechanical irritation or drying of the skin.

Dust contact with the eyes can lead to mechanical irritation.

Protection of first-aiders

: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

**Indication of any immediate medical attention and special treatment needed**

Notes to physician

: Treat symptomatically and supportively.

**SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media

: Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media

: High volume water jet

Specific hazards during fire fighting

: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Do not use a solid water stream as it may scatter and spread fire.  
Exposure to combustion products may be a hazard to health.

Hazardous combustion products

: Carbon oxides  
Chlorine compounds  
Fluorine compounds

Specific extinguishing methods

: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for fire-fighters

: In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

: Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions

: Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for

: Sweep up or vacuum up spillage and collect in suitable

## Fluralaner

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	02.10.2025	186539-00036	Date of first issue: 17.06.2015

containment and cleaning up container for disposal.  
 Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
 Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
 Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
 Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

**SECTION 7. HANDLING AND STORAGE**

Technical measures	:	Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Do not breathe dust. Do not swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	:	If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
Conditions for safe storage	:	Keep in properly labeled containers. Store locked up. Store in accordance with the particular national regulations.
Materials to avoid	:	Do not store with the following product types: Strong oxidizing agents

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Ingredients with workplace control parameters**

Components	CAS-No.	Value type	Control parame-	Basis
------------	---------	------------	-----------------	-------

## Fluralaner

Version 8.0      Revision Date: 02.10.2025      SDS Number: 186539-00036      Date of last issue: 14.04.2025  
 Date of first issue: 17.06.2015

		(Form of exposure)	ters / Permissible concentration	
Fluralaner	864731-61-3	TWA	100 µg/m <sup>3</sup> (OEB 2)	Internal
	Further information: Skin			
		Wipe limit	1000 µg/100 cm <sup>2</sup>	Internal

**Engineering measures** : Use feasible engineering controls to minimize exposure to compound.  
 All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

**Personal protective equipment**

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Take note that the product is flammable, which may impact the selection of hand protection. Wash hands before breaks and at the end of workday.

Eye protection : Wear safety glasses with side shields or goggles.  
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical state : powder

Color : white to off-white

Odor : odorless

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : 173,3 - 175,5 °C

Initial boiling point and boiling range : No data available

## Fluralaner

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	02.10.2025	186539-00036	Date of first issue: 17.06.2015

---

Flash point	:	236 °C
Evaporation rate	:	No data available
Flammability (solid, gas)	:	May form combustible dust concentrations in air.
Flammability (liquids)	:	Not applicable
Burning number	:	2 (25 °C)
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	< 0,0000001 hPa (20 °C)
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	0,082 mg/l
Partition coefficient: n-octanol/water	:	log Pow: 4,5
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	556,29 g/mol
Dust deflagration index (Kst)	:	170 m.b_/s
Minimum ignition energy	:	> 30 - < 100 mJ Method: With inductance  > 30 - < 100 mJ Method: Without inductance
Particle characteristics Particle size	:	1,97 mm

## Fluralaner

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	02.10.2025	186539-00036	Date of first issue: 17.06.2015

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	May form combustible dust concentrations in air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

**SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

**Acute toxicity**

Not classified based on available information.

**Components:****Fluralaner:**

Acute oral toxicity	:	LD50 (Rat): > 2.000 mg/kg Remarks: No mortality observed at this dose. No significant adverse effects were reported
Acute dermal toxicity	:	LD50 (Rat): > 2.000 mg/kg Remarks: No significant adverse effects were reported

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Fluralaner:**

Species	:	Rabbit
Result	:	No skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Fluralaner:**

Species	:	Rabbit
Result	:	Mild eye irritation

**Fluralaner**

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	02.10.2025	186539-00036	Date of first issue: 17.06.2015

---

**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

Not classified based on available information.

**Components:****Fluralaner:**

Test Type	: Maximization Test
Routes of exposure	: Dermal
Species	: Guinea pig
Result	: Not a skin sensitizer.

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Fluralaner:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES)
	Result: negative
	Test Type: Mouse Lymphoma
	Result: negative
	Test Type: Chromosomal aberration
	Result: negative
Genotoxicity in vivo	: Test Type: Micronucleus test
	Species: Mouse
	Cell type: Bone marrow
	Application Route: Oral
	Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****Fluralaner:**

Carcinogenicity - Assessment	: No data available
------------------------------	---------------------

**Reproductive toxicity**

Suspected of damaging the unborn child.

**Components:****Fluralaner:**

Effects on fertility	: Test Type: Two-generation study
	Species: Rat
	Application Route: Oral



## Fluralaner

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	02.10.2025	186539-00036	Date of first issue: 17.06.2015

General Toxicity Parent: NOAEL: 50 mg/kg body weight  
 General Toxicity F1: LOAEL: 100 mg/kg body weight  
 Result: No effects on fertility., Postimplantation loss., Adverse neonatal effects.

Effects on fetal development : Test Type: Development  
 Species: Rat  
 Application Route: Oral  
 Developmental Toxicity: NOAEL: 100 mg/kg body weight  
 Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses, No teratogenic effects.

Test Type: Development  
 Species: Rabbit  
 Application Route: Oral  
 Developmental Toxicity: NOAEL: 10 mg/kg body weight  
 Result: Skeletal malformations., Visceral malformations.  
 Remarks: Maternal toxicity observed.

Test Type: Development  
 Species: Rabbit  
 Application Route: Dermal  
 Developmental Toxicity: NOAEL: 100 mg/kg body weight  
 Result: Skeletal malformations.

Reproductive toxicity - Assessment : Suspected of damaging the unborn child.

**STOT-single exposure**

Not classified based on available information.

**STOT-repeated exposure**

Not classified based on available information.

**Repeated dose toxicity****Components:****Fluralaner:**

Species	: Dog
NOAEL	: 1 mg/kg
Application Route	: Oral
Exposure time	: 52 Weeks
Target Organs	: Liver
Remarks	: No significant adverse effects were reported

Species	: Rat
LOAEL	: 400 mg/kg
Application Route	: Oral
Exposure time	: 90 Days
Target Organs	: Liver, thymus gland

Species	: Rat
NOAEL	: 500 mg/kg
Application Route	: Dermal

## Fluralaner

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	02.10.2025	186539-00036	Date of first issue: 17.06.2015

Exposure time	: 90 Days
Target Organs	: Liver
Remarks	: No significant adverse effects were reported

**Aspiration toxicity**

Not classified based on available information.

**Components:****Fluralaner:**

|| Not applicable

**Experience with human exposure****Components:****Fluralaner:**

Skin contact	: Remarks: May irritate skin.
Eye contact	: Remarks: May cause eye irritation.

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Fluralaner:**

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 0,0488 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: No toxicity at the limit of solubility.
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 0,015 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: No toxicity at the limit of solubility.
Toxicity to algae/aquatic plants	: NOEC (Pseudokirchneriella subcapitata (green algae)): >= 0,08 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility.
Toxicity to fish (Chronic toxicity)	: NOEC (Zebrafish): >= 0,049 mg/l Exposure time: 21 d Method: OECD Test Guideline 204 Remarks: No toxicity at the limit of solubility.
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0,0736 µg/l Exposure time: 21 d Method: OECD Test Guideline 211
M-Factor (Chronic aquatic toxicity)	: 1.000

## Fluralaner

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	02.10.2025	186539-00036	Date of first issue: 17.06.2015

**Persistence and degradability**

No data available

**Bioaccumulative potential****Components:****Fluralaner:**

Bioaccumulation	:	Species: Zebrafish Bioconcentration factor (BCF): 79,4 Method: OECD Test Guideline 305
-----------------	---	--

Partition coefficient: n-octanol/water	:	log Pow: 4,5
--	---	--------------

**Mobility in soil****Components:****Fluralaner:**

Distribution among environmental compartments	:	log Koc: 4,1
---	---	--------------

**Other adverse effects****Components:****Fluralaner:**

Results of PBT and vPvB assessment	:	Not persistent, bioaccumulative, and toxic (PBT).
------------------------------------	---	---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Fluralaner)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes

**IATA-DGR**

UN/ID No.	:	UN 3077
Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s.

# SAFETY DATA SHEET



## Fluralaner

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	02.10.2025	186539-00036	Date of first issue: 17.06.2015

	(Fluralaner)
Class	: 9
Packing group	: III
Labels	: Miscellaneous
Packing instruction (cargo aircraft)	: 956
Packing instruction (passenger aircraft)	: 956
Environmentally hazardous	: yes
Remarks	: Above applies only to containers over 119 gallons (450 liters) in case of liquids, or 882 lbs. (400 kg) in case of solids.

### IMDG-Code

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

	(Fluralaner)
Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes
Remarks	: Above applies only to containers over 119 gallons (450 liters) in case of liquids, or 882 lbs. (400 kg) in case of solids.

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Domestic regulation

#### ANTT

UN number	: UN 3077
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

	(Fluralaner)
Class	: 9
Packing group	: III
Labels	: 9
Hazard Identification Number	: 90

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## SECTION 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

National List of Carcinogenic Agents for Humans - (LINACH)	: Not applicable
--	------------------

Brazil. List of chemicals controlled by the Federal Police	: Not applicable
--	------------------

## Fluralaner

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	02.10.2025	186539-00036	Date of first issue: 17.06.2015

**The ingredients of this product are reported in the following inventories:**

AICS	:	not determined
CA. DSL	:	not determined
IECSC	:	not determined

**SECTION 16. OTHER INFORMATION**

Revision Date	:	02.10.2025
Date format	:	dd.mm.yyyy

**Further information**

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

**Full text of other abbreviations**

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances

# SAFETY DATA SHEET



## Fluralaner

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	02.10.2025	186539-00036	Date of first issue: 17.06.2015

---

Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8