

SAFETY DATA SHEET



Amitraz Solid Formulation

Version 6.0 Revision Date: 17.06.2025 SDS Number: 1734732-00016 Date of last issue: 14.04.2025
Date of first issue: 06.06.2017

SECTION 1. IDENTIFICATION

Product name : Amitraz Solid Formulation

Manufacturer or supplier's details

Company : MSD

Address : Talcahuano 750, 6th floor, Ciudad Autonoma Buenos Aires, Argentina C1013AAP

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) : Category 4

Skin corrosion/irritation : Category 3

Serious eye damage/eye irritation : Category 1

Skin sensitization : Category 1

Germ cell mutagenicity : Category 2

Carcinogenicity : Category 1B

Specific target organ toxicity - repeated exposure : Category 2 (Liver, Central nervous system)

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

SAFETY DATA SHEET



Amitraz Solid Formulation

| | | | |
|----------------|------------------------------|------------------------------|---|
| Version 6.0 | Revision Date: 17.06.2025 | SDS Number: 1734732-00016 | Date of last issue: 14.04.2025 Date of first issue: 06.06.2017 |
|----------------|------------------------------|------------------------------|---|

| | | |
|--------------------------|---|---|
| Hazard pictograms | : | |
| Signal Word | : | Danger |
| Hazard Statements | : | <p>H302 Harmful if swallowed. H316 Causes mild skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H341 Suspected of causing genetic defects. H350 May cause cancer. H373 May cause damage to organs (Liver, Central nervous system) through prolonged or repeated exposure. H410 Very toxic to aquatic life with long lasting effects.</p> |
| Precautionary Statements | : | <p>Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe dust. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>Response: P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth. P302 + P352 IF ON SKIN: Wash with plenty of water. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P362 + P364 Take off contaminated clothing and wash it before reuse. P391 Collect spillage.</p> <p>Storage: P405 Store locked up.</p> <p>Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.</p> |

Amitraz Solid Formulation

Version 6.0 Revision Date: 17.06.2025 SDS Number: 1734732-00016 Date of last issue: 14.04.2025 Date of first issue: 06.06.2017

Additional Labeling

The following percentage of the mixture consists of ingredient(s) with unknown acute oral toxicity: 10 %

The following percentage of the mixture consists of ingredient(s) with unknown acute dermal toxicity: 10 %

The following percentage of the mixture consists of ingredient(s) with unknown acute inhalation toxicity: 10 %

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 10 %

Other hazards which do not result in classification

May form explosive dust-air mixture during processing, handling or other means.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

| Chemical name | CAS-No. | Concentration (% w/w) |
|--|------------|-----------------------|
| Amitraz (ISO) | 33089-61-1 | >= 50 -< 70 |
| Aluminium silicate | 12141-46-7 | >= 20 -< 30 |
| Paraformaldehyde | 30525-89-4 | >= 2,5 -< 3 |
| Sodium bis(2-ethylhexyl)sulfosuccinate | 577-11-7 | >= 1 -< 2,5 |

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention immediately.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed : Harmful if swallowed.
Causes mild skin irritation.
May cause an allergic skin reaction.
Causes serious eye damage.
Suspected of causing genetic defects.
May cause cancer.
May cause damage to organs through prolonged or repeated exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

SAFETY DATA SHEET



Amitraz Solid Formulation

Version 6.0 Revision Date: 17.06.2025 SDS Number: 1734732-00016 Date of last issue: 14.04.2025 Date of first issue: 06.06.2017

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Silicon oxides
Metal oxides
Nitrogen oxides (NO_x)
Sulfur oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are

SAFETY DATA SHEET



Amitraz Solid Formulation

Version
6.0

Revision Date:
17.06.2025

SDS Number:
1734732-00016

Date of last issue: 14.04.2025
Date of first issue: 06.06.2017

released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

| | |
|-----------------------------|--|
| Technical measures | : Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. |
| Local/Total ventilation | : If sufficient ventilation is unavailable, use with local exhaust ventilation. |
| Advice on safe handling | : Do not get on skin or clothing. Do not breathe dust. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Keep away from water. Protect from moisture. Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment. |
| Conditions for safe storage | : Keep in properly labeled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations. |
| Materials to avoid | : Do not store with the following product types: Strong oxidizing agents Self-reactive substances and mixtures Organic peroxides Explosives Gases |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parame- ters / Permissible concentration | Basis |
|---------------|------------|-------------------------------------|--|----------|
| Amitraz (ISO) | 33089-61-1 | TWA | 10 µg/m ³ (OEB 3) | Internal |

Amitraz Solid Formulation

| | | | |
|----------------|------------------------------|------------------------------|---|
| Version 6.0 | Revision Date: 17.06.2025 | SDS Number: 1734732-00016 | Date of last issue: 14.04.2025 Date of first issue: 06.06.2017 |
|----------------|------------------------------|------------------------------|---|

| | | Wipe limit | 1250 µg/100 cm ² | Internal |
|--------------------|------------|--|-----------------------------------|----------|
| Aluminium silicate | 12141-46-7 | TWA (Respirable particulate matter) | 1 mg/m ³ (Aluminum) | ACGIH |

Occupational exposure limits of decomposition products

| Components | CAS-No. | Value type (Form of exposure) | Control parame- ters / Permissible concentration | Basis |
|--------------|---|-------------------------------------|--|--------|
| Formaldehyde | 50-00-0 | CMP-C | 0,3 ppm | AR OEL |
| | Further information: A2 - Suspected human carcinogen, Sensitization | | | |
| | | TWA | 0,1 ppm | ACGIH |
| | | STEL | 0,3 ppm | ACGIH |

Engineering measures : Processing may form hazardous compounds (see section 10).
Minimize workplace exposure concentrations.
Apply measures to prevent dust explosions.
Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).
If sufficient ventilation is unavailable, use with local exhaust ventilation.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and inorganic gas/vapor type

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment: Chemical resistant goggles must be worn.
If splashes are likely to occur, wear:
Face-shield

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.

SAFETY DATA SHEET



Amitraz Solid Formulation

Version
6.0

Revision Date:
17.06.2025

SDS Number:
1734732-00016

Date of last issue: 14.04.2025
Date of first issue: 06.06.2017

When using do not eat, drink or smoke.
Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| | | |
|--|---|---|
| Appearance | : | powder |
| Color | : | white |
| Odor | : | No data available |
| Odor Threshold | : | No data available |
| pH | : | No data available |
| Melting point/freezing point | : | No data available |
| Initial boiling point and boiling range | : | No data available |
| Flash point | : | Not applicable |
| Evaporation rate | : | No data available |
| Flammability (solid, gas) | : | May form explosive dust-air mixture during processing, handling or other means. |
| Flammability (liquids) | : | No data available |
| Upper explosion limit / Upper flammability limit | : | No data available |
| Lower explosion limit / Lower flammability limit | : | No data available |
| Vapor pressure | : | No data available |
| Relative vapor density | : | No data available |
| Relative density | : | No data available |
| Density | : | No data available |
| Solubility(ies) | | |
| Water solubility | : | insoluble |
| Partition coefficient: n-octanol/water | : | No data available |
| Autoignition temperature | : | No data available |
| Decomposition temperature | : | No data available |
| Viscosity | | |

SAFETY DATA SHEET



Amitraz Solid Formulation

Version 6.0 Revision Date: 17.06.2025 SDS Number: 1734732-00016 Date of last issue: 14.04.2025
Date of first issue: 06.06.2017

| | |
|--------------------------|--|
| Viscosity, kinematic | : No data available |
| Explosive properties | : Not explosive |
| Oxidizing properties | : The substance or mixture is not classified as oxidizing. |
| Molecular weight | : Not applicable |
| Particle characteristics | |
| Particle size | : No data available |

SECTION 10. STABILITY AND REACTIVITY

| | |
|------------------------------------|---|
| Reactivity | : Not classified as a reactivity hazard. |
| Chemical stability | : Stable under normal conditions. |
| Possibility of hazardous reactions | : May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents. Hazardous decomposition products will be formed upon contact with water or humid air. |
| Conditions to avoid | : Exposure to moisture. Heat, flames and sparks. Avoid dust formation. |
| Incompatible materials | : Oxidizing agents Water |

Hazardous decomposition products

Contact with water or humid air : Formaldehyde

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Harmful if swallowed.

Product:

| | |
|---------------------------|--|
| Acute oral toxicity | : Acute toxicity estimate: 955,73 mg/kg Method: Calculation method |
| Acute inhalation toxicity | : Acute toxicity estimate: > 10 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method |

SAFETY DATA SHEET



Amitraz Solid Formulation

Version
6.0

Revision Date:
17.06.2025

SDS Number:
1734732-00016

Date of last issue: 14.04.2025
Date of first issue: 06.06.2017

Components:

Amitraz (ISO):

| | | |
|---------------------------|---|--------------------------------|
| Acute oral toxicity | : | LD50 (Rat): > 400 mg/kg |
| | | LD50 (Mouse): > 1.085 mg/kg |
| | | LD50 (Guinea pig): > 400 mg/kg |
| Acute inhalation toxicity | : | Remarks: No data available |
| Acute dermal toxicity | : | LD50 (Rat): > 1.600 mg/kg |

Aluminium silicate:

| | | |
|---------------------------|---|--|
| Acute oral toxicity | : | LD50 (Rat): > 2.000 mg/kg Assessment: The substance or mixture has no acute oral toxicity |
| Acute inhalation toxicity | : | LC50 (Rat): > 2,18 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity |
| Acute dermal toxicity | : | LD50 (Rat): > 5.000 mg/kg |

Paraformaldehyde:

| | | |
|---------------------------|---|---|
| Acute oral toxicity | : | LD50 (Rat, male): 592 mg/kg |
| Acute inhalation toxicity | : | LC50 (Rat): 1,07 mg/l Exposure time: 4 h Test atmosphere: dust/mist |
| Acute dermal toxicity | : | LD50 (Rat): > 10.000 mg/kg |

Sodium bis(2-ethylhexyl)sulfosuccinate:

| | | |
|-----------------------|---|------------------------------|
| Acute oral toxicity | : | LD50 (Rat): 3.080 mg/kg |
| Acute dermal toxicity | : | LD50 (Rabbit): > 5.000 mg/kg |

Skin corrosion/irritation

Causes mild skin irritation.

Components:

Amitraz (ISO):

| | | |
|---------|---|--------------------|
| Species | : | Rabbit |
| Result | : | No skin irritation |

Aluminium silicate:

| | | |
|---------|---|--------------------|
| Species | : | Rabbit |
| Result | : | No skin irritation |

SAFETY DATA SHEET



Amitraz Solid Formulation

Version 6.0 Revision Date: 17.06.2025 SDS Number: 1734732-00016 Date of last issue: 14.04.2025
Date of first issue: 06.06.2017

||| Remarks : Based on data from similar materials

Paraformaldehyde:

||| Species : Rabbit
||| Result : Skin irritation

Sodium bis(2-ethylhexyl)sulfosuccinate:

||| Species : Rabbit
||| Method : OECD Test Guideline 404
||| Result : Skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Amitraz (ISO):

||| Species : Rabbit
||| Result : No eye irritation

Aluminium silicate:

||| Species : Rabbit
||| Result : No eye irritation
||| Method : OPPTS 870.2400
||| Remarks : Based on data from similar materials

Paraformaldehyde:

||| Species : Rabbit
||| Result : Irreversible effects on the eye

Sodium bis(2-ethylhexyl)sulfosuccinate:

||| Species : Rabbit
||| Result : Irreversible effects on the eye
||| Method : OECD Test Guideline 405

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Components:

Amitraz (ISO):

||| Test Type : Maximization Test
||| Routes of exposure : Dermal
||| Species : Guinea pig
||| Result : Not a skin sensitizer.

Amitraz Solid Formulation

| | | | |
|----------------|------------------------------|------------------------------|---|
| Version 6.0 | Revision Date: 17.06.2025 | SDS Number: 1734732-00016 | Date of last issue: 14.04.2025 Date of first issue: 06.06.2017 |
|----------------|------------------------------|------------------------------|---|

Aluminium silicate:

| | | |
|--------------------|---|-------------------------------|
| Test Type | : | Local lymph node assay (LLNA) |
| Routes of exposure | : | Skin contact |
| Species | : | Mouse |
| Result | : | negative |

Paraformaldehyde:

| | | |
|--------------------|---|---|
| Test Type | : | Local lymph node assay (LLNA) |
| Routes of exposure | : | Skin contact |
| Species | : | Mouse |
| Result | : | positive |
| Remarks | : | Based on data from similar materials |
| Assessment | : | Probability or evidence of high skin sensitization rate in humans |

Sodium bis(2-ethylhexyl)sulfosuccinate:

| | | |
|--------------------|---|--|
| Test Type | : | Human repeat insult patch test (HRIPT) |
| Routes of exposure | : | Skin contact |
| Species | : | Humans |
| Result | : | negative |

Germ cell mutagenicity

Suspected of causing genetic defects.

Components:**Amitraz (ISO):**

| | | |
|-----------------------|---|---|
| Genotoxicity in vitro | : | Test Type: Bacterial reverse mutation assay (AMES) Result: negative |
| | : | Test Type: In vitro mammalian cell gene mutation test Result: negative |
| | : | Test Type: Chromosome aberration test in vitro Result: negative |
| | : | Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Result: negative |

Aluminium silicate:

| | | |
|-----------------------|---|---|
| Genotoxicity in vitro | : | Test Type: Bacterial reverse mutation assay (AMES) Result: negative |
| | : | Test Type: In vitro mammalian cell gene mutation test Result: negative |
| | : | Test Type: Chromosome aberration test in vitro Result: negative Remarks: Based on data from similar materials |

Amitraz Solid Formulation

| | | | |
|----------------|------------------------------|------------------------------|---|
| Version 6.0 | Revision Date: 17.06.2025 | SDS Number: 1734732-00016 | Date of last issue: 14.04.2025 Date of first issue: 06.06.2017 |
|----------------|------------------------------|------------------------------|---|

| | |
|--|---|
| Genotoxicity in vivo | : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials |
| Paraformaldehyde: | |
| Genotoxicity in vitro | : Test Type: Bacterial reverse mutation assay (AMES) Result: positive Remarks: Based on data from similar materials |
| | Test Type: In vitro mammalian cell gene mutation test Result: positive Remarks: Based on data from similar materials |
| | Test Type: in vitro micronucleus test Result: positive Remarks: Based on data from similar materials |
| | Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Result: positive Remarks: Based on data from similar materials |
| | Test Type: In vitro sister chromatid exchange assay in mammalian cells Result: positive Remarks: Based on data from similar materials |
| Genotoxicity in vivo | : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Rat Application Route: inhalation (vapor) Result: positive Remarks: Based on data from similar materials |
| | Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Rat Application Route: Ingestion Result: positive Remarks: Based on data from similar materials |
| Germ cell mutagenicity - Assessment | : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests. |
| Sodium bis(2-ethylhexyl)sulfosuccinate: | |
| Genotoxicity in vitro | : Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative |
| | Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 |

Amitraz Solid Formulation

| | | | |
|----------------|------------------------------|------------------------------|---|
| Version 6.0 | Revision Date: 17.06.2025 | SDS Number: 1734732-00016 | Date of last issue: 14.04.2025 Date of first issue: 06.06.2017 |
|----------------|------------------------------|------------------------------|---|



Result: equivocal

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Remarks: Based on data from similar materials

Carcinogenicity

May cause cancer.

Components:**Amitraz (ISO):**

| | | |
|-------------------|---|---------------------------|
| Species | : | Rat |
| Application Route | : | Oral |
| Exposure time | : | 2 Years |
| NOAEL | : | > 10,18 mg/kg body weight |
| Result | : | negative |

| | | |
|---------------|---|-----------------------|
| Species | : | Mouse |
| Exposure time | : | 2 Years |
| LOAEL | : | 2,3 mg/kg body weight |
| Result | : | positive |
| Target Organs | : | Liver, Stomach |

Aluminium silicate:

| | | |
|-------------------|---|--------------------------------------|
| Species | : | Rat |
| Application Route | : | Ingestion |
| Exposure time | : | 104 weeks |
| Result | : | negative |
| Remarks | : | Based on data from similar materials |

Paraformaldehyde:

| | | |
|-------------------|---|-----------|
| Species | : | Rat |
| Application Route | : | Ingestion |
| Exposure time | : | 105 weeks |
| Result | : | negative |

| | | |
|-------------------|---|--------------------------------------|
| Species | : | Rat |
| Application Route | : | Inhalation |
| Exposure time | : | 28 Months |
| Result | : | positive |
| Remarks | : | Based on data from similar materials |

| | | |
|------------------------------|---|--|
| Carcinogenicity - Assessment | : | Sufficient evidence of carcinogenicity in animal experiments |
|------------------------------|---|--|

Reproductive toxicity

Not classified based on available information.

Components:**Amitraz (ISO):**

| | | |
|----------------------|---|---|
| Effects on fertility | : | Test Type: Three-generation reproduction toxicity study |
|----------------------|---|---|

Amitraz Solid Formulation

| | | | |
|----------------|------------------------------|------------------------------|---|
| Version 6.0 | Revision Date: 17.06.2025 | SDS Number: 1734732-00016 | Date of last issue: 14.04.2025 Date of first issue: 06.06.2017 |
|----------------|------------------------------|------------------------------|---|

| | |
|------------------------------|---|
| | Species: Rat Application Route: Oral Fertility: NOAEL: > 4,8 mg/kg body weight Result: No significant adverse effects were reported |
| Effects on fetal development | : Test Type: Embryo-fetal development Species: Rat Application Route: Oral Developmental Toxicity: NOAEL: 3 mg/kg body weight Remarks: No significant adverse effects were reported |
| | Test Type: Embryo-fetal development Species: Rabbit Application Route: Oral Developmental Toxicity: NOAEL: 5 mg/kg body weight Result: Effects on fetal development. |

Aluminium silicate:

| | |
|------------------------------|--|
| Effects on fetal development | : Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials |
|------------------------------|--|

Sodium bis(2-ethylhexyl)sulfosuccinate:

| | |
|------------------------------|---|
| Effects on fertility | : Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative |
| Effects on fetal development | : Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Result: negative |

STOT-single exposure

Not classified based on available information.

Components:**Paraformaldehyde:**

| | |
|------------|-------------------------------------|
| Assessment | : May cause respiratory irritation. |
|------------|-------------------------------------|

STOT-repeated exposure

May cause damage to organs (Liver, Central nervous system) through prolonged or repeated exposure.

Components:**Amitraz (ISO):**

| | |
|---------------|--|
| Target Organs | : Liver, Central nervous system |
| Assessment | : May cause damage to organs through prolonged or repeated exposure. |

SAFETY DATA SHEET



Amitraz Solid Formulation

Version 6.0 Revision Date: 17.06.2025 SDS Number: 1734732-00016 Date of last issue: 14.04.2025
Date of first issue: 06.06.2017

Repeated dose toxicity

Components:

Amitraz (ISO):

| | | |
|-------------------|---|-------------------------------|
| Species | : | Mouse |
| NOAEL | : | 3 mg/kg |
| Application Route | : | Oral |
| Exposure time | : | 90 Days |
| Target Organs | : | Liver |
| Species | : | Dog |
| NOAEL | : | 0,25 mg/kg |
| Application Route | : | Oral |
| Exposure time | : | 90 Days |
| Target Organs | : | Central nervous system, Liver |

Aluminium silicate:

| | | |
|-------------------|---|--------------------------------------|
| Species | : | Rat |
| NOAEL | : | > 100 mg/kg |
| Application Route | : | Ingestion |
| Exposure time | : | 104 Weeks |
| Remarks | : | Based on data from similar materials |

Paraformaldehyde:

| | | |
|-------------------|---|--------------------------------------|
| Species | : | Rat, male |
| NOAEL | : | 15 mg/kg |
| Application Route | : | Ingestion |
| Exposure time | : | 105 Weeks |
| Remarks | : | Based on data from similar materials |

Sodium bis(2-ethylhexyl)sulfosuccinate:

| | | |
|-------------------|---|-----------|
| Species | : | Rat |
| NOAEL | : | 750 mg/kg |
| Application Route | : | Ingestion |
| Exposure time | : | 90 Days |

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Amitraz (ISO):

| | | |
|-----------|---|---------------------------------------|
| Ingestion | : | Target Organs: Central nervous system |
|-----------|---|---------------------------------------|

Amitraz Solid Formulation

Version 6.0 Revision Date: 17.06.2025 SDS Number: 1734732-00016 Date of last issue: 14.04.2025
Date of first issue: 06.06.2017

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Amitraz (ISO):**

| | | |
|--|---|--|
| Toxicity to fish | : | LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,45 mg/l Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia magna (Water flea)): 0,035 mg/l Exposure time: 48 h |
| Toxicity to algae/aquatic plants | : | NOEC (Pseudokirchneriella subcapitata (green algae)): 0,04 mg/l Exposure time: 91 h |
| M-Factor (Acute aquatic toxicity) | : | 10 |
| Toxicity to fish (Chronic toxicity) | : | NOEC (Pimephales promelas (fathead minnow)): 0,00148 mg/l Exposure time: 32 d |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Daphnia magna (Water flea)): 0,0011 mg/l Exposure time: 21 d |
| M-Factor (Chronic aquatic toxicity) | : | 10 |

Aluminium silicate:**Ecotoxicology Assessment**

| | | |
|--------------------------|---|---|
| Chronic aquatic toxicity | : | No toxicity at the limit of solubility. |
|--------------------------|---|---|

Paraformaldehyde:

| | | |
|---|---|--|
| Toxicity to fish | : | LC50 : > 1 mg/l Exposure time: 96 h Remarks: Based on data from similar materials |
| Toxicity to daphnia and other aquatic invertebrates | : | EC50 (Daphnia pulex (Water flea)): > 1 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials |
| Toxicity to algae/aquatic plants | : | ErC50 (Desmodesmus subspicatus (green algae)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials |
| Toxicity to fish (Chronic toxicity) | : | NOEC (Oryzias latipes (Orange-red killifish)): > 1 mg/l Exposure time: 28 d Remarks: Based on data from similar materials |
| Toxicity to daphnia and other | : | NOEC (Daphnia magna (Water flea)): > 1 mg/l |

SAFETY DATA SHEET



Amitraz Solid Formulation

Version 6.0 Revision Date: 17.06.2025 SDS Number: 1734732-00016 Date of last issue: 14.04.2025 Date of first issue: 06.06.2017

| | |
|--|---|
| aquatic invertebrates (Chronic toxicity) | Exposure time: 21 d Method: OECD Test Guideline 211 Remarks: Based on data from similar materials |
| Toxicity to microorganisms | : EC50: > 10 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 Remarks: Based on data from similar materials |

Sodium bis(2-ethylhexyl)sulfosuccinate:

| | |
|--|---|
| Toxicity to fish | : LC50 (Danio rerio (zebra fish)): 49 mg/l Exposure time: 96 h Method: Directive 67/548/EEC, Annex V, C.1. |
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Daphnia magna (Water flea)): 6,6 mg/l Exposure time: 48 h |
| Toxicity to algae/aquatic plants | : ErC50 (Desmodesmus subspicatus (green algae)): 82,5 mg/l Exposure time: 72 h EC10 (Desmodesmus subspicatus (green algae)): 22 mg/l Exposure time: 72 h |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : EC10 (Daphnia magna (Water flea)): 9 mg/l Exposure time: 21 d Method: OECD Test Guideline 211 |
| Toxicity to microorganisms | : EC50 (Pseudomonas putida): 164 mg/l Exposure time: 16 h |

Persistence and degradability

Components:

Paraformaldehyde:

| | |
|------------------|---|
| Biodegradability | : Result: Readily biodegradable. Remarks: Based on data from similar materials |
|------------------|---|

Sodium bis(2-ethylhexyl)sulfosuccinate:

| | |
|------------------|---|
| Biodegradability | : Result: Readily biodegradable. Biodegradation: 91,2 % Exposure time: 28 d |
|------------------|---|

Bioaccumulative potential

Components:

Amitraz (ISO):

| | |
|--|---|
| Bioaccumulation | : Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): 1.333 |
| Partition coefficient: n-octanol/water | : log Pow: 5,5 |

SAFETY DATA SHEET



Amitraz Solid Formulation

Version 6.0 Revision Date: 17.06.2025 SDS Number: 1734732-00016 Date of last issue: 14.04.2025 Date of first issue: 06.06.2017

Paraformaldehyde:

Partition coefficient: n-octanol/water : log Pow: -1,40
Remarks: Calculation

Sodium bis(2-ethylhexyl)sulfosuccinate:

Partition coefficient: n-octanol/water : log Pow: 1,998
Remarks: Calculation

Mobility in soil

Components:

Amitraz (ISO):

Distribution among environmental compartments : log Koc: 3,3

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(amitraz (ISO))
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(Amitraz (ISO))
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 956
Packing instruction (passenger aircraft) : 956
Environmentally hazardous : yes

SAFETY DATA SHEET



Amitraz Solid Formulation

Version 6.0 Revision Date: 17.06.2025 SDS Number: 1734732-00016 Date of last issue: 14.04.2025 Date of first issue: 06.06.2017

IMDG-Code

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Amitraz (ISO))
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Argentina. Carcinogenic Substances and Agents Registry. : Not applicable

Control of precursors and essential chemicals for the preparation of drugs. : Not applicable

The ingredients of this product are reported in the following inventories:

AICS : not determined
DSL : not determined
IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date : 17.06.2025
Date format : dd.mm.yyyy

Further information

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of other abbreviations

SAFETY DATA SHEET



Amitraz Solid Formulation

| | | | |
|----------------|------------------------------|------------------------------|---|
| Version 6.0 | Revision Date: 17.06.2025 | SDS Number: 1734732-00016 | Date of last issue: 14.04.2025 Date of first issue: 06.06.2017 |
|----------------|------------------------------|------------------------------|---|

| | | |
|----------------|---|---|
| ACGIH | : | USA. ACGIH Threshold Limit Values (TLV) |
| AR OEL | : | Argentina. Occupational Exposure Limits |
| ACGIH / TWA | : | 8-hour, time-weighted average |
| ACGIH / STEL | : | Short-term exposure limit |
| AR OEL / CMP-C | : | Ceiling value |

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECL - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8