

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Amitraz Solid Formulation

Version  
11.0

Revision Date:  
17.06.2025

SDS Number:  
1734738-00020

Date of last issue: 14.04.2025  
Date of first issue: 06.06.2017

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Amitraz Solid Formulation

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Veterinary product

Recommended restrictions on use : Not applicable

#### 1.3 Details of the supplier of the safety data sheet

Company : MSD  
Drynam Road  
K67 P263 Dublin, Ireland

Telephone : +1-908-740-4000

E-mail address of person responsible for the SDS : EHSDATASTEWARD@msd.com

#### 1.4 Emergency telephone number

+1-908-423-6000

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H302: Harmful if swallowed.
Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Germ cell mutagenicity, Category 2	H341: Suspected of causing genetic defects.
Carcinogenicity, Category 1B	H350: May cause cancer.
Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through prolonged or repeated exposure.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Amitraz Solid Formulation

Version  
11.0

Revision Date:  
17.06.2025

SDS Number:  
1734738-00020

Date of last issue: 14.04.2025  
Date of first issue: 06.06.2017

Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	<p>H302 Harmful if swallowed. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H341 Suspected of causing genetic defects. H350 May cause cancer. H373 May cause damage to organs through prolonged or repeated exposure. H410 Very toxic to aquatic life with long lasting effects.</p>
Precautionary statements	:	<p><b>Prevention:</b> P201 Obtain special instructions before use. P260 Do not breathe dust. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p><b>Response:</b> P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P391 Collect spillage.</p>

### Hazardous components which must be listed on the label:

amitraz (ISO)  
Paraformaldehyde  
Sodium bis(2-ethylhexyl)sulfosuccinate

### Additional Labelling

The following percentage of the mixture consists of ingredient(s) with unknown acute oral toxicity: 10 %

The following percentage of the mixture consists of ingredient(s) with unknown acute dermal toxicity: 10 %

The following percentage of the mixture consists of ingredient(s) with unknown acute inhalation toxicity: 10 %

The following percentage of the mixture consists of ingredient(s) with unknown hazards to the aquatic environment: 10 %

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Amitraz Solid Formulation

Version  
11.0

Revision Date:  
17.06.2025

SDS Number:  
1734738-00020

Date of last issue: 14.04.2025  
Date of first issue: 06.06.2017

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

May form explosive dust-air mixture during processing, handling or other means.

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

##### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
amitraz (ISO)	33089-61-1 251-375-4 612-086-00-2	Acute Tox. 4; H302 Skin Sens. 1B; H317 STOT RE 2; H373 (Liver, Central nervous system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	>= 50 - < 70
Paraformaldehyde	30525-89-4	Acute Tox. 4; H302 Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Muta. 2; H341 Carc. 1B; H350 STOT SE 3; H335  specific concentration limit Skin Sens. 1A; H317 >= 0.2 %  Acute toxicity estimate  Acute oral toxicity: 592 mg/kg	>= 1 - < 3
Sodium bis(2-ethylhexyl)sulfosuccinate	577-11-7 209-406-4	Skin Irrit. 2; H315 Eye Dam. 1; H318	>= 1 - < 3

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Amitraz Solid Formulation

Version  
11.0

Revision Date:  
17.06.2025

SDS Number:  
1734738-00020

Date of last issue: 14.04.2025  
Date of first issue: 06.06.2017

II

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

General advice

- : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

Protection of first-aiders

- : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled

- : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact

- : In case of contact, immediately flush skin with plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact

- : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention immediately.

If swallowed

- : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

Risks

- : Harmful if swallowed.  
May cause an allergic skin reaction.  
Causes serious eye damage.  
Suspected of causing genetic defects.  
May cause cancer.  
May cause damage to organs through prolonged or repeated exposure.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment

- : Treat symptomatically and supportively.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Amitraz Solid Formulation

Version  
11.0

Revision Date:  
17.06.2025

SDS Number:  
1734738-00020

Date of last issue: 14.04.2025  
Date of first issue: 06.06.2017

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Silicon oxides  
Metal oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Sulphur oxides

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

### 6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Amitraz Solid Formulation

Version  
11.0

Revision Date:  
17.06.2025

SDS Number:  
1734738-00020

Date of last issue: 14.04.2025  
Date of first issue: 06.06.2017

---

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe dust.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Keep away from water.  
Protect from moisture.  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Amitraz Solid Formulation

Version  
11.0

Revision Date:  
17.06.2025

SDS Number:  
1734738-00020

Date of last issue: 14.04.2025  
Date of first issue: 06.06.2017

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.

Advice on common storage : Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Explosives  
Gases

### 7.3 Specific end use(s)

Specific use(s) : No data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

dusts non-specific 4 mg/m<sup>3</sup>  
Value type (Form of exposure): OELV - 8 hrs (TWA) (Respirable dust)  
Basis: IE OEL

10 mg/m<sup>3</sup>  
Value type (Form of exposure): OELV - 8 hrs (TWA) (inhalable dust)  
Basis: IE OEL

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
amitraz (ISO)	33089-61-1	TWA	10 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	1250 µg/100 cm <sup>2</sup>	Internal

#### Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Formaldehyde	50-00-0	TWA	0.3 ppm 0.37 mg/m <sup>3</sup>	2004/37/EC
	Further information: Dermal sensitisation, Carcinogens or mutagens			
		STEL	0.6 ppm 0.74 mg/m <sup>3</sup>	2004/37/EC
	Further information: Dermal sensitisation, Carcinogens or mutagens			
		OELV - 8 hrs (TWA)	0.3 ppm 0.37 mg/m <sup>3</sup>	IE OEL
	Further information: Chemical agents which following exposure may cause sensitisation of the respiratory tract and lead to asthma, rhinitis or extrinsic allergic alveolitis, Carc 1B - Substances presumed to have carcinogenic po-			

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Amitraz Solid Formulation

Version  
11.0

Revision Date:  
17.06.2025

SDS Number:  
1734738-00020

Date of last issue: 14.04.2025  
Date of first issue: 06.06.2017

	tential for humans			
		OELV - 15 min (STEL)	0.6 ppm 0.738 mg/m3	IE OEL
	Further information: Chemical agents which following exposure may cause sensitisation of the respiratory tract and lead to asthma, rhinitis or extrinsic allergic alveolitis, Carc 1B - Substances presumed to have carcinogenic potential for humans			

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
Aluminium silicate	Workers	Inhalation	Long-term systemic effects	3 mg/m3
	Workers	Inhalation	Acute systemic effects	3 mg/m3
	Workers	Inhalation	Long-term local effects	3 mg/m3
	Workers	Inhalation	Acute local effects	3 mg/m3
Calcium carbonate	Workers	Inhalation	Long-term systemic effects	6.36 mg/m3
	Consumers	Ingestion	Acute systemic effects	6.1 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	1.06 mg/m3
	Consumers	Ingestion	Long-term systemic effects	6.1 mg/kg bw/day
Sodium bis(2-ethylhexyl)sulfosuccinate	Workers	Inhalation	Long-term systemic effects	1416.82 mg/m3
	Workers	Skin contact	Long-term systemic effects	200.89 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	419.25 mg/m3
	Consumers	Skin contact	Long-term systemic effects	120.54 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	13.39 mg/kg bw/day

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
Aluminium silicate	Fresh water	4.1 mg/l
	Freshwater - intermittent	25 mg/l
	Marine water	0.082 mg/l
Calcium carbonate	Sewage treatment plant	100 mg/l
Sodium bis(2-ethylhexyl)sulfosuccinate	Fresh water	0.18 mg/l
	Intermittent use/release	0.152 mg/l
	Marine water	0.018 mg/l
	Sewage treatment plant	12.2 mg/l
	Fresh water sediment	17.789 mg/kg dry weight (d.w.)
	Marine sediment	1.779 mg/kg dry

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Amitraz Solid Formulation

Version 11.0 Revision Date: 17.06.2025 SDS Number: 1734738-00020 Date of last issue: 14.04.2025 Date of first issue: 06.06.2017

		weight (d.w.)
	Soil	1.04 mg/kg dry weight (d.w.)

### 8.2 Exposure controls

#### Engineering measures

Processing may form hazardous compounds (see section 10).

Minimize workplace exposure concentrations.

Apply measures to prevent dust explosions.

Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

If sufficient ventilation is unavailable, use with local exhaust ventilation.

#### Personal protective equipment

Eye/face protection : Wear the following personal protective equipment:  
Chemical resistant goggles must be worn.  
If splashes are likely to occur, wear:  
Face-shield  
Equipment should conform to I.S. EN 166

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.

Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter should conform to I.S. EN 14387

Filter type : Combined particulates and inorganic gas/vapour type (B-P)

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state : powder

Colour : white

Odour : No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Amitraz Solid Formulation

Version 11.0	Revision Date: 17.06.2025	SDS Number: 1734738-00020	Date of last issue: 14.04.2025 Date of first issue: 06.06.2017
-----------------	------------------------------	------------------------------	---

---

Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
pH	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Solubility(ies)		
Water solubility	:	insoluble
Partition coefficient: n-octanol/water	:	No data available
Vapour pressure	:	No data available
Relative density	:	No data available
Density	:	No data available
Relative vapour density	:	No data available
Particle characteristics		
Particle size	:	No data available

### 9.2 Other information

Explosives	:	Not explosive
------------	---	---------------

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Amitraz Solid Formulation

Version 11.0	Revision Date: 17.06.2025	SDS Number: 1734738-00020	Date of last issue: 14.04.2025 Date of first issue: 06.06.2017
-----------------	------------------------------	------------------------------	---

---

Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Evaporation rate	:	No data available
Molecular weight	:	Not applicable

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Not classified as a reactivity hazard.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions	:	May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents. Hazardous decomposition products will be formed upon contact with water or humid air.
---------------------	---	---

### 10.4 Conditions to avoid

Conditions to avoid	:	Exposure to moisture Heat, flames and sparks. Avoid dust formation.
---------------------	---	---

### 10.5 Incompatible materials

Materials to avoid	:	Oxidizing agents Water
--------------------	---	---------------------------

### 10.6 Hazardous decomposition products

Contact with water or humid air	:	Formaldehyde
---------------------------------	---	--------------

---

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

#### Acute toxicity

Harmful if swallowed.

#### Product:

Acute oral toxicity	:	Acute toxicity estimate: 958.7 mg/kg Method: Calculation method
---------------------	---	--

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Amitraz Solid Formulation

Version 11.0      Revision Date: 17.06.2025      SDS Number: 1734738-00020      Date of last issue: 14.04.2025  
Date of first issue: 06.06.2017

---

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

### Components:

#### **amitraz (ISO):**

Acute oral toxicity	:	LD50 (Rat): > 400 mg/kg
		LD50 (Mouse): > 1,085 mg/kg
		LD50 (Guinea pig): > 400 mg/kg
Acute inhalation toxicity	:	Remarks: No data available
Acute dermal toxicity	:	LD50 (Rat): > 1,600 mg/kg

#### **Paraformaldehyde:**

Acute oral toxicity	:	LD50 (Rat, male): 592 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 1.07 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rat): > 10,000 mg/kg

#### **Sodium bis(2-ethylhexyl)sulfosuccinate:**

Acute oral toxicity	:	LD50 (Rat): 3,080 mg/kg
Acute dermal toxicity	:	LD50 (Rabbit): > 5,000 mg/kg

### **Skin corrosion/irritation**

Not classified based on available information.

### Components:

#### **amitraz (ISO):**

Species	:	Rabbit
Result	:	No skin irritation

#### **Paraformaldehyde:**

Species	:	Rabbit
Result	:	Skin irritation

#### **Sodium bis(2-ethylhexyl)sulfosuccinate:**

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	Skin irritation

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Amitraz Solid Formulation

Version  
11.0

Revision Date:  
17.06.2025

SDS Number:  
1734738-00020

Date of last issue: 14.04.2025  
Date of first issue: 06.06.2017

---

### **Serious eye damage/eye irritation**

Causes serious eye damage.

#### **Components:**

##### **amitraz (ISO):**

Species	:	Rabbit
Result	:	No eye irritation

##### **Paraformaldehyde:**

Species	:	Rabbit
Result	:	Irreversible effects on the eye

##### **Sodium bis(2-ethylhexyl)sulfosuccinate:**

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Irreversible effects on the eye

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

May cause an allergic skin reaction.

#### **Respiratory sensitisation**

Not classified based on available information.

#### **Components:**

##### **amitraz (ISO):**

Test Type	:	Maximisation Test
Exposure routes	:	Dermal
Species	:	Guinea pig
Result	:	Sensitiser

##### **Paraformaldehyde:**

Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Skin contact
Species	:	Mouse
Result	:	positive
Remarks	:	Based on data from similar materials
Assessment	:	Probability or evidence of high skin sensitisation rate in humans

##### **Sodium bis(2-ethylhexyl)sulfosuccinate:**

Test Type	:	Human repeat insult patch test (HRIFT)
Exposure routes	:	Skin contact
Species	:	Humans
Result	:	negative

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Amitraz Solid Formulation

Version  
11.0

Revision Date:  
17.06.2025

SDS Number:  
1734738-00020

Date of last issue: 14.04.2025  
Date of first issue: 06.06.2017

### Germ cell mutagenicity

Suspected of causing genetic defects.

#### Components:

##### **amitraz (ISO):**

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: negative

##### **Paraformaldehyde:**

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)  
Result: positive  
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test  
Result: positive  
Remarks: Based on data from similar materials

Test Type: in vitro micronucleus test  
Result: positive  
Remarks: Based on data from similar materials

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: positive  
Remarks: Based on data from similar materials

Test Type: In vitro sister chromatid exchange assay in mammalian cells  
Result: positive  
Remarks: Based on data from similar materials

Genotoxicity in vivo

: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Rat  
Application Route: inhalation (vapour)  
Result: positive  
Remarks: Based on data from similar materials

Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Amitraz Solid Formulation

Version  
11.0

Revision Date:  
17.06.2025

SDS Number:  
1734738-00020

Date of last issue: 14.04.2025  
Date of first issue: 06.06.2017

Species: Rat  
Application Route: Ingestion  
Result: positive  
Remarks: Based on data from similar materials

Germ cell mutagenicity- Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests.

### Sodium bis(2-ethylhexyl)sulfosuccinate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: equivocal

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: Based on data from similar materials

### Carcinogenicity

May cause cancer.

### Components:

#### amitraz (ISO):

Species : Rat  
Application Route : Oral  
Exposure time : 2 Years  
NOAEL : > 10.18 mg/kg body weight  
Result : negative

Species : Mouse  
Exposure time : 2 Years  
LOAEL : 2.3 mg/kg body weight  
Result : positive  
Target Organs : Liver, Stomach

#### Paraformaldehyde:

Species : Rat  
Application Route : Ingestion  
Exposure time : 105 weeks  
Result : negative

Species : Rat  
Application Route : Inhalation  
Exposure time : 28 Months  
Result : positive  
Remarks : Based on data from similar materials

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Amitraz Solid Formulation

Version  
11.0

Revision Date:  
17.06.2025

SDS Number:  
1734738-00020

Date of last issue: 14.04.2025  
Date of first issue: 06.06.2017

||| Carcinogenicity - Assessment : Sufficient evidence of carcinogenicity in animal experiments

### Reproductive toxicity

Not classified based on available information.

#### Components:

##### **amitraz (ISO):**

Effects on fertility

: Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
Fertility: NOAEL: > 4.8 mg/kg body weight  
Result: No significant adverse effects were reported

Effects on foetal development

: Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 3 mg/kg body weight  
Remarks: No significant adverse effects were reported

Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 5 mg/kg body weight  
Result: Effects on foetal development

##### **Sodium bis(2-ethylhexyl)sulfosuccinate:**

Effects on fertility

: Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development

: Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### STOT - single exposure

Not classified based on available information.

#### Components:

##### **Paraformaldehyde:**

||| Assessment : May cause respiratory irritation.

### STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Amitraz Solid Formulation

Version  
11.0

Revision Date:  
17.06.2025

SDS Number:  
1734738-00020

Date of last issue: 14.04.2025  
Date of first issue: 06.06.2017

### Components:

#### **amitraz (ISO):**

Target Organs	:	Liver, Central nervous system
Assessment	:	May cause damage to organs through prolonged or repeated exposure.

#### **Repeated dose toxicity**

### Components:

#### **amitraz (ISO):**

Species	:	Mouse
NOAEL	:	3 mg/kg
Application Route	:	Oral
Exposure time	:	90 Days
Target Organs	:	Liver
Species	:	Dog
NOAEL	:	0.25 mg/kg
Application Route	:	Oral
Exposure time	:	90 Days
Target Organs	:	Central nervous system, Liver

#### **Paraformaldehyde:**

Species	:	Rat, male
NOAEL	:	15 mg/kg
Application Route	:	Ingestion
Exposure time	:	105 Weeks
Remarks	:	Based on data from similar materials

#### **Sodium bis(2-ethylhexyl)sulfosuccinate:**

Species	:	Rat
NOAEL	:	750 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days

#### **Aspiration toxicity**

Not classified based on available information.

## 11.2 Information on other hazards

### **Endocrine disrupting properties**

Not classified based on available information.

### Product:

Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at
------------	---	---

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Amitraz Solid Formulation

Version  
11.0

Revision Date:  
17.06.2025

SDS Number:  
1734738-00020

Date of last issue: 14.04.2025  
Date of first issue: 06.06.2017

levels of 0.1% or higher.

### Experience with human exposure

#### Components:

##### **amitraz (ISO):**

||| Ingestion : Target Organs: Central nervous system

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

##### **amitraz (ISO):**

Toxicity to fish	: LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.45 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0.035 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: NOEC (Pseudokirchneriella subcapitata (green algae)): 0.04 mg/l Exposure time: 91 h
M-Factor (Acute aquatic toxicity)	: 10
Toxicity to fish (Chronic toxicity)	: NOEC: 0.00148 mg/l Exposure time: 32 d Species: Pimephales promelas (fathead minnow)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 0.0011 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)
M-Factor (Chronic aquatic toxicity)	: 10

##### **Paraformaldehyde:**

Toxicity to fish	: LC50 : > 1 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia pulex (Water flea)): > 1 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: ErC50 (Desmodesmus subspicatus (green algae)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Amitraz Solid Formulation

Version  
11.0

Revision Date:  
17.06.2025

SDS Number:  
1734738-00020

Date of last issue: 14.04.2025  
Date of first issue: 06.06.2017

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 : > 10 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOEC: > 1 mg/l  
Exposure time: 28 d  
Species: Oryzias latipes (Orange-red killifish)  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 1 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211  
Remarks: Based on data from similar materials

### Sodium bis(2-ethylhexyl)sulfosuccinate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 49 mg/l  
Exposure time: 96 h  
Method: Directive 67/548/EEC, Annex V, C.1.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 6.6 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 82.5 mg/l  
Exposure time: 72 h  
EC10 (Desmodesmus subspicatus (green algae)): 22 mg/l  
Exposure time: 72 h

Toxicity to microorganisms : EC50 (Pseudomonas putida): 164 mg/l  
Exposure time: 16 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : EC10: 9 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

## 12.2 Persistence and degradability

### Components:

#### **Paraformaldehyde:**

Biodegradability : Result: Readily biodegradable.  
Remarks: Based on data from similar materials

#### **Sodium bis(2-ethylhexyl)sulfosuccinate:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 91.2 %

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Amitraz Solid Formulation

Version  
11.0

Revision Date:  
17.06.2025

SDS Number:  
1734738-00020

Date of last issue: 14.04.2025  
Date of first issue: 06.06.2017



Exposure time: 28 d

### 12.3 Bioaccumulative potential

#### Components:

##### **amitraz (ISO):**

Bioaccumulation	:	Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): 1,333
Partition coefficient: n-octanol/water	:	log Pow: 5.5

##### **Paraformaldehyde:**

Partition coefficient: n-octanol/water	:	log Pow: -1.40 Remarks: Calculation
--	---	--

##### **Sodium bis(2-ethylhexyl)sulfosuccinate:**

Partition coefficient: n-octanol/water	:	log Pow: 1.998 Remarks: Calculation
--	---	--

### 12.4 Mobility in soil

#### Components:

##### **amitraz (ISO):**

Distribution among environmental compartments	:	log Koc: 3.3
---	---	--------------

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
------------	---	--

### 12.6 Endocrine disrupting properties

#### Product:

Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
------------	---	---

### 12.7 Other adverse effects

No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Amitraz Solid Formulation

Version 11.0      Revision Date: 17.06.2025      SDS Number: 1734738-00020      Date of last issue: 14.04.2025  
Date of first issue: 06.06.2017

---

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Product	: Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

---

### SECTION 14: Transport information

#### 14.1 UN number or ID number

ADN	: UN 3077
ADR	: UN 3077
RID	: UN 3077
IMDG	: UN 3077
IATA	: UN 3077

#### 14.2 UN proper shipping name

ADN	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (amitraz (ISO))
ADR	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (amitraz (ISO))
RID	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (amitraz (ISO))
IMDG	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (amitraz (ISO))
IATA	: Environmentally hazardous substance, solid, n.o.s. (amitraz (ISO))

#### 14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	: 9	
ADR	: 9	
RID	: 9	

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Amitraz Solid Formulation

Version 11.0	Revision Date: 17.06.2025	SDS Number: 1734738-00020	Date of last issue: 14.04.2025 Date of first issue: 06.06.2017
-----------------	------------------------------	------------------------------	---

---

**IMDG** : 9

**IATA** : 9

### 14.4 Packing group

#### **ADN**

Packing group : III  
Classification Code : M7  
Hazard Identification Number : 90  
Labels : 9

#### **ADR**

Packing group : III  
Classification Code : M7  
Hazard Identification Number : 90  
Labels : 9  
Tunnel restriction code : (-)

#### **RID**

Packing group : III  
Classification Code : M7  
Hazard Identification Number : 90  
Labels : 9

#### **IMDG**

Packing group : III  
Labels : 9  
EmS Code : F-A, S-F

#### **IATA (Cargo)**

Packing instruction (cargo aircraft) : 956  
Packing instruction (LQ) : Y956  
Packing group : III  
Labels : Miscellaneous

#### **IATA (Passenger)**

Packing instruction (passenger aircraft) : 956  
Packing instruction (LQ) : Y956  
Packing group : III  
Labels : Miscellaneous

### 14.5 Environmental hazards

#### **ADN**

Environmentally hazardous : yes

#### **ADR**

Environmentally hazardous : yes

#### **RID**

Environmentally hazardous : yes

#### **IMDG**

Marine pollutant : yes

#### **IATA (Passenger)**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Amitraz Solid Formulation

Version 11.0	Revision Date: 17.06.2025	SDS Number: 1734738-00020	Date of last issue: 14.04.2025 Date of first issue: 06.06.2017
-----------------	------------------------------	------------------------------	---

Environmentally hazardous : yes

### IATA (Cargo)

Environmentally hazardous : yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

: Conditions of restriction for the following entries should be considered: Number on list 75: If you intend to use this product as tattoo ink, please contact your vendor.

Number on list 77: Paraformaldehyde

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

: Not applicable

Regulation (EU) No 2024/590 on substances that deplete the ozone layer

: Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast)

: Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals

: amitraz (ISO)

REACH - List of substances subject to authorisation (Annex XIV)

: Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Quantity 1

Quantity 2

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Amitraz Solid Formulation

Version 11.0 Revision Date: 17.06.2025 SDS Number: 1734738-00020 Date of last issue: 14.04.2025 Date of first issue: 06.06.2017

---

E1 ENVIRONMENTAL HAZARDS 100 t 200 t

### Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

---

## SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

### Full text of H-Statements

H302 : Harmful if swallowed.  
H315 : Causes skin irritation.  
H317 : May cause an allergic skin reaction.  
H318 : Causes serious eye damage.  
H332 : Harmful if inhaled.  
H335 : May cause respiratory irritation.  
H341 : Suspected of causing genetic defects.  
H350 : May cause cancer.  
H373 : May cause damage to organs through prolonged or repeated exposure.  
H400 : Very toxic to aquatic life.  
H410 : Very toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox. : Acute toxicity  
Aquatic Acute : Short-term (acute) aquatic hazard  
Aquatic Chronic : Long-term (chronic) aquatic hazard  
Carc. : Carcinogenicity  
Eye Dam. : Serious eye damage  
Muta. : Germ cell mutagenicity  
Skin Irrit. : Skin irritation  
Skin Sens. : Skin sensitisation  
STOT RE : Specific target organ toxicity - repeated exposure  
STOT SE : Specific target organ toxicity - single exposure  
2004/37/EC : Europe. Directive 2004/37/EC on the protection of workers

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Amitraz Solid Formulation

Version  
11.0

Revision Date:  
17.06.2025

SDS Number:  
1734738-00020

Date of last issue: 14.04.2025  
Date of first issue: 06.06.2017

IE OEL	:	from the risks related to exposure to carcinogens, mutagens or reprotoxic substances at work - Annex III
2004/37/EC / STEL	:	Ireland. List of Chemical Agents and Carcinogens with Occupational Exposure Limit Values - Code of Practice, Schedule 1 and 2
2004/37/EC / TWA	:	Short term exposure limit
IE OEL / OELV - 8 hrs (TWA)	:	Long term exposure limit
IE OEL / OELV - 15 min (STEL)	:	Occupational exposure limit value (8-hour reference period)
	:	Occupational exposure limit value (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECL - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

### Classification of the mixture:

Acute Tox. 4

H302

### Classification procedure:

Calculation method

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Amitraz Solid Formulation

Version 11.0	Revision Date: 17.06.2025	SDS Number: 1734738-00020	Date of last issue: 14.04.2025 Date of first issue: 06.06.2017
-----------------	------------------------------	------------------------------	---

Eye Dam. 1	H318	Calculation method
Skin Sens. 1	H317	Calculation method
Muta. 2	H341	Calculation method
Carc. 1B	H350	Calculation method
STOT RE 2	H373	Calculation method
Aquatic Acute 1	H400	Calculation method
Aquatic Chronic 1	H410	Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IE / EN