

SAFETY DATA SHEET



Orbifloxacin Liquid Formulation

Version 4.0 Revision Date: 06.04.2024 SDS Number: 785438-00018 Date of last issue: 30.09.2023
Date of first issue: 28.06.2016

Section 1: Identification

Product identifier : Orbifloxacin Liquid Formulation

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

Manufacturer or supplier's details

Company : MSD
Address : 50 Tuas West Drive
Singapore - Singapore 638408
Telephone : +1-908-740-4000
Emergency telephone number : 65 6697 2111 (24/7/365)

E-mail address : EHSDATASTEWARD@msd.com

Section 2: Hazard identification

Classification of the substance or mixture

Reproductive toxicity : Category 2
Specific target organ toxicity - repeated exposure (Oral) : Category 2 (Eye)

GHS Label elements, including precautionary statements

Hazard pictograms	:
Signal word	: Warning
Hazard statements	: H361d Suspected of damaging the unborn child. H373 May cause damage to organs (Eye) through prolonged or repeated exposure if swallowed.
Precautionary statements	: Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe mist or vapours. P280 Wear protective gloves/ protective clothing/ eye protec-

SAFETY DATA SHEET



Orbifloxacin Liquid Formulation

Version 4.0	Revision Date: 06.04.2024	SDS Number: 785438-00018	Date of last issue: 30.09.2023 Date of first issue: 28.06.2016
----------------	------------------------------	-----------------------------	---



tion/ face protection/ hearing protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Orbifloxacin	113617-63-3	>= 3 -< 10
Lactic acid	50-21-5	>= 1 -< 3
Sodium hydroxide	1310-73-2	>= 1 -< 2

Section 4: First-aid measures

Description of necessary first-aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed

- Risks : Suspected of damaging the unborn child.
May cause damage to organs through prolonged or repeated exposure if swallowed.

Orbifloxacin Liquid Formulation

Version 4.0 Revision Date: 06.04.2024 SDS Number: 785438-00018 Date of last issue: 30.09.2023
Date of first issue: 28.06.2016

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

Section 5: Fire-fighting measures**Extinguishing media**

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Metal oxides

Special protective actions for fire-fighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Section 6: Accidental release measures**Personal precautions, protective equipment and emergency procedures**

Personal precautions : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate contain-

Orbifloxacin Liquid Formulation

Version 4.0	Revision Date: 06.04.2024	SDS Number: 785438-00018	Date of last issue: 30.09.2023 Date of first issue: 28.06.2016
----------------	------------------------------	-----------------------------	---

ment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

Section 7: Handling and storage**Precautions for safe handling**

- | | |
|-------------------------|--|
| Technical measures | : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section. |
| Local/Total ventilation | : Use only with adequate ventilation. |
| Advice on safe handling | : Do not breathe mist or vapours.
Do not swallow.
Avoid contact with eyes.
Avoid prolonged or repeated contact with skin.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Take care to prevent spills, waste and minimize release to the environment. |
| Hygiene measures | : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |

Conditions for safe storage, including any incompatibilities

- | | |
|-----------------------------|--|
| Conditions for safe storage | : Keep in properly labelled containers.
Store locked up.
Store in accordance with the particular national regulations. |
| Materials to avoid | : Do not store with the following product types:
Strong oxidizing agents |

Section 8: Exposure controls/personal protection**Control parameters****Occupational Exposure Limits**

SAFETY DATA SHEET



Orbifloxacin Liquid Formulation

Version 4.0	Revision Date: 06.04.2024	SDS Number: 785438-00018	Date of last issue: 30.09.2023 Date of first issue: 28.06.2016
----------------	------------------------------	-----------------------------	---

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Orbifloxacin	113617-63-3	TWA	0.2 mg/m ³ (OEB 2)	Internal
Sodium hydroxide	1310-73-2	PEL (short term)	2 mg/m ³	SG OEL

Appropriate engineering control measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Laboratory operations do not require special containment.

Individual protection measures, such as personal protective equipment (PPE)

- Eye/face protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
- Skin protection : Work uniform or laboratory coat.
- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Combined particulates and organic vapour type
- Hand protection : Chemical-resistant gloves
- Material

Section 9: Physical and chemical properties

- Appearance : suspension
- Colour : light brown
- Odour : odourless
- Odour Threshold : No data available
- pH : No data available
- Melting point/freezing point : No data available
- Initial boiling point and boiling range : No data available
- Flash point : No data available

SAFETY DATA SHEET



Orbifloxacin Liquid Formulation

Version 4.0 Revision Date: 06.04.2024 SDS Number: 785438-00018 Date of last issue: 30.09.2023
Date of first issue: 28.06.2016

Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: No data available
Solubility(ies)	
Water solubility	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, kinematic	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: No data available
Particle characteristics	
Particle size	: No data available

Section 10: Stability and reactivity

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Can react with strong oxidizing agents.
Conditions to avoid	: None known.
Incompatible materials	: Oxidizing agents
Hazardous decomposition	: No hazardous decomposition products are known.

SAFETY DATA SHEET



Orbifloxacin Liquid Formulation

Version 4.0 Revision Date: 06.04.2024 SDS Number: 785438-00018 Date of last issue: 30.09.2023
Date of first issue: 28.06.2016

products

Section 11: Toxicological information

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Components:

Orbifloxacin:

Acute oral toxicity	: LD50 (Rat): > 3,000 mg/kg Remarks: No mortality observed at this dose.
	LD50 (Mouse): > 2,000 mg/kg Remarks: No mortality observed at this dose.
	LD50 (Dog): > 600 mg/kg Symptoms: Vomiting Remarks: No mortality observed at this dose.
Acute inhalation toxicity	: Remarks: No data available
Acute dermal toxicity	: Remarks: No data available
Acute toxicity (other routes of administration)	: LD50 (Rat): > 200 mg/kg Application Route: Intramuscular
	LD50 (Mouse): 500 mg/kg Application Route: Intramuscular
	LD50 (Rat): 233 mg/kg Application Route: Intravenous
	LD50 (Mouse): 250 mg/kg Application Route: Intravenous

Lactic acid:

Acute oral toxicity	: LD50 (Rat): > 2,000 mg/kg Remarks: Based on data from similar materials
Acute inhalation toxicity	: LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: Corrosive to the respiratory tract. Remarks: Based on data from similar materials

SAFETY DATA SHEET



Orbifloxacin Liquid Formulation

Version 4.0 Revision Date: 06.04.2024 SDS Number: 785438-00018 Date of last issue: 30.09.2023
Date of first issue: 28.06.2016

||| Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Based on data from similar materials

Sodium hydroxide:

||| Acute inhalation toxicity : Assessment: Corrosive to the respiratory tract.

Skin corrosion/irritation

Not classified based on available information.

Product:

Species : Rabbit
Result : No skin irritation

Components:

Orbifloxacin:

||| Species : Rabbit
||| Method : Draize Test
||| Result : No skin irritation

Lactic acid:

||| Species : Rabbit
||| Method : OECD Test Guideline 404
||| Result : Corrosive after 1 to 4 hours of exposure
||| Remarks : Based on data from similar materials

Sodium hydroxide:

||| Result : Corrosive after 3 minutes or less of exposure

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Species : Rabbit
Result : Mild eye irritation

Components:

Orbifloxacin:

||| Species : Rabbit
||| Result : Mild eye irritation
||| Method : Draize Test

Lactic acid:

||| Species : Chicken eye

Orbifloxacin Liquid Formulation

Version 4.0 Revision Date: 06.04.2024 SDS Number: 785438-00018 Date of last issue: 30.09.2023
Date of first issue: 28.06.2016

||| Remarks : Based on data from similar materials

||| Result : Irreversible effects on the eye

Sodium hydroxide:

||| Result : Irreversible effects on the eye
||| Remarks : Based on skin corrosivity.

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Test Type : Magnusson-Kligman-Test
Exposure routes : Dermal
Species : Guinea pig
Result : Not a skin sensitizer.

Components:**Orbifloxacin:**

||| Test Type : Maximisation Test
||| Exposure routes : Dermal
||| Species : Guinea pig
||| Result : Not a skin sensitizer.

Lactic acid:

||| Test Type : Buehler Test
||| Exposure routes : Skin contact
||| Species : Guinea pig
||| Result : negative
||| Remarks : Based on data from similar materials

Sodium hydroxide:

||| Test Type : Human repeat insult patch test (HRIPT)
||| Exposure routes : Skin contact
||| Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:**Orbifloxacin:**

||| Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Orbifloxacin Liquid Formulation

Version 4.0	Revision Date: 06.04.2024	SDS Number: 785438-00018	Date of last issue: 30.09.2023 Date of first issue: 28.06.2016
----------------	------------------------------	-----------------------------	---

	Result: equivocal
	Test Type: Mouse Lymphoma Result: positive
	Test Type: Chromosomal aberration Test system: Human lymphocytes Result: positive
Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Intraperitoneal injection Result: negative
	Test Type: unscheduled DNA synthesis assay Species: Rat Cell type: Liver cells Application Route: Oral Result: negative
Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen.

Lactic acid:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
	Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative Remarks: Based on data from similar materials
	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:**Orbifloxacin:**

Species	: Rat
Application Route	: Oral
Exposure time	: 2 Years
NOAEL	: 200 mg/kg body weight
Result	: negative

SAFETY DATA SHEET



Orbifloxacin Liquid Formulation

Version 4.0 Revision Date: 06.04.2024 SDS Number: 785438-00018 Date of last issue: 30.09.2023
Date of first issue: 28.06.2016

Species	:	Mouse
Application Route	:	Oral
Exposure time	:	2 Years
NOAEL	:	200 mg/kg body weight
Result	:	negative

Lactic acid:

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	2 Years
Result	:	negative
Remarks	:	Based on data from similar materials

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

Orbifloxacin:

Effects on fertility	:	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Oral General Toxicity - Parent: NOAEL: 50 mg/kg body weight Early Embryonic Development: NOAEL: 50 mg/kg body weight Result: No adverse effects
Effects on foetal development	:	Test Type: Embryo-foetal development Species: Rat Application Route: Oral Embryo-foetal toxicity: LOAEL: 333 mg/kg body weight Result: No teratogenic effects, Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses
		Test Type: Embryo-foetal development Species: Rabbit Application Route: Oral General Toxicity Maternal: NOAEL: 20 mg/kg body weight Embryo-foetal toxicity: NOAEL: 60 mg/kg body weight Result: No effects on early embryonic development, Embryo-toxic effects and adverse effects on the offspring were detected only at high maternally toxic doses, Reduced maternal body weight gain
		Test Type: Development Species: Dog Application Route: Oral Developmental Toxicity: LOAEL: 2.5 mg/kg body weight Result: Effects on postnatal development, Skeletal malfor-

SAFETY DATA SHEET



Orbifloxacin Liquid Formulation

Version 4.0 Revision Date: 06.04.2024 SDS Number: 785438-00018 Date of last issue: 30.09.2023
Date of first issue: 28.06.2016

	mations
Reproductive toxicity - Assessment	: Some evidence of adverse effects on development, based on animal experiments.
Lactic acid:	
Effects on foetal development	: Test Type: Embryo-foetal development Species: Mouse Application Route: Ingestion Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs (Eye) through prolonged or repeated exposure if swallowed.

Product:

Target Organs : Eye
Assessment : May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Product:

Species	: Dog
NOAEL	: 22.5 mg/kg
LOAEL	: 37.5 mg/kg
Application Route	: Oral
Exposure time	: 30 Days
Symptoms	: Gastrointestinal disturbance
Species	: Dog
LOAEL	: 75 mg/kg
Application Route	: Oral
Exposure time	: 10 Days
Symptoms	: Salivation, Gastrointestinal disturbance, Vomiting
Species	: Cat
LOAEL	: 45 mg/kg
Application Route	: Oral
Exposure time	: 30 Days
Target Organs	: Eye
Symptoms	: Salivation, Lachrymation, Gastrointestinal disturbance, Liver disorders

Components:

Orbifloxacin:

Species : Rat

Orbifloxacin Liquid Formulation

Version 4.0 Revision Date: 06.04.2024 SDS Number: 785438-00018 Date of last issue: 30.09.2023
 Date of first issue: 28.06.2016

NOAEL	:	20 mg/kg
LOAEL	:	80 mg/kg
Application Route	:	Oral
Exposure time	:	3 Months
Target Organs	:	Testis, Liver, Kidney, spleen
Species	:	Mouse
NOAEL	:	80 mg/kg
LOAEL	:	250 mg/kg
Application Route	:	Oral
Exposure time	:	3 Months
Species	:	Juvenile dog
NOAEL	:	50 mg/kg
LOAEL	:	250 mg/kg
Application Route	:	Oral
Exposure time	:	14 Days
Target Organs	:	Heart, Bone
Symptoms	:	Gastrointestinal disturbance
Remarks	:	mortality observed
Species	:	Juvenile dog
NOAEL	:	2 mg/kg
LOAEL	:	3 mg/kg
Application Route	:	Oral
Exposure time	:	90 Days
Target Organs	:	Bone
Remarks	:	No significant adverse effects were reported
Species	:	Dog
NOAEL	:	37.5 mg/kg
Application Route	:	Oral
Exposure time	:	30 Days
Species	:	Cat
NOAEL	:	7.5 mg/kg
LOAEL	:	22.5 mg/kg
Application Route	:	Oral
Exposure time	:	1 Months
Symptoms	:	Gastrointestinal disturbance
Lactic acid:		
Species	:	Rat
NOAEL	:	> 100 mg/kg
Application Route	:	Ingestion
Exposure time	:	13 Weeks
Remarks	:	Based on data from similar materials
Species	:	Rat
LOAEL	:	886 mg/kg
Application Route	:	Skin contact
Exposure time	:	13 Weeks

Orbifloxacin Liquid FormulationVersion
4.0Revision Date:
06.04.2024SDS Number:
785438-00018Date of last issue: 30.09.2023
Date of first issue: 28.06.2016**Aspiration toxicity**

Not classified based on available information.

Experience with human exposure**Components:****Orbifloxacin:**

Ingestion	: Symptoms: central nervous system effects, Gastrointestinal disturbance, liver function change, anaphylaxis, Rash Remarks: May cause photosensitisation.
-----------	--

Section 12: Ecological information**Toxicity****Components:****Lactic acid:**

Toxicity to fish	: LC50 (Danio rerio (zebra fish)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Persistence and degradability	: NOEC (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to microorganisms	: EC50: > 10 - 100 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 Remarks: Based on data from similar materials

Persistence and degradability**Components:****Lactic acid:**

SAFETY DATA SHEET



Orbifloxacin Liquid Formulation

Version 4.0 Revision Date: 06.04.2024 SDS Number: 785438-00018 Date of last issue: 30.09.2023
Date of first issue: 28.06.2016

Biodegradability : Result: Not readily biodegradable.
Remarks: Based on data from similar materials

Bioaccumulative potential

Components:

Lactic acid:

Partition coefficient: n-octanol/water : log Pow: -0.62

Mobility in soil

No data available

Other adverse effects

No data available

Section 13: Disposal considerations

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

Section 14: Transport information

International Regulations

UNRTDG

UN number : Not applicable
UN proper shipping name : Not applicable
Transport hazard class(es) : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Environmentally hazardous : no

IATA-DGR

UN/ID No. : Not applicable
UN proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
Packing instruction (cargo aircraft) : Not applicable
Packing instruction (passenger aircraft) : Not applicable

IMDG-Code

UN number : Not applicable

SAFETY DATA SHEET



Orbifloxacin Liquid Formulation

Version 4.0 Revision Date: 06.04.2024 SDS Number: 785438-00018 Date of last issue: 30.09.2023
Date of first issue: 28.06.2016

UN proper shipping name : Not applicable
Class : Not applicable
Subsidiary risk : Not applicable
Packing group : Not applicable
Labels : Not applicable
EmS Code : Not applicable
Marine pollutant : Not applicable

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

Not applicable

Section 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

Environmental Protection and Management Act and : Not applicable
Environmental Protection and Management (Hazardous Substances) Regulations

Fire Safety (Petroleum and Flammable Materials) : Not applicable
Regulations

The components of this product are reported in the following inventories:

AICS : not determined
DSL : not determined
IECSC : not determined

Section 16: Other information

Revision Date : 06.04.2024

Further information

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD compile the Safety Data eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>
Sheet

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

SAFETY DATA SHEET



Orbifloxacin Liquid Formulation

Version 4.0	Revision Date: 06.04.2024	SDS Number: 785438-00018	Date of last issue: 30.09.2023 Date of first issue: 28.06.2016
----------------	------------------------------	-----------------------------	---

SG OEL	:	Singapore. Workplace Safety and Health (General Provisions) Regulations - First Schedule Permissible Exposure Limits of Toxic Substances.
ACGIH / C	:	Ceiling limit
SG OEL / PEL (short term)	:	Permissible Exposure Level (PEL) Short Term

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN