

SAFETY DATA SHEET



Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version
9.1

Revision Date:
24.02.2025

SDS Number:
443922-00026

Date of last issue: 06.07.2024
Date of first issue: 07.01.2016

SECTION 1. IDENTIFICATION

Product name : Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Manufacturer or supplier's details

Company : MSD

Address : Talcahuano 750, 6th floor, Ciudad Autonoma Buenos Aires, Argentina C1013AAP

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Skin sensitization : Category 1

Reproductive toxicity : Category 1A

Effects on or via lactation

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H317 May cause an allergic skin reaction.
H360D May damage the unborn child.
H362 May cause harm to breast-fed children.
H410 Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET



Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation

| | | | |
|----------------|------------------------------|-----------------------------|---|
| Version 9.1 | Revision Date: 24.02.2025 | SDS Number: 443922-00026 | Date of last issue: 06.07.2024 Date of first issue: 07.01.2016 |
|----------------|------------------------------|-----------------------------|---|

Precautionary Statements

: **Prevention:**

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P261 Avoid breathing mist or vapors.
P263 Avoid contact during pregnancy and while nursing.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

| Chemical name | CAS-No. | Concentration (% w/w) |
|-------------------------------|-----------|-----------------------|
| White mineral oil (petroleum) | 8042-47-5 | >= 70 -< 90 |
| Neomycin, sulfate (salt) | 1405-10-3 | >= 3 -< 5 |
| Magnesium stearate | 557-04-0 | >= 1 -< 5 |
| Tetracycline hydrochloride | 64-75-5 | >= 1 -< 2,5 |
| Bacitracin | 1405-87-4 | >= 0,25 -< 1 |
| prednisolone | 50-24-8 | >= 0,1 -< 0,25 |

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.

Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation

| | | | |
|----------------|------------------------------|-----------------------------|---|
| Version 9.1 | Revision Date: 24.02.2025 | SDS Number: 443922-00026 | Date of last issue: 06.07.2024 Date of first issue: 07.01.2016 |
|----------------|------------------------------|-----------------------------|---|

| | |
|---|---|
| | When symptoms persist or in all cases of doubt seek medical advice. |
| If inhaled | : If inhaled, remove to fresh air. Get medical attention. |
| In case of skin contact | : In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse. |
| In case of eye contact | : Flush eyes with water as a precaution. Get medical attention if irritation develops and persists. |
| If swallowed | : If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water. |
| Most important symptoms and effects, both acute and delayed | : May cause an allergic skin reaction. May damage the unborn child. May cause harm to breast-fed children. |
| Protection of first-aiders | : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). |
| Notes to physician | : Treat symptomatically and supportively. |

SECTION 5. FIRE-FIGHTING MEASURES

| | |
|--|---|
| Suitable extinguishing media | : Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical |
| Unsuitable extinguishing media | : None known. |
| Specific hazards during fire fighting | : Exposure to combustion products may be a hazard to health. |
| Hazardous combustion products | : Carbon oxides Nitrogen oxides (NO _x) Chlorine compounds Metal oxides |
| Specific extinguishing methods | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area. |
| Special protective equipment for fire-fighters | : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation

Version 9.1 Revision Date: 24.02.2025 SDS Number: 443922-00026 Date of last issue: 06.07.2024
Date of first issue: 07.01.2016

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Avoid contact during pregnancy and while nursing. Do not get on skin or clothing. Do not breathe mist or vapors. Do not swallow. Avoid contact with eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Keep container tightly closed. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types: Strong oxidizing agents Self-reactive substances and mixtures

Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version 9.1 Revision Date: 24.02.2025

SDS Number: 443922-00026

Date of last issue: 06.07.2024
Date of first issue: 07.01.2016

Organic peroxides
Explosives
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|-------------------------------|-----------|--|--|----------|
| White mineral oil (petroleum) | 8042-47-5 | CMP (Mist) | 5 mg/m ³ | AR OEL |
| | | CMP - CPT (Mist) | 10 mg/m ³ | AR OEL |
| | | TWA (Inhalable particulate matter) | 5 mg/m ³ | ACGIH |
| Neomycin, sulfate (salt) | 1405-10-3 | TWA | 1.5 mg/m ³ (OEB 1) | Internal |
| | | Further information: DSEN, OTO | | |
| Magnesium stearate | 557-04-0 | Wipe limit | 0.1 mg/100 cm ² | Internal |
| | | CMP | 10 mg/m ³ | AR OEL |
| | | Further information: A4 - Not classifiable as a human carcinogen | | |
| Tetracycline hydrochloride | 64-75-5 | TWA (Inhalable particulate matter) | 10 mg/m ³ | ACGIH |
| | | TWA (Respirable particulate matter) | 3 mg/m ³ | ACGIH |
| | | TWA | 0.9 mg/m ³ (OEB 2) | Internal |
| Bacitracin | 1405-87-4 | TWA | 4 mg/m ³ (OEB 1) | Internal |
| | | Further information: DSEN, RSEN | | |
| prednisolone | 50-24-8 | Wipe limit | 0.1 mg/100 cm ² | Internal |
| | | TWA | 10 µg/m ³ (OEB 3) | Internal |
| | | Wipe limit | 100 µg/100 cm ² | Internal |

Engineering measures

- Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling.

Prednisolone / Neomycin / Tetracycline / Baci-tracin FormulationVersion
9.1Revision Date:
24.02.2025SDS Number:
443922-00026Date of last issue: 06.07.2024
Date of first issue: 07.01.2016**Personal protective equipment**

| | |
|--------------------------|--|
| Respiratory protection | : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. |
| Filter type | : Combined particulates and organic vapor type |
| Hand protection | |
| Material | : Chemical-resistant gloves |
| Remarks | : Consider double gloving. |
| Eye protection | : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. |
| Skin and body protection | : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing. |
| Hygiene measures | : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|---|---------------------|
| Appearance | : oily, suspension |
| Color | : No data available |
| Odor | : No data available |
| Odor Threshold | : No data available |
| pH | : No data available |
| Melting point/freezing point | : No data available |
| Initial boiling point and boiling range | : No data available |
| Flash point | : No data available |

SAFETY DATA SHEET



Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation

Version 9.1 Revision Date: 24.02.2025 SDS Number: 443922-00026 Date of last issue: 06.07.2024
Date of first issue: 07.01.2016

| | |
|--|--|
| Evaporation rate | : No data available |
| Flammability (solid, gas) | : Not applicable |
| Flammability (liquids) | : No data available |
| Upper explosion limit / Upper flammability limit | : No data available |
| Lower explosion limit / Lower flammability limit | : No data available |
| Vapor pressure | : No data available |
| Relative vapor density | : No data available |
| Relative density | : No data available |
| Density | : No data available |
| Solubility(ies) | |
| Water solubility | : No data available |
| Partition coefficient: n-octanol/water | : Not applicable |
| Autoignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Viscosity | |
| Viscosity, kinematic | : No data available |
| Explosive properties | : Not explosive |
| Oxidizing properties | : The substance or mixture is not classified as oxidizing. |
| Molecular weight | : No data available |
| Particle characteristics | |
| Particle size | : Not applicable |

SECTION 10. STABILITY AND REACTIVITY

| | |
|------------------------------------|--|
| Reactivity | : Not classified as a reactivity hazard. |
| Chemical stability | : Stable under normal conditions. |
| Possibility of hazardous reactions | : Can react with strong oxidizing agents. |
| Conditions to avoid | : None known. |
| Incompatible materials | : Oxidizing agents |
| Hazardous decomposition products | : No hazardous decomposition products are known. |

Prednisolone / Neomycin / Tetracycline / Baci-tracin FormulationVersion
9.1Revision Date:
24.02.2025SDS Number:
443922-00026Date of last issue: 06.07.2024
Date of first issue: 07.01.2016**SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5.000 mg/kg
Method: Calculation method

Components:**White mineral oil (petroleum):**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Neomycin, sulfate (salt):

Acute oral toxicity : LD50 (Mouse): 2.880 mg/kg
LD50 (Rat): 2.750 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 633 mg/kg
Application Route: Subcutaneous

LD50 (Mouse): 116 mg/kg
Application Route: Intraperitoneal

LD50 (Mouse): 27,6 mg/kg
Application Route: Intravenous

LD50 (Mouse): 275 mg/kg
Application Route: Subcutaneous

Magnesium stearate:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 423
Assessment: The substance or mixture has no acute oral toxicity
Remarks: Based on data from similar materials

Prednisolone / Neomycin / Tetracycline / Bacitracin FormulationVersion
9.1Revision Date:
24.02.2025SDS Number:
443922-00026Date of last issue: 06.07.2024
Date of first issue: 07.01.2016

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg
Remarks: Based on data from similar materials

Tetracycline hydrochloride:

Acute oral toxicity : LD50 (Rat): 6.443 mg/kg
LD50 (Mouse): 2.759 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 128 mg/kg
Application Route: Intravenous
LD50 (Mouse): 157 mg/kg
Application Route: Intravenous

Bacitracin:

Acute oral toxicity : LD50 (Mouse): > 2.000 mg/kg
Remarks: Based on data from similar materials

prednisolone:

Acute oral toxicity : LD50 (Mouse): 1.680 mg/kg
LD50 (Rat): > 3.857 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of administration) : LD50 (Rat): 147 mg/kg
Application Route: Subcutaneous
LD50 (Mouse): 767 mg/kg
Application Route: Intraperitoneal

Skin corrosion/irritation

Not classified based on available information.

Components:**White mineral oil (petroleum):**

Species : Rabbit
Result : No skin irritation

Neomycin, sulfate (salt):

Species : Rabbit
Result : Mild skin irritation

Magnesium stearate:

Species : Rabbit
Result : No skin irritation

Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation

| | | | |
|----------------|------------------------------|-----------------------------|---|
| Version 9.1 | Revision Date: 24.02.2025 | SDS Number: 443922-00026 | Date of last issue: 06.07.2024 Date of first issue: 07.01.2016 |
|----------------|------------------------------|-----------------------------|---|

Remarks : Based on data from similar materials

Tetracycline hydrochloride:

Remarks : No data available

prednisolone:

Remarks : No data available

Serious eye damage/eye irritation

Not classified based on available information.

Components:**White mineral oil (petroleum):**

Species : Rabbit
Result : No eye irritation

Neomycin, sulfate (salt):

Species : Rabbit
Result : No eye irritation

Magnesium stearate:

Species : Rabbit
Result : No eye irritation
Remarks : Based on data from similar materials

Tetracycline hydrochloride:

Remarks : No data available

prednisolone:

Remarks : No data available

Respiratory or skin sensitization**Skin sensitization**

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Components:**White mineral oil (petroleum):**

Test Type : Buehler Test
Routes of exposure : Skin contact
Species : Guinea pig
Result : negative

Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version 9.1

Revision Date: 24.02.2025

SDS Number: 443922-00026

Date of last issue: 06.07.2024
Date of first issue: 07.01.2016**Neomycin, sulfate (salt):**

Routes of exposure : Dermal
Species : Humans
Result : positive

Magnesium stearate:

Test Type : Maximization Test
Routes of exposure : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative
Remarks : Based on data from similar materials

Tetracycline hydrochloride:

Remarks : No data available

Bacitracin:

Test Type : Human repeat insult patch test (HRIPT)
Routes of exposure : Skin contact
Result : positive
Assessment : Probability or evidence of skin sensitization in humans

prednisolone:

Remarks : No data available

Germ cell mutagenicity

Not classified based on available information.

Components:**White mineral oil (petroleum):**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative
Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474
Result: negative
Remarks: Based on data from similar materials

Neomycin, sulfate (salt):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative
Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster ovary cells

Prednisolone / Neomycin / Tetracycline / Bacitracin FormulationVersion
9.1Revision Date:
24.02.2025SDS Number:
443922-00026Date of last issue: 06.07.2024
Date of first issue: 07.01.2016

Result: negative

Test Type: Chromosomal aberration
Test system: Human lymphocytes
Result: positiveTest Type: in vitro micronucleus test
Result: negative

Genotoxicity in vivo : Test Type: Cytogenetic assay
Species: Mouse
Cell type: Bone marrow
Application Route: Intravenous injection
Result: negative

Magnesium stearate:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative
Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)
Result: negative
Remarks: Based on data from similar materials

Tetracycline hydrochloride:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Cytogenetic assay
Test system: Chinese hamster ovary cells
Result: negative

Test Type: sister chromatid exchange assay
Result: negative

Test Type: Mouse Lymphoma
Result: negative

Bacitracin:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test
Result: negative
Remarks: Based on data from similar materials

Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation

Version 9.1

Revision Date: 24.02.2025

SDS Number: 443922-00026

Date of last issue: 06.07.2024
Date of first issue: 07.01.2016

Test Type: Chromosome aberration test in vitro
Result: negative
Remarks: Based on data from similar materials

prednisolone:

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)
Result: negativeTest Type: Mouse Lymphoma
Result: negativeTest Type: sister chromatid exchange assay
Result: negative

Genotoxicity in vivo

: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Rat
Application Route: Oral
Result: negativeTest Type: sister chromatid exchange assay
Species: Humans
Result: negative**Carcinogenicity**

Not classified based on available information.

Components:**White mineral oil (petroleum):**

Species : Rat
Application Route : Ingestion
Exposure time : 24 Months
Result : negative

Neomycin, sulfate (salt):

Species : Rat
Exposure time : 2 Years
Result : negative

Tetracycline hydrochloride:

Species : Rat
Application Route : Oral
Exposure time : 103 W
Result : negative

Species : Mouse
Application Route : Oral
Exposure time : 103 W
Result : negative

Prednisolone / Neomycin / Tetracycline / Baci-tracin FormulationVersion
9.1Revision Date:
24.02.2025SDS Number:
443922-00026Date of last issue: 06.07.2024
Date of first issue: 07.01.2016**prednisolone:**

Species : Rat
Application Route : Oral
Exposure time : 18 Months
Result : negative

Reproductive toxicity

May damage the unborn child.
May cause harm to breast-fed children.

Components:**White mineral oil (petroleum):**

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Skin contact
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Result: negative

Neomycin, sulfate (salt):

Effects on fertility : Test Type: Three-generation reproduction toxicity study
Species: Rat
Application Route: Oral
General Toxicity Parent: NOAEL: 25 mg/kg body weight
Result: No effects on fertility and early embryonic development were detected.

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
Embryo-fetal toxicity.: NOAEL: 275 mg/kg body weight
Result: No adverse effects., No teratogenic effects.

Test Type: Development
Species: Rat
Application Route: Subcutaneous
Developmental Toxicity: LOAEL: 6 mg/kg body weight
Result: positive

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

Magnesium stearate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat

Prednisolone / Neomycin / Tetracycline / Bacitracin FormulationVersion
9.1Revision Date:
24.02.2025SDS Number:
443922-00026Date of last issue: 06.07.2024
Date of first issue: 07.01.2016

Application Route: Ingestion
Method: OECD Test Guideline 422
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Tetracycline hydrochloride:

Effects on fertility : Test Type: Fertility
Species: Rat
Application Route: Oral
Fertility: NOAEL: 400 mg/kg body weight
Result: No effects on fertility.

Effects on fetal development : Test Type: Development
Result: Embryo-fetal toxicity., Specific developmental abnormalities., Skeletal malformations.

Reproductive toxicity - Assessment : Studies indicating a hazard to babies during the lactation period, May damage the unborn child.

Bacitracin:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

prednisolone:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Subcutaneous
Fertility: NOAEL: 1 mg/kg body weight
Result: No effects on fertility.

Effects on fetal development : Test Type: Embryo-fetal development
Species: Mouse
Application Route: Oral
Developmental Toxicity: LOAEL: 0,5 mg/kg body weight
Result: Malformations were observed., Cleft palate

Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation

Version 9.1

Revision Date: 24.02.2025

SDS Number: 443922-00026

Date of last issue: 06.07.2024
Date of first issue: 07.01.2016

Test Type: Embryo-fetal development
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: 30 mg/kg body weight
Result: decreased blood formation

Species: Rat
Application Route: Subcutaneous
Developmental Toxicity: NOAEL: 25 mg/kg body weight
Result: No effects on fetal development.

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Components:**Neomycin, sulfate (salt):**

Target Organs : Kidney, inner ear
Assessment : May cause damage to organs through prolonged or repeated exposure.
Remarks : Based on human experience.

Tetracycline hydrochloride:

Routes of exposure : Oral
Target Organs : Gastrointestinal tract, Nervous system, Skin, Teeth
Assessment : May cause damage to organs through prolonged or repeated exposure.

Bacitracin:

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

prednisolone:

Target Organs : Bone marrow, Adrenal gland, Liver
Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****White mineral oil (petroleum):**

Species : Rat
LOAEL : 160 mg/kg
Application Route : Ingestion

Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation

Version 9.1 Revision Date: 24.02.2025 SDS Number: 443922-00026 Date of last issue: 06.07.2024
Date of first issue: 07.01.2016

Exposure time : 90 Days
Species : Rat
LOAEL : >= 1 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 4 Weeks
Method : OECD Test Guideline 412

Neomycin, sulfate (salt):

Species : Mouse
LOAEL : 30 mg/kg
Application Route : Subcutaneous
Exposure time : 14 d
Target Organs : Kidney

Species : Guinea pig
NOAEL : 50 mg/kg
LOAEL : 100 mg/kg
Application Route : Intramuscular
Exposure time : 30 - 60 Weeks
Target Organs : ear

Species : Guinea pig
NOAEL : 10 mg/kg
Application Route : Oral
Exposure time : 90 d
Remarks : No significant adverse effects were reported

Species : Guinea pig
LOAEL : 100 mg/kg
Application Route : Subcutaneous
Exposure time : 34 d

Species : Dog
LOAEL : 24 mg/kg
Application Route : Intramuscular
Exposure time : 30 d
Target Organs : Kidney

Species : Rat
LOAEL : 25 mg/kg
Application Route : oral (feed)
Exposure time : 84 Weeks
Target Organs : ear
Symptoms : hearing loss
Remarks : mortality observed

Species : Dog
LOAEL : 20 mg/kg
Application Route : Subcutaneous
Exposure time : 90 d
Target Organs : Kidney

Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version 9.1

Revision Date: 24.02.2025

SDS Number: 443922-00026

Date of last issue: 06.07.2024
Date of first issue: 07.01.2016**Magnesium stearate:**

Species : Rat
NOAEL : > 100 mg/kg
Application Route : Ingestion
Exposure time : 90 Days
Remarks : Based on data from similar materials

Tetracycline hydrochloride:

Species : Rat
NOAEL : 625 mg/kg
LOAEL : 1.250 mg/kg
Application Route : oral (feed)
Exposure time : 13 W
Target Organs : Liver
Symptoms : Reduced body weight

Species : Mouse
NOAEL : 3.750 mg/kg
LOAEL : 7.500 mg/kg
Application Route : oral (feed)
Exposure time : 13 W
Symptoms : Reduced body weight

Bacitracin:

Species : Rat
LOAEL : > 10 mg/kg
Application Route : Ingestion
Exposure time : 13 Weeks
Remarks : Based on data from similar materials

prednisolone:

Species : Rat
LOAEL : 0,6 mg/kg
Application Route : Oral
Exposure time : 63 Days
Target Organs : Bone marrow

Species : Dog
LOAEL : 2,5 mg/kg
Application Route : Oral
Exposure time : 6 Weeks
Target Organs : Adrenal gland

Species : Rabbit
LOAEL : 1 mg/kg
Application Route : Oral
Exposure time : 24 Weeks
Target Organs : Liver

Prednisolone / Neomycin / Tetracycline / Baci-tracin FormulationVersion
9.1Revision Date:
24.02.2025SDS Number:
443922-00026Date of last issue: 06.07.2024
Date of first issue: 07.01.2016**Aspiration toxicity**

Not classified based on available information.

Components:**Tetracycline hydrochloride:**

Not applicable

Experience with human exposure**Components:****Neomycin, sulfate (salt):**

| | |
|--------------|---|
| Skin contact | : Symptoms: Sensitization Remarks: May irritate skin. |
| Eye contact | : Remarks: May cause eye irritation. |
| Ingestion | : Symptoms: Nausea, Vomiting, Diarrhea, tinnitus, hearing loss, Loss of balance |

Tetracycline hydrochloride:

| | |
|-----------|--|
| Ingestion | : Target Organs: Teeth Symptoms: Gastrointestinal disturbance, Nausea, Vomiting, Diarrhea, Liver effects, skin rash, central nervous system effects Remarks: May cause sensitization of susceptible persons. May cause photosensitization. Based on Human Evidence |
|-----------|--|

prednisolone:

| | |
|-----------|---|
| Ingestion | : Symptoms: sodium retention, Headache, Vertigo, fluid retention, subcutaneous bleeding, striae, skin atrophy, menstrual irregularities |
|-----------|---|

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****White mineral oil (petroleum):**

| | |
|------------------|--|
| Toxicity to fish | : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 |
|------------------|--|

| | |
|---|---|
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 |
|---|---|

| | |
|----------------------------------|--|
| Toxicity to algae/aquatic plants | : NOEC (Pseudokirchneriella subcapitata (green algae)): 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 |
|----------------------------------|--|

| | |
|---------------------------------|--|
| Toxicity to fish (Chronic tox-) | : NOEC (Oncorhynchus mykiss (rainbow trout)): 1.000 mg/l |
|---------------------------------|--|

Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation

| | | | |
|----------------|------------------------------|-----------------------------|---|
| Version 9.1 | Revision Date: 24.02.2025 | SDS Number: 443922-00026 | Date of last issue: 06.07.2024 Date of first issue: 07.01.2016 |
|----------------|------------------------------|-----------------------------|---|

| | |
|--|--|
| icity) | Exposure time: 28 d |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : NOEC (Daphnia magna (Water flea)): 1.000 mg/l Exposure time: 21 d |
| Neomycin, sulfate (salt): | |
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Daphnia magna (Water flea)): > 72 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 |
| | LC50 (Americamysis): 39 mg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035 |
| Toxicity to algae/aquatic plants | : EC50 (Anabaena flos-aquae (cyanobacterium)): 0,00075 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 |
| | NOEC (Anabaena flos-aquae (cyanobacterium)): 0,0003 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 |
| | EC50 (Pseudokirchneriella subcapitata (green algae)): 0,0099 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 |
| | NOEC (Pseudokirchneriella subcapitata (green algae)): 0,0022 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 |
| M-Factor (Acute aquatic toxicity) | : 1.000 |
| M-Factor (Chronic aquatic toxicity) | : 10 |
| Toxicity to microorganisms | : EC50 (Natural microorganism): 107,6 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 |
| | EC10 (Natural microorganism): 2,8 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 |
| Magnesium stearate: | |
| Toxicity to fish | : LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l Exposure time: 48 h Method: DIN 38412 Remarks: Based on data from similar materials |

Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation

Version 9.1 Revision Date: 24.02.2025 SDS Number: 443922-00026 Date of last issue: 06.07.2024
 Date of first issue: 07.01.2016

| | |
|---|--|
| Toxicity to daphnia and other aquatic invertebrates | EL50 (Daphnia magna (Water flea)): > 1 mg/l Exposure time: 47 h Test substance: Water Accommodated Fraction Method: Directive 67/548/EEC, Annex V, C.2. Remarks: Based on data from similar materials No toxicity at the limit of solubility. |
| Toxicity to algae/aquatic plants | EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials No toxicity at the limit of solubility. |
| | NOELR (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials |
| Toxicity to microorganisms | EC10 (Pseudomonas putida): > 100 mg/l Exposure time: 16 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials |
| Tetracycline hydrochloride: | |
| Toxicity to algae/aquatic plants | EC50 (Anabaena flos-aquae (cyanobacterium)): 6,2 mg/l Exposure time: 72 h NOEC (Anabaena flos-aquae (cyanobacterium)): 2,5 mg/l Exposure time: 72 h EC50 (Pseudokirchneriella subcapitata (green algae)): 3,31 mg/l Exposure time: 72 h NOEC (Pseudokirchneriella subcapitata (green algae)): 0,032 mg/l Exposure time: 72 h EC50 (Microcystis aeruginosa (blue-green algae)): 0,09 mg/l Exposure time: 7 d |
| M-Factor (Acute aquatic toxicity) | 10 |
| M-Factor (Chronic aquatic toxicity) | 1 |
| Toxicity to microorganisms | EC50: 0,08 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 |

Prednisolone / Neomycin / Tetracycline / Bacitracin FormulationVersion
9.1Revision Date:
24.02.2025SDS Number:
443922-00026Date of last issue: 06.07.2024
Date of first issue: 07.01.2016**Bacitracin:**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Artemia salina (brine shrimp)): 21,8 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Anabaena flos-aquae (cyanobacterium)): 10 mg/l
Exposure time: 10 d
Method: OECD Test Guideline 201

prednisolone:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 85 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 160 mg/l
Exposure time: 72 h

EC50 (Pseudokirchneriella subcapitata (green algae)): > 160 mg/l
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (water flea)): 0,23 mg/l
Exposure time: 7 d

Persistence and degradability**Components:****White mineral oil (petroleum):**

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 31 %
Exposure time: 28 d

Neomycin, sulfate (salt):

Biodegradability : Result: rapidly degradable
Biodegradation: 50 %
Exposure time: 1,2 d
Method: OECD Test Guideline 314

Magnesium stearate:

Biodegradability : Result: Not biodegradable
Remarks: Based on data from similar materials

Bioaccumulative potential**Components:****Neomycin, sulfate (salt):**

Partition coefficient: n-octanol/water : log Pow: < -2

SAFETY DATA SHEET



Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation

Version
9.1

Revision Date:
24.02.2025

SDS Number:
443922-00026

Date of last issue: 06.07.2024
Date of first issue: 07.01.2016

Magnesium stearate:

Partition coefficient: n-octanol/water : log Pow: > 4

Tetracycline hydrochloride:

Partition coefficient: n-octanol/water : log Pow: -1,37
pH: 7

Bacitracin:

Partition coefficient: n-octanol/water : log Pow: -0,8

prednisolone:

Partition coefficient: n-octanol/water : log Pow: 1,46

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Neomycin, sulfate (salt), tetracycline hydrochloride)

Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(Neomycin, sulfate (salt), Tetracycline hydrochloride)

Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo) : 964

SAFETY DATA SHEET



Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation

Version 9.1 Revision Date: 24.02.2025 SDS Number: 443922-00026 Date of last issue: 06.07.2024 Date of first issue: 07.01.2016

aircraft)

Packing instruction (passenger aircraft) : 964

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(Neomycin, sulfate (salt), Tetracycline hydrochloride)

Class : 9

Packing group : III

Labels : 9

EmS Code : F-A, S-F

Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Argentina. Carcinogenic Substances and Agents Registry. : Not applicable

Control of precursors and essential chemicals for the preparation of drugs. : Not applicable

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date : 24.02.2025
Date format : dd.mm.yyyy

Further information

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

SAFETY DATA SHEET



Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation

Version
9.1

Revision Date:
24.02.2025

SDS Number:
443922-00026

Date of last issue: 06.07.2024
Date of first issue: 07.01.2016

Full text of other abbreviations

| | |
|--------------------|---|
| ACGIH | : USA. ACGIH Threshold Limit Values (TLV) |
| AR OEL | : Argentina. Occupational Exposure Limits |
| ACGIH / TWA | : 8-hour, time-weighted average |
| AR OEL / CMP | : TLV (Threshold Limit Value) |
| AR OEL / CMP - CPT | : STEL (Short Term Limit Value) |

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8