

# SAFETY DATA SHEET



## Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version 9.1 Revision Date: 24.02.2025 SDS Number: 407502-00026 Date of last issue: 06.07.2024 Date of first issue: 07.01.2016

---

### SECTION 1: IDENTIFICATION

Product name : Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

#### Manufacturer or supplier's details

Company : Intervet Australia Pty Limited (trading as MSD Animal Health)

Address : 91-105 Harpin Street  
Bendigo 3550, Victoria Australia

Telephone : 1 800 033 461

Emergency telephone number : Poisons Information Centre: Phone 13 11 26

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Skin sensitisation : Category 1

Reproductive toxicity : Category 1A

Effects on or via lactation

#### GHS label elements

Hazard pictograms : 

Signal word : Danger

Hazard statements : H317 May cause an allergic skin reaction.  
H360D May damage the unborn child.  
H362 May cause harm to breast-fed children.

Precautionary statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P261 Avoid breathing mist or vapours.

# SAFETY DATA SHEET



## Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version  
9.1

Revision Date:  
24.02.2025

SDS Number:  
407502-00026

Date of last issue: 06.07.2024  
Date of first issue: 07.01.2016

P263 Avoid contact during pregnancy and while nursing.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

### Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

### Storage:

P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
White mineral oil (petroleum)	8042-47-5	>= 60 -<= 100
Neomycin, sulfate (salt)	1405-10-3	>= 3 -< 10
Magnesium stearate	557-04-0	< 10
tetracycline hydrochloride	64-75-5	>= 0.3 -< 10
Bacitracin	1405-87-4	< 1
prednisolone	50-24-8	< 1

## SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.

# SAFETY DATA SHEET



## Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation

Version 9.1	Revision Date: 24.02.2025	SDS Number: 407502-00026	Date of last issue: 06.07.2024 Date of first issue: 07.01.2016
----------------	------------------------------	-----------------------------	---

In case of eye contact	Wash clothing before reuse. Thoroughly clean shoes before reuse. : Flush eyes with water as a precaution.
If swallowed	Get medical attention if irritation develops and persists. : If swallowed, DO NOT induce vomiting. Get medical attention.
Most important symptoms and effects, both acute and delayed	Rinse mouth thoroughly with water. : May cause an allergic skin reaction. May damage the unborn child. May cause harm to breast-fed children.
Protection of first-aiders	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	Treat symptomatically and supportively.

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire-fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Nitrogen oxides (NOx) Chlorine compounds Metal oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
Hazchem Code	: •3Z

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
---	--

**Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation**

Version 9.1	Revision Date: 24.02.2025	SDS Number: 407502-00026	Date of last issue: 06.07.2024 Date of first issue: 07.01.2016
----------------	------------------------------	-----------------------------	---

---

Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

**SECTION 7. HANDLING AND STORAGE**

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Avoid contact during pregnancy and while nursing. Do not get on skin or clothing. Do not breathe mist or vapours. Do not swallow. Avoid contact with eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Keep container tightly closed. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use. The effective operation of a facility should include review of

# SAFETY DATA SHEET



## Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation

Version 9.1 Revision Date: 24.02.2025

SDS Number: 407502-00026

Date of last issue: 06.07.2024  
Date of first issue: 07.01.2016

engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.

Keep tightly closed.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
White mineral oil (petroleum)	8042-47-5	TWA (Mist)	5 mg/m3	AU OEL
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
Neomycin, sulfate (salt)	1405-10-3	TWA	1.5 mg/m3 (OEB 1)	Internal
Further information: DSEN, OTO				
Magnesium stearate	557-04-0	Wipe limit	0.1 mg/100 cm <sup>2</sup>	Internal
		TWA	10 mg/m3	AU OEL
		TWA (Inhalable particulate matter)	10 mg/m3	ACGIH
		TWA (Respirable particulate matter)	3 mg/m3	ACGIH
tetracycline hydrochloride	64-75-5	TWA	0.9 mg/m3 (OEB 2)	Internal
Bacitracin	1405-87-4	TWA	4 mg/m3 (OEB 1)	Internal
Further information: DSEN, RSEN				
		Wipe limit	0.1 mg/100 cm <sup>2</sup>	Internal
prednisolone	50-24-8	TWA	10 µg/m3 (OEB 3)	Internal
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal

### Engineering measures

: Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Containment technologies suitable for controlling compounds

**Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation**

---

Version 9.1	Revision Date: 24.02.2025	SDS Number: 407502-00026	Date of last issue: 06.07.2024 Date of first issue: 07.01.2016
----------------	------------------------------	-----------------------------	---

---

are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

**Personal protective equipment**

Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	: Combined particulates and organic vapour type
Hand protection	
Material	: Chemical-resistant gloves
Remarks	: Consider double gloving.
Eye protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

---

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	: oily, suspension
Colour	: No data available
Odour	: No data available
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable

# SAFETY DATA SHEET



## Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation

Version  
9.1

Revision Date:  
24.02.2025

SDS Number:  
407502-00026

Date of last issue: 06.07.2024  
Date of first issue: 07.01.2016

---

Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics		
Particle size	:	Not applicable

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

**Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation**

Version 9.1	Revision Date: 24.02.2025	SDS Number: 407502-00026	Date of last issue: 06.07.2024 Date of first issue: 07.01.2016
----------------	------------------------------	-----------------------------	---

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

Exposure routes : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Components:****White mineral oil (petroleum):**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**Neomycin, sulfate (salt):**

Acute oral toxicity : LD50 (Mouse): 2,880 mg/kg  
LD50 (Rat): 2,750 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 633 mg/kg  
Application Route: Subcutaneous

LD50 (Mouse): 116 mg/kg  
Application Route: Intraperitoneal

LD50 (Mouse): 27.6 mg/kg  
Application Route: Intravenous

LD50 (Mouse): 275 mg/kg  
Application Route: Subcutaneous

**Magnesium stearate:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 423  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

**Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation**Version  
9.1Revision Date:  
24.02.2025SDS Number:  
407502-00026Date of last issue: 06.07.2024  
Date of first issue: 07.01.2016

Remarks: Based on data from similar materials

**tetracycline hydrochloride:**

Acute oral toxicity : LD50 (Rat): 6,443 mg/kg  
LD50 (Mouse): 2,759 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 128 mg/kg  
Application Route: Intravenous  
LD50 (Mouse): 157 mg/kg  
Application Route: Intravenous

**Bacitracin:**

Acute oral toxicity : LD50 (Mouse): > 2,000 mg/kg  
Remarks: Based on data from similar materials

**prednisolone:**

Acute oral toxicity : LD50 (Mouse): 1,680 mg/kg  
LD50 (Rat): > 3,857 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of administration) : LD50 (Rat): 147 mg/kg  
Application Route: Subcutaneous  
LD50 (Mouse): 767 mg/kg  
Application Route: Intraperitoneal

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****White mineral oil (petroleum):**

Species : Rabbit  
Result : No skin irritation

**Neomycin, sulfate (salt):**

Species : Rabbit  
Result : Mild skin irritation

**Magnesium stearate:**

Species : Rabbit

# SAFETY DATA SHEET



## Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation

Version  
9.1

Revision Date:  
24.02.2025

SDS Number:  
407502-00026

Date of last issue: 06.07.2024  
Date of first issue: 07.01.2016

---

Result : No skin irritation  
Remarks : Based on data from similar materials

### **tetracycline hydrochloride:**

Remarks : No data available

### **prednisolone:**

Remarks : No data available

### **Serious eye damage/eye irritation**

Not classified based on available information.

### **Components:**

#### **White mineral oil (petroleum):**

Species : Rabbit  
Result : No eye irritation

#### **Neomycin, sulfate (salt):**

Species : Rabbit  
Result : No eye irritation

#### **Magnesium stearate:**

Species : Rabbit  
Result : No eye irritation  
Remarks : Based on data from similar materials

### **tetracycline hydrochloride:**

Remarks : No data available

### **prednisolone:**

Remarks : No data available

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

May cause an allergic skin reaction.

#### **Respiratory sensitisation**

Not classified based on available information.

### **Components:**

#### **White mineral oil (petroleum):**

Test Type : Buehler Test  
Exposure routes : Skin contact

**Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation**Version  
9.1Revision Date:  
24.02.2025SDS Number:  
407502-00026Date of last issue: 06.07.2024  
Date of first issue: 07.01.2016

Species : Guinea pig  
Result : negative

**Neomycin, sulfate (salt):**

Exposure routes : Dermal  
Species : Humans  
Result : positive

**Magnesium stearate:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative  
Remarks : Based on data from similar materials

**tetracycline hydrochloride:**

Remarks : No data available

**Bacitracin:**

Test Type : Human repeat insult patch test (HRIPT)  
Exposure routes : Skin contact  
Result : positive  
Assessment : Probability or evidence of skin sensitisation in humans

**prednisolone:**

Remarks : No data available

**Chronic toxicity****Germ cell mutagenicity**

Not classified based on available information.

**Components:****White mineral oil (petroleum):**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: Based on data from similar materials

**Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation**Version  
9.1Revision Date:  
24.02.2025SDS Number:  
407502-00026Date of last issue: 06.07.2024  
Date of first issue: 07.01.2016**Neomycin, sulfate (salt):**

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)  
Result: negativeTest Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster ovary cells  
Result: negativeTest Type: Chromosomal aberration  
Test system: Human lymphocytes  
Result: positiveTest Type: in vitro micronucleus test  
Result: negative

Genotoxicity in vivo

: Test Type: Cytogenetic assay  
Species: Mouse  
Cell type: Bone marrow  
Application Route: Intravenous injection  
Result: negative**Magnesium stearate:**

Genotoxicity in vitro

: Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
Remarks: Based on data from similar materialsTest Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
Remarks: Based on data from similar materialsTest Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: Based on data from similar materials**tetracycline hydrochloride:**

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)  
Result: negativeTest Type: Cytogenetic assay  
Test system: Chinese hamster ovary cells  
Result: negativeTest Type: sister chromatid exchange assay  
Result: negativeTest Type: Mouse Lymphoma  
Result: negative

**Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation**

Version 9.1	Revision Date: 24.02.2025	SDS Number: 407502-00026	Date of last issue: 06.07.2024 Date of first issue: 07.01.2016
----------------	------------------------------	-----------------------------	---

---

**Bacitracin:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Result: negative  
Remarks: Based on data from similar materials

**prednisolone:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Mouse Lymphoma  
Result: negative

Test Type: sister chromatid exchange assay  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Rat  
Application Route: Oral  
Result: negative

Test Type: sister chromatid exchange assay  
Species: Humans  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****White mineral oil (petroleum):**

Species : Rat  
Application Route : Ingestion  
Exposure time : 24 Months  
Result : negative

**Neomycin, sulfate (salt):**

Species : Rat  
Exposure time : 2 Years

**Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation**Version  
9.1Revision Date:  
24.02.2025SDS Number:  
407502-00026Date of last issue: 06.07.2024  
Date of first issue: 07.01.2016

Result : negative

**tetracycline hydrochloride:**

Species : Rat  
Application Route : Oral  
Exposure time : 103 W  
Result : negative

Species : Mouse  
Application Route : Oral  
Exposure time : 103 W  
Result : negative

**prednisolone:**

Species : Rat  
Application Route : Oral  
Exposure time : 18 Months  
Result : negative

**Reproductive toxicity**

May damage the unborn child.  
May cause harm to breast-fed children.

**Components:****White mineral oil (petroleum):**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Skin contact  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

**Neomycin, sulfate (salt):**

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
General Toxicity - Parent: NOAEL: 25 mg/kg body weight  
Result: No effects on fertility and early embryonic development were detected.

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Oral  
Embryo-foetal toxicity: NOAEL: 275 mg/kg body weight

**Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation**

Version 9.1	Revision Date: 24.02.2025	SDS Number: 407502-00026	Date of last issue: 06.07.2024 Date of first issue: 07.01.2016
----------------	------------------------------	-----------------------------	---

Result: No adverse effects, No teratogenic effects

Test Type: Development  
Species: Rat  
Application Route: Subcutaneous  
Developmental Toxicity: LOAEL: 6 mg/kg body weight  
Result: positive

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

**Magnesium stearate:**

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

**tetracycline hydrochloride:**

Effects on fertility : Test Type: Fertility  
Species: Rat  
Application Route: Oral  
Fertility: NOAEL: 400 mg/kg body weight  
Result: No effects on fertility

Effects on foetal development : Test Type: Development  
Result: Embryo-foetal toxicity, Specific developmental abnormalities, Skeletal malformations

Reproductive toxicity - Assessment : Studies indicating a hazard to babies during the lactation period, May damage the unborn child.

**Bacitracin:**

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat

**Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation**

Version 9.1	Revision Date: 24.02.2025	SDS Number: 407502-00026	Date of last issue: 06.07.2024 Date of first issue: 07.01.2016
----------------	------------------------------	-----------------------------	---

---

Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

**prednisolone:**

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Subcutaneous  
Fertility: NOAEL: 1 mg/kg body weight  
Result: No effects on fertility

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Mouse  
Application Route: Oral  
Developmental Toxicity: LOAEL: 0.5 mg/kg body weight  
Result: Malformations were observed., Cleft palate

Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: LOAEL: 30 mg/kg body weight  
Result: decreased blood formation

Species: Rat  
Application Route: Subcutaneous  
Developmental Toxicity: NOAEL: 25 mg/kg body weight  
Result: No effects on foetal development

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Not classified based on available information.

**Components:****Neomycin, sulfate (salt):**

Target Organs : Kidney, inner ear  
Assessment : May cause damage to organs through prolonged or repeated exposure.  
Remarks : Based on human experience.

**tetracycline hydrochloride:**

Exposure routes : Oral  
Target Organs : Gastrointestinal tract, Nervous system, Skin, Teeth  
Assessment : May cause damage to organs through prolonged or repeated

# Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version 9.1	Revision Date: 24.02.2025	SDS Number: 407502-00026	Date of last issue: 06.07.2024 Date of first issue: 07.01.2016
----------------	------------------------------	-----------------------------	---

---

exposure.

## Bacitracin:

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

## prednisolone:

Target Organs : Bone marrow, Adrenal gland, Liver  
Assessment : Causes damage to organs through prolonged or repeated exposure.

## Repeated dose toxicity

### Components:

#### White mineral oil (petroleum):

Species	:	Rat
LOAEL	:	160 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days
Species	:	Rat
LOAEL	:	>= 1 mg/l
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	4 Weeks
Method	:	OECD Test Guideline 412

#### Neomycin, sulfate (salt):

Species	:	Mouse
LOAEL	:	30 mg/kg
Application Route	:	Subcutaneous
Exposure time	:	14 d
Target Organs	:	Kidney
Species	:	Guinea pig
NOAEL	:	50 mg/kg
LOAEL	:	100 mg/kg
Application Route	:	Intramuscular
Exposure time	:	30 - 60 Weeks
Target Organs	:	ear
Species	:	Guinea pig
NOAEL	:	10 mg/kg
Application Route	:	Oral
Exposure time	:	90 d
Remarks	:	No significant adverse effects were reported
Species	:	Guinea pig

**Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation**Version  
9.1Revision Date:  
24.02.2025SDS Number:  
407502-00026Date of last issue: 06.07.2024  
Date of first issue: 07.01.2016

LOAEL	:	100 mg/kg
Application Route	:	Subcutaneous
Exposure time	:	34 d
Species	:	Dog
LOAEL	:	24 mg/kg
Application Route	:	Intramuscular
Exposure time	:	30 d
Target Organs	:	Kidney
Species	:	Rat
LOAEL	:	25 mg/kg
Application Route	:	oral (feed)
Exposure time	:	84 Weeks
Target Organs	:	ear
Symptoms	:	hearing loss
Remarks	:	mortality observed
Species	:	Dog
LOAEL	:	20 mg/kg
Application Route	:	Subcutaneous
Exposure time	:	90 d
Target Organs	:	Kidney

**Magnesium stearate:**

Species	:	Rat
NOAEL	:	> 100 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days
Remarks	:	Based on data from similar materials

**tetracycline hydrochloride:**

Species	:	Rat
NOAEL	:	625 mg/kg
LOAEL	:	1,250 mg/kg
Application Route	:	oral (feed)
Exposure time	:	13 W
Target Organs	:	Liver
Symptoms	:	Reduced body weight
Species	:	Mouse
NOAEL	:	3,750 mg/kg
LOAEL	:	7,500 mg/kg
Application Route	:	oral (feed)
Exposure time	:	13 W
Symptoms	:	Reduced body weight

**Bacitracin:**

Species	:	Rat
---------	---	-----

**Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation**Version  
9.1Revision Date:  
24.02.2025SDS Number:  
407502-00026Date of last issue: 06.07.2024  
Date of first issue: 07.01.2016

LOAEL : > 10 mg/kg  
Application Route : Ingestion  
Exposure time : 13 Weeks  
Remarks : Based on data from similar materials

**prednisolone:**

Species : Rat  
LOAEL : 0.6 mg/kg  
Application Route : Oral  
Exposure time : 63 Days  
Target Organs : Bone marrow

Species : Dog  
LOAEL : 2.5 mg/kg  
Application Route : Oral  
Exposure time : 6 Weeks  
Target Organs : Adrenal gland

Species : Rabbit  
LOAEL : 1 mg/kg  
Application Route : Oral  
Exposure time : 24 Weeks  
Target Organs : Liver

**Aspiration toxicity**

Not classified based on available information.

**Components:****tetracycline hydrochloride:**

Not applicable

**Experience with human exposure****Components:****Neomycin, sulfate (salt):**

Skin contact : Symptoms: Sensitisation  
Remarks: May irritate skin.  
Eye contact : Remarks: May cause eye irritation.  
Ingestion : Symptoms: Nausea, Vomiting, Diarrhoea, tinnitus, hearing loss, Loss of balance

**tetracycline hydrochloride:**

Ingestion : Target Organs: Teeth  
Symptoms: Gastrointestinal disturbance, Nausea, Vomiting, Diarrhoea, Liver effects, skin rash, central nervous system effects  
Remarks: May cause sensitisation of susceptible persons.  
May cause photosensitisation.

**Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation**

Version 9.1	Revision Date: 24.02.2025	SDS Number: 407502-00026	Date of last issue: 06.07.2024 Date of first issue: 07.01.2016
----------------	------------------------------	-----------------------------	---

Based on Human Evidence

**prednisolone:**

Ingestion : Symptoms: sodium retention, Headache, Vertigo, fluid retention, subcutaneous bleeding, striae, skin atrophy, menstrual irregularities

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****White mineral oil (petroleum):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Oncorhynchus mykiss (rainbow trout)): 1,000 mg/l  
Exposure time: 28 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1,000 mg/l  
Exposure time: 21 d

**Neomycin, sulfate (salt):**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 72 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

LC50 (Americamysis): 39 mg/l  
Exposure time: 96 h  
Method: US-EPA OPPTS 850.1035

Toxicity to algae/aquatic plants : EC50 (Anabaena flos-aquae (cyanobacterium)): 0.00075 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae (cyanobacterium)): 0.0003 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

**Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation**Version  
9.1Revision Date:  
24.02.2025SDS Number:  
407502-00026Date of last issue: 06.07.2024  
Date of first issue: 07.01.2016

EC50 (Pseudokirchneriella subcapitata (green algae)): 0.0099 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.0022 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

**Toxicity to microorganisms**

: EC50 (Natural microorganism): 107.6 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition

Method: OECD Test Guideline 209

EC10 (Natural microorganism): 2.8 mg/l

Exposure time: 3 h

Test Type: Respiration inhibition

Method: OECD Test Guideline 209

**Magnesium stearate:****Toxicity to fish**

: LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l

Exposure time: 48 h

Method: DIN 38412

Remarks: Based on data from similar materials

**Toxicity to daphnia and other aquatic invertebrates**

: EL50 (Daphnia magna (Water flea)): > 1 mg/l

Exposure time: 47 h

Test substance: Water Accommodated Fraction

Method: Directive 67/548/EEC, Annex V, C.2.

Remarks: Based on data from similar materials

No toxicity at the limit of solubility

**Toxicity to algae/aquatic plants**

: EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

No toxicity at the limit of solubility

NOELR (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

**Toxicity to microorganisms**

: EC10 (Pseudomonas putida): > 100 mg/l

Exposure time: 16 h

**Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation**Version  
9.1Revision Date:  
24.02.2025SDS Number:  
407502-00026Date of last issue: 06.07.2024  
Date of first issue: 07.01.2016

Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials

**tetracycline hydrochloride:**

Toxicity to algae/aquatic plants : EC50 (Anabaena flos-aquae (cyanobacterium)): 6.2 mg/l  
Exposure time: 72 h

NOEC (Anabaena flos-aquae (cyanobacterium)): 2.5 mg/l  
Exposure time: 72 h

EC50 (Pseudokirchneriella subcapitata (green algae)): 3.31 mg/l  
Exposure time: 72 h

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.032 mg/l  
Exposure time: 72 h

EC50 (Microcystis aeruginosa (blue-green algae)): 0.09 mg/l  
Exposure time: 7 d

Toxicity to microorganisms : EC50: 0.08 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

**Bacitracin:**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Artemia salina (brine shrimp)): 21.8 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Anabaena flos-aquae (cyanobacterium)): 10 mg/l  
Exposure time: 10 d  
Method: OECD Test Guideline 201

**prednisolone:**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 85 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 160 mg/l  
Exposure time: 72 h

EC50 (Pseudokirchneriella subcapitata (green algae)): > 160 mg/l  
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (water flea)): 0.23 mg/l  
Exposure time: 7 d

**Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation**Version  
9.1Revision Date:  
24.02.2025SDS Number:  
407502-00026Date of last issue: 06.07.2024  
Date of first issue: 07.01.2016**Persistence and degradability****Components:****White mineral oil (petroleum):**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 31 %  
Exposure time: 28 d

**Neomycin, sulfate (salt):**

Biodegradability : Result: rapidly degradable  
Biodegradation: 50 %  
Exposure time: 1.2 d  
Method: OECD Test Guideline 314

**Magnesium stearate:**

Biodegradability : Result: Not biodegradable  
Remarks: Based on data from similar materials

**Bioaccumulative potential****Components:****Neomycin, sulfate (salt):**

Partition coefficient: n-octanol/water : log Pow: < -2

**Magnesium stearate:**

Partition coefficient: n-octanol/water : log Pow: > 4

**tetracycline hydrochloride:**

Partition coefficient: n-octanol/water : log Pow: -1.37  
pH: 7

**Bacitracin:**

Partition coefficient: n-octanol/water : log Pow: -0.8

**prednisolone:**

Partition coefficient: n-octanol/water : log Pow: 1.46

**Mobility in soil**

No data available

**Other adverse effects**

No data available

**Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation**

Version 9.1      Revision Date: 24.02.2025      SDS Number: 407502-00026      Date of last issue: 06.07.2024  
Date of first issue: 07.01.2016

---

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Neomycin, sulfate (salt), tetracycline hydrochloride)

Class : 9

Packing group : III

Labels : 9

Environmentally hazardous : yes

**IATA-DGR**

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(Neomycin, sulfate (salt), tetracycline hydrochloride)

Class : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo aircraft) : 964

Packing instruction (passenger aircraft) : 964

Environmentally hazardous : yes

**IMDG-Code**

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Neomycin, sulfate (salt), tetracycline hydrochloride)

Class : 9

Packing group : III

Labels : 9

EmS Code : F-A, S-F

Marine pollutant : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations**

# SAFETY DATA SHEET



## Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation

Version  
9.1

Revision Date:  
24.02.2025

SDS Number:  
407502-00026

Date of last issue: 06.07.2024  
Date of first issue: 07.01.2016

---

### ADG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Neomycin, sulfate (salt), tetracycline hydrochloride)  
Class : 9  
Packing group : III  
Labels : 9  
Hazchem Code : •3Z  
Environmentally hazardous : yes

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons Standard) Instrument : Schedule 5 (Please use the original publication to check for specific uses, specific conditions or threshold limits that might apply for this chemical)  
Prohibition/Licensing Requirements : There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

### The components of this product are reported in the following inventories:

AICS : not determined  
DSL : not determined  
IECSC : not determined

## SECTION 16: ANY OTHER RELEVANT INFORMATION

### Further information

Revision Date : 24.02.2025  
Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>  
Date format : dd.mm.yyyy

### Full text of other abbreviations

**Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation**Version  
9.1Revision Date:  
24.02.2025SDS Number:  
407502-00026Date of last issue: 06.07.2024  
Date of first issue: 07.01.2016

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
AU OEL	: Australia. Workplace Exposure Standards for Airborne Contaminants.
ACGIH / TWA	: 8-hour, time-weighted average
AU OEL / TWA	: Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN