

# SAFETY DATA SHEET



## Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version  
11.1

Revision Date:  
24.02.2025

SDS Number:  
407518-00025

Date of last issue: 06.07.2024  
Date of first issue: 07.01.2016

---

### Section 1: Identification

Product name : Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : 33 Whakatiki Street - Private Bag 908  
Upper Hutt - New Zealand

Telephone : 0800 800 543

Emergency telephone number : 0800 764 766 (0800 POISON) 0800 243 622 (0800  
CHEMCALL)

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable

---

### Section 2: Hazard identification

#### GHS Classification

Skin sensitisation : Category 1

Reproductive toxicity : Category 1

Effects on or via lactation

Specific target organ toxicity - repeated exposure : Category 2 (Kidney, inner ear)

Specific target organ toxicity - repeated exposure (Oral) : Category 2 (Gastrointestinal tract, Nervous system, Skin, Teeth)

Hazardous to the aquatic environment - acute hazard : Category 1

Hazardous to the aquatic environment - chronic hazard : Category 1

#### GHS label elements

# SAFETY DATA SHEET



## Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation

Version 11.1 Revision Date: 24.02.2025 SDS Number: 407518-00025 Date of last issue: 06.07.2024 Date of first issue: 07.01.2016

---

Hazard pictograms



Signal word

: Danger

Hazard statements

: H317 May cause an allergic skin reaction.  
H360D May damage the unborn child.  
H362 May cause harm to breast-fed children.  
H373 May cause damage to organs (Kidney, inner ear) through prolonged or repeated exposure.  
H373 May cause damage to organs (Gastrointestinal tract, Nervous system, Skin, Teeth) through prolonged or repeated exposure if swallowed.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

: **Prevention:**

P201 Obtain special instructions before use.  
P260 Do not breathe mist or vapours.  
P263 Avoid contact during pregnancy and while nursing.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P302 + P352 IF ON SKIN: Wash with plenty of water.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P391 Collect spillage.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

---

### Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

**Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation**Version  
11.1Revision Date:  
24.02.2025SDS Number:  
407518-00025Date of last issue: 06.07.2024  
Date of first issue: 07.01.2016**Components**

Chemical name	CAS-No.	Concentration (% w/w)
White mineral oil (petroleum)	8042-47-5	>= 70 < 90
Magnesium stearate	557-04-0	>= 1 < 10
Neomycin, sulfate (salt)	1405-10-3	>= 2.5 < 10
tetracycline hydrochloride	64-75-5	>= 1 < 2.5
Bacitracin	1405-87-4	>= 0.25 < 1
prednisolone	50-24-8	>= 0.1 < 0.25

**Section 4: First-aid measures**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.  
May damage the unborn child.  
May cause harm to breast-fed children.  
May cause damage to organs through prolonged or repeated exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

**Section 5: Fire-fighting measures**

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

**Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation**Version  
11.1Revision Date:  
24.02.2025SDS Number:  
407518-00025Date of last issue: 06.07.2024  
Date of first issue: 07.01.2016

---

Hazardous combustion products	: Carbon oxides Nitrogen oxides (NOx) Chlorine compounds Metal oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
Hazchem Code	: 3Z

---

**Section 6: Accidental release measures**

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

**Section 7: Handling and storage**

Technical measures : See Engineering measures under EXPOSURE

# Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation

Version 11.1      Revision Date: 24.02.2025      SDS Number: 407518-00025      Date of last issue: 06.07.2024  
 Date of first issue: 07.01.2016

---

Local/Total ventilation : CONTROLS/PERSONAL PROTECTION section.  
 If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Avoid contact during pregnancy and while nursing.  
 Do not get on skin or clothing.  
 Do not breathe mist or vapours.  
 Do not swallow.  
 Avoid contact with eyes.  
 Wash skin thoroughly after handling.  
 Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
 Keep container tightly closed.  
 Do not eat, drink or smoke when using this product.  
 Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
 When using do not eat, drink or smoke.  
 Contaminated work clothing should not be allowed out of the workplace.  
 Wash contaminated clothing before re-use.  
 The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Conditions for safe storage : Keep in properly labelled containers.  
 Store locked up.  
 Keep tightly closed.  
 Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
 Strong oxidizing agents

---

## Section 8: Exposure controls/personal protection

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
White mineral oil (petroleum)	8042-47-5	WES-TWA (Mist)	5 mg/m <sup>3</sup>	NZ OEL
		WES-STEL (Mist)	10 mg/m <sup>3</sup>	NZ OEL
		TWA (Inhalable particulate matter)	5 mg/m <sup>3</sup>	ACGIH
Neomycin, sulfate (salt)	1405-10-3	TWA	1.5 mg/m <sup>3</sup> (OEB)	Internal

# Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

Version 11.1      Revision Date: 24.02.2025      SDS Number: 407518-00025      Date of last issue: 06.07.2024  
 Date of first issue: 07.01.2016

			1)	
Further information: DSEN, OTO				
Magnesium stearate	557-04-0	Wipe limit WES-TWA	0.1 mg/100 cm <sup>2</sup> 10 mg/m <sup>3</sup>	Internal NZ OEL
		TWA (Inhalable particulate matter)	10 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable particulate matter)	3 mg/m <sup>3</sup>	ACGIH
tetracycline hydrochloride	64-75-5	TWA	0.9 mg/m <sup>3</sup> (OEB 2)	Internal
Bacitracin	1405-87-4	TWA	4 mg/m <sup>3</sup> (OEB 1)	Internal
Further information: DSEN, RSEN				
prednisolone	50-24-8	Wipe limit TWA	0.1 mg/100 cm <sup>2</sup> 10 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling.

## Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

**Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation**Version  
11.1Revision Date:  
24.02.2025SDS Number:  
407518-00025Date of last issue: 06.07.2024  
Date of first issue: 07.01.2016

posable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.

**Section 9: Physical and chemical properties**

Appearance	: oily, suspension
Colour	: No data available
Odour	: No data available
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: No data available
Solubility(ies)	
Water solubility	: No data available
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available

# SAFETY DATA SHEET



## Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation

Version 11.1	Revision Date: 24.02.2025	SDS Number: 407518-00025	Date of last issue: 06.07.2024 Date of first issue: 07.01.2016
-----------------	------------------------------	-----------------------------	---

Viscosity	
Viscosity, kinematic	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: No data available
Particle characteristics	
Particle size	: Not applicable

### Section 10: Stability and reactivity

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Can react with strong oxidizing agents.
Conditions to avoid	: None known.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

### Section 11: Toxicological information

Exposure routes	:	Inhalation
	:	Skin contact
	:	Ingestion
	:	Eye contact

#### Acute toxicity

Not classified based on available information.

#### Components:

##### **White mineral oil (petroleum):**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

**Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation**Version  
11.1Revision Date:  
24.02.2025SDS Number:  
407518-00025Date of last issue: 06.07.2024  
Date of first issue: 07.01.2016**Magnesium stearate:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 423  
Assessment: The substance or mixture has no acute oral toxicity  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg  
Remarks: Based on data from similar materials

**Neomycin, sulfate (salt):**

Acute oral toxicity : LD50 (Mouse): 2,880 mg/kg  
LD50 (Rat): 2,750 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 633 mg/kg  
Application Route: Subcutaneous  
LD50 (Mouse): 116 mg/kg  
Application Route: Intraperitoneal  
LD50 (Mouse): 27.6 mg/kg  
Application Route: Intravenous  
LD50 (Mouse): 275 mg/kg  
Application Route: Subcutaneous

**tetracycline hydrochloride:**

Acute oral toxicity : LD50 (Rat): 6,443 mg/kg  
LD50 (Mouse): 2,759 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 128 mg/kg  
Application Route: Intravenous  
LD50 (Mouse): 157 mg/kg  
Application Route: Intravenous

**Bacitracin:**

Acute oral toxicity : LD50 (Mouse): > 2,000 mg/kg  
Remarks: Based on data from similar materials

**prednisolone:**

Acute oral toxicity : LD50 (Mouse): 1,680 mg/kg  
LD50 (Rat): > 3,857 mg/kg

Acute inhalation toxicity : Remarks: No data available

**Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation**Version  
11.1Revision Date:  
24.02.2025SDS Number:  
407518-00025Date of last issue: 06.07.2024  
Date of first issue: 07.01.2016

Acute dermal toxicity	:	Remarks: No data available
Acute toxicity (other routes of administration)	:	LD50 (Rat): 147 mg/kg Application Route: Subcutaneous
		LD50 (Mouse): 767 mg/kg Application Route: Intraperitoneal

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****White mineral oil (petroleum):**

Species	:	Rabbit
Result	:	No skin irritation

**Magnesium stearate:**

Species	:	Rabbit
Result	:	No skin irritation
Remarks	:	Based on data from similar materials

**Neomycin, sulfate (salt):**

Species	:	Rabbit
Result	:	Mild skin irritation

**tetracycline hydrochloride:**

Remarks	:	No data available
---------	---	-------------------

**prednisolone:**

Remarks	:	No data available
---------	---	-------------------

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****White mineral oil (petroleum):**

Species	:	Rabbit
Result	:	No eye irritation

**Magnesium stearate:**

Species	:	Rabbit
Result	:	No eye irritation
Remarks	:	Based on data from similar materials

# SAFETY DATA SHEET



## Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation

Version  
11.1

Revision Date:  
24.02.2025

SDS Number:  
407518-00025

Date of last issue: 06.07.2024  
Date of first issue: 07.01.2016

---

### **Neomycin, sulfate (salt):**

Species : Rabbit  
Result : No eye irritation

### **tetracycline hydrochloride:**

Remarks : No data available

### **prednisolone:**

Remarks : No data available

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

May cause an allergic skin reaction.

#### **Respiratory sensitisation**

Not classified based on available information.

### **Components:**

#### **White mineral oil (petroleum):**

Test Type : Buehler Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative

#### **Magnesium stearate:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative  
Remarks : Based on data from similar materials

#### **Neomycin, sulfate (salt):**

Exposure routes : Dermal  
Species : Humans  
Result : positive

#### **tetracycline hydrochloride:**

Remarks : No data available

#### **Bacitracin:**

Test Type : Human repeat insult patch test (HRIPT)  
Exposure routes : Skin contact

**Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation**Version  
11.1Revision Date:  
24.02.2025SDS Number:  
407518-00025Date of last issue: 06.07.2024  
Date of first issue: 07.01.2016

Result : positive

Assessment : Probability or evidence of skin sensitisation in humans

**prednisolone:**

Remarks : No data available

**Chronic toxicity****Germ cell mutagenicity**

Not classified based on available information.

**Components:****White mineral oil (petroleum):**Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negativeGenotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: Based on data from similar materials**Magnesium stearate:**Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
Remarks: Based on data from similar materialsTest Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
Remarks: Based on data from similar materialsTest Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: Based on data from similar materials**Neomycin, sulfate (salt):**Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negativeTest Type: In vitro mammalian cell gene mutation test  
Test system: Chinese hamster ovary cells  
Result: negative

Test Type: Chromosomal aberration

**Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation**

---

Version 11.1	Revision Date: 24.02.2025	SDS Number: 407518-00025	Date of last issue: 06.07.2024 Date of first issue: 07.01.2016
-----------------	------------------------------	-----------------------------	---

---

Test system: Human lymphocytes  
Result: positive

Test Type: in vitro micronucleus test  
Result: negative

Genotoxicity in vivo : Test Type: Cytogenetic assay  
Species: Mouse  
Cell type: Bone marrow  
Application Route: Intravenous injection  
Result: negative

**tetracycline hydrochloride:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Cytogenetic assay  
Test system: Chinese hamster ovary cells  
Result: negative

Test Type: sister chromatid exchange assay  
Result: negative

Test Type: Mouse Lymphoma  
Result: negative

**Bacitracin:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Result: negative  
Remarks: Based on data from similar materials

**prednisolone:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Mouse Lymphoma  
Result: negative

Test Type: sister chromatid exchange assay  
Result: negative

**Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation**

Version 11.1      Revision Date: 24.02.2025

SDS Number: 407518-00025

Date of last issue: 06.07.2024  
Date of first issue: 07.01.2016

**Genotoxicity in vivo** : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Rat  
Application Route: Oral  
Result: negative

Test Type: sister chromatid exchange assay  
Species: Humans  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****White mineral oil (petroleum):**

Species : Rat  
Application Route : Ingestion  
Exposure time : 24 Months  
Result : negative

**Neomycin, sulfate (salt):**

Species : Rat  
Exposure time : 2 Years  
Result : negative

**tetracycline hydrochloride:**

Species : Rat  
Application Route : Oral  
Exposure time : 103 W  
Result : negative

Species : Mouse  
Application Route : Oral  
Exposure time : 103 W  
Result : negative

**prednisolone:**

Species : Rat  
Application Route : Oral  
Exposure time : 18 Months  
Result : negative

**Reproductive toxicity**

May damage the unborn child.  
May cause harm to breast-fed children.

**Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation**

Version 11.1	Revision Date: 24.02.2025	SDS Number: 407518-00025	Date of last issue: 06.07.2024 Date of first issue: 07.01.2016
-----------------	------------------------------	-----------------------------	---

**Components:****White mineral oil (petroleum):**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Skin contact  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

**Magnesium stearate:**

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 422  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

**Neomycin, sulfate (salt):**

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
General Toxicity - Parent: NOAEL: 25 mg/kg body weight  
Result: No effects on fertility and early embryonic development were detected.

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Oral  
Embryo-foetal toxicity: NOAEL: 275 mg/kg body weight  
Result: No adverse effects, No teratogenic effects

Test Type: Development  
Species: Rat  
Application Route: Subcutaneous  
Developmental Toxicity: LOAEL: 6 mg/kg body weight  
Result: positive

Reproductive toxicity - As- : Some evidence of adverse effects on development, based on

**Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation**Version  
11.1Revision Date:  
24.02.2025SDS Number:  
407518-00025Date of last issue: 06.07.2024  
Date of first issue: 07.01.2016

essment animal experiments.

**tetracycline hydrochloride:**

Effects on fertility : Test Type: Fertility  
Species: Rat  
Application Route: Oral  
Fertility: NOAEL: 400 mg/kg body weight  
Result: No effects on fertility

Effects on foetal development : Test Type: Development  
Result: Embryo-foetal toxicity, Specific developmental abnormalities, Skeletal malformations

Reproductive toxicity - Assessment : Studies indicating a hazard to babies during the lactation period, May damage the unborn child.

**Bacitracin:**

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

**prednisolone:**

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Subcutaneous  
Fertility: NOAEL: 1 mg/kg body weight  
Result: No effects on fertility

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Mouse  
Application Route: Oral  
Developmental Toxicity: LOAEL: 0.5 mg/kg body weight  
Result: Malformations were observed., Cleft palate

Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: LOAEL: 30 mg/kg body weight  
Result: decreased blood formation

Species: Rat

**Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation**

Version 11.1      Revision Date: 24.02.2025      SDS Number: 407518-00025      Date of last issue: 06.07.2024  
Date of first issue: 07.01.2016

---

Application Route: Subcutaneous  
Developmental Toxicity: NOAEL: 25 mg/kg body weight  
Result: No effects on foetal development

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

May cause damage to organs (Kidney, inner ear) through prolonged or repeated exposure.  
May cause damage to organs (Gastrointestinal tract, Nervous system, Skin, Teeth) through prolonged or repeated exposure if swallowed.

**Components:****Neomycin, sulfate (salt):**

Target Organs : Kidney, inner ear  
Assessment : May cause damage to organs through prolonged or repeated exposure.  
Remarks : Based on human experience.

**tetracycline hydrochloride:**

Exposure routes : Oral  
Target Organs : Gastrointestinal tract, Nervous system, Skin, Teeth  
Assessment : May cause damage to organs through prolonged or repeated exposure.

**Bacitracin:**

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

**prednisolone:**

Target Organs : Bone marrow, Adrenal gland, Liver  
Assessment : Causes damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****White mineral oil (petroleum):**

Species : Rat  
LOAEL : 160 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

**Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation**

Version 11.1      Revision Date: 24.02.2025

SDS Number: 407518-00025

Date of last issue: 06.07.2024  
Date of first issue: 07.01.2016

Species : Rat  
LOAEL : >= 1 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 4 Weeks  
Method : OECD Test Guideline 412

**Magnesium stearate:**

Species : Rat  
NOAEL : > 100 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Remarks : Based on data from similar materials

**Neomycin, sulfate (salt):**

Species : Mouse  
LOAEL : 30 mg/kg  
Application Route : Subcutaneous  
Exposure time : 14 d  
Target Organs : Kidney

Species : Guinea pig  
NOAEL : 50 mg/kg  
LOAEL : 100 mg/kg  
Application Route : Intramuscular  
Exposure time : 30 - 60 Weeks  
Target Organs : ear

Species : Guinea pig  
NOAEL : 10 mg/kg  
Application Route : Oral  
Exposure time : 90 d  
Remarks : No significant adverse effects were reported

Species : Guinea pig  
LOAEL : 100 mg/kg  
Application Route : Subcutaneous  
Exposure time : 34 d

Species : Dog  
LOAEL : 24 mg/kg  
Application Route : Intramuscular  
Exposure time : 30 d  
Target Organs : Kidney

Species : Rat  
LOAEL : 25 mg/kg  
Application Route : oral (feed)  
Exposure time : 84 Weeks  
Target Organs : ear

**Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation**Version  
11.1Revision Date:  
24.02.2025SDS Number:  
407518-00025Date of last issue: 06.07.2024  
Date of first issue: 07.01.2016

Symptoms : hearing loss  
Remarks : mortality observed

Species : Dog  
LOAEL : 20 mg/kg  
Application Route : Subcutaneous  
Exposure time : 90 d  
Target Organs : Kidney

**tetracycline hydrochloride:**

Species : Rat  
NOAEL : 625 mg/kg  
LOAEL : 1,250 mg/kg  
Application Route : oral (feed)  
Exposure time : 13 W  
Target Organs : Liver  
Symptoms : Reduced body weight

Species : Mouse  
NOAEL : 3,750 mg/kg  
LOAEL : 7,500 mg/kg  
Application Route : oral (feed)  
Exposure time : 13 W  
Symptoms : Reduced body weight

**Bacitracin:**

Species : Rat  
LOAEL : > 10 mg/kg  
Application Route : Ingestion  
Exposure time : 13 Weeks  
Remarks : Based on data from similar materials

**prednisolone:**

Species : Rat  
LOAEL : 0.6 mg/kg  
Application Route : Oral  
Exposure time : 63 Days  
Target Organs : Bone marrow

Species : Dog  
LOAEL : 2.5 mg/kg  
Application Route : Oral  
Exposure time : 6 Weeks  
Target Organs : Adrenal gland

Species : Rabbit  
LOAEL : 1 mg/kg  
Application Route : Oral  
Exposure time : 24 Weeks

**Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation**Version  
11.1Revision Date:  
24.02.2025SDS Number:  
407518-00025Date of last issue: 06.07.2024  
Date of first issue: 07.01.2016

Target Organs : Liver

**Aspiration toxicity**

Not classified based on available information.

**Components:****tetracycline hydrochloride:**

Not applicable

**Experience with human exposure****Components:****Neomycin, sulfate (salt):**

Skin contact : Symptoms: Sensitisation  
Remarks: May irritate skin.

Eye contact : Remarks: May cause eye irritation.

Ingestion : Symptoms: Nausea, Vomiting, Diarrhoea, tinnitus, hearing loss, Loss of balance

**tetracycline hydrochloride:**

Ingestion : Target Organs: Teeth  
Symptoms: Gastrointestinal disturbance, Nausea, Vomiting, Diarrhoea, Liver effects, skin rash, central nervous system effects  
Remarks: May cause sensitisation of susceptible persons.  
May cause photosensitisation.  
Based on Human Evidence

**prednisolone:**

Ingestion : Symptoms: sodium retention, Headache, Vertigo, fluid retention, subcutaneous bleeding, striae, skin atrophy, menstrual irregularities

**Section 12: Ecological information****Ecotoxicity****Components:****White mineral oil (petroleum):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : NOEC (Pseudokirchneriella subcapitata (green algae)): 100

**Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation**Version  
11.1Revision Date:  
24.02.2025SDS Number:  
407518-00025Date of last issue: 06.07.2024  
Date of first issue: 07.01.2016

plants	mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	: NOEC (Oncorhynchus mykiss (rainbow trout)): 1,000 mg/l Exposure time: 28 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 1,000 mg/l Exposure time: 21 d
<b>Magnesium stearate:</b>	
Toxicity to fish	: LC50 (Leuciscus idus (Golden orfe)): > 100 mg/l Exposure time: 48 h Method: DIN 38412 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EL50 (Daphnia magna (Water flea)): > 1 mg/l Exposure time: 47 h Test substance: Water Accommodated Fraction Method: Directive 67/548/EEC, Annex V, C.2. Remarks: Based on data from similar materials No toxicity at the limit of solubility
Toxicity to algae/aquatic plants	: EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials No toxicity at the limit of solubility
	NOEL (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to microorganisms	: EC10 (Pseudomonas putida): > 100 mg/l Exposure time: 16 h Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials
<b>Neomycin, sulfate (salt):</b>	
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 72 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
	LC50 (Americamysis): 39 mg/l

**Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation**

Version 11.1	Revision Date: 24.02.2025	SDS Number: 407518-00025	Date of last issue: 06.07.2024 Date of first issue: 07.01.2016
-----------------	------------------------------	-----------------------------	---

	Exposure time: 96 h Method: US-EPA OPPTS 850.1035
Toxicity to algae/aquatic plants	: EC50 (Anabaena flos-aquae (cyanobacterium)): 0.00075 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	NOEC (Anabaena flos-aquae (cyanobacterium)): 0.0003 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	EC50 (Pseudokirchneriella subcapitata (green algae)): 0.0099 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	NOEC (Pseudokirchneriella subcapitata (green algae)): 0.0022 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	: 1,000
M-Factor (Chronic aquatic toxicity)	: 10
Toxicity to microorganisms	: EC50 (Natural microorganism): 107.6 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209
	EC10 (Natural microorganism): 2.8 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209
<b>tetracycline hydrochloride:</b>	
Toxicity to algae/aquatic plants	: EC50 (Anabaena flos-aquae (cyanobacterium)): 6.2 mg/l Exposure time: 72 h
	NOEC (Anabaena flos-aquae (cyanobacterium)): 2.5 mg/l Exposure time: 72 h
	EC50 (Pseudokirchneriella subcapitata (green algae)): 3.31 mg/l Exposure time: 72 h
	NOEC (Pseudokirchneriella subcapitata (green algae)): 0.032 mg/l Exposure time: 72 h

**Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation**Version  
11.1Revision Date:  
24.02.2025SDS Number:  
407518-00025Date of last issue: 06.07.2024  
Date of first issue: 07.01.2016

EC50 (Microcystis aeruginosa (blue-green algae)): 0.09 mg/l  
Exposure time: 7 d

M-Factor (Acute aquatic toxicity) : 10

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to microorganisms : EC50: 0.08 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

**Bacitracin:**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Artemia salina (brine shrimp)): 21.8 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Anabaena flos-aquae (cyanobacterium)): 10 mg/l  
Exposure time: 10 d  
Method: OECD Test Guideline 201

**prednisolone:**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 85 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 160 mg/l  
Exposure time: 72 h

EC50 (Pseudokirchneriella subcapitata (green algae)): > 160 mg/l  
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (water flea)): 0.23 mg/l  
Exposure time: 7 d

**Persistence and degradability****Components:****White mineral oil (petroleum):**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 31 %  
Exposure time: 28 d

**Magnesium stearate:**

Biodegradability : Result: Not biodegradable  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET



## Prednisolone / Neomycin / Tetracycline / Bacitracin Formulation

---

Version 11.1	Revision Date: 24.02.2025	SDS Number: 407518-00025	Date of last issue: 06.07.2024 Date of first issue: 07.01.2016
-----------------	------------------------------	-----------------------------	---

---

### Neomycin, sulfate (salt):

Biodegradability : Result: rapidly degradable  
Biodegradation: 50 %  
Exposure time: 1.2 d  
Method: OECD Test Guideline 314

### Bioaccumulative potential

### Components:

#### Magnesium stearate:

Partition coefficient: n-octanol/water : log Pow: > 4

#### Neomycin, sulfate (salt):

Partition coefficient: n-octanol/water : log Pow: < -2

#### tetracycline hydrochloride:

Partition coefficient: n-octanol/water : log Pow: -1.37  
pH: 7

#### Bacitracin:

Partition coefficient: n-octanol/water : log Pow: -0.8

#### prednisolone:

Partition coefficient: n-octanol/water : log Pow: 1.46

### Mobility in soil

No data available

### Other adverse effects

No data available

---

## Section 13: Disposal considerations

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## Section 14: Transport information

### International Regulations

### UNRTDG

**Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation**Version  
11.1Revision Date:  
24.02.2025SDS Number:  
407518-00025Date of last issue: 06.07.2024  
Date of first issue: 07.01.2016

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Neomycin, sulfate (salt), tetracycline hydrochloride)

Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

**IATA-DGR**

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(Neomycin, sulfate (salt), tetracycline hydrochloride)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

**IMDG-Code**

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Neomycin, sulfate (salt), tetracycline hydrochloride)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations****NZS 5433**

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Neomycin, sulfate (salt), tetracycline hydrochloride)  
Class : 9  
Packing group : III  
Labels : 9  
Hazchem Code : 3Z  
Marine pollutant : yes

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

**Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation**

---

Version 11.1	Revision Date: 24.02.2025	SDS Number: 407518-00025	Date of last issue: 06.07.2024 Date of first issue: 07.01.2016
-----------------	------------------------------	-----------------------------	---

---

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**Section 15: Regulatory information****Safety, health and environmental regulations/legislation specific for the substance or mixture****HSNO Approval Number**

HSR100759 Veterinary Medicines Non dispersive Open System Application Group Standard

Tolerable Exposure Limits (TEL)

Not applicable

Environmental Exposure Limits (EEL)

Not applicable

**HSW Controls**

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

**The components of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

---

**Section 16: Other information**

Revision Date : 24.02.2025

**Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

NZ OEL : New Zealand. Workplace Exposure Standards for Atmospheric Contaminants

ACGIH / TWA : 8-hour, time-weighted average

NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average

NZ OEL / WES-STEL : Workplace Exposure Standard - Short-Term Exposure Limit

**Prednisolone / Neomycin / Tetracycline / Baci-tracin Formulation**Version  
11.1Revision Date:  
24.02.2025SDS Number:  
407518-00025Date of last issue: 06.07.2024  
Date of first issue: 07.01.2016

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN