

## Triclabendazole / Abamectin Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue:             |
| 7.0     | 2025/04/14     | 5341818-00014 | 2024/09/28                      |
|         |                |               | Date of first issue: 2019/12/05 |

---

## 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Triclabendazole / Abamectin Formulation

**Manufacturer or supplier's details**

Company : MSD

Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product

Restrictions on use : Not applicable

## 2. HAZARDS IDENTIFICATION

**GHS Classification**

Specific target organ toxicity - repeated exposure (Oral) : Category 2 (Liver, Blood)

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

**GHS label elements**

Hazard pictograms :



Signal word : Warning

Hazard statements : H373 May cause damage to organs (Liver, Blood) through prolonged or repeated exposure if swallowed.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**  
P260 Do not breathe mist or vapours.

## Triclabendazole / Abamectin Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/09/28  |
| 7.0     | 2025/04/14     | 5341818-00014 | Date of first issue: 2019/12/05 |

P273 Avoid release to the environment.

**Response:**

P314 Get medical advice/ attention if you feel unwell.

P391 Collect spillage.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

None known.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

| Chemical name                                                      | CAS-No.    | Concentration (% w/w)  |
|--------------------------------------------------------------------|------------|------------------------|
| Triclabendazole                                                    | 68786-66-3 | $\geq 10$ -< 30        |
| Benzyl alcohol                                                     | 100-51-6   | < 1                    |
| abamectin (combination of avermectin B1a and avermectin B1b) (ISO) | 71751-41-2 | $\geq 0.0025$ -< 0.025 |

**4. FIRST AID MEASURES**

|                                                             |                                                                                                                                                                               |
|-------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General advice                                              | : In the case of accident or if you feel unwell, seek medical advice immediately.<br>When symptoms persist or in all cases of doubt seek medical advice.                      |
| If inhaled                                                  | : If inhaled, remove to fresh air.<br>Get medical attention if symptoms occur.                                                                                                |
| In case of skin contact                                     | : Wash with water and soap as a precaution.<br>Get medical attention if symptoms occur.                                                                                       |
| In case of eye contact                                      | : Flush eyes with water as a precaution.<br>Get medical attention if irritation develops and persists.                                                                        |
| If swallowed                                                | : If swallowed, DO NOT induce vomiting.<br>Get medical attention if symptoms occur.<br>Rinse mouth thoroughly with water.                                                     |
| Most important symptoms and effects, both acute and delayed | : May cause damage to organs through prolonged or repeated exposure if swallowed.                                                                                             |
| Protection of first-aiders                                  | : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). |
| Notes to physician                                          | : Treat symptomatically and supportively.                                                                                                                                     |

**5. FIREFIGHTING MEASURES**

|                              |                                         |
|------------------------------|-----------------------------------------|
| Suitable extinguishing media | : Water spray<br>Alcohol-resistant foam |
|------------------------------|-----------------------------------------|

## Triclabendazole / Abamectin Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/09/28  |
| 7.0     | 2025/04/14     | 5341818-00014 | Date of first issue: 2019/12/05 |

Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Metal oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

**6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

## Triclabendazole / Abamectin Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue:             |
| 7.0     | 2025/04/14     | 5341818-00014 | 2024/09/28                      |
|         |                |               | Date of first issue: 2019/12/05 |

## 7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe mist or vapours.  
Do not swallow.  
Avoid contact with eyes.  
Avoid prolonged or repeated contact with skin.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labelled containers.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Components with workplace control parameters

| Components                                                         | CAS-No.                   | Value type<br>(Form of exposure) | Control parameters / Permissible concentration | Basis    |
|--------------------------------------------------------------------|---------------------------|----------------------------------|------------------------------------------------|----------|
| Triclabendazole                                                    | 68786-66-3                | TWA                              | 30 µg/m3 (OEB 3)                               | Internal |
|                                                                    | Further information: DSEN |                                  |                                                |          |
|                                                                    |                           | Wipe limit                       | 100 µg/100 cm <sup>2</sup>                     | Internal |
| abamectin (combination of avermectin B1a and avermectin B1b) (ISO) | 71751-41-2                | TWA                              | 15 µg/m3 (OEB 3)                               | Internal |
|                                                                    |                           | Wipe limit                       | 150 µg/100 cm <sup>2</sup>                     | Internal |

- Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).  
Minimize open handling.

**Personal protective equipment**

- Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
- Filter type : Particulates type

## Triclabendazole / Abamectin Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/09/28  |
| 7.0     | 2025/04/14     | 5341818-00014 | Date of first issue: 2019/12/05 |

## Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.  
Eye protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.  
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.  
Use appropriate degowning techniques to remove potentially contaminated clothing.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : suspension

Colour : white

Odour : No data available

Odour Threshold : No data available

pH : 5.0 - 7.0

Melting point/freezing point : < 5 °C

Initial boiling point and boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

**Triclabendazole / Abamectin Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/09/28  |
| 7.0     | 2025/04/14     | 5341818-00014 | Date of first issue: 2019/12/05 |

---

|                                                  |   |                                                          |
|--------------------------------------------------|---|----------------------------------------------------------|
| Upper explosion limit / Upper flammability limit | : | No data available                                        |
| Lower explosion limit / Lower flammability limit | : | No data available                                        |
| Vapour pressure                                  | : | No data available                                        |
| Relative vapour density                          | : | No data available                                        |
| Relative density                                 | : | No data available                                        |
| Density                                          | : | 1,050 - 1,080 g/cm <sup>3</sup> (20 °C)                  |
| Solubility(ies)                                  | : |                                                          |
| Water solubility                                 | : | soluble                                                  |
| Partition coefficient: n-octanol/water           | : | Not applicable                                           |
| Auto-ignition temperature                        | : | No data available                                        |
| Decomposition temperature                        | : | No data available                                        |
| Viscosity                                        | : |                                                          |
| Viscosity, kinematic                             | : | No data available                                        |
| Explosive properties                             | : | Not explosive                                            |
| Oxidizing properties                             | : | The substance or mixture is not classified as oxidizing. |
| Molecular weight                                 | : | No data available                                        |
| Particle characteristics                         | : |                                                          |
| Particle size                                    | : | Not applicable                                           |

---

**10. STABILITY AND REACTIVITY**

|                                    |   |                                                |
|------------------------------------|---|------------------------------------------------|
| Reactivity                         | : | Not classified as a reactivity hazard.         |
| Chemical stability                 | : | Stable under normal conditions.                |
| Possibility of hazardous reactions | : | Can react with strong oxidizing agents.        |
| Conditions to avoid                | : | None known.                                    |
| Incompatible materials             | : | Oxidizing agents                               |
| Hazardous decomposition products   | : | No hazardous decomposition products are known. |

---

**11. TOXICOLOGICAL INFORMATION**

|                                          |   |                            |
|------------------------------------------|---|----------------------------|
| Information on likely routes of exposure | : | Inhalation<br>Skin contact |
|------------------------------------------|---|----------------------------|

## Triclabendazole / Abamectin Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/09/28  |
| 7.0     | 2025/04/14     | 5341818-00014 | Date of first issue: 2019/12/05 |

Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Components:****Triclabendazole:**

|                           |                                                                                                                                                       |
|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| Acute oral toxicity       | : LD50 (Mouse): > 8,000 mg/kg<br>LD50 (Rabbit): 206 mg/kg                                                                                             |
| Acute inhalation toxicity | : LC50 (Rat): > 0.5 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist<br>Assessment: The substance or mixture has no acute inhalation toxicity |
| Acute dermal toxicity     | : LD50 (Rat): > 4,000 mg/kg                                                                                                                           |

**Benzyl alcohol:**

|                           |                                                                                                                                                                                          |
|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Acute oral toxicity       | : LD50 (Rat): 1,200 mg/kg                                                                                                                                                                |
| Acute inhalation toxicity | : LC50 (Rat): > 5.4 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist<br>Method: OECD Test Guideline 403<br>Assessment: The substance or mixture has no acute inhalation toxicity |

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

|                           |                                                                                                                  |
|---------------------------|------------------------------------------------------------------------------------------------------------------|
| Acute oral toxicity       | : LD50 (Rat): 24 mg/kg<br>LD50 (Mouse): 10 mg/kg<br>LDLo (Monkey): 24 mg/kg<br>Symptoms: Dilatation of the pupil |
| Acute inhalation toxicity | : LC50 (Rat): 0.023 mg/l<br>Exposure time: 4 h<br>Test atmosphere: dust/mist                                     |
| Acute dermal toxicity     | : LD50 (Rat): 330 mg/kg<br>LD50 (Rabbit): 2,000 mg/kg                                                            |

**Skin corrosion/irritation**

Not classified based on available information.

## Triclabendazole / Abamectin Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/09/28  |
| 7.0     | 2025/04/14     | 5341818-00014 | Date of first issue: 2019/12/05 |

---

**Components:****Triclabendazole:**

|         |                        |
|---------|------------------------|
| Species | : Rabbit               |
| Result  | : Mild skin irritation |

**Benzyl alcohol:**

|         |                           |
|---------|---------------------------|
| Species | : Rabbit                  |
| Method  | : OECD Test Guideline 404 |
| Result  | : No skin irritation      |

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

|         |                      |
|---------|----------------------|
| Species | : Rabbit             |
| Result  | : No skin irritation |

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Triclabendazole:**

|         |                     |
|---------|---------------------|
| Species | : Rabbit            |
| Result  | : No eye irritation |

**Benzyl alcohol:**

|         |                                                |
|---------|------------------------------------------------|
| Species | : Rabbit                                       |
| Result  | : Irritation to eyes, reversing within 21 days |
| Method  | : OECD Test Guideline 405                      |

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

|         |                       |
|---------|-----------------------|
| Species | : Rabbit              |
| Result  | : Mild eye irritation |

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Triclabendazole:**

|        |                          |
|--------|--------------------------|
| Result | : Not a skin sensitizer. |
|--------|--------------------------|

**Benzyl alcohol:**

|           |                                          |
|-----------|------------------------------------------|
| Test Type | : Human repeat insult patch test (HRIPT) |
|-----------|------------------------------------------|



## Triclabendazole / Abamectin Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/09/28  |
| 7.0     | 2025/04/14     | 5341818-00014 | Date of first issue: 2019/12/05 |

|                 |                                                                                |
|-----------------|--------------------------------------------------------------------------------|
| Exposure routes | : Skin contact                                                                 |
| Species         | : Humans                                                                       |
| Result          | : positive                                                                     |
| Assessment      | : Probability or evidence of low to moderate skin sensitisation rate in humans |

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

|                 |                          |
|-----------------|--------------------------|
| Test Type       | : Maximisation Test      |
| Exposure routes | : Skin contact           |
| Result          | : Not a skin sensitizer. |

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Triclabendazole:**

|                       |                                                                                                                                                                                               |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Genotoxicity in vitro | : Test Type: Bacterial reverse mutation assay (AMES)<br>Result: negative<br><br>Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)<br>Result: negative |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

**Benzyl alcohol:**

|                       |                                                                                                                                                                        |
|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Genotoxicity in vitro | : Test Type: Bacterial reverse mutation assay (AMES)<br>Result: negative                                                                                               |
| Genotoxicity in vivo  | : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)<br>Species: Mouse<br>Application Route: Intraperitoneal injection<br>Result: negative |

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

|                       |                                                                                                                                                                                                                                                                   |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Genotoxicity in vitro | : Test Type: Bacterial reverse mutation assay (AMES)<br>Result: negative<br><br>Test Type: In vitro mammalian cell gene mutation test<br>Test system: Chinese hamster lung cells<br>Result: negative<br><br>Test Type: Alkaline elution assay<br>Result: negative |
| Genotoxicity in vivo  | : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)<br>Species: Mouse<br>Application Route: Intraperitoneal injection                                                                                                |

## Triclabendazole / Abamectin Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/09/28  |
| 7.0     | 2025/04/14     | 5341818-00014 | Date of first issue: 2019/12/05 |

---

Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****Triclabendazole:**

|                   |            |
|-------------------|------------|
| Species           | : Mouse    |
| Application Route | : Oral     |
| Exposure time     | : 2 Years  |
| Result            | : negative |

|                   |            |
|-------------------|------------|
| Species           | : Rat      |
| Application Route | : Oral     |
| Exposure time     | : 2 Years  |
| Result            | : negative |

**Benzyl alcohol:**

|                   |                           |
|-------------------|---------------------------|
| Species           | : Mouse                   |
| Application Route | : Ingestion               |
| Exposure time     | : 103 weeks               |
| Method            | : OECD Test Guideline 451 |
| Result            | : negative                |

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

|                   |             |
|-------------------|-------------|
| Species           | : Rat       |
| Application Route | : Oral      |
| Exposure time     | : 105 weeks |
| Result            | : negative  |

|                   |            |
|-------------------|------------|
| Species           | : Mouse    |
| Application Route | : Oral     |
| Exposure time     | : 93 weeks |
| Result            | : negative |

**Reproductive toxicity**

Not classified based on available information.

**Components:****Triclabendazole:**

|                      |                                                                                                                                                            |
|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Effects on fertility | : Test Type: Fertility/early embryonic development<br>Application Route: Oral<br>Fertility: NOAEL: 50 mg/kg body weight<br>Result: No effects on fertility |
|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|

|  |                                                                                                                       |
|--|-----------------------------------------------------------------------------------------------------------------------|
|  | Test Type: Fertility/early embryonic development<br>Application Route: Oral<br>Fertility: NOAEL: 50 mg/kg body weight |
|--|-----------------------------------------------------------------------------------------------------------------------|

**Triclabendazole / Abamectin Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue:             |
| 7.0     | 2025/04/14     | 5341818-00014 | 2024/09/28                      |
|         |                |               | Date of first issue: 2019/12/05 |

|                               |                                                       |
|-------------------------------|-------------------------------------------------------|
|                               | Result: No effects on fertility                       |
|                               | Test Type: Two-generation reproduction toxicity study |
|                               | Species: Rat                                          |
|                               | Application Route: Oral                               |
|                               | Fertility: NOAEL: 5.5 mg/kg body weight               |
| Effects on foetal development | : Test Type: Embryo-foetal development                |
|                               | Species: Rat                                          |
|                               | Application Route: Oral                               |
|                               | Developmental Toxicity: LOAEL: 200 mg/kg body weight  |
|                               | Result: Effects on foetal development                 |
|                               | Test Type: Embryo-foetal development                  |
|                               | Species: Rat                                          |
|                               | Application Route: Oral                               |
|                               | Developmental Toxicity: NOAEL: 50 mg/kg body weight   |
|                               | Test Type: Embryo-foetal development                  |
|                               | Species: Rabbit                                       |
|                               | Application Route: Oral                               |
|                               | Developmental Toxicity: LOAEL: 10 mg/kg body weight   |
|                               | Result: Effects on foetal development                 |
|                               | Remarks: Maternal toxicity observed.                  |
|                               | Test Type: Embryo-foetal development                  |
|                               | Species: Rabbit                                       |
|                               | Application Route: Oral                               |
|                               | Developmental Toxicity: NOAEL: 3 mg/kg body weight    |
|                               | Remarks: Maternal toxicity observed.                  |

**Benzyl alcohol:**

|                               |                                                    |
|-------------------------------|----------------------------------------------------|
| Effects on fertility          | : Test Type: Fertility/early embryonic development |
|                               | Species: Rat                                       |
|                               | Application Route: Ingestion                       |
|                               | Result: negative                                   |
|                               | Remarks: Based on data from similar materials      |
| Effects on foetal development | : Test Type: Embryo-foetal development             |
|                               | Species: Mouse                                     |
|                               | Application Route: Ingestion                       |
|                               | Result: negative                                   |

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

|                      |                                                       |
|----------------------|-------------------------------------------------------|
| Effects on fertility | : Test Type: Fertility                                |
|                      | Species: Rat, male                                    |
|                      | Application Route: Oral                               |
|                      | Result: Effects on fertility                          |
|                      | Test Type: Two-generation reproduction toxicity study |
|                      | Species: Rat                                          |

## Triclabendazole / Abamectin Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/09/28  |
| 7.0     | 2025/04/14     | 5341818-00014 | Date of first issue: 2019/12/05 |

|                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                    | Application Route: Oral<br>Early Embryonic Development: NOAEL: 0.12 mg/kg body weight<br>Result: Fetotoxicity                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Effects on foetal development      | : Test Type: Embryo-foetal development<br>Species: Mouse<br>Application Route: Oral<br>General Toxicity Maternal: NOAEL: 0.05 mg/kg body weight<br>Developmental Toxicity: NOAEL: 0.2 mg/kg body weight<br>Result: Cleft palate<br>Remarks: Adverse developmental effects were observed<br><br>Test Type: Embryo-foetal development<br>Species: Rabbit<br>Application Route: Oral<br>Developmental Toxicity: LOAEL: 2 mg/kg body weight<br>Result: Cleft palate, Teratogenic effects, Reduced embryonic survival<br>Remarks: Adverse developmental effects were observed<br><br>Test Type: Development<br>Species: Rat<br>Application Route: Oral<br>Developmental Toxicity: LOAEL: 1.6 mg/kg body weight<br>Result: Teratogenic effects |
| Reproductive toxicity - Assessment | : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

May cause damage to organs (Liver, Blood) through prolonged or repeated exposure if swallowed.

**Components:****Triclabendazole:**

|               |                                                                      |
|---------------|----------------------------------------------------------------------|
| Target Organs | : Liver, Blood                                                       |
| Assessment    | : May cause damage to organs through prolonged or repeated exposure. |

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

|                 |                                                                   |
|-----------------|-------------------------------------------------------------------|
| Exposure routes | : Ingestion                                                       |
| Target Organs   | : Central nervous system                                          |
| Assessment      | : Causes damage to organs through prolonged or repeated exposure. |

## Triclabendazole / Abamectin Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/09/28  |
| 7.0     | 2025/04/14     | 5341818-00014 | Date of first issue: 2019/12/05 |

---

**Repeated dose toxicity****Components:****Triclabendazole:**

|                   |             |
|-------------------|-------------|
| Species           | : Rat       |
| NOAEL             | : 6.6 mg/kg |
| LOAEL             | : 69 mg/kg  |
| Application Route | : Oral      |
| Exposure time     | : 13 Weeks  |
| Target Organs     | : Blood     |

|                   |                |
|-------------------|----------------|
| Species           | : Dog          |
| NOAEL             | : 3.4 mg/kg    |
| LOAEL             | : 37 mg/kg     |
| Application Route | : Oral         |
| Exposure time     | : 13 Weeks     |
| Target Organs     | : Liver, Blood |

|                   |             |
|-------------------|-------------|
| Species           | : Mouse     |
| NOAEL             | : 29 mg/kg  |
| Application Route | : Oral      |
| Exposure time     | : 24 Months |
| Target Organs     | : Liver     |

|                   |                                                |
|-------------------|------------------------------------------------|
| Species           | : Rat                                          |
| NOAEL             | : 4 mg/kg                                      |
| Application Route | : Oral                                         |
| Exposure time     | : 24 Months                                    |
| Remarks           | : No significant adverse effects were reported |

**Benzyl alcohol:**

|                   |                               |
|-------------------|-------------------------------|
| Species           | : Rat                         |
| NOAEL             | : 1.072 mg/l                  |
| Application Route | : inhalation (dust/mist/fume) |
| Exposure time     | : 28 Days                     |
| Method            | : OECD Test Guideline 412     |

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

|                   |                          |
|-------------------|--------------------------|
| Species           | : Rat                    |
| NOAEL             | : 1.5 mg/kg              |
| Application Route | : Oral                   |
| Exposure time     | : 24 Months              |
| Target Organs     | : Central nervous system |
| Symptoms          | : Tremors, ataxia        |

|                   |                          |
|-------------------|--------------------------|
| Species           | : Mouse                  |
| NOAEL             | : 4.0 mg/kg              |
| Application Route | : Oral                   |
| Exposure time     | : 24 Months              |
| Target Organs     | : Central nervous system |

## Triclabendazole / Abamectin Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/09/28  |
| 7.0     | 2025/04/14     | 5341818-00014 | Date of first issue: 2019/12/05 |

|                   |                          |
|-------------------|--------------------------|
| Symptoms          | : Tremors, ataxia        |
| Species           | : Dog                    |
| NOAEL             | : 0.25 mg/kg             |
| LOAEL             | : 0.5 mg/kg              |
| Application Route | : Oral                   |
| Exposure time     | : 53 Weeks               |
| Target Organs     | : Central nervous system |
| Symptoms          | : Tremors, weight loss   |
| Remarks           | : mortality observed     |
| Species           | : Monkey                 |
| NOAEL             | : 1.0 mg/kg              |
| Application Route | : Oral                   |
| Exposure time     | : 14 Weeks               |
| Target Organs     | : Central nervous system |

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****Triclabendazole:**

|           |                                                                                                                        |
|-----------|------------------------------------------------------------------------------------------------------------------------|
| Ingestion | : Symptoms: Abdominal pain, Sweating, Headache, Nausea, Vomiting, anorexia, Dizziness, Fatigue, Cough, Fever, pruritis |
|-----------|------------------------------------------------------------------------------------------------------------------------|

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

|           |                                                                                                |
|-----------|------------------------------------------------------------------------------------------------|
| Ingestion | : Symptoms: May cause, Tremors, Diarrhoea, central nervous system effects, Salivation, tearing |
|-----------|------------------------------------------------------------------------------------------------|

**12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Benzyl alcohol:**

|                                                     |                                                                                                                            |
|-----------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|
| Toxicity to fish                                    | : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l<br>Exposure time: 96 h                                             |
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Daphnia magna (Water flea)): 230 mg/l<br>Exposure time: 48 h<br>Method: OECD Test Guideline 202                    |
| Toxicity to algae/aquatic plants                    | : EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201 |
|                                                     | NOEC (Pseudokirchneriella subcapitata (green algae)): 310                                                                  |

## Triclabendazole / Abamectin Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue:             |
| 7.0     | 2025/04/14     | 5341818-00014 | 2024/09/28                      |
|         |                |               | Date of first issue: 2019/12/05 |

|                                                                        |                                              |
|------------------------------------------------------------------------|----------------------------------------------|
|                                                                        | mg/l                                         |
|                                                                        | Exposure time: 72 h                          |
|                                                                        | Method: OECD Test Guideline 201              |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : NOEC (Daphnia magna (Water flea)): 51 mg/l |
|                                                                        | Exposure time: 21 d                          |
|                                                                        | Method: OECD Test Guideline 211              |

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

|                                                                        |                                                                  |
|------------------------------------------------------------------------|------------------------------------------------------------------|
| Toxicity to fish                                                       | : LC50 (Oncorhynchus mykiss (rainbow trout)): 3.2 µg/l           |
|                                                                        | Exposure time: 96 h                                              |
|                                                                        | LC50 (Lepomis macrochirus (Bluegill sunfish)): 9.6 µg/l          |
|                                                                        | Exposure time: 96 h                                              |
|                                                                        | LC50 (Ictalurus punctatus (channel catfish)): 24 µg/l            |
|                                                                        | Exposure time: 96 h                                              |
|                                                                        | LC50 (Cyprinus carpio (Carp)): 42 µg/l                           |
|                                                                        | Exposure time: 96 h                                              |
|                                                                        | LC50 (Cyprinodon variegatus (sheepshead minnow)): 15 µg/l        |
|                                                                        | Exposure time: 96 h                                              |
| Toxicity to daphnia and other aquatic invertebrates                    | : EC50 (Americamysis): 0.022 µg/l                                |
|                                                                        | Exposure time: 96 h                                              |
|                                                                        | EC50 (Daphnia magna (Water flea)): 0.34 µg/l                     |
|                                                                        | Exposure time: 48 h                                              |
| Toxicity to algae/aquatic plants                                       | : EC50 (Pseudokirchneriella subcapitata (green algae)): 100 mg/l |
|                                                                        | Exposure time: 72 h                                              |
| M-Factor (Acute aquatic toxicity)                                      | : 10,000                                                         |
| Toxicity to fish (Chronic toxicity)                                    | : NOEC (Pimephales promelas (fathead minnow)): 0.52 µg/l         |
|                                                                        | Exposure time: 32 d                                              |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : NOEC (Daphnia magna (Water flea)): 0.03 µg/l                   |
|                                                                        | Exposure time: 21 d                                              |
|                                                                        | NOEC (Mysidopsis bahia (opossum shrimp)): 0.0035 µg/l            |
|                                                                        | Exposure time: 28 d                                              |
| M-Factor (Chronic aquatic toxicity)                                    | : 10,000                                                         |
| Toxicity to microorganisms                                             | : EC50: > 1,000 mg/l                                             |
|                                                                        | Exposure time: 3 h                                               |
|                                                                        | Test Type: Respiration inhibition                                |

## Triclabendazole / Abamectin Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/09/28  |
| 7.0     | 2025/04/14     | 5341818-00014 | Date of first issue: 2019/12/05 |

---

**Persistence and degradability****Components:****Benzyl alcohol:**

|                  |   |                                |
|------------------|---|--------------------------------|
| Biodegradability | : | Result: Readily biodegradable. |
|                  |   | Biodegradation: 92 - 96 %      |
|                  |   | Exposure time: 14 d            |

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

|                    |   |                          |
|--------------------|---|--------------------------|
| Stability in water | : | Hydrolysis: 50 %(< 12 h) |
|--------------------|---|--------------------------|

**Bioaccumulative potential****Components:****Benzyl alcohol:**

|                                        |   |               |
|----------------------------------------|---|---------------|
| Partition coefficient: n-octanol/water | : | log Pow: 1.05 |
|----------------------------------------|---|---------------|

**abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

|                                        |   |                                   |
|----------------------------------------|---|-----------------------------------|
| Bioaccumulation                        | : | Bioconcentration factor (BCF): 52 |
| Partition coefficient: n-octanol/water | : | log Pow: 4                        |

**Mobility in soil****Components:****abamectin (combination of avermectin B1a and avermectin B1b) (ISO):**

|                                               |   |                |
|-----------------------------------------------|---|----------------|
| Distribution among environmental compartments | : | log Koc: > 3.6 |
|-----------------------------------------------|---|----------------|

**Other adverse effects**

No data available

---

**13. DISPOSAL CONSIDERATIONS****Disposal methods**

|                        |   |                                                                                                                                                             |
|------------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Waste from residues    | : | Do not dispose of waste into sewer.<br>Dispose of in accordance with local regulations.                                                                     |
| Contaminated packaging | : | Empty containers should be taken to an approved waste handling site for recycling or disposal.<br>If not otherwise specified: Dispose of as unused product. |

---

**14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

|           |   |         |
|-----------|---|---------|
| UN number | : | UN 3082 |
|-----------|---|---------|



## Triclabendazole / Abamectin Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/09/28  |
| 7.0     | 2025/04/14     | 5341818-00014 | Date of first issue: 2019/12/05 |

---

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(abamectin (combination of avermectin B1a and avermectin B1b) (ISO))

Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

**IATA-DGR**

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(abamectin (combination of avermectin B1a and avermectin B1b) (ISO))

Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

**IMDG-Code**

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(abamectin (combination of avermectin B1a and avermectin B1b) (ISO))

Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## Triclabendazole / Abamectin Formulation

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/09/28  |
| 7.0     | 2025/04/14     | 5341818-00014 | Date of first issue: 2019/12/05 |

---

**15. REGULATORY INFORMATION**

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.**

**Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health**

Hazardous substances that must be registered : Not applicable

**Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances**

Hazardous substances approved for use : Not applicable

Prohibited substances : Not applicable

Restricted substances : Not applicable

**Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials**

Type of hazardous materials subject to distribution and control, Annex I : Not applicable

Type of hazardous materials subject to distribution and control, Annex II : Not applicable

**The components of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

---

**16. OTHER INFORMATION**

Revision Date : 2025/04/14

**Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

**Full text of other abbreviations**

**Triclabendazole / Abamectin Formulation**

|         |                |               |                                 |
|---------|----------------|---------------|---------------------------------|
| Version | Revision Date: | SDS Number:   | Date of last issue: 2024/09/28  |
| 7.0     | 2025/04/14     | 5341818-00014 | Date of first issue: 2019/12/05 |

---

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN