

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Triclabendazole / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
7.0	14.04.2025	5342053-00017	Date of first issue: 05.12.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Triclabendazole / Abamectin Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : Veterinary product

Recommended restrictions
on use : Not applicable

1.3 Details of the supplier of the safety data sheet

Company : MSD
Kilsheelan
Clonmel Tipperary, IE

Telephone : 353-51-601000

E-mail address of person
responsible for the SDS : EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Specific target organ toxicity - repeated exposure, Category 2	H373: May cause damage to organs through prolonged or repeated exposure.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Triclabendazole / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
7.0	14.04.2025	5342053-00017	Date of first issue: 05.12.2019

Hazard statements : H373 May cause damage to organs through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P273 Avoid release to the environment.
Response:
P314 Get medical advice/ attention if you feel unwell.
P391 Collect spillage.

Hazardous components which must be listed on the label:

Triclabendazole
EUH208 Contains Benzyl alcohol. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Triclabendazole	68786-66-3	STOT RE 2; H373 (Liver, Blood)	>= 10 - < 20
Benzyl alcohol	100-51-6 202-859-9 603-057-00-5	Acute Tox. 4; H302 Eye Irrit. 2; H319 Skin Sens. 1B; H317 Acute toxicity estimate	>= 0,1 - < 1

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Triclabendazole / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
7.0	14.04.2025	5342053-00017	Date of first issue: 05.12.2019

		Acute oral toxicity: 1.200 mg/kg	
abamectin (combination of avermectin B1a and avermectin B1b) (ISO)	71751-41-2 606-143-00-0	Acute Tox. 2; H300 Acute Tox. 1; H330 Acute Tox. 3; H311 Repr. 2; H361fd STOT RE 1; H372 (Central nervous system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10.000 M-Factor (Chronic aquatic toxicity): 10.000 specific concentration limit STOT RE 1; H372 ≥ 5 % STOT RE 2; H373 0,5 - < 5 %	≥ 0,0025 - < 0,025

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- | | |
|----------------------------|---|
| General advice | : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice. |
| Protection of first-aiders | : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). |
| If inhaled | : If inhaled, remove to fresh air.
Get medical attention if symptoms occur. |
| In case of skin contact | : Wash with water and soap as a precaution.
Get medical attention if symptoms occur. |
| In case of eye contact | : Flush eyes with water as a precaution. |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Triclabendazole / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
7.0	14.04.2025	5342053-00017	Date of first issue: 05.12.2019

Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Risks : May produce an allergic reaction.

May cause damage to organs through prolonged or repeated exposure.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Metal oxides

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Triclabendazole / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
7.0	14.04.2025	5342053-00017	Date of first issue: 05.12.2019

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe mist or vapours.
Do not swallow.
Avoid contact with eyes.
Avoid prolonged or repeated contact with skin.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Triclabendazole / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
7.0	14.04.2025	5342053-00017	Date of first issue: 05.12.2019

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep in properly labelled containers. Store in accordance with the particular national regulations.

Advice on common storage : Do not store with the following product types:
Strong oxidizing agents
Gases

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Triclabendazole	68786-66-3	TWA	30 µg/m3 (OEB 3)	Internal
Further information: DSEN				
		Wipe limit	100 µg/100 cm2	Internal
Silicon dioxide	7631-86-9	TWA (respirable dust)	1,5 mg/m3 (Silica)	FOR-2011-12-06-1358
abamectin (combination of avermectin B1a and avermectin B1b) (ISO)	71751-41-2	TWA	15 µg/m3 (OEB 3)	Internal
		Wipe limit	150 µg/100 cm2	Internal

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
Silicon dioxide	Workers	Inhalation	Long-term systemic effects	4 mg/m3
Benzyl alcohol	Workers	Inhalation	Long-term systemic effects	22 mg/m3
	Workers	Inhalation	Acute systemic effects	110 mg/m3
	Workers	Skin contact	Long-term systemic effects	8 mg/kg bw/day

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Triclabendazole / Abamectin Formulation

Version 7.0 Revision Date: 14.04.2025 SDS Number: 5342053-00017 Date of last issue: 24.03.2025
Date of first issue: 05.12.2019

	Workers	Skin contact	Acute systemic effects	40 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	5,4 mg/m3
	Consumers	Inhalation	Acute systemic effects	27 mg/m3
	Consumers	Skin contact	Long-term systemic effects	4 mg/kg bw/day
	Consumers	Skin contact	Acute systemic effects	20 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	4 mg/kg bw/day
	Consumers	Ingestion	Acute systemic effects	20 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
Sodium citrate	Fresh water	0,44 mg/l
	Marine water	0,044 mg/l
	Sewage treatment plant	1000 mg/l
	Fresh water sediment	34,6 mg/kg dry weight (d.w.)
	Marine water	3,46 mg/kg dry weight (d.w.)
Benzyl alcohol	Soil	31,1 mg/kg dry weight (d.w.)
	Fresh water	1 mg/l
	Marine water	0,1 mg/l
	Intermittent use/release	2,3 mg/l
	Sewage treatment plant	39 mg/l
	Fresh water sediment	5,27 mg/kg
	Marine sediment	0,527 mg/kg
	Soil	0,456 mg/kg

8.2 Exposure controls

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Triclabendazole / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
7.0	14.04.2025	5342053-00017	Date of first issue: 05.12.2019

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.
Skin and body protection : Work uniform or laboratory coat.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Use appropriate degowning techniques to remove potentially contaminated clothing.
Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Equipment should conform to NS EN 143
Filter type : Particulates type (P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: suspension
Colour	: white
Odour	: No data available
Odour Threshold	: No data available
Melting point/freezing point	: < 5 °C
Initial boiling point and boiling range	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
pH	: 5,0 - 7,0

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Triclabendazole / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
7.0	14.04.2025	5342053-00017	Date of first issue: 05.12.2019

Viscosity
Viscosity, kinematic : No data available

Solubility(ies)
Water solubility : soluble

Partition coefficient: n-
octanol/water : Not applicable

Vapour pressure : No data available

Relative density : No data available

Density : 1.050 - 1.080 g/cm³ (20 °C)

Relative vapour density : No data available

Particle characteristics
Particle size : Not applicable

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : No data available

Molecular weight : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Triclabendazole / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
7.0	14.04.2025	5342053-00017	Date of first issue: 05.12.2019

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure :

- Inhalation
- Skin contact
- Ingestion
- Eye contact

Acute toxicity

Not classified based on available information.

Components:

Triclabendazole:

Acute oral toxicity	:	LD50 (Mouse): > 8.000 mg/kg LD50 (Rabbit): 206 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 0,5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rat): > 4.000 mg/kg

Benzyl alcohol:

Acute oral toxicity	:	LD50 (Rat): 1.200 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Acute oral toxicity	:	LD50 (Rat): 24 mg/kg LD50 (Mouse): 10 mg/kg LDLo (Monkey): 24 mg/kg Symptoms: Dilatation of the pupil
Acute inhalation toxicity	:	LC50 (Rat): 0,023 mg/l Exposure time: 4 h Test atmosphere: dust/mist

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Triclabendazole / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
7.0	14.04.2025	5342053-00017	Date of first issue: 05.12.2019

Acute dermal toxicity : LD50 (Rat): 330 mg/kg
LD50 (Rabbit): 2.000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Triclabendazole:

Species : Rabbit
Result : Mild skin irritation

Benzyl alcohol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Triclabendazole:

Species : Rabbit
Result : No eye irritation

Benzyl alcohol:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irritation to eyes, reversing within 21 days

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rabbit
Result : Mild eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Triclabendazole / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
7.0	14.04.2025	5342053-00017	Date of first issue: 05.12.2019

Components:

Triclabendazole:

Result : Not a skin sensitizer.

Benzyl alcohol:

Test Type : Human repeat insult patch test (HRIPT)
Exposure routes : Skin contact
Species : Humans
Result : positive

Assessment : Probability or evidence of low to moderate skin sensitisation rate in humans

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Test Type : Maximisation Test
Exposure routes : Skin contact
Result : Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

Components:

Triclabendazole:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Result: negative

Benzyl alcohol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: Chinese hamster lung cells
Result: negative

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Triclabendazole / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
7.0	14.04.2025	5342053-00017	Date of first issue: 05.12.2019

Test Type: Alkaline elution assay
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow
cytogenetic test, chromosomal analysis)
Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Triclabendazole:

Species : Mouse
Application Route : Oral
Exposure time : 2 Years
Result : negative

Species : Rat
Application Route : Oral
Exposure time : 2 Years
Result : negative

Benzyl alcohol:

Species : Mouse
Application Route : Ingestion
Exposure time : 103 weeks
Method : OECD Test Guideline 451
Result : negative

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rat
Application Route : Oral
Exposure time : 105 weeks
Result : negative

Species : Mouse
Application Route : Oral
Exposure time : 93 weeks
Result : negative

Reproductive toxicity

Not classified based on available information.

Components:

Triclabendazole:

Effects on fertility : Test Type: Fertility/early embryonic development
Application Route: Oral

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Triclabendazole / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
7.0	14.04.2025	5342053-00017	Date of first issue: 05.12.2019

Fertility: NOAEL: 50 mg/kg body weight
Result: No effects on fertility

Test Type: Fertility/early embryonic development
Application Route: Oral
Fertility: NOAEL: 50 mg/kg body weight
Result: No effects on fertility

Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Oral
Fertility: NOAEL: 5,5 mg/kg body weight

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: 200 mg/kg body weight
Result: Effects on foetal development

Test Type: Embryo-foetal development
Species: Rat
Application Route: Oral
Developmental Toxicity: NOAEL: 50 mg/kg body weight

Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: LOAEL: 10 mg/kg body weight
Result: Effects on foetal development
Remarks: Maternal toxicity observed.

Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: NOAEL: 3 mg/kg body weight
Remarks: Maternal toxicity observed.

Benzyl alcohol:

Effects on fertility : Test Type: Fertility/early embryonic development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
Species: Mouse
Application Route: Ingestion
Result: negative

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Effects on fertility : Test Type: Fertility
Species: Rat, male

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Triclabendazole / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
7.0	14.04.2025	5342053-00017	Date of first issue: 05.12.2019

Application Route: Oral
Result: Effects on fertility

Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Oral
Early Embryonic Development: NOAEL: 0,12 mg/kg body weight
Result: Fetotoxicity

Effects on foetal development : Test Type: Embryo-foetal development
Species: Mouse
Application Route: Oral
General Toxicity Maternal: NOAEL: 0,05 mg/kg body weight
Developmental Toxicity: NOAEL: 0,2 mg/kg body weight
Result: Cleft palate
Remarks: Adverse developmental effects were observed

Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: LOAEL: 2 mg/kg body weight
Result: Cleft palate, Teratogenic effects, Reduced embryonic survival
Remarks: Adverse developmental effects were observed

Test Type: Development
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: 1,6 mg/kg body weight
Result: Teratogenic effects

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:

Triclabendazole:

Target Organs : Liver, Blood
Assessment : May cause damage to organs through prolonged or repeated exposure.

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Exposure routes : Ingestion

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Triclabendazole / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
7.0	14.04.2025	5342053-00017	Date of first issue: 05.12.2019

Target Organs : Central nervous system
Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Triclabendazole:

Species : Rat
NOAEL : 6,6 mg/kg
LOAEL : 69 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Target Organs : Blood

Species : Dog
NOAEL : 3,4 mg/kg
LOAEL : 37 mg/kg
Application Route : Oral
Exposure time : 13 Weeks
Target Organs : Liver, Blood

Species : Mouse
NOAEL : 29 mg/kg
Application Route : Oral
Exposure time : 24 Months
Target Organs : Liver

Species : Rat
NOAEL : 4 mg/kg
Application Route : Oral
Exposure time : 24 Months
Remarks : No significant adverse effects were reported

Benzyl alcohol:

Species : Rat
NOAEL : 1,072 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 28 Days
Method : OECD Test Guideline 412

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Species : Rat
NOAEL : 1,5 mg/kg
Application Route : Oral
Exposure time : 24 Months
Target Organs : Central nervous system
Symptoms : Tremors, ataxia

Species : Mouse

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Triclabendazole / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
7.0	14.04.2025	5342053-00017	Date of first issue: 05.12.2019

NOAEL : 4,0 mg/kg
Application Route : Oral
Exposure time : 24 Months
Target Organs : Central nervous system
Symptoms : Tremors, ataxia

Species : Dog
NOAEL : 0,25 mg/kg
LOAEL : 0,5 mg/kg
Application Route : Oral
Exposure time : 53 Weeks
Target Organs : Central nervous system
Symptoms : Tremors, weight loss
Remarks : mortality observed

Species : Monkey
NOAEL : 1,0 mg/kg
Application Route : Oral
Exposure time : 14 Weeks
Target Organs : Central nervous system

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Not classified based on available information.

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Experience with human exposure

Components:

Triclabendazole:

Ingestion : Symptoms: Abdominal pain, Sweating, Headache, Nausea, Vomiting, anorexia, Dizziness, Fatigue, Cough, Fever, pruritis

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Ingestion : Symptoms: May cause, Tremors, Diarrhoea, central nervous system effects, Salivation, tearing

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Triclabendazole / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
7.0	14.04.2025	5342053-00017	Date of first issue: 05.12.2019

SECTION 12: Ecological information

12.1 Toxicity

Components:

Benzyl alcohol:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 460 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 230 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 51 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 3,2 µg/l Exposure time: 96 h LC50 (Lepomis macrochirus (Bluegill sunfish)): 9,6 µg/l Exposure time: 96 h LC50 (Ictalurus punctatus (channel catfish)): 24 µg/l Exposure time: 96 h LC50 (Cyprinus carpio (Carp)): 42 µg/l Exposure time: 96 h LC50 (Cyprinodon variegatus (sheepshead minnow)): 15 µg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Americamysis): 0,022 µg/l Exposure time: 96 h EC50 (Daphnia magna (Water flea)): 0,34 µg/l Exposure time: 48 h
Toxicity to algae/aquatic	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 100

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Triclabendazole / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
7.0	14.04.2025	5342053-00017	Date of first issue: 05.12.2019

plants	mg/l Exposure time: 72 h
M-Factor (Acute aquatic toxicity)	: 10.000
Toxicity to microorganisms	: EC50 : > 1.000 mg/l Exposure time: 3 h Test Type: Respiration inhibition
Toxicity to fish (Chronic toxicity)	: NOEC: 0,52 µg/l Exposure time: 32 d Species: Pimephales promelas (fathead minnow)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 0,03 µg/l Exposure time: 21 d Species: Daphnia magna (Water flea)
	NOEC: 0,0035 µg/l Exposure time: 28 d Species: Mysidopsis bahia (opossum shrimp)
M-Factor (Chronic aquatic toxicity)	: 10.000

12.2 Persistence and degradability

Components:

Benzyl alcohol:

Biodegradability	: Result: Readily biodegradable. Biodegradation: 92 - 96 % Exposure time: 14 d
------------------	--

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Stability in water	: Hydrolysis: 50 %(< 12 h)
--------------------	----------------------------

12.3 Bioaccumulative potential

Components:

Benzyl alcohol:

Partition coefficient: n-octanol/water	: log Pow: 1,05
--	-----------------

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Bioaccumulation	: Bioconcentration factor (BCF): 52
-----------------	-------------------------------------

Partition coefficient: n-octanol/water	: log Pow: 4
--	--------------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Triclabendazole / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
7.0	14.04.2025	5342053-00017	Date of first issue: 05.12.2019

12.4 Mobility in soil

Components:

abamectin (combination of avermectin B1a and avermectin B1b) (ISO):

Distribution among environmental compartments : log Koc: > 3,6

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number or ID number

ADN	: UN 3082
ADR	: UN 3082
RID	: UN 3082
IMDG	: UN 3082

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Triclabendazole / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
7.0	14.04.2025	5342053-00017	Date of first issue: 05.12.2019

IATA : UN 3082

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(abamectin (combination of avermectin B1a and avermectin B1b) (ISO))

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(abamectin (combination of avermectin B1a and avermectin B1b) (ISO))

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(abamectin (combination of avermectin B1a and avermectin B1b) (ISO))

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(abamectin (combination of avermectin B1a and avermectin B1b) (ISO))

IATA : Environmentally hazardous substance, liquid, n.o.s.
(abamectin (combination of avermectin B1a and avermectin B1b) (ISO))

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	: 9	
ADR	: 9	
RID	: 9	
IMDG	: 9	
IATA	: 9	

14.4 Packing group

ADN
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9

ADR
Packing group : III
Classification Code : M6
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

RID
Packing group : III
Classification Code : M6

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Triclabendazole / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
7.0	14.04.2025	5342053-00017	Date of first issue: 05.12.2019

Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft) : 964
Packing instruction (LQ) : Y964
Packing group : III
Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, : Conditions of restriction for the following entries should be considered:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Triclabendazole / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
7.0	14.04.2025	5342053-00017	Date of first issue: 05.12.2019

mixtures and articles (Annex XVII)

Number on list 3

Number on list 75: If you intend to use this product as tattoo ink, please contact your vendor.

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

: Not applicable

REACH - List of substances subject to authorisation (Annex XIV)

: Not applicable

Regulation (EU) No 2024/590 on substances that deplete the ozone layer

: Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast)

: Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals

: abamectin (combination of avermectin B1a and avermectin B1b) (ISO)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

E1

ENVIRONMENTAL
HAZARDS

Quantity 1
100 t

Quantity 2
200 t

Other regulations:

Note the regulation on organization, leadership and participation, chapter 12 on the work of children and young people.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Triclabendazole / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
7.0	14.04.2025	5342053-00017	Date of first issue: 05.12.2019

lines.

Full text of H-Statements

H300	: Fatal if swallowed.
H302	: Harmful if swallowed.
H311	: Toxic in contact with skin.
H317	: May cause an allergic skin reaction.
H319	: Causes serious eye irritation.
H330	: Fatal if inhaled.
H361fd	: Suspected of damaging fertility. Suspected of damaging the unborn child.
H372	: Causes damage to organs through prolonged or repeated exposure if swallowed.
H373	: May cause damage to organs through prolonged or repeated exposure if swallowed.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Acute	: Short-term (acute) aquatic hazard
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Irrit.	: Eye irritation
Repr.	: Reproductive toxicity
Skin Sens.	: Skin sensitisation
STOT RE	: Specific target organ toxicity - repeated exposure
FOR-2011-12-06-1358	: Norway. Occupational Exposure limits
FOR-2011-12-06-1358 / TWA	: Long term exposure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic sub-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Triclabendazole / Abamectin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 24.03.2025
7.0	14.04.2025	5342053-00017	Date of first issue: 05.12.2019

stance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Classification of the mixture:

STOT RE 2	H373
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure:

Calculation method
Calculation method
Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NO / EN