

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Florfenicol Solid Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 28.09.2024  |
| 3.4     | 14.04.2025     | 444133-00022 | Date of first issue: 07.01.2016 |

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Florfenicol Solid Formulation

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-  
stance/Mixture : Veterinary product

Recommended restrictions  
on use : Not applicable

#### 1.3 Details of the supplier of the safety data sheet

Company : MSD  
Drynam Road  
K67 P263 Dublin, Ireland

Telephone : +1-908-740-4000

E-mail address of person  
responsible for the SDS : EHSDATASTEWARD@msd.com

#### 1.4 Emergency telephone number

+1-908-423-6000

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

|                                                                |                                                                                  |
|----------------------------------------------------------------|----------------------------------------------------------------------------------|
| Reproductive toxicity, Category 2                              | H361fd: Suspected of damaging fertility. Suspected of damaging the unborn child. |
| Specific target organ toxicity - repeated exposure, Category 1 | H372: Causes damage to organs through prolonged or repeated exposure.            |
| Short-term (acute) aquatic hazard, Category 1                  | H400: Very toxic to aquatic life.                                                |
| Long-term (chronic) aquatic hazard, Category 1                 | H410: Very toxic to aquatic life with long lasting effects.                      |

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Florfenicol Solid Formulation

Version 3.4      Revision Date: 14.04.2025      SDS Number: 444133-00022      Date of last issue: 28.09.2024  
Date of first issue: 07.01.2016

|                          |   |                                                                                                                                                                                                                                                                                                                                                                                        |
|--------------------------|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Hazard pictograms        | : |                                                                                                                                                                                                                      |
| Signal word              | : | Danger                                                                                                                                                                                                                                                                                                                                                                                 |
| Hazard statements        | : | H361fd      Suspected of damaging fertility. Suspected of damaging the unborn child.<br>H372      Causes damage to organs through prolonged or repeated exposure.<br>H410      Very toxic to aquatic life with long lasting effects.                                                                                                                                                   |
| Precautionary statements | : | <b>Prevention:</b><br>P201      Obtain special instructions before use.<br>P260      Do not breathe dust.<br>P273      Avoid release to the environment.<br>P280      Wear protective gloves/ protective clothing/ eye protection/ face protection.<br><br><b>Response:</b><br>P308 + P313      IF exposed or concerned: Get medical advice/ attention.<br>P391      Collect spillage. |

### Hazardous components which must be listed on the label:

Florfenicol

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Dust contact with the eyes can lead to mechanical irritation.  
Contact with dust can cause mechanical irritation or drying of the skin.  
May form explosive dust-air mixture during processing, handling or other means.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

| Chemical name | CAS-No.<br>EC-No.<br>Index-No. | Classification | Concentration<br>(% w/w) |
|---------------|--------------------------------|----------------|--------------------------|
|---------------|--------------------------------|----------------|--------------------------|

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Florfenicol Solid Formulation

Version 3.4      Revision Date: 14.04.2025      SDS Number: 444133-00022      Date of last issue: 28.09.2024  
Date of first issue: 07.01.2016

|             | Registration number |                                                                                                                                                                                                                                                             |              |
|-------------|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| Florfenicol | 73231-34-2          | Repr. 2; H361fd<br>STOT RE 1; H372<br>(Liver, Brain, Testis,<br>Spinal cord, Blood,<br>gallbladder)<br>Aquatic Acute 1;<br>H400<br>Aquatic Chronic 1;<br>H410<br><br>M-Factor (Acute<br>aquatic toxicity): 10<br>M-Factor (Chronic<br>aquatic toxicity): 10 | >= 50 - < 70 |

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : If in eyes, rinse well with water.  
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

#### 4.2 Most important symptoms and effects, both acute and delayed

- Risks : Contact with dust can cause mechanical irritation or drying of the skin.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Florfenicol Solid Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 28.09.2024  |
| 3.4     | 14.04.2025     | 444133-00022 | Date of first issue: 07.01.2016 |

Dust contact with the eyes can lead to mechanical irritation.

Suspected of damaging fertility. Suspected of damaging the unborn child.

Causes damage to organs through prolonged or repeated exposure.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Florfenicol Solid Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 28.09.2024  |
| 3.4     | 14.04.2025     | 444133-00022 | Date of first issue: 07.01.2016 |

### 6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe dust.  
Do not swallow.  
Avoid contact with eyes.  
Avoid prolonged or repeated contact with skin.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contami-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Florfenicol Solid Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 28.09.2024  |
| 3.4     | 14.04.2025     | 444133-00022 | Date of first issue: 07.01.2016 |

nated clothing before re-use.

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep in properly labelled containers. Store locked up. Store in accordance with the particular national regulations.

Advice on common storage : Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Explosives  
Gases

### 7.3 Specific end use(s)

Specific use(s) : No data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

dusts non-specific 4 mg/m<sup>3</sup>  
Value type (Form of exposure): OELV - 8 hrs (TWA) (Respirable dust)  
Basis: IE OEL

10 mg/m<sup>3</sup>  
Value type (Form of exposure): OELV - 8 hrs (TWA) (inhalable dust)  
Basis: IE OEL

| Components  | CAS-No.    | Value type (Form of exposure) | Control parameters            | Basis    |
|-------------|------------|-------------------------------|-------------------------------|----------|
| Florfenicol | 73231-34-2 | TWA                           | 100 µg/m <sup>3</sup> (OEB 2) | Internal |

### 8.2 Exposure controls

#### Engineering measures

Use feasible engineering controls to minimize exposure to compound.  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

#### Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Florfenicol Solid Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 28.09.2024  |
| 3.4     | 14.04.2025     | 444133-00022 | Date of first issue: 07.01.2016 |

|                          |                                                                                                                                                                        |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Hand protection          | Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.                                 |
| Material                 | : Chemical-resistant gloves                                                                                                                                            |
| Skin and body protection | : Work uniform or laboratory coat.                                                                                                                                     |
| Respiratory protection   | : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. |
| Filter type              | : Particulates type (P)                                                                                                                                                |

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

|                                                  |                                                                                   |
|--------------------------------------------------|-----------------------------------------------------------------------------------|
| Physical state                                   | : powder                                                                          |
| Colour                                           | : white                                                                           |
| Odour                                            | : No data available                                                               |
| Odour Threshold                                  | : No data available                                                               |
| Melting point/freezing point                     | : No data available                                                               |
| Initial boiling point and boiling range          | : No data available                                                               |
| Flammability (solid, gas)                        | : May form explosive dust-air mixture during processing, handling or other means. |
| Flammability (liquids)                           | : No data available                                                               |
| Upper explosion limit / Upper flammability limit | : No data available                                                               |
| Lower explosion limit / Lower flammability limit | : No data available                                                               |
| Flash point                                      | : Not applicable                                                                  |
| Auto-ignition temperature                        | : No data available                                                               |
| Decomposition temperature                        | : No data available                                                               |
| pH                                               | : No data available                                                               |
| Viscosity                                        |                                                                                   |
| Viscosity, kinematic                             | : Not applicable                                                                  |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Florfenicol Solid Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 28.09.2024  |
| 3.4     | 14.04.2025     | 444133-00022 | Date of first issue: 07.01.2016 |

---

Solubility(ies)  
Water solubility : No data available

Partition coefficient: n-  
octanol/water : Not applicable

Vapour pressure : No data available

Relative density : No data available

Density : No data available

Relative vapour density : Not applicable

Particle characteristics  
Particle size : No data available

### 9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : Not applicable

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Not classified as a reactivity hazard.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.  
Can react with strong oxidizing agents.

### 10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.  
Avoid dust formation.

### 10.5 Incompatible materials

Materials to avoid : Oxidizing agents

### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Florfenicol Solid Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 28.09.2024  |
| 3.4     | 14.04.2025     | 444133-00022 | Date of first issue: 07.01.2016 |

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

##### Acute toxicity

Not classified based on available information.

##### Components:

##### Florfenicol:

|                                                 |                                                                                                                                          |
|-------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| Acute oral toxicity                             | : LD50 (Rat): > 2,000 mg/kg<br>LD50 (Mouse): > 2,000 mg/kg<br>LD50 (Dog): > 1,280 mg/kg                                                  |
| Acute inhalation toxicity                       | : LC50 (Rat): > 0.28 mg/l<br>Exposure time: 4 h                                                                                          |
| Acute dermal toxicity                           | : Remarks: No data available                                                                                                             |
| Acute toxicity (other routes of administration) | : LD50 (Rat): 1,913 - 2,253 mg/kg<br>Application Route: Intraperitoneal<br><br>LD50 (Mouse): 100 mg/kg<br>Application Route: Intravenous |

##### Skin corrosion/irritation

Not classified based on available information.

##### Components:

##### Florfenicol:

|         |                      |
|---------|----------------------|
| Species | : Rabbit             |
| Result  | : No skin irritation |

##### Serious eye damage/eye irritation

Not classified based on available information.

##### Components:

##### Florfenicol:

|         |                       |
|---------|-----------------------|
| Species | : Rabbit              |
| Result  | : Mild eye irritation |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Florfenicol Solid Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 28.09.2024  |
| 3.4     | 14.04.2025     | 444133-00022 | Date of first issue: 07.01.2016 |

---

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

#### Components:

##### Florfenicol:

|           |   |                   |
|-----------|---|-------------------|
| Test Type | : | Maximisation Test |
| Species   | : | Guinea pig        |
| Result    | : | negative          |

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### Florfenicol:

|                       |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|-----------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Genotoxicity in vitro | : | Test Type: Bacterial reverse mutation assay (AMES)<br>Result: negative<br><br>Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)<br>Test system: rat hepatocytes<br>Result: negative<br><br>Test Type: In vitro mammalian cell gene mutation test<br>Test system: mouse lymphoma cells<br>Result: negative<br><br>Test Type: Chromosome aberration test in vitro<br>Test system: Chinese hamster ovary cells<br>Result: positive |
| Genotoxicity in vivo  | : | Test Type: Micronucleus test<br>Species: Mouse<br>Cell type: Bone marrow<br>Application Route: Oral<br>Result: negative                                                                                                                                                                                                                                                                                                                                                 |

### Carcinogenicity

Not classified based on available information.

#### Components:

##### Florfenicol:

|                   |   |               |
|-------------------|---|---------------|
| Species           | : | Rat           |
| Application Route | : | oral (gavage) |
| Exposure time     | : | 2 Years       |
| Result            | : | negative      |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Florfenicol Solid Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 28.09.2024  |
| 3.4     | 14.04.2025     | 444133-00022 | Date of first issue: 07.01.2016 |

|                   |   |               |
|-------------------|---|---------------|
| Target Organs     | : | Liver, Testes |
| Species           | : | Mouse         |
| Application Route | : | oral (gavage) |
| Exposure time     | : | 2 Years       |
| Result            | : | negative      |
| Target Organs     | : | Testes, Blood |

### Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

#### Components:

##### **Florfenicol:**

|                                    |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|------------------------------------|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Effects on fertility               | : | Test Type: Two-generation reproduction toxicity study<br>Species: Rat<br>Application Route: Oral<br>Fertility: LOAEL: 12 mg/kg body weight<br>Result: decreased pup survival, reduced lactation                                                                                                                                                                                                                                                                                                                                    |
| Effects on foetal development      | : | Test Type: Embryo-foetal development<br>Species: Rat<br>General Toxicity Maternal: NOAEL: 4 mg/kg body weight<br>Embryo-foetal toxicity: LOAEL: 40 mg/kg body weight<br>Result: No teratogenic effects, Fetotoxicity<br>Remarks: The effects were seen only at maternally toxic doses.<br><br>Test Type: Embryo-foetal development<br>Species: Mouse<br>Application Route: oral (gavage)<br>General Toxicity Maternal: NOAEL: 120 mg/kg body weight<br>Embryo-foetal toxicity: LOAEL: 40 mg/kg body weight<br>Result: Fetotoxicity |
| Reproductive toxicity - Assessment | : | Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.                                                                                                                                                                                                                                                                                                                                                     |

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

#### Components:

##### **Florfenicol:**

|               |   |                                                                 |
|---------------|---|-----------------------------------------------------------------|
| Target Organs | : | Liver, Brain, Testis, Spinal cord, Blood, gallbladder           |
| Assessment    | : | Causes damage to organs through prolonged or repeated exposure. |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Florfenicol Solid Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 28.09.2024  |
| 3.4     | 14.04.2025     | 444133-00022 | Date of first issue: 07.01.2016 |

---

### Repeated dose toxicity

#### Components:

##### **Florfenicol:**

|               |                                     |
|---------------|-------------------------------------|
| Species       | : Dog                               |
| NOAEL         | : 3 mg/kg                           |
| Exposure time | : 13 Weeks                          |
| Target Organs | : Liver, Testis, Brain, Spinal cord |

|               |                 |
|---------------|-----------------|
| Species       | : Mouse         |
| NOAEL         | : 200 mg/kg     |
| Exposure time | : 13 Weeks      |
| Target Organs | : Liver, Testis |

|               |                 |
|---------------|-----------------|
| Species       | : Rat           |
| NOAEL         | : 30 mg/kg      |
| Exposure time | : 13 Weeks      |
| Target Organs | : Liver, Testis |

|               |                      |
|---------------|----------------------|
| Species       | : Dog                |
| NOAEL         | : 3 mg/kg            |
| LOAEL         | : 12 mg/kg           |
| Exposure time | : 52 Weeks           |
| Target Organs | : Liver, gallbladder |

|               |            |
|---------------|------------|
| Species       | : Rat      |
| NOAEL         | : 1 mg/kg  |
| LOAEL         | : 3 mg/kg  |
| Exposure time | : 52 Weeks |
| Target Organs | : Testis   |

### Aspiration toxicity

Not classified based on available information.

## 11.2 Information on other hazards

### Endocrine disrupting properties

Not classified based on available information.

#### Product:

|            |                                                                                                                                                                                                                                                               |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Assessment | : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Florfenicol Solid Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 28.09.2024  |
| 3.4     | 14.04.2025     | 444133-00022 | Date of first issue: 07.01.2016 |

### SECTION 12: Ecological information

#### 12.1 Toxicity

##### Components:

##### **Florfenicol:**

|                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|-----------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Toxicity to fish                                    | : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 830 mg/l<br>Exposure time: 96 h<br>Method: FDA 4.11<br><br>LC50 (Oncorhynchus mykiss (rainbow trout)): > 780 mg/l<br>Exposure time: 96 h<br>Method: FDA 4.11                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Daphnia magna (Water flea)): > 330 mg/l<br>Exposure time: 48 h<br>Method: OECD Test Guideline 202                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Toxicity to algae/aquatic plants                    | : EC50 (Pseudokirchneriella subcapitata (green algae)): > 2.9 mg/l<br>Exposure time: 14 d<br>Method: FDA 4.01<br><br>NOEC (Pseudokirchneriella subcapitata (green algae)): 2.9 mg/l<br>Exposure time: 14 d<br>Method: FDA 4.01<br><br>IC50 (Skeletonema costatum (marine diatom)): 0.0336 mg/l<br>Exposure time: 72 h<br>Method: ISO 10253<br><br>NOEC (Skeletonema costatum (marine diatom)): 0.00423 mg/l<br>Exposure time: 72 h<br>Method: ISO 10253<br><br>EC50 (Lemna gibba (gibbous duckweed)): 0.76 mg/l<br>Exposure time: 7 d<br>Method: OECD Test Guideline 221<br><br>NOEC (Lemna gibba (gibbous duckweed)): 0.39 mg/l<br>Exposure time: 7 d<br>Method: OECD Test Guideline 221<br><br>EC50 (Navicula pelliculosa (Freshwater diatom)): 61 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201<br><br>NOEC (Navicula pelliculosa (Freshwater diatom)): 19 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201 |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Florfenicol Solid Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 28.09.2024  |
| 3.4     | 14.04.2025     | 444133-00022 | Date of first issue: 07.01.2016 |

---

EC50 (Anabaena flos-aquae): 0.066 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae): 0.051 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC: 5.5 mg/l  
Exposure time: 32 d  
Species: Pimephales promelas (fathead minnow)  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 1.5 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 10

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

#### Components:

##### **Florfenicol:**

Partition coefficient: n-octanol/water : log Pow: 0.373  
pH: 7

### 12.4 Mobility in soil

#### Components:

##### **Florfenicol:**

Distribution among environmental compartments : Koc: 52  
Method: FDA 3.08

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Florfenicol Solid Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 28.09.2024  |
| 3.4     | 14.04.2025     | 444133-00022 | Date of first issue: 07.01.2016 |

### 12.6 Endocrine disrupting properties

#### **Product:**

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

No data available

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

|                        |                                                                                                                                                                                                                                                                                                                      |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product                | : Dispose of in accordance with local regulations.<br>According to the European Waste Catalogue, Waste Codes are not product specific, but application specific.<br>Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.<br>Do not dispose of waste into sewer. |
| Contaminated packaging | : Empty containers should be taken to an approved waste handling site for recycling or disposal.<br>If not otherwise specified: Dispose of as unused product.                                                                                                                                                        |

## SECTION 14: Transport information

### 14.1 UN number or ID number

|      |           |
|------|-----------|
| ADN  | : UN 3077 |
| ADR  | : UN 3077 |
| RID  | : UN 3077 |
| IMDG | : UN 3077 |
| IATA | : UN 3077 |

### 14.2 UN proper shipping name

|      |                                                                       |
|------|-----------------------------------------------------------------------|
| ADN  | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.<br>(Florfenicol) |
| ADR  | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.<br>(Florfenicol) |
| RID  | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.<br>(Florfenicol) |
| IMDG | : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.                  |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Florfenicol Solid Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 28.09.2024  |
| 3.4     | 14.04.2025     | 444133-00022 | Date of first issue: 07.01.2016 |

(Florfenicol)

**IATA** : Environmentally hazardous substance, solid, n.o.s.  
(Florfenicol)

### 14.3 Transport hazard class(es)

|             | Class | Subsidiary risks |
|-------------|-------|------------------|
| <b>ADN</b>  | : 9   |                  |
| <b>ADR</b>  | : 9   |                  |
| <b>RID</b>  | : 9   |                  |
| <b>IMDG</b> | : 9   |                  |
| <b>IATA</b> | : 9   |                  |

### 14.4 Packing group

**ADN**

Packing group : III  
Classification Code : M7  
Hazard Identification Number : 90  
Labels : 9

**ADR**

Packing group : III  
Classification Code : M7  
Hazard Identification Number : 90  
Labels : 9  
Tunnel restriction code : (-)

**RID**

Packing group : III  
Classification Code : M7  
Hazard Identification Number : 90  
Labels : 9

**IMDG**

Packing group : III  
Labels : 9  
EmS Code : F-A, S-F

**IATA (Cargo)**

Packing instruction (cargo aircraft) : 956  
Packing instruction (LQ) : Y956  
Packing group : III  
Labels : Miscellaneous

**IATA (Passenger)**

Packing instruction (passenger aircraft) : 956  
Packing instruction (LQ) : Y956  
Packing group : III  
Labels : Miscellaneous



# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Florfenicol Solid Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 28.09.2024  |
| 3.4     | 14.04.2025     | 444133-00022 | Date of first issue: 07.01.2016 |

### 14.5 Environmental hazards

#### ADN

Environmentally hazardous : yes

#### ADR

Environmentally hazardous : yes

#### RID

Environmentally hazardous : yes

#### IMDG

Marine pollutant : yes

#### IATA (Passenger)

Environmentally hazardous : yes

#### IATA (Cargo)

Environmentally hazardous : yes

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Not applicable

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : Not applicable

Regulation (EU) No 2024/590 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

|    |                       |                     |                     |
|----|-----------------------|---------------------|---------------------|
| E1 | ENVIRONMENTAL HAZARDS | Quantity 1<br>100 t | Quantity 2<br>200 t |
|----|-----------------------|---------------------|---------------------|

Other regulations:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Florfenicol Solid Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 28.09.2024  |
| 3.4     | 14.04.2025     | 444133-00022 | Date of first issue: 07.01.2016 |

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

### The components of this product are reported in the following inventories:

|       |   |                |
|-------|---|----------------|
| AICS  | : | not determined |
| DSL   | : | not determined |
| IECSC | : | not determined |

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

|                   |   |                                                                                                                                |
|-------------------|---|--------------------------------------------------------------------------------------------------------------------------------|
| Other information | : | Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines. |
|-------------------|---|--------------------------------------------------------------------------------------------------------------------------------|

### Full text of H-Statements

|        |   |                                                                          |
|--------|---|--------------------------------------------------------------------------|
| H361fd | : | Suspected of damaging fertility. Suspected of damaging the unborn child. |
| H372   | : | Causes damage to organs through prolonged or repeated exposure.          |
| H400   | : | Very toxic to aquatic life.                                              |
| H410   | : | Very toxic to aquatic life with long lasting effects.                    |

### Full text of other abbreviations

|                             |   |                                                                                                                               |
|-----------------------------|---|-------------------------------------------------------------------------------------------------------------------------------|
| Aquatic Acute               | : | Short-term (acute) aquatic hazard                                                                                             |
| Aquatic Chronic             | : | Long-term (chronic) aquatic hazard                                                                                            |
| Repr.                       | : | Reproductive toxicity                                                                                                         |
| STOT RE                     | : | Specific target organ toxicity - repeated exposure                                                                            |
| IE OEL                      | : | Ireland. List of Chemical Agents and Carcinogens with Occupational Exposure Limit Values - Code of Practice, Schedule 1 and 2 |
| IE OEL / OELV - 8 hrs (TWA) | : | Occupational exposure limit value (8-hour reference period)                                                                   |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - Interna-

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by  
Commission Regulation (EU) 2020/878



## Florfenicol Solid Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 28.09.2024  |
| 3.4     | 14.04.2025     | 444133-00022 | Date of first issue: 07.01.2016 |

tional Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

### Classification of the mixture:

|                   |        |
|-------------------|--------|
| Repr. 2           | H361fd |
| STOT RE 1         | H372   |
| Aquatic Acute 1   | H400   |
| Aquatic Chronic 1 | H410   |

### Classification procedure:

|                    |
|--------------------|
| Calculation method |
| Calculation method |
| Calculation method |
| Calculation method |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IE / EN