

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Florfenicol Solid Formulation

Version
10.0

Revision Date:
06.12.2025

SDS Number:
444139-00020

Date of last issue: 14.04.2025
Date of first issue: 07.01.2016

SECTION 1. IDENTIFICATION

Product name : Florfenicol Solid Formulation

Manufacturer or supplier's details

Company name of supplier : Merck & Co., Inc
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@merck.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Hazards for the product as supplied

Reproductive toxicity : Category 2

Specific target organ toxicity : Category 1 (Liver, Brain, Testis, Spinal cord, Blood, gallbladder)
- repeated exposure

Other hazards

Dust contact with the eyes can lead to mechanical irritation.
Contact with dust can cause mechanical irritation or drying of the skin.

Hazards associated with a change in physical form:

Conditions	Hazards
If small particles are generated during further processing, handling or by other means.	May form combustible dust concentrations in air.

GHS label elements

Hazard pictograms	:
Signal Word	: Danger
Hazard Statements	: H361fd Suspected of damaging fertility. Suspected of damaging the unborn child. H372 Causes damage to organs (Liver, Brain, Testis, Spinal cord, Blood, gallbladder) through prolonged or repeated exposure.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Florfenicol Solid Formulation

Version
10.0

Revision Date:
06.12.2025

SDS Number:
444139-00020

Date of last issue: 14.04.2025
Date of first issue: 07.01.2016

Precautionary Statements

: Prevention:

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe dust.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves, protective clothing, eye protection and face protection.

: Response:

P308 + P313 IF exposed or concerned: Get medical attention.

: Storage:

P405 Store locked up.

: Disposal:

P501 Dispose of contents and container to an approved waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
Florfenicol	73231-34-2*	>= 30 - <= 60	TSC

* Indicates that the identifier is a CAS No.

TSC- the actual concentration or concentration range is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.

In case of eye contact : Thoroughly clean shoes before reuse.
If in eyes, rinse well with water.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Florfenicol Solid Formulation

Version 10.0	Revision Date: 06.12.2025	SDS Number: 444139-00020	Date of last issue: 14.04.2025 Date of first issue: 07.01.2016
Most important symptoms and effects, both acute and delayed		<p>: Suspected of damaging fertility. Suspected of damaging the unborn child.</p> <p>Causes damage to organs through prolonged or repeated exposure.</p> <p>Contact with dust can cause mechanical irritation or drying of the skin.</p> <p>Dust contact with the eyes can lead to mechanical irritation.</p> <p>No information available.</p>	
Protection of first-aiders		<p>: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).</p>	
Notes to physician		<p>: Treat symptomatically and supportively.</p>	

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Nitrogen oxides (NO _x)
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Florfenicol Solid Formulation

Version
10.0

Revision Date:
06.12.2025

SDS Number:
444139-00020

Date of last issue: 14.04.2025
Date of first issue: 07.01.2016

Methods and materials for containment and cleaning up

- : Sweep up or vacuum up spillage and collect in suitable container for disposal.
- Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
- Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
- Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
- Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures

- : Static electricity may accumulate and ignite suspended dust causing an explosion.

Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation

- : Use only with adequate ventilation.

Advice on safe handling

- : Do not breathe dust.

Do not swallow.

Avoid contact with eyes.

Avoid prolonged or repeated contact with skin.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment

Minimize dust generation and accumulation.

Keep container closed when not in use.

Keep away from heat and sources of ignition.

Take precautionary measures against static discharges.

Do not eat, drink or smoke when using this product.

Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage

- : Keep in properly labeled containers.

Store locked up.

Store in accordance with the particular national regulations.

Materials to avoid

- : Do not store with the following product types:

Strong oxidizing agents

Self-reactive substances and mixtures

Organic peroxides

Explosives

Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

II inert or nuisance dust

50 Million particles per cubic foot

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Florfenicol Solid Formulation

Version
10.0

Revision Date:
06.12.2025

SDS Number:
444139-00020

Date of last issue: 14.04.2025
Date of first issue: 07.01.2016

	Value type (Form of exposure): TWA (total dust) Basis: OSHA Z-3
	15 mg/m ³ Value type (Form of exposure): TWA (total dust) Basis: OSHA Z-3
	5 mg/m ³ Value type (Form of exposure): TWA (respirable fraction) Basis: OSHA Z-3
	15 Million particles per cubic foot Value type (Form of exposure): TWA (respirable fraction) Basis: OSHA Z-3
	Dust, nuisance dust and particulates 10 mg/m ³ Value type (Form of exposure): PEL (Total dust) Basis: CAL PEL
	5 mg/m ³ Value type (Form of exposure): PEL (respirable dust fraction) Basis: CAL PEL

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Florfenicol	73231-34-2	TWA	100 µg/m ³ (OEB 2)	Internal

Engineering measures : Use feasible engineering controls to minimize exposure to compound.
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Personal protective equipment

Respiratory protection : General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators. Protection provided by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provide adequate protection.

Hand protection Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions,

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Florfenicol Solid Formulation

Version 10.0	Revision Date: 06.12.2025	SDS Number: 444139-00020	Date of last issue: 14.04.2025 Date of first issue: 07.01.2016
-----------------	------------------------------	-----------------------------	---

	mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: powder
Color	: white
Odor	: No data available
Odor Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: Not applicable
Flammability (solid, gas)	: May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: Not applicable
Relative density	: No data available

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Florfenicol Solid Formulation

Version 10.0	Revision Date: 06.12.2025	SDS Number: 444139-00020	Date of last issue: 14.04.2025 Date of first issue: 07.01.2016
-----------------	------------------------------	-----------------------------	---

Density	: No data available
Solubility(ies)	
Water solubility	: No data available
Partition coefficient: n-octanol/water	: Not applicable
Autoignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, kinematic	: Not applicable
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Particle characteristics	
Particle size	: No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: May form explosive dust-air mixture during processing, handling or other means. Can react with strong oxidizing agents.
Conditions to avoid	: Heat, flames and sparks. Avoid dust formation.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: 5.000 mg/kg
Method: Calculation method

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Florfenicol Solid Formulation

Version
10.0

Revision Date:
06.12.2025

SDS Number:
444139-00020

Date of last issue: 14.04.2025
Date of first issue: 07.01.2016

Components:

Florfenicol:

Acute oral toxicity	:	LD50 (Rat): > 2.000 mg/kg
		LD50 (Mouse): > 2.000 mg/kg
		LD50 (Dog): > 1.280 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 0,28 mg/l Exposure time: 4 h
Acute dermal toxicity	:	Remarks: No data available
Acute toxicity (other routes of administration)	:	LD50 (Rat): 1.913 - 2.253 mg/kg Application Route: Intraperitoneal
		LD50 (Mouse): 100 mg/kg Application Route: Intravenous

Skin corrosion/irritation

Not classified based on available information.

Components:

Florfenicol:

Species	:	Rabbit
Result	:	No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

Florfenicol:

Species	:	Rabbit
Result	:	Mild eye irritation

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Components:

Florfenicol:

Test Type	:	Maximization Test
Species	:	Guinea pig
Result	:	negative

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Florfenicol Solid Formulation

Version
10.0

Revision Date:
06.12.2025

SDS Number:
444139-00020

Date of last issue: 14.04.2025
Date of first issue: 07.01.2016

Germ cell mutagenicity

Not classified based on available information.

Components:

Florfenicol:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Test system: rat hepatocytes Result: negative
	Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Result: negative
	Test Type: Chromosome aberration test in vitro Test system: Chinese hamster ovary cells Result: positive
Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Oral Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Florfenicol:

Species	: Rat
Application Route	: oral (gavage)
Exposure time	: 2 Years
Result	: negative
Target Organs	: Liver, Testes

Species	: Mouse
Application Route	: oral (gavage)
Exposure time	: 2 Years
Result	: negative
Target Organs	: Testes, Blood

IARC No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Florfenicol Solid Formulation

Version
10.0

Revision Date:
06.12.2025

SDS Number:
444139-00020

Date of last issue: 14.04.2025
Date of first issue: 07.01.2016

Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

Components:

Florfenicol:

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Oral Fertility: LOAEL: 12 mg/kg body weight Result: decreased pup survival, reduced lactation
Effects on fetal development	: Test Type: Embryo-fetal development Species: Rat General Toxicity Maternal: NOAEL: 4 mg/kg body weight Embryo-fetal toxicity.: LOAEL: 40 mg/kg body weight Result: No teratogenic effects., Fetotoxicity. Remarks: The effects were seen only at maternally toxic doses.
	Test Type: Embryo-fetal development Species: Mouse Application Route: oral (gavage) General Toxicity Maternal: NOAEL: 120 mg/kg body weight Embryo-fetal toxicity.: LOAEL: 40 mg/kg body weight Result: Fetotoxicity.
Reproductive toxicity - Assessment	: Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Causes damage to organs (Liver, Brain, Testis, Spinal cord, Blood, gallbladder) through prolonged or repeated exposure.

Components:

Florfenicol:

Target Organs	: Liver, Brain, Testis, Spinal cord, Blood, gallbladder
Assessment	: Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Florfenicol:

Species	: Dog
---------	-------

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Florfénicol Solid Formulation

Version 10.0 Revision Date: 06.12.2025 SDS Number: 444139-00020 Date of last issue: 14.04.2025 Date of first issue: 07.01.2016

NOAEL	:	3 mg/kg
Exposure time	:	13 Weeks
Target Organs	:	Liver, Testis, Brain, Spinal cord
Species	:	Mouse
NOAEL	:	200 mg/kg
Exposure time	:	13 Weeks
Target Organs	:	Liver, Testis
Species	:	Rat
NOAEL	:	30 mg/kg
Exposure time	:	13 Weeks
Target Organs	:	Liver, Testis
Species	:	Dog
NOAEL	:	3 mg/kg
LOAEL	:	12 mg/kg
Exposure time	:	52 Weeks
Target Organs	:	Liver, gallbladder
Species	:	Rat
NOAEL	:	1 mg/kg
LOAEL	:	3 mg/kg
Exposure time	:	52 Weeks
Target Organs	:	Testis

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Florfénicol:

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): > 830 mg/l Exposure time: 96 h Method: FDA 4.11
		LC50 (Oncorhynchus mykiss (rainbow trout)): > 780 mg/l Exposure time: 96 h Method: FDA 4.11
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 330 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 2,9 mg/l Exposure time: 14 d Method: FDA 4.01

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Florfenicol Solid Formulation

Version
10.0

Revision Date:
06.12.2025

SDS Number:
444139-00020

Date of last issue: 14.04.2025
Date of first issue: 07.01.2016

NOEC (Pseudokirchneriella subcapitata (green algae)): 2,9 mg/l

Exposure time: 14 d
Method: FDA 4.01

IC50 (Skeletonema costatum (marine diatom)): 0,0336 mg/l

Exposure time: 72 h
Method: ISO 10253

NOEC (Skeletonema costatum (marine diatom)): 0,00423 mg/l

Exposure time: 72 h
Method: ISO 10253

EC50 (Lemna gibba (gibbous duckweed)): 0,76 mg/l

Exposure time: 7 d
Method: OECD Test Guideline 221

NOEC (Lemna gibba (gibbous duckweed)): 0,39 mg/l

Exposure time: 7 d
Method: OECD Test Guideline 221

EC50 (Navicula pelliculosa (Freshwater diatom)): 61 mg/l

Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Navicula pelliculosa (Freshwater diatom)): 19 mg/l

Exposure time: 72 h
Method: OECD Test Guideline 201

EC50 (Anabaena flos-aquae): 0,066 mg/l

Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae): 0,051 mg/l

Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 5,5 mg/l
Exposure time: 32 d
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1,5 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Persistence and degradability

No data available

Bioaccumulative potential

Components:

Florfenicol:

Partition coefficient: n- : log Pow: 0,373

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Florfenicol Solid Formulation

Version 10.0	Revision Date: 06.12.2025	SDS Number: 444139-00020	Date of last issue: 14.04.2025 Date of first issue: 07.01.2016
-----------------	------------------------------	-----------------------------	---

|| octanol/water pH: 7

Mobility in soil

Components:

Florfenicol:

|| Distribution among environmental compartments : Koc: 52
|| Method: FDA 3.08

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.
Do not dispose of waste into sewer.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Florfenicol)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(Florfenicol)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 956
Packing instruction (passenger aircraft) : 956
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Florfenicol Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
10.0	06.12.2025	444139-00020	Date of first issue: 07.01.2016

Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes

(Florfenicol)

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Domestic regulation

49 CFR

UN/ID/NA number	: UN 3077
Proper shipping name	: Environmentally hazardous substance, solid, n.o.s. (Florfenicol)
Class	: 9
Packing group	: III
Labels	: CLASS 9
ERG Code	: 171
Marine pollutant	: yes(Florfenicol)
Remarks	: Above applies only to containers over 119 gallons (450 liters) in case of liquids, or 882 lbs. (400 kg) in case of solids. Shipment by ground under DOT is non-regulated; however it may be shipped per the applicable hazard classification to facilitate multi-modal transport involving ICAO (IATA) or IMO.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Reproductive toxicity
Specific target organ toxicity (single or repeated exposure)

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Florfenicol Solid Formulation

Version 10.0 Revision Date: 06.12.2025 SDS Number: 444139-00020 Date of last issue: 14.04.2025 Date of first issue: 07.01.2016

Florfenicol 73231-34-2
Lactose 63-42-3
Polyvinyl pyrrolidone 9003-39-8

California List of Hazardous Substances

Polyvinyl pyrrolidone 9003-39-8


The ingredients of this product are reported in the following inventories:

AICS : not determined
CA. DSL : not determined
IECSC : not determined

SECTION 16. OTHER INFORMATION

Further information

NFPA 704:



HMIS® IV:



HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

CAL PEL : California permissible exposure limits for chemical contaminants (Title 8, Article 107)
OSHA Z-3 : USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
CAL PEL / PEL : Permissible exposure limit
OSHA Z-3 / TWA : 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardization; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule;

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



Florfenicol Solid Formulation

Version
10.0

Revision Date:
06.12.2025

SDS Number:
444139-00020

Date of last issue: 14.04.2025
Date of first issue: 07.01.2016

ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organization for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Revision Date : 06.12.2025

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8