

**Florfenicol Premix Formulation**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 30.09.2023  |
| 6.2     | 14.04.2025     | 440047-00020 | Date of first issue: 06.01.2016 |

---

**SECTION 1. IDENTIFICATION**

Product name : Florfenicol Premix Formulation

**Manufacturer or supplier's details**

Company : MSD

Address : Talcahuano 750, 6th floor, Ciudad Autonoma  
Buenos Aires, Argentina C1013AAP

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Reproductive toxicity : Category 2

Specific target organ toxicity - repeated exposure : Category 2 (Liver, Brain, Testis, Spinal cord, Blood, gallbladder)

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

**GHS label elements**

Hazard pictograms :



Signal Word : Warning

Hazard Statements : H361Df Suspected of damaging fertility. Suspected of damaging the unborn child.  
H373 May cause damage to organs (Liver, Brain, Testis, Spinal cord, Blood, gallbladder) through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.

## Florfenicol Premix Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 30.09.2023  |
| 6.2     | 14.04.2025     | 440047-00020 | Date of first issue: 06.01.2016 |

Precautionary Statements : **Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe dust.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P391 Collect spillage.

**Storage:**  
P405 Store locked up.

**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

Dust contact with the eyes can lead to mechanical irritation.  
Contact with dust can cause mechanical irritation or drying of the skin.  
May form explosive dust-air mixture during processing, handling or other means.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

| Chemical name | CAS-No.    | Concentration (% w/w) |
|---------------|------------|-----------------------|
| Florfenicol   | 73231-34-2 | >= 3 -< 5             |

**SECTION 4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : If in eyes, rinse well with water.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

**Florfenicol Premix Formulation**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 30.09.2023  |
| 6.2     | 14.04.2025     | 440047-00020 | Date of first issue: 06.01.2016 |

|                                                             |                                                                                                                                                                                                                                                                                            |
|-------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Most important symptoms and effects, both acute and delayed | : Contact with dust can cause mechanical irritation or drying of the skin.<br>Dust contact with the eyes can lead to mechanical irritation. Suspected of damaging fertility. Suspected of damaging the unborn child.<br>May cause damage to organs through prolonged or repeated exposure. |
| Protection of first-aiders                                  | : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).                                                                                                              |
| Notes to physician                                          | : Treat symptomatically and supportively.                                                                                                                                                                                                                                                  |

**SECTION 5. FIRE-FIGHTING MEASURES**

|                                                |                                                                                                                                                                                                                                                   |
|------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media                   | : Water spray<br>Alcohol-resistant foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical                                                                                                                                                      |
| Unsuitable extinguishing media                 | : None known.                                                                                                                                                                                                                                     |
| Specific hazards during fire fighting          | : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.<br>Exposure to combustion products may be a hazard to health.                   |
| Hazardous combustion products                  | : Carbon oxides<br>Metal oxides                                                                                                                                                                                                                   |
| Specific extinguishing methods                 | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.<br>Use water spray to cool unopened containers.<br>Remove undamaged containers from fire area if it is safe to do so.<br>Evacuate area. |
| Special protective equipment for fire-fighters | : In the event of fire, wear self-contained breathing apparatus.<br>Use personal protective equipment.                                                                                                                                            |

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

|                                                                     |                                                                                                                                                                                                                                     |
|---------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Personal precautions, protective equipment and emergency procedures | : Use personal protective equipment.<br>Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).                                                                              |
| Environmental precautions                                           | : Avoid release to the environment.<br>Prevent further leakage or spillage if safe to do so.<br>Retain and dispose of contaminated wash water.<br>Local authorities should be advised if significant spillages cannot be contained. |
| Methods and materials for                                           | : Sweep up or vacuum up spillage and collect in suitable                                                                                                                                                                            |

**Florfenicol Premix Formulation**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 30.09.2023  |
| 6.2     | 14.04.2025     | 440047-00020 | Date of first issue: 06.01.2016 |

containment and cleaning up container for disposal.  
Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).  
Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

**SECTION 7. HANDLING AND STORAGE**

|                             |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-----------------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Technical measures          | : | Static electricity may accumulate and ignite suspended dust causing an explosion.<br>Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Local/Total ventilation     | : | Use only with adequate ventilation.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Advice on safe handling     | : | Do not breathe dust.<br>Do not swallow.<br>Avoid contact with eyes.<br>Avoid prolonged or repeated contact with skin.<br>Wash skin thoroughly after handling.<br>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment<br>Minimize dust generation and accumulation.<br>Keep container closed when not in use.<br>Keep away from heat and sources of ignition.<br>Take precautionary measures against static discharges.<br>Do not eat, drink or smoke when using this product.<br>Take care to prevent spills, waste and minimize release to the environment. |
| Conditions for safe storage | : | Keep in properly labeled containers.<br>Store locked up.<br>Store in accordance with the particular national regulations.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Materials to avoid          | : | Do not store with the following product types:<br>Strong oxidizing agents<br>Self-reactive substances and mixtures<br>Organic peroxides<br>Explosives<br>Gases                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Ingredients with workplace control parameters**

| Components  | CAS-No.    | Value type<br>(Form of exposure) | Control parameters / Permissible concentration | Basis    |
|-------------|------------|----------------------------------|------------------------------------------------|----------|
| Florfenicol | 73231-34-2 | TWA                              | 100 µg/m <sup>3</sup> (OEB                     | Internal |

## Florfenicol Premix Formulation

|                |                              |                             |                                                                   |
|----------------|------------------------------|-----------------------------|-------------------------------------------------------------------|
| Version<br>6.2 | Revision Date:<br>14.04.2025 | SDS Number:<br>440047-00020 | Date of last issue: 30.09.2023<br>Date of first issue: 06.01.2016 |
|----------------|------------------------------|-----------------------------|-------------------------------------------------------------------|

|  |  |  |    |  |
|--|--|--|----|--|
|  |  |  | 2) |  |
|--|--|--|----|--|

**Engineering measures** : Use feasible engineering controls to minimize exposure to compound.  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

**Personal protective equipment**

**Respiratory protection** : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

**Filter type** : Particulates type

**Hand protection**

**Material** : Chemical-resistant gloves

**Eye protection** : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

**Skin and body protection** : Work uniform or laboratory coat.

**Hygiene measures** : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance** : powder

**Color** : white

**Odor** : No data available

**Odor Threshold** : No data available

**pH** : No data available

**Melting point/freezing point** : No data available

**Initial boiling point and boiling range** : No data available

**Flash point** : Not applicable

**Evaporation rate** : Not applicable

## Florfenicol Premix Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 30.09.2023  |
| 6.2     | 14.04.2025     | 440047-00020 | Date of first issue: 06.01.2016 |

---

|                                                  |   |                                                                                 |
|--------------------------------------------------|---|---------------------------------------------------------------------------------|
| Flammability (solid, gas)                        | : | May form explosive dust-air mixture during processing, handling or other means. |
| Flammability (liquids)                           | : | No data available                                                               |
| Upper explosion limit / Upper flammability limit | : | No data available                                                               |
| Lower explosion limit / Lower flammability limit | : | No data available                                                               |
| Vapor pressure                                   | : | No data available                                                               |
| Relative vapor density                           | : | Not applicable                                                                  |
| Relative density                                 | : | No data available                                                               |
| Density                                          | : | No data available                                                               |
| Solubility(ies)<br>Water solubility              | : | No data available                                                               |
| Partition coefficient: n-octanol/water           | : | Not applicable                                                                  |
| Autoignition temperature                         | : | No data available                                                               |
| Decomposition temperature                        | : | No data available                                                               |
| Viscosity<br>Viscosity, kinematic                | : | Not applicable                                                                  |
| Explosive properties                             | : | Not explosive                                                                   |
| Oxidizing properties                             | : | The substance or mixture is not classified as oxidizing.                        |
| Particle characteristics<br>Particle size        | : | No data available                                                               |

---

**SECTION 10. STABILITY AND REACTIVITY**

|                                    |   |                                                                                                                            |
|------------------------------------|---|----------------------------------------------------------------------------------------------------------------------------|
| Reactivity                         | : | Not classified as a reactivity hazard.                                                                                     |
| Chemical stability                 | : | Stable under normal conditions.                                                                                            |
| Possibility of hazardous reactions | : | May form explosive dust-air mixture during processing, handling or other means.<br>Can react with strong oxidizing agents. |
| Conditions to avoid                | : | Heat, flames and sparks.<br>Avoid dust formation.                                                                          |
| Incompatible materials             | : | Oxidizing agents                                                                                                           |
| Hazardous decomposition products   | : | No hazardous decomposition products are known.                                                                             |

**Florfenicol Premix Formulation**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 30.09.2023  |
| 6.2     | 14.04.2025     | 440047-00020 | Date of first issue: 06.01.2016 |

**SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity : Acute toxicity estimate: > 5.000 mg/kg  
Method: Calculation method

**Components:****Florfenicol:**

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg  
LD50 (Mouse): > 2.000 mg/kg  
LD50 (Dog): > 1.280 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0,28 mg/l  
Exposure time: 4 h

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of administration) : LD50 (Rat): 1.913 - 2.253 mg/kg  
Application Route: Intraperitoneal

LD50 (Mouse): 100 mg/kg  
Application Route: Intravenous

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****Florfenicol:**

Species : Rabbit  
Result : No skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Florfenicol:**

Species : Rabbit  
Result : Mild eye irritation

**Florfenicol Premix Formulation**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 30.09.2023  |
| 6.2     | 14.04.2025     | 440047-00020 | Date of first issue: 06.01.2016 |

---

**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

Not classified based on available information.

**Components:****Florfenicol:**

|           |   |                   |
|-----------|---|-------------------|
| Test Type | : | Maximization Test |
| Species   | : | Guinea pig        |
| Result    | : | negative          |

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Florfenicol:**

|                       |   |                                                                        |
|-----------------------|---|------------------------------------------------------------------------|
| Genotoxicity in vitro | : | Test Type: Bacterial reverse mutation assay (AMES)<br>Result: negative |
|-----------------------|---|------------------------------------------------------------------------|

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Test system: rat hepatocytes  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: mouse lymphoma cells  
Result: negative

Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster ovary cells  
Result: positive

|                      |   |                                                                                                                         |
|----------------------|---|-------------------------------------------------------------------------------------------------------------------------|
| Genotoxicity in vivo | : | Test Type: Micronucleus test<br>Species: Mouse<br>Cell type: Bone marrow<br>Application Route: Oral<br>Result: negative |
|----------------------|---|-------------------------------------------------------------------------------------------------------------------------|

**Carcinogenicity**

Not classified based on available information.

**Components:****Florfenicol:**

|                   |   |               |
|-------------------|---|---------------|
| Species           | : | Rat           |
| Application Route | : | oral (gavage) |
| Exposure time     | : | 2 Years       |
| Result            | : | negative      |
| Target Organs     | : | Liver, Testes |

## Florfenicol Premix Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 30.09.2023  |
| 6.2     | 14.04.2025     | 440047-00020 | Date of first issue: 06.01.2016 |

|                   |   |               |
|-------------------|---|---------------|
| Species           | : | Mouse         |
| Application Route | : | oral (gavage) |
| Exposure time     | : | 2 Years       |
| Result            | : | negative      |
| Target Organs     | : | Testes, Blood |

**Reproductive toxicity**

Suspected of damaging fertility. Suspected of damaging the unborn child.

**Components:****Florfenicol:**

|                      |   |                                                                                                                                                                                                 |
|----------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Effects on fertility | : | Test Type: Two-generation reproduction toxicity study<br>Species: Rat<br>Application Route: Oral<br>Fertility: LOAEL: 12 mg/kg body weight<br>Result: decreased pup survival, reduced lactation |
|----------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                              |   |                                                                                                                                                                                                                                                                                         |
|------------------------------|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Effects on fetal development | : | Test Type: Embryo-fetal development<br>Species: Rat<br>General Toxicity Maternal: NOAEL: 4 mg/kg body weight<br>Embryo-fetal toxicity.: LOAEL: 40 mg/kg body weight<br>Result: No teratogenic effects., Fetotoxicity.<br>Remarks: The effects were seen only at maternally toxic doses. |
|------------------------------|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|  |   |                                                                                                                                                                                                                                      |
|--|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | : | Test Type: Embryo-fetal development<br>Species: Mouse<br>Application Route: oral (gavage)<br>General Toxicity Maternal: NOAEL: 120 mg/kg body weight<br>Embryo-fetal toxicity.: LOAEL: 40 mg/kg body weight<br>Result: Fetotoxicity. |
|--|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                                    |   |                                                                                                                                                                                |
|------------------------------------|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Reproductive toxicity - Assessment | : | Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments. |
|------------------------------------|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

**STOT-single exposure**

Not classified based on available information.

**STOT-repeated exposure**

May cause damage to organs (Liver, Brain, Testis, Spinal cord, Blood, gallbladder) through prolonged or repeated exposure.

**Components:****Florfenicol:**

|               |   |                                                                 |
|---------------|---|-----------------------------------------------------------------|
| Target Organs | : | Liver, Brain, Testis, Spinal cord, Blood, gallbladder           |
| Assessment    | : | Causes damage to organs through prolonged or repeated exposure. |

## Florfenicol Premix Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 30.09.2023  |
| 6.2     | 14.04.2025     | 440047-00020 | Date of first issue: 06.01.2016 |

**Repeated dose toxicity****Components:****Florfenicol:**

|               |                                     |
|---------------|-------------------------------------|
| Species       | : Dog                               |
| NOAEL         | : 3 mg/kg                           |
| Exposure time | : 13 Weeks                          |
| Target Organs | : Liver, Testis, Brain, Spinal cord |

|               |                 |
|---------------|-----------------|
| Species       | : Mouse         |
| NOAEL         | : 200 mg/kg     |
| Exposure time | : 13 Weeks      |
| Target Organs | : Liver, Testis |

|               |                 |
|---------------|-----------------|
| Species       | : Rat           |
| NOAEL         | : 30 mg/kg      |
| Exposure time | : 13 Weeks      |
| Target Organs | : Liver, Testis |

|               |                      |
|---------------|----------------------|
| Species       | : Dog                |
| NOAEL         | : 3 mg/kg            |
| LOAEL         | : 12 mg/kg           |
| Exposure time | : 52 Weeks           |
| Target Organs | : Liver, gallbladder |

|               |            |
|---------------|------------|
| Species       | : Rat      |
| NOAEL         | : 1 mg/kg  |
| LOAEL         | : 3 mg/kg  |
| Exposure time | : 52 Weeks |
| Target Organs | : Testis   |

**Aspiration toxicity**

Not classified based on available information.

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Florfenicol:**

|                  |                                                                                                        |
|------------------|--------------------------------------------------------------------------------------------------------|
| Toxicity to fish | : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 830 mg/l<br>Exposure time: 96 h<br>Method: FDA 4.11 |
|------------------|--------------------------------------------------------------------------------------------------------|

|  |                                                                                                     |
|--|-----------------------------------------------------------------------------------------------------|
|  | : LC50 (Oncorhynchus mykiss (rainbow trout)): > 780 mg/l<br>Exposure time: 96 h<br>Method: FDA 4.11 |
|--|-----------------------------------------------------------------------------------------------------|

|                                                     |                                                                                                           |
|-----------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Daphnia magna (Water flea)): > 330 mg/l<br>Exposure time: 48 h<br>Method: OECD Test Guideline 202 |
|-----------------------------------------------------|-----------------------------------------------------------------------------------------------------------|

## Florfenicol Premix Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 30.09.2023  |
| 6.2     | 14.04.2025     | 440047-00020 | Date of first issue: 06.01.2016 |

|                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Toxicity to algae/aquatic plants                                       | : EC50 ( <i>Pseudokirchneriella subcapitata</i> (green algae)): > 2,9 mg/l<br>Exposure time: 14 d<br>Method: FDA 4.01<br><br>NOEC ( <i>Pseudokirchneriella subcapitata</i> (green algae)): 2,9 mg/l<br>Exposure time: 14 d<br>Method: FDA 4.01<br><br>IC50 ( <i>Skeletonema costatum</i> (marine diatom)): 0,0336 mg/l<br>Exposure time: 72 h<br>Method: ISO 10253<br><br>NOEC ( <i>Skeletonema costatum</i> (marine diatom)): 0,00423 mg/l<br>Exposure time: 72 h<br>Method: ISO 10253<br><br>EC50 ( <i>Lemna gibba</i> (gibbous duckweed)): 0,76 mg/l<br>Exposure time: 7 d<br>Method: OECD Test Guideline 221<br><br>NOEC ( <i>Lemna gibba</i> (gibbous duckweed)): 0,39 mg/l<br>Exposure time: 7 d<br>Method: OECD Test Guideline 221<br><br>EC50 ( <i>Navicula pelliculosa</i> (Freshwater diatom)): 61 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201<br><br>NOEC ( <i>Navicula pelliculosa</i> (Freshwater diatom)): 19 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201<br><br>EC50 ( <i>Anabaena flos-aquae</i> ): 0,066 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201<br><br>NOEC ( <i>Anabaena flos-aquae</i> ): 0,051 mg/l<br>Exposure time: 72 h<br>Method: OECD Test Guideline 201 |
| M-Factor (Acute aquatic toxicity)                                      | : 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Toxicity to fish (Chronic toxicity)                                    | : NOEC ( <i>Pimephales promelas</i> (fathead minnow)): 5,5 mg/l<br>Exposure time: 32 d<br>Method: OECD Test Guideline 210                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : NOEC ( <i>Daphnia magna</i> (Water flea)): 1,5 mg/l<br>Exposure time: 21 d<br>Method: OECD Test Guideline 211                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| M-Factor (Chronic aquatic toxicity)                                    | : 10                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |

## Florfenicol Premix Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 30.09.2023  |
| 6.2     | 14.04.2025     | 440047-00020 | Date of first issue: 06.01.2016 |

**Persistence and degradability**

No data available

**Bioaccumulative potential****Components:****Florfenicol:**

|                                        |   |                         |
|----------------------------------------|---|-------------------------|
| Partition coefficient: n-octanol/water | : | log Pow: 0,373<br>pH: 7 |
|----------------------------------------|---|-------------------------|

**Mobility in soil****Components:****Florfenicol:**

|                                               |   |                             |
|-----------------------------------------------|---|-----------------------------|
| Distribution among environmental compartments | : | Koc: 52<br>Method: FDA 3.08 |
|-----------------------------------------------|---|-----------------------------|

**Other adverse effects**

No data available

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

|                        |   |                                                                                                                                                             |
|------------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Waste from residues    | : | Do not dispose of waste into sewer.<br>Dispose of in accordance with local regulations.                                                                     |
| Contaminated packaging | : | Empty containers should be taken to an approved waste handling site for recycling or disposal.<br>If not otherwise specified: Dispose of as unused product. |

**SECTION 14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

|                           |   |                                                                     |
|---------------------------|---|---------------------------------------------------------------------|
| UN number                 | : | UN 3077                                                             |
| Proper shipping name      | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.<br>(Florfenicol) |
| Class                     | : | 9                                                                   |
| Packing group             | : | III                                                                 |
| Labels                    | : | 9                                                                   |
| Environmentally hazardous | : | yes                                                                 |

**IATA-DGR**

|                                      |   |                                                                     |
|--------------------------------------|---|---------------------------------------------------------------------|
| UN/ID No.                            | : | UN 3077                                                             |
| Proper shipping name                 | : | Environmentally hazardous substance, solid, n.o.s.<br>(Florfenicol) |
| Class                                | : | 9                                                                   |
| Packing group                        | : | III                                                                 |
| Labels                               | : | Miscellaneous                                                       |
| Packing instruction (cargo aircraft) | : | 956                                                                 |

## Florfenicol Premix Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 30.09.2023  |
| 6.2     | 14.04.2025     | 440047-00020 | Date of first issue: 06.01.2016 |

Packing instruction (passenger aircraft) : 956  
Environmentally hazardous : yes

**IMDG-Code**

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Florfenicol)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**SECTION 15. REGULATORY INFORMATION****Safety, health and environmental regulations/legislation specific for the substance or mixture**

Argentina. Carcinogenic Substances and Agents Registry. : Not applicable

Control of precursors and essential chemicals for the preparation of drugs. : Not applicable

**The ingredients of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

**SECTION 16. OTHER INFORMATION**

Revision Date : 14.04.2025  
Date format : dd.mm.yyyy

**Further information**

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

**Florfenicol Premix Formulation**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 30.09.2023  |
| 6.2     | 14.04.2025     | 440047-00020 | Date of first issue: 06.01.2016 |

---

**Full text of other abbreviations**

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8