

SAFETY DATA SHEET



Fluralaner Solid Formulation

Version 10.1 Revision Date: 02.10.2025 SDS Number: 401056-00032 Date of last issue: 31.07.2025
Date of first issue: 10.12.2015

SECTION 1: IDENTIFICATION

Product name : Fluralaner Solid Formulation

Other means of identification : Bravecto chew (A011019)
BRAVECTO 1000 MG FLURALANER CHEWABLE TABLETS
FOR LARGE DOGS (68870)
BRAVECTO 112.5 MG FLURALANER CHEWABLE TABLETS
FOR VERY SMALL DOGS (68867)
BRAVECTO 1400 MG FLURALANER CHEWABLE TABLETS
FOR VERY LARGE DOGS (68873)
BRAVECTO 1-MONTH 100 MG FLURALANER CHEWABLE
TABLETS FOR SMALL DOGS (87862)
BRAVECTO 1-MONTH 200 MG FLURALANER CHEWABLE
TABLETS FOR MEDIUM DOGS (87861)
BRAVECTO 1-MONTH 400 MG FLURALANER CHEWABLE
TABLETS FOR LARGE DOGS (87860)
BRAVECTO 1-MONTH 45 MG FLURALANER CHEWABLE
TABLETS FOR VERY SMALL DOGS (87863)
BRAVECTO 1-MONTH 560 MG FLURALANER CHEWABLE
TABLETS FOR VERY LARGE DOGS (87859)
BRAVECTO 250 MG FLURALANER CHEWABLE TABLETS
FOR SMALL DOGS (68872)
BRAVECTO 500 MG FLURALANER CHEWABLE TABLETS
FOR MEDIUM DOGS (68871)

Manufacturer or supplier's details

Company : Intervet Australia Pty Limited (trading as MSD Animal Health)

Address : 91-105 Harpin Street
Bendigo 3550, Victoria Australia

Telephone : 1 800 033 461

Emergency telephone number : Poisons Information Centre: Phone 13 11 26

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Reproductive toxicity : Category 2

GHS label elements

SAFETY DATA SHEET



Fluralaner Solid Formulation

Version 10.1 Revision Date: 02.10.2025

SDS Number: 401056-00032

Date of last issue: 31.07.2025
Date of first issue: 10.12.2015

Hazard pictograms :



Signal word :

Warning

Hazard statements :

H361d Suspected of damaging the unborn child.

Precautionary statements :

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Additional Labelling

The following percentage of the mixture consists of ingredient(s) with unknown acute oral toxicity: 2 %

The following percentage of the mixture consists of ingredient(s) with unknown acute dermal toxicity: 2 %

The following percentage of the mixture consists of ingredient(s) with unknown acute inhalation toxicity: 2 %

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Starch	9005-25-8	>= 10 -< 25
Fluralaner	864731-61-3	>= 5 -< 15
Glycerine	56-81-5	>= 5 -<= 10
Sucrose	57-50-1	>= 5 -<= 10
Sodium dodecyl sulphate	151-21-3	>= 1 -<= 5

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical ad-

SAFETY DATA SHEET



Fluralaner Solid Formulation

Version 10.1 Revision Date: 02.10.2025 SDS Number: 401056-00032 Date of last issue: 31.07.2025
Date of first issue: 10.12.2015

vice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
Suspected of damaging the unborn child.

Most important symptoms and effects, both acute and delayed

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Chlorine compounds
Fluorine compounds
Sulphur oxides
Metal oxides
Sodium oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Hazchem Code : 2Z

SAFETY DATA SHEET



Fluralaner Solid Formulation

Version 10.1 Revision Date: 02.10.2025 SDS Number: 401056-00032 Date of last issue: 31.07.2025
Date of first issue: 10.12.2015

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing. Avoid breathing vapours. Do not swallow. Avoid contact with eyes. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Conditions for safe storage : Keep in properly labelled containers. Store locked up. Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types: Strong oxidizing agents

SAFETY DATA SHEET



Fluralaner Solid Formulation

Version 10.1 Revision Date: 02.10.2025 SDS Number: 401056-00032 Date of last issue: 31.07.2025 Date of first issue: 10.12.2015

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Starch	9005-25-8	TWA	10 mg/m ³	AU OEL
		TWA	10 mg/m ³	ACGIH
Fluralaner	864731-61-3	TWA	100 µg/m ³ (OEB 2)	Internal
		Further information: Skin		
		Wipe limit	1000 µg/100 cm ²	Internal
Glycerine	56-81-5	TWA (Mist)	10 mg/m ³	AU OEL
Sucrose	57-50-1	TWA	10 mg/m ³	AU OEL
		TWA	10 mg/m ³	ACGIH

Engineering measures : Use feasible engineering controls to minimize exposure to compound.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : tablet, pellets

Colour : light brown

Odour : No data available

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling : No data available

SAFETY DATA SHEET



Fluralaner Solid Formulation

Version 10.1 Revision Date: 02.10.2025 SDS Number: 401056-00032 Date of last issue: 31.07.2025
Date of first issue: 10.12.2015

range

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : Not classified as a flammability hazard

Flammability (liquids) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)
Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics
Particle size : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition : No hazardous decomposition products are known.

SAFETY DATA SHEET



Fluralaner Solid Formulation

Version 10.1 Revision Date: 02.10.2025 SDS Number: 401056-00032 Date of last issue: 31.07.2025
Date of first issue: 10.12.2015

products

SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes : Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:

Starch:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Fluralaner:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Remarks: No mortality observed at this dose.
No significant adverse effects were reported
Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Remarks: No significant adverse effects were reported

Glycerine:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Acute dermal toxicity : LD50 (Guinea pig): > 5,000 mg/kg

Sucrose:

Acute oral toxicity : LD50 (Rat): 29,700 mg/kg

Sodium dodecyl sulphate:

Acute oral toxicity : LD50 (Rat): 1,200 mg/kg
Method: OECD Test Guideline 401
Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Fluralaner Solid Formulation

Version 10.1 Revision Date: 02.10.2025 SDS Number: 401056-00032 Date of last issue: 31.07.2025
Date of first issue: 10.12.2015

Components:**Fluralaner:**

Species : Rabbit
Result : No skin irritation

Glycerine:

Species : Rabbit
Result : No skin irritation

Sodium dodecyl sulphate:

Species : Rabbit
Result : Skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Starch:**

Species : Rabbit
Result : No eye irritation

Fluralaner:

Species : Rabbit
Result : Mild eye irritation

Glycerine:

Species : Rabbit
Result : No eye irritation

Sodium dodecyl sulphate:

Species : Rabbit
Result : Irreversible effects on the eye
Method : OECD Test Guideline 405

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**Starch:**

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig

SAFETY DATA SHEET



Fluralaner Solid Formulation

Version 10.1 Revision Date: 02.10.2025 SDS Number: 401056-00032 Date of last issue: 31.07.2025
Date of first issue: 10.12.2015

Result : negative

Fluralaner:

Test Type : Maximisation Test
Exposure routes : Dermal
Species : Guinea pig
Result : Not a skin sensitizer.

Sodium dodecyl sulphate:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative
Remarks : Based on data from similar materials

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Components:

Starch:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Fluralaner:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Mouse Lymphoma
Result: negative

Test Type: Chromosomal aberration
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Mouse
Cell type: Bone marrow
Application Route: Oral
Result: negative

Glycerine:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

SAFETY DATA SHEET



Fluralaner Solid Formulation

Version 10.1 Revision Date: 02.10.2025 SDS Number: 401056-00032 Date of last issue: 31.07.2025
Date of first issue: 10.12.2015

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Result: negative

Sucrose:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negative

Sodium dodecyl sulphate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)
Species: Mouse
Application Route: Ingestion
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Fluralaner:

Carcinogenicity - Assessment : No data available

Glycerine:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Result : negative

Sodium dodecyl sulphate:

Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Method : OECD Test Guideline 453
Result : negative
Remarks : Based on data from similar materials

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

Fluralaner:

Fluralaner Solid Formulation

Version 10.1	Revision Date: 02.10.2025	SDS Number: 401056-00032	Date of last issue: 31.07.2025 Date of first issue: 10.12.2015
-----------------	------------------------------	-----------------------------	---

Effects on fertility : Test Type: Two-generation study
Species: Rat
Application Route: Oral
General Toxicity - Parent: NOAEL: 50 mg/kg body weight
General Toxicity F1: LOAEL: 100 mg/kg body weight
Result: No effects on fertility, Postimplantation loss., Adverse neonatal effects.

Effects on foetal development : Test Type: Development
Species: Rat
Application Route: Oral
Developmental Toxicity: NOAEL: 100 mg/kg body weight
Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses, No teratogenic effects

Test Type: Development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: NOAEL: 10 mg/kg body weight
Result: Skeletal malformations, Visceral malformations
Remarks: Maternal toxicity observed.

Test Type: Development
Species: Rabbit
Application Route: Dermal
Developmental Toxicity: NOAEL: 100 mg/kg body weight
Result: Skeletal malformations

Reproductive toxicity - Assessment : Suspected of damaging the unborn child.

Glycerine:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: negative

Sodium dodecyl sulphate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 416
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion

SAFETY DATA SHEET



Fluralaner Solid Formulation

Version 10.1 Revision Date: 02.10.2025 SDS Number: 401056-00032 Date of last issue: 31.07.2025
Date of first issue: 10.12.2015

Result: negative

Remarks: Based on data from similar materials

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

Starch:

Species	:	Rat
NOAEL	:	>= 2,000 mg/kg
Application Route	:	Skin contact
Exposure time	:	28 Days
Method	:	OECD Test Guideline 410

Fluralaner:

Species	:	Dog
NOAEL	:	1 mg/kg
Application Route	:	Oral
Exposure time	:	52 Weeks
Target Organs	:	Liver
Remarks	:	No significant adverse effects were reported

Species	:	Rat
LOAEL	:	400 mg/kg
Application Route	:	Oral
Exposure time	:	90 Days
Target Organs	:	Liver, thymus gland

Species	:	Rat
NOAEL	:	500 mg/kg
Application Route	:	Dermal
Exposure time	:	90 Days
Target Organs	:	Liver
Remarks	:	No significant adverse effects were reported

Glycerine:

Species	:	Rat
NOAEL	:	0.167 mg/l
LOAEL	:	0.622 mg/l
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	13 Weeks

Species	:	Rat
NOAEL	:	8,000 - 10,000 mg/kg
Application Route	:	Ingestion
Exposure time	:	2 yr

SAFETY DATA SHEET



Fluralaner Solid Formulation

Version 10.1 Revision Date: 02.10.2025 SDS Number: 401056-00032 Date of last issue: 31.07.2025 Date of first issue: 10.12.2015

Species : Rabbit
NOAEL : 5,040 mg/kg
Application Route : Skin contact
Exposure time : 45 Weeks

Sodium dodecyl sulphate:

Species : Rat
NOAEL : 488 mg/kg
Application Route : Ingestion
Exposure time : 90 Days
Remarks : Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

Components:

Fluralaner:

Not applicable

Experience with human exposure

Components:

Fluralaner:

Skin contact : Remarks: May irritate skin.
Eye contact : Remarks: May cause eye irritation.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Fluralaner:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.0488 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0.015 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: No toxicity at the limit of solubility

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): >= 0.08 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: No toxicity at the limit of solubility

Toxicity to fish (Chronic toxicity) : NOEC (Zebrafish): >= 0.049 mg/l
Exposure time: 21 d

SAFETY DATA SHEET



Fluralaner Solid Formulation

Version 10.1 Revision Date: 02.10.2025 SDS Number: 401056-00032 Date of last issue: 31.07.2025 Date of first issue: 10.12.2015

Method: OECD Test Guideline 204

Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.0736 µg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Glycerine:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,955 mg/l
Exposure time: 48 h

Toxicity to microorganisms : NOEC (Pseudomonas putida): > 10,000 mg/l
Exposure time: 16 h
Method: DIN 38 412 Part 8

Sodium dodecyl sulphate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 29 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 5.55 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 120 mg/l
Exposure time: 72 h
NOEC (Desmodesmus subspicatus (green algae)): 30 mg/l
Exposure time: 72 h

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): >= 1.357 mg/l
Exposure time: 42 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (water flea)): 0.88 mg/l
Exposure time: 7 d

Toxicity to microorganisms : EC50: 135 mg/l
Exposure time: 3 h

Persistence and degradability

Components:

Glycerine:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 92 %
Exposure time: 30 d
Method: OECD Test Guideline 301D

Sodium dodecyl sulphate:

SAFETY DATA SHEET



Fluralaner Solid Formulation

Version 10.1 Revision Date: 02.10.2025 SDS Number: 401056-00032 Date of last issue: 31.07.2025
Date of first issue: 10.12.2015

Biodegradability : Result: Readily biodegradable.
Biodegradation: 95 %
Exposure time: 28 d
Method: OECD Test Guideline 301B

Bioaccumulative potential

Components:

Fluralaner:

Bioaccumulation : Species: Zebrafish
Bioconcentration factor (BCF): 79.4
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4.5

Glycerine:

Partition coefficient: n-octanol/water : log Pow: -1.75

Sucrose:

Partition coefficient: n-octanol/water : Pow: < 1

Sodium dodecyl sulphate:

Partition coefficient: n-octanol/water : log Pow: 0.83

Mobility in soil

Components:

Fluralaner:

Distribution among environmental compartments : log Koc: 4.1

Other adverse effects

Components:

Fluralaner:

Results of PBT and vPvB assessment : Not persistent, bioaccumulative, and toxic (PBT).

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SAFETY DATA SHEET



Fluralaner Solid Formulation

Version 10.1 Revision Date: 02.10.2025 SDS Number: 401056-00032 Date of last issue: 31.07.2025
Date of first issue: 10.12.2015

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Fluralaner)
Class : 9
Packing group : III
Labels : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3077
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.
(Fluralaner)
Class : 9
Packing group : III
Labels : Miscellaneous
Packing instruction (cargo aircraft) : 956
Packing instruction (passenger aircraft) : 956
Environmentally hazardous : yes
Remarks : Above applies only to containers over 119 gallons (450 liters) in case of liquids, or 882 lbs. (400 kg) in case of solids.

IMDG-Code

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Fluralaner)
Class : 9
Packing group : III
Labels : 9
EmS Code : F-A, S-F
Marine pollutant : yes
Remarks : Above applies only to containers over 119 gallons (450 liters) in case of liquids, or 882 lbs. (400 kg) in case of solids.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG

UN number : UN 3077
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
(Fluralaner)
Class : 9
Packing group : III
Labels : 9
Hazchem Code : 2Z

SAFETY DATA SHEET



Fluralaner Solid Formulation

Version 10.1 Revision Date: 02.10.2025 SDS Number: 401056-00032 Date of last issue: 31.07.2025 Date of first issue: 10.12.2015

Environmentally hazardous : yes

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons Standard) Instrument : Schedule 5

Prohibition/Licensing Requirements

: There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

The components of this product are reported in the following inventories:

AICS : not determined

CA. DSL : not determined

IECSC : not determined

SECTION 16: ANY OTHER RELEVANT INFORMATION

Further information

Revision Date : 02.10.2025

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.

ACGIH / TWA : 8-hour, time-weighted average

AU OEL / TWA : Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with

SAFETY DATA SHEET



Fluralaner Solid Formulation

Version 10.1	Revision Date: 02.10.2025	SDS Number: 401056-00032	Date of last issue: 31.07.2025 Date of first issue: 10.12.2015
-----------------	------------------------------	-----------------------------	---

x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN