

# SAFETY DATA SHEET



## Oxytetracycline Formulation

Version  
8.0

Revision Date:  
2025/04/14

SDS Number:  
671607-00023

Date of last issue: 2025/02/07  
Date of first issue: 2016/05/12

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Oxytetracycline Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Aerosols : Category 2

Serious eye damage/eye irritation : Category 2A

Skin sensitisation : Category 1

Reproductive toxicity : Category 1A

Specific target organ toxicity - single exposure : Category 3

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

#### GHS label elements

Hazard pictograms :



# SAFETY DATA SHEET



## Oxytetracycline Formulation

Version  
8.0

Revision Date:  
2025/04/14

SDS Number:  
671607-00023

Date of last issue: 2025/02/07  
Date of first issue: 2016/05/12

Signal word

: Danger

Hazard statements

: H223 Flammable aerosol.  
H229 Pressurised container: May burst if heated.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.  
H360D May damage the unborn child.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

: **Prevention:**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P210 Keep away from heat/ sparks/ open flames/ hot surfaces.  
No smoking.  
P211 Do not spray on an open flame or other ignition source.  
P251 Do not pierce or burn, even after use.  
P261 Avoid breathing spray.  
P264 Wash skin thoroughly after handling.  
P271 Use only outdoors or in a well-ventilated area.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P302 + P352 IF ON SKIN: Wash with plenty of water.  
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
P391 Collect spillage.

**Storage:**

P405 Store locked up.  
P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

**Disposal:**

P501 Dispose of contents/ container to an approved waste

# SAFETY DATA SHEET



## Oxytetracycline Formulation

Version 8.0	Revision Date: 2025/04/14	SDS Number: 671607-00023	Date of last issue: 2025/02/07 Date of first issue: 2016/05/12
----------------	------------------------------	-----------------------------	---

disposal plant.

### Other hazards which do not result in classification

May displace oxygen and cause rapid suffocation.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Butane	106-97-8	>= 20 -< 30
Propan-2-ol	67-63-0	>= 10 -< 20
Isobutane	75-28-5	>= 10 -< 20
Propane	74-98-6	>= 10 -< 20
oxytetracycline	79-57-2	>= 2.5 -< 10

## 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention immediately.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.

In case of eye contact : Thoroughly clean shoes before reuse.  
In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : Gastrointestinal disturbance  
Gas reduces oxygen available for breathing.  
May cause an allergic skin reaction.  
Causes serious eye irritation.  
May cause drowsiness or dizziness.  
May damage the unborn child.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

## 5. FIREFIGHTING MEASURES

# SAFETY DATA SHEET



## Oxytetracycline Formulation

Version 8.0      Revision Date: 2025/04/14      SDS Number: 671607-00023      Date of last issue: 2025/02/07  
Date of first issue: 2016/05/12

---

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire-fighting	: Flash back possible over considerable distance. Vapours may form explosive mixtures with air. Exposure to combustion products may be a hazard to health. If the temperature rises there is danger of the vessels bursting due to the high vapor pressure.
Hazardous combustion products	: Carbon oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Evacuate personnel to safe areas. Remove all sources of ignition. Ventilate the area. Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	: Non-sparking tools should be used. Soak up with inert absorbent material. Suppress (knock down) gases/vapours/mists with a water spray jet. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.

**Oxytetracycline Formulation**

Version 8.0	Revision Date: 2025/04/14	SDS Number: 671607-00023	Date of last issue: 2025/02/07 Date of first issue: 2016/05/12
----------------	------------------------------	-----------------------------	---

Clean up remaining materials from spill with suitable absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

**7. HANDLING AND STORAGE**

Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	: If sufficient ventilation is unavailable, use with local exhaust ventilation. If advised by assessment of the local exposure potential, use only in an area equipped with explosion-proof exhaust ventilation.
Advice on safe handling	: Do not get on skin or clothing. Avoid breathing spray. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment. Do not spray on an open flame or other ignition source.
Conditions for safe storage	: Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Do not pierce or burn, even after use. Keep cool. Protect from sunlight.
Materials to avoid	: Do not store with the following product types: Self-reactive substances and mixtures Organic peroxides Oxidizing agents Flammable liquids Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Explosives

# SAFETY DATA SHEET



## Oxytetracycline Formulation

Version 8.0	Revision Date: 2025/04/14	SDS Number: 671607-00023	Date of last issue: 2025/02/07 Date of first issue: 2016/05/12
----------------	------------------------------	-----------------------------	---

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Butane	106-97-8	PSD	1,000 ppm	ID OEL
		STEL	1,000 ppm	ACGIH
Propan-2-ol	67-63-0	NAB	400 ppm 983 mg/m <sup>3</sup>	ID OEL
		PSD	500 ppm 1,230 mg/m <sup>3</sup>	ID OEL
		TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
Isobutane	75-28-5	NAB	1,000 ppm	ID OEL
		STEL	1,000 ppm	ACGIH
oxytetracycline	79-57-2	TWA	500 µg/m <sup>3</sup> (OEB 2)	Internal
		Further information: DSEN		
			Wipe limit	100 µg/100 cm <sup>2</sup>
				Internal

#### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
Propan-2-ol	67-63-0	Acetone	Urine	End of shift at end of work- week	40 mg/l	ACGIH BEI

#### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Self-contained breathing apparatus  
Hand protection

Remarks : Take note that the product is flammable, which may impact the selection of hand protection.

Skin and body protection : Skin should be washed after contact.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.

When using do not eat, drink or smoke.

Contaminated work clothing should not be allowed out of the workplace.

Wash contaminated clothing before re-use.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

# SAFETY DATA SHEET



## Oxytetracycline Formulation

Version 8.0      Revision Date: 2025/04/14      SDS Number: 671607-00023      Date of last issue: 2025/02/07  
Date of first issue: 2016/05/12

---

Appearance : Aerosol containing a liquefied gas  
Colour : blue  
Odour : solvent-like  
Odour Threshold : No data available  
pH : No data available  
Melting point/freezing point : No data available  
Initial boiling point and boiling range : No data available  
Flash point : -80 °C  
Evaporation rate : No data available  
Flammability (solid, gas) : Flammable aerosol.  
Flammability (liquids) : Not applicable  
Upper explosion limit / Upper flammability limit : 9.5 %(V)  
Lower explosion limit / Lower flammability limit : 1.8 %(V)  
Vapour pressure : No data available  
Relative vapour density : No data available  
Relative density : No data available  
Density : 0.92 g/cm<sup>3</sup>  
Solubility(ies)  
Water solubility : No data available  
Partition coefficient: n-octanol/water : No data available  
Auto-ignition temperature : No data available  
Decomposition temperature : No data available  
Viscosity  
Viscosity, kinematic : No data available  
Explosive properties : Not explosive

# SAFETY DATA SHEET



## Oxytetracycline Formulation

Version  
8.0

Revision Date:  
2025/04/14

SDS Number:  
671607-00023

Date of last issue: 2025/02/07  
Date of first issue: 2016/05/12

---

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Particle characteristics  
Particle size

: No data available

## 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.  
Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : Flammable aerosol.  
Vapours may form explosive mixture with air.  
If the temperature rises there is danger of the vessels bursting due to the high vapor pressure.  
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.  
Incompatible materials : Oxidizing agents  
Hazardous decomposition products : No hazardous decomposition products are known.

---

## 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

### Acute toxicity

Not classified based on available information.

### Components:

#### **Butane:**

Acute inhalation toxicity : LC50 (Rat): 570000 ppm  
Exposure time: 15 min  
Test atmosphere: gas  
Remarks: Based on data from similar materials

#### **Propan-2-ol:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 25 mg/l  
Exposure time: 6 h  
Test atmosphere: vapour  
Acute dermal toxicity : LD50 (Rabbit): > 5,000 mg/kg

#### **Isobutane:**

Acute inhalation toxicity : LC50 (Rat): 570000 ppm

# SAFETY DATA SHEET



## Oxytetracycline Formulation

Version  
8.0

Revision Date:  
2025/04/14

SDS Number:  
671607-00023

Date of last issue: 2025/02/07  
Date of first issue: 2016/05/12

Exposure time: 15 min  
Test atmosphere: gas

### Propane:

Acute inhalation toxicity : LC50 (Rat): > 800000 ppm  
Exposure time: 15 min  
Test atmosphere: gas

### oxytetracycline:

Acute oral toxicity : LD50 (Rat): 4,800 mg/kg  
LD50 (Mouse): 2,240 mg/kg  
Remarks: Evidence of phototoxicity was observed

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Acute toxicity (other routes of administration) : LD50 (Rat): 4,840 mg/kg  
Application Route: Intramuscular  
LD50 (Mouse): 3,500 mg/kg  
Application Route: Subcutaneous

### Skin corrosion/irritation

Not classified based on available information.

### Components:

#### Propan-2-ol:

Species : Rabbit  
Result : No skin irritation

#### oxytetracycline:

Remarks : No data available

### Serious eye damage/eye irritation

Causes serious eye irritation.

### Components:

#### Propan-2-ol:

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days

#### oxytetracycline:

Remarks : No data available

**Oxytetracycline Formulation**

Version 8.0	Revision Date: 2025/04/14	SDS Number: 671607-00023	Date of last issue: 2025/02/07 Date of first issue: 2016/05/12
----------------	------------------------------	-----------------------------	---

**Respiratory or skin sensitisation****Skin sensitisation**

May cause an allergic skin reaction.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Propan-2-ol:**

Test Type	:	Buehler Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative

**oxytetracycline:**

Test Type	:	Human repeat insult patch test (HRIPT)
Result	:	Sensitiser

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Butane:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
		Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Rat Application Route: inhalation (gas) Method: OECD Test Guideline 474 Result: negative Remarks: Based on data from similar materials

**Propan-2-ol:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo

**Oxytetracycline Formulation**

Version 8.0	Revision Date: 2025/04/14	SDS Number: 671607-00023	Date of last issue: 2025/02/07 Date of first issue: 2016/05/12
----------------	------------------------------	-----------------------------	---

cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

**Isobutane:**

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Rat  
Application Route: inhalation (gas)  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: Based on data from similar materials

**Propane:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Rat  
Application Route: inhalation (gas)  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: Based on data from similar materials

**oxytetracycline:**

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)  
Result: negative

Test Type: Mouse Lymphoma  
Metabolic activation: Metabolic activation  
Result: positive

Test Type: sister chromatid exchange assay  
Test system: Chinese hamster ovary cells  
Result: equivocal

Test Type: Chromosomal aberration  
Result: negative

# SAFETY DATA SHEET



## Oxytetracycline Formulation

Version  
8.0

Revision Date:  
2025/04/14

SDS Number:  
671607-00023

Date of last issue: 2025/02/07  
Date of first issue: 2016/05/12

Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Oral Result: equivocal
	: Test Type: in vivo assay Species: Mouse Application Route: Intraperitoneal injection Result: negative
Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen.

### Carcinogenicity

Not classified based on available information.

### Components:

#### Propan-2-ol:

Species	: Rat
Application Route	: inhalation (vapour)
Exposure time	: 104 weeks
Method	: OECD Test Guideline 451
Result	: negative

#### oxytetracycline:

Species	: Mouse
Application Route	: Oral
Exposure time	: 104 weeks
Result	: negative
Species	: Rat
Application Route	: Oral
Exposure time	: 103 weeks
Result	: equivocal
Target Organs	: Adrenal gland, Pituitary gland
Remarks	: The mechanism or mode of action may not be relevant in humans.
Carcinogenicity - Assessment	: Weight of evidence does not support classification as a carcinogen

### Reproductive toxicity

May damage the unborn child.

### Components:

#### Butane:

Effects on fertility	: Test Type: Combined repeated dose toxicity study with the
----------------------	---

# SAFETY DATA SHEET



## Oxytetracycline Formulation

Version  
8.0

Revision Date:  
2025/04/14

SDS Number:  
671607-00023

Date of last issue: 2025/02/07  
Date of first issue: 2016/05/12

reproduction/developmental toxicity screening test

Species: Rat

Application Route: inhalation (gas)

Method: OECD Test Guideline 422

Result: negative

Effects on foetal development

: Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: inhalation (gas)  
Method: OECD Test Guideline 422  
Result: negative

### Propan-2-ol:

Effects on fertility

: Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development

: Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### Isobutane:

Effects on fertility

: Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: inhalation (gas)  
Method: OECD Test Guideline 422  
Result: negative

Effects on foetal development

: Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: inhalation (gas)  
Method: OECD Test Guideline 422  
Result: negative

### Propane:

Effects on fertility

: Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat  
Application Route: inhalation (gas)  
Method: OECD Test Guideline 422  
Result: negative

Effects on foetal development

: Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test  
Species: Rat

**Oxytetracycline Formulation**Version  
8.0Revision Date:  
2025/04/14SDS Number:  
671607-00023Date of last issue: 2025/02/07  
Date of first issue: 2016/05/12

Application Route: inhalation (gas)  
Method: OECD Test Guideline 422  
Result: negative

**oxytetracycline:****Effects on fertility**

: Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Oral  
Fertility: NOAEL: 18 mg/kg body weight  
Result: No effects on fertility, No effect on reproduction capacity, No significant adverse effects were reported

**Effects on foetal development**

: Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Oral  
Embryo-foetal toxicity: LOAEL: 48 mg/kg body weight  
Result: Postimplantation loss., Skeletal malformations

Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Oral  
General Toxicity Maternal: LOAEL: 1,200 mg/kg body weight  
Embryo-foetal toxicity: NOAEL: 1,500 mg/kg body weight  
Result: No teratogenic effects  
Remarks: Maternal toxicity observed.

Test Type: Embryo-foetal development  
Species: Mouse  
Application Route: Oral  
General Toxicity Maternal: LOAEL: 1,325 mg/kg body weight  
Embryo-foetal toxicity: NOAEL: 2,100 mg/kg body weight  
Result: No teratogenic effects  
Remarks: Maternal toxicity observed.

Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Intramuscular  
Embryo-foetal toxicity: LOAEL: 41.5 mg/kg body weight  
Result: Postimplantation loss., No foetal abnormalities

Test Type: Embryo-foetal development  
Species: Dog  
Application Route: Intramuscular  
Embryo-foetal toxicity: LOAEL: 20.75 mg/kg body weight  
Result: Skeletal and visceral variations, Postimplantation loss.

**Reproductive toxicity - Assessment**

: Positive evidence of adverse effects on development from human epidemiological studies.

**STOT - single exposure**

May cause drowsiness or dizziness.

# SAFETY DATA SHEET



## Oxytetracycline Formulation

Version  
8.0

Revision Date:  
2025/04/14

SDS Number:  
671607-00023

Date of last issue: 2025/02/07  
Date of first issue: 2016/05/12

### Components:

#### **Butane:**

Assessment	:	May cause drowsiness or dizziness.
Remarks	:	Based on data from similar materials

#### **Propan-2-ol:**

Assessment	:	May cause drowsiness or dizziness.
------------	---	------------------------------------

#### **Isobutane:**

Assessment	:	May cause drowsiness or dizziness.
------------	---	------------------------------------

#### **Propane:**

Assessment	:	May cause drowsiness or dizziness.
------------	---	------------------------------------

### **STOT - repeated exposure**

Not classified based on available information.

### **Repeated dose toxicity**

### Components:

#### **Butane:**

Species	:	Rat
NOAEL	:	>= 9000 ppm
Application Route	:	inhalation (gas)
Exposure time	:	6 Weeks
Method	:	OECD Test Guideline 422

#### **Propan-2-ol:**

Species	:	Rat
NOAEL	:	12.5 mg/l
Application Route	:	inhalation (vapour)
Exposure time	:	104 Weeks

#### **Isobutane:**

Species	:	Rat
NOAEL	:	>= 9000 ppm
Application Route	:	inhalation (gas)
Exposure time	:	6 Weeks
Method	:	OECD Test Guideline 422

#### **Propane:**

Species	:	Rat
NOAEL	:	7.214 mg/l
Application Route	:	inhalation (gas)
Exposure time	:	6 Weeks
Method	:	OECD Test Guideline 422

# SAFETY DATA SHEET



## Oxytetracycline Formulation

Version  
8.0

Revision Date:  
2025/04/14

SDS Number:  
671607-00023

Date of last issue: 2025/02/07  
Date of first issue: 2016/05/12

### **oxytetracycline:**

Species	:	Rat
LOAEL	:	198 mg/kg
Application Route	:	Oral
Exposure time	:	13 Weeks
Target Organs	:	Bone
Remarks	:	No significant adverse effects were reported

Species	:	Mouse
LOAEL	:	7,990 mg/kg
Application Route	:	Oral
Exposure time	:	13 Weeks
Target Organs	:	Bone
Remarks	:	No significant adverse effects were reported

Species	:	Dog
NOAEL	:	125 mg/kg
LOAEL	:	250 mg/kg
Application Route	:	Oral
Exposure time	:	12 Months
Target Organs	:	Testis
Remarks	:	Significant toxicity observed in testing

Species	:	Rat
NOAEL	:	40 mg/kg
LOAEL	:	100 mg/kg
Application Route	:	Intraperitoneal
Exposure time	:	14 Days
Target Organs	:	Kidney

### **Aspiration toxicity**

Not classified based on available information.

### **Experience with human exposure**

#### **Components:**

### **oxytetracycline:**

Ingestion	:	Symptoms: Gastrointestinal disturbance, tooth discoloration Remarks: May cause birth defects.
-----------	---	--

## 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

#### **Components:**

### **Propan-2-ol:**

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 9,640 mg/l Exposure time: 96 h
------------------	---	--

# SAFETY DATA SHEET



## Oxytetracycline Formulation

Version 8.0      Revision Date: 2025/04/14      SDS Number: 671607-00023      Date of last issue: 2025/02/07  
Date of first issue: 2016/05/12

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l  
Exposure time: 24 h

Toxicity to microorganisms : EC50 (Pseudomonas putida): > 1,050 mg/l  
Exposure time: 16 h

### **oxytetracycline:**

Toxicity to fish : LC50 (Oryzias latipes (Japanese medaka)): 110 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 621 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

EC50 (Moina macrocopa (Water flea)): 126.7 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Anabaena): 0.032 mg/l  
Exposure time: 72 h  
NOEC (Anabaena): 0.0031 mg/l  
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 10

M-Factor (Chronic aquatic toxicity) : 10

Toxicity to microorganisms : EC50 (activated sludge): 17.9 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

NOEC (activated sludge): 0.2 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

### **Persistence and degradability**

#### **Components:**

##### **Butane:**

Biodegradability : Result: Readily biodegradable.  
Remarks: Based on data from similar materials

##### **Propan-2-ol:**

Biodegradability : Result: rapidly degradable

# SAFETY DATA SHEET



## Oxytetracycline Formulation

Version 8.0      Revision Date: 2025/04/14      SDS Number: 671607-00023      Date of last issue: 2025/02/07  
Date of first issue: 2016/05/12

---

**BOD/COD** : BOD: 1,19 (BOD5)  
COD: 2,23  
BOD/COD: 53 %

**Isobutane:**

**Biodegradability** : Result: Readily biodegradable.  
Remarks: Based on data from similar materials

**Propane:**

**Biodegradability** : Result: Readily biodegradable.  
Remarks: Based on data from similar materials

**Bioaccumulative potential**

**Components:**

**Butane:**

**Partition coefficient: n-octanol/water** : log Pow: 2.89

**Propan-2-ol:**

**Partition coefficient: n-octanol/water** : log Pow: 0.05

**Isobutane:**

**Partition coefficient: n-octanol/water** : log Pow: 2.8

**Propane:**

**Partition coefficient: n-octanol/water** : log Pow: 2.36

**Mobility in soil**

No data available

**Other adverse effects**

No data available

---

## 13. DISPOSAL CONSIDERATIONS

**Disposal methods**

**Waste from residues** : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

**Contaminated packaging** : Please ensure aerosol cans are sprayed completely empty (including propellant)  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Empty containers retain residue and can be dangerous.  
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.

# SAFETY DATA SHEET



## Oxytetracycline Formulation

Version 8.0      Revision Date: 2025/04/14      SDS Number: 671607-00023      Date of last issue: 2025/02/07  
Date of first issue: 2016/05/12

---

If not otherwise specified: Dispose of as unused product.

---

### 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 1950  
Proper shipping name : AEROSOLS  
Class : 2.1  
Packing group : Not assigned by regulation  
Labels : 2.1  
Environmentally hazardous : yes

##### IATA-DGR

UN/ID No. : UN 1950  
Proper shipping name : Aerosols, flammable  
Class : 2.1  
Packing group : Not assigned by regulation  
Labels : Flammable Gas  
Packing instruction (cargo aircraft) : 203  
Packing instruction (passenger aircraft) : 203

##### IMDG-Code

UN number : UN 1950  
Proper shipping name : AEROSOLS  
(Oxytetracycline)  
Class : 2.1  
Packing group : Not assigned by regulation  
Labels : 2.1  
EmS Code : F-D, S-U  
Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

# SAFETY DATA SHEET



## Oxytetracycline Formulation

Version 8.0 Revision Date: 2025/04/14 SDS Number: 671607-00023 Date of last issue: 2025/02/07 Date of first issue: 2016/05/12

---

### 15. REGULATORY INFORMATION

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.**

**Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health**

Hazardous substances that must be registered : Not applicable

**Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances**

Hazardous substances approved for use : Butane  
Propan-2-ol  
Propane

Prohibited substances : Not applicable

Restricted substances : Not applicable

**Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials**

Type of hazardous materials subject to distribution and control, Annex I : Not applicable

Type of hazardous materials subject to distribution and control, Annex II : Not applicable

**The components of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

---

### 16. OTHER INFORMATION

Revision Date : 2025/04/14

**Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

**Full text of other abbreviations**

# SAFETY DATA SHEET



## Oxytetracycline Formulation

Version 8.0	Revision Date: 2025/04/14	SDS Number: 671607-00023	Date of last issue: 2025/02/07 Date of first issue: 2016/05/12
----------------	------------------------------	-----------------------------	---

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	: ACGIH - Biological Exposure Indices (BEI)
ID OEL	: Indonesia. Occupational Exposure Limits
ACGIH / TWA	: 8-hour, time-weighted average
ACGIH / STEL	: Short-term exposure limit
ID OEL / NAB	: Long term exposure limit
ID OEL / PSD	: Short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN