

# SAFETY DATA SHEET



## Fluralaner / Diethyltoluamide Liquid Formulation

Version  
19.1

Revision Date:  
2025/10/02

SDS Number:  
412184-00031

Date of last issue: 2025/04/14  
Date of first issue: 2016/01/15

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Fluralaner / Diethyltoluamide Liquid Formulation

Other means of identification : BRAVECTO SPOT-ON (A011261)  
BRAVECTO 1000 MG FLURALANER SPOT-ON SOLUTION  
FOR LARGE DOGS (82794)  
BRAVECTO 112.5 MG FLURALANER SPOT-ON SOLUTION  
FOR SMALL CATS (82807)  
BRAVECTO 112.5 MG FLURALANER SPOT-ON SOLUTION  
FOR VERY SMALL DOGS (82798)  
BRAVECTO 1400 MG FLURALANER SPOT-ON SOLUTION  
FOR VERY LARGE DOGS (82795)  
BRAVECTO 250 MG FLURALANER SPOT-ON SOLUTION  
FOR MEDIUM CATS (82806)  
BRAVECTO 250 MG FLURALANER SPOT-ON SOLUTION  
FOR SMALL DOGS (82797)  
BRAVECTO 500 MG FLURALANER SPOT-ON SOLUTION  
FOR LARGE CATS (82804)  
BRAVECTO 500 MG FLURALANER SPOT-ON SOLUTION  
FOR MEDIUM DOGS (82796)

#### Supplier's company name, address and phone number

Company name of supplier : MSD

Address : 1-13-12, Kudan-kita, Chiyoda-ku, Tokyo, Japan

Telephone : 03-6272-1099

E-mail address : EHSDATASTEWARD@msd.com

Emergency telephone number : +1-908-423-6000

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### 2. HAZARDS IDENTIFICATION

#### GHS classification of chemical product

Flammable liquids : Category 2

Reproductive toxicity : Category 1B

Long-term (chronic) aquatic hazard : Category 1

# SAFETY DATA SHEET



## Fluralaner / Diethyltoluamide Liquid Formula-tion

Version 19.1	Revision Date: 2025/10/02	SDS Number: 412184-00031	Date of last issue: 2025/04/14 Date of first issue: 2016/01/15
-----------------	------------------------------	-----------------------------	---

### GHS label elements

Hazard pictograms	:	  
Signal word	:	Danger
Hazard statements	:	H225 Highly flammable liquid and vapour. H360D May damage the unborn child. H410 Very toxic to aquatic life with long lasting effects.
Precautionary statements	:	<p><b>Prevention:</b></p> <p>P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P241 Use explosion-proof electrical/ ventilating/ lighting equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p><b>Response:</b></p> <p>P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P391 Collect spillage.</p> <p><b>Storage:</b></p> <p>P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up.</p> <p><b>Disposal:</b></p> <p>P501 Dispose of contents/ container to an approved waste disposal plant.</p>

### Other hazards which do not result in classification

Important symptoms and out-lines of the emergency as-sumed	:	Vapours may form explosive mixture with air.
--	---	--

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Mixture
---------------------	---	---------

**Fluralaner / Diethyltoluamide Liquid Formula-tion**Version  
19.1Revision Date:  
2025/10/02SDS Number:  
412184-00031Date of last issue: 2025/04/14  
Date of first issue: 2016/01/15**Components**

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
N,N-Dimethylacetamide	127-19-5	32	2-723
Fluralaner	864731-61-3	>= 25 - < 30	
Poly(oxy-1,2-ethanediyl), .alpha.-[(tetrahydro-2-furanyl)methyl]-.omega.-hydroxy-	31692-85-0	>= 10 - < 20	-
N,N-Diethyl-m-toluamide	134-62-3	>= 10 - < 20	3-1321
Acetone	67-64-1	10.7	2-542

**4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.  
If vomiting occurs have person lean forward.  
Call a physician or poison control centre immediately.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed : May damage the unborn child.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

**5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : High volume water jet

**Fluralaner / Diethyltoluamide Liquid Formula-tion**Version  
19.1Revision Date:  
2025/10/02SDS Number:  
412184-00031Date of last issue: 2025/04/14  
Date of first issue: 2016/01/15

---

Specific hazards during fire-fighting	: Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapours may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Chlorine compounds Fluorine compounds Nitrogen oxides (NOx)
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

**6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures	: Remove all sources of ignition. Ventilate the area. Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	: Non-sparking tools should be used. Soak up with inert absorbent material. Suppress (knock down) gases/vapours/mists with a water spray jet. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding

**Fluralaner / Diethyltoluamide Liquid Formula-tion**

Version 19.1	Revision Date: 2025/10/02	SDS Number: 412184-00031	Date of last issue: 2025/04/14 Date of first issue: 2016/01/15
-----------------	------------------------------	-----------------------------	---

certain local or national requirements.

---

**7. HANDLING AND STORAGE****Handling**

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.  
Use explosion-proof electrical, ventilating and lighting equipment.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe vapours or spray mist.  
Do not swallow.  
Avoid contact with eyes.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Non-sparking tools should be used.  
Keep container tightly closed.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Take precautionary measures against static discharges.  
Take care to prevent spills, waste and minimize release to the environment.

Avoidance of contact : Oxidizing agents

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

**Storage**

Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.  
Keep in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.  
Keep away from heat and sources of ignition.

Materials to avoid : Do not store with the following product types:  
Oxidizing solids  
Oxidizing liquids

Packaging material : Unsuitable material: None known.

# SAFETY DATA SHEET



## Fluralaner / Diethyltoluamide Liquid Formula-tion

Version  
19.1

Revision Date:  
2025/10/02

SDS Number:  
412184-00031

Date of last issue: 2025/04/14  
Date of first issue: 2016/01/15

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Threshold limit value and permissible exposure limits for each component in the work environment**

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Concentra- tion standard / Permissible con- centration	Basis
N,N-Dimethylacetamide	127-19-5	ACL	10 ppm	JP OEL ISHL
		OEL-M	5 ppm 18 mg/m <sup>3</sup>	JP OEL JSOH
	Further information: Group 2: Substances presumed to cause reproductive toxicity in humans, Skin absorption, Group 2B: possibly carcinogenic to humans			
		8h-OEL-M	5 ppm	JP ISHL OEL 577-2(2)
		TWA	10 ppm	ACGIH
Fluralaner	864731-61-3	TWA	100 µg/m <sup>3</sup> (OEB 2)	Internal
	Further information: Skin			
		Wipe limit	1000 µg/100 cm <sup>2</sup>	Internal
Acetone	67-64-1	ACL	500 ppm	JP OEL ISHL
		OEL-M	200 ppm 475 mg/m <sup>3</sup>	JP OEL JSOH
		TWA	250 ppm	ACGIH
		STEL	500 ppm	ACGIH

**Biological occupational exposure limits**

Components	CAS-No.	Target sub- stance	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
N,N-Dimethylacetamide	127-19-5	N- Methyla- acetamide	Urine	End of shift at end of work- week	30 mg/g creatinine	ACGIH BEI
Acetone	67-64-1	Acetone	Urine	Within 2 h prior to end of shift	40 mg/l	JSOH
		Acetone	Urine	End of shift (As soon as possible after exposure ceases)	25 mg/l	ACGIH BEI

**Engineering measures** : Use appropriate engineering controls and manufacturing

**Fluralaner / Diethyltoluamide Liquid Formula-tion**Version  
19.1Revision Date:  
2025/10/02SDS Number:  
412184-00031Date of last issue: 2025/04/14  
Date of first issue: 2016/01/15

technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Laboratory operations do not require special containment.

Use explosion-proof electrical, ventilating and lighting equipment.

**Personal protective equipment**

Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	: Self-contained breathing apparatus
Hand protection	
Material	: Chemical-resistant gloves
Remarks	: Take note that the product is flammable, which may impact the selection of hand protection. Impermeable protective gloves
Eye protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical state	: liquid
Colour	: yellow
Odour	: No data available
Odour Threshold	: No data available
Melting point/freezing point	: No data available
Boiling point, initial boiling point and boiling range	: 103 °C
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: Not applicable
Lower explosion limit and upper explosion limit / flammability limit	
Upper explosion limit / Up- per flammability limit	: No data available

# SAFETY DATA SHEET



## Fluralaner / Diethyltoluamide Liquid Formula-tion

Version  
19.1

Revision Date:  
2025/10/02

SDS Number:  
412184-00031

Date of last issue: 2025/04/14  
Date of first issue: 2016/01/15

---

Lower explosion limit / Lower flammability limit	: No data available
Flash point	: 7 °C
Decomposition temperature	: No data available
pH	: No data available
Evaporation rate	: No data available
Auto-ignition temperature	: No data available
Viscosity Viscosity, kinematic	: No data available
Solubility(ies) Water solubility	: No data available
Partition coefficient: n-octanol/water	: Not applicable
Vapour pressure	: 67 hPa (20 °C)
Density and / or relative density Relative density	: No data available
Density	: 1.059 g/cm³
Relative vapour density	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Molecular weight	: No data available
Particle characteristics Particle size	: Not applicable

---

## 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Highly flammable liquid and vapour. Vapours may form explosive mixture with air. Can react with strong oxidizing agents.

**Fluralaner / Diethyltoluamide Liquid Formula-tion**Version  
19.1Revision Date:  
2025/10/02SDS Number:  
412184-00031Date of last issue: 2025/04/14  
Date of first issue: 2016/01/15

---

Conditions to avoid	: Heat, flames and sparks.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

---

**11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Product:**

Acute oral toxicity	: LD50 (Rat): > 2,000 mg/kg Remarks: No mortality observed at this dose.
Acute inhalation toxicity	: Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	: LD50 (Rat): > 2,000 mg/kg Symptoms: Erythema

**Components:****N,N-Dimethylacetamide:**

Acute oral toxicity	: LD50 (Rat): 4,800 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 2.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: Acute toxicity estimate: 1,100 mg/kg Method: Expert judgement Remarks: Based on national or regional regulation.

**Fluralaner:**

Acute oral toxicity	: LD50 (Rat): > 2,000 mg/kg Remarks: No mortality observed at this dose. No significant adverse effects were reported
Acute dermal toxicity	: LD50 (Rat): > 2,000 mg/kg Remarks: No significant adverse effects were reported

**Poly(oxy-1,2-ethanediyl), .alpha.-[(tetrahydro-2-furanyl)methyl]-.omega.-hydroxy-:**

Acute oral toxicity : LD50 (Rat, female): > 2,000 mg/kg

**Fluralaner / Diethyltoluamide Liquid Formula-tion**Version  
19.1Revision Date:  
2025/10/02SDS Number:  
412184-00031Date of last issue: 2025/04/14  
Date of first issue: 2016/01/15

Method: OECD Test Guideline 423

Remarks: Based on data from similar materials

**N,N-Diethyl-m-toluamide:**

Acute oral toxicity : LD50 (Rat): 1,892 mg/kg

Acute inhalation toxicity : LC50 (Rat): 5.95 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): 5,000 mg/kg

**Acetone:**

Acute oral toxicity : LD50 (Rat): 5,800 mg/kg

Acute inhalation toxicity : LC50 (Rat): 76 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): 7,426 mg/kg

**Skin corrosion/irritation**

Not classified based on available information.

**Product:**

Species : Rabbit

Result : No skin irritation

**Components:****N,N-Dimethylacetamide:**

Species : Rabbit

Result : No skin irritation

**Fluralaner:**

Species : Rabbit

Result : No skin irritation

**Poly(oxy-1,2-ethanediyl), .alpha.-[(tetrahydro-2-furanyl)methyl]-.omega.-hydroxy-:**

Species : reconstructed human epidermis (RhE)

Method : OECD Test Guideline 439

Remarks : Based on data from similar materials

Result : No skin irritation

**N,N-Diethyl-m-toluamide:**

Species : Rabbit

Result : No skin irritation

**Fluralaner / Diethyltoluamide Liquid Formula-tion**Version  
19.1Revision Date:  
2025/10/02SDS Number:  
412184-00031Date of last issue: 2025/04/14  
Date of first issue: 2016/01/15**Acetone:**

Assessment : Repeated exposure may cause skin dryness or cracking.

**Serious eye damage/eye irritation**

Not classified based on available information.

**Product:**Species : Rabbit  
Result : No eye irritation**Components:****N,N-Dimethylacetamide:**Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days**Fluralaner:**Species : Rabbit  
Result : Mild eye irritation**Poly(oxy-1,2-ethanediyl), .alpha.-[(tetrahydro-2-furanyl)methyl]-.omega.-hydroxy-:**Species : Tissue Culture  
Method : OECD Test Guideline 492  
Remarks : Based on data from similar materials  
  
Species : Bovine cornea  
Method : OECD Test Guideline 437  
Remarks : Based on data from similar materials  
  
Result : Irritation to eyes, reversing within 21 days**N,N-Diethyl-m-toluamide:**Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days  
Remarks : Based on national or regional regulation.**Acetone:**Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days  
Method : OECD Test Guideline 405**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Fluralaner / Diethyltoluamide Liquid Formula-tion**Version  
19.1Revision Date:  
2025/10/02SDS Number:  
412184-00031Date of last issue: 2025/04/14  
Date of first issue: 2016/01/15**Respiratory sensitisation**

Not classified based on available information.

**Product:**

Test Type : Maximisation Test  
Exposure routes : Dermal  
Species : Guinea pig  
Assessment : Does not cause skin sensitisation.  
Result : negative

**Components:****N,N-Dimethylacetamide:**

Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative

**Fluralaner:**

Test Type : Maximisation Test  
Exposure routes : Dermal  
Species : Guinea pig  
Result : Not a skin sensitizer.

**Poly(oxy-1,2-ethanediyl), .alpha.-[(tetrahydro-2-furanyl)methyl]-.omega.-hydroxy-:**

Test Type : KeratinoSens assay  
Method : OECD Test Guideline 442D  
Result : negative  
Remarks : Based on data from similar materials

Test Type : Direct Peptide Reactivity Assay (DPRA)  
Method : OECD Test Guideline 442C  
Result : positive  
Remarks : Based on data from similar materials

Test Type : Dendritic cell activation test  
Method : OECD Test Guideline 442E  
Result : negative  
Remarks : Based on data from similar materials

**Acetone:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative

**Germ cell mutagenicity**

Not classified based on available information.

**Fluralaner / Diethyltoluamide Liquid Formula-tion**

Version 19.1      Revision Date: 2025/10/02      SDS Number: 412184-00031      Date of last issue: 2025/04/14  
Date of first issue: 2016/01/15

---

**Components:****N,N-Dimethylacetamide:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Rodent dominant lethal test (germ cell) (in vivo)  
Species: Rat  
Application Route: Inhalation  
Method: OECD Test Guideline 478  
Result: negative

**Fluralaner:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Mouse Lymphoma  
Result: negative

Test Type: Chromosomal aberration  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Cell type: Bone marrow  
Application Route: Oral  
Result: negative

**Poly(oxy-1,2-ethanediyl), .alpha.-[(tetrahydro-2-furanyl)methyl]-.omega.-hydroxy-:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: Based on data from similar materials

**N,N-Diethyl-m-toluamide:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

**Acetone:**

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)

**Fluralaner / Diethyltoluamide Liquid Formula-tion**Version  
19.1Revision Date:  
2025/10/02SDS Number:  
412184-00031Date of last issue: 2025/04/14  
Date of first issue: 2016/01/15

Species: Mouse  
Application Route: Ingestion  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****N,N-Dimethylacetamide:**

Species : Rat  
Application Route : inhalation (vapour)  
Exposure time : 18 month(s)  
Result : negative

**Fluralaner:**

Carcinogenicity - Assessment : No data available

**N,N-Diethyl-m-toluamide:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 104 weeks  
Result : negative

**Acetone:**

Species : Mouse  
Application Route : Skin contact  
Exposure time : 424 days  
Result : negative

**Reproductive toxicity**

May damage the unborn child.

**Components:****N,N-Dimethylacetamide:**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Inhalation  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Inhalation  
Result: positive

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

# SAFETY DATA SHEET



## Fluralaner / Diethyltoluamide Liquid Formula-tion

Version  
19.1

Revision Date:  
2025/10/02

SDS Number:  
412184-00031

Date of last issue: 2025/04/14  
Date of first issue: 2016/01/15

### Fluralaner:

#### Effects on fertility

: Test Type: Two-generation study  
Species: Rat  
Application Route: Oral  
General Toxicity - Parent: NOAEL: 50 mg/kg body weight  
General Toxicity F1: LOAEL: 100 mg/kg body weight  
Result: No effects on fertility, Postimplantation loss., Adverse neonatal effects.

#### Effects on foetal development

: Test Type: Development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: NOAEL: 100 mg/kg body weight  
Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses, No teratogenic effects

Test Type: Development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 10 mg/kg body weight  
Result: Skeletal malformations, Visceral malformations  
Remarks: Maternal toxicity observed.

Test Type: Development  
Species: Rabbit  
Application Route: Dermal  
Developmental Toxicity: NOAEL: 100 mg/kg body weight  
Result: Skeletal malformations

#### Reproductive toxicity - Assessment

: Suspected of damaging the unborn child.

### N,N-Diethyl-m-toluamide:

#### Effects on foetal development

: Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### Acetone:

#### Effects on fertility

: Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

#### Effects on foetal development

: Test Type: Embryo-foetal development  
Species: Rat  
Application Route: inhalation (vapour)  
Result: negative

**Fluralaner / Diethyltoluamide Liquid Formula-tion**Version  
19.1Revision Date:  
2025/10/02SDS Number:  
412184-00031Date of last issue: 2025/04/14  
Date of first issue: 2016/01/15**STOT - single exposure**

Not classified based on available information.

**Components:****Acetone:**

Assessment : May cause drowsiness or dizziness.

**STOT - repeated exposure**

Not classified based on available information.

**Repeated dose toxicity****Components:****N,N-Dimethylacetamide:**

Species	:	Rat
NOAEL	:	90 mg/m3
LOAEL	:	360 mg/m3
Application Route	:	inhalation (vapour)
Exposure time	:	24 Months

**Fluralaner:**

Species	:	Dog
NOAEL	:	1 mg/kg
Application Route	:	Oral
Exposure time	:	52 Weeks
Target Organs	:	Liver
Remarks	:	No significant adverse effects were reported

Species	:	Rat
LOAEL	:	400 mg/kg
Application Route	:	Oral
Exposure time	:	90 Days
Target Organs	:	Liver, thymus gland

Species	:	Rat
NOAEL	:	500 mg/kg
Application Route	:	Dermal
Exposure time	:	90 Days
Target Organs	:	Liver
Remarks	:	No significant adverse effects were reported

**Acetone:**

Species	:	Rat
NOAEL	:	900 mg/kg
LOAEL	:	1,700 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days

Species	:	Rat
NOAEL	:	45 mg/l

# SAFETY DATA SHEET



## Fluralaner / Diethyltoluamide Liquid Formula-tion

Version  
19.1

Revision Date:  
2025/10/02

SDS Number:  
412184-00031

Date of last issue: 2025/04/14  
Date of first issue: 2016/01/15

---

Application Route : inhalation (vapour)  
Exposure time : 8 Weeks

### Aspiration toxicity

Not classified based on available information.

### Components:

#### **Fluralaner:**

Not applicable

#### **Acetone:**

The substance or mixture causes concern owing to the assumption that it causes a human aspiration toxicity hazard.

### Experience with human exposure

#### Product:

Skin contact : Remarks: May irritate skin.  
Eye contact : Remarks: May cause eye irritation.

### Components:

#### **Fluralaner:**

Skin contact : Remarks: May irritate skin.  
Eye contact : Remarks: May cause eye irritation.

---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### **N,N-Dimethylacetamide:**

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 500 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 500 mg/l  
Exposure time: 48 h  
Method: Directive 67/548/EEC, Annex V, C.2.

Toxicity to algae/aquatic plants : EC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l  
Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)): > 500 mg/l  
Exposure time: 72 h

Toxicity to microorganisms : EC10: > 1,995 mg/l

**Fluralaner / Diethyltoluamide Liquid Formula-tion**Version  
19.1Revision Date:  
2025/10/02SDS Number:  
412184-00031Date of last issue: 2025/04/14  
Date of first issue: 2016/01/15

Exposure time: 30 min

**Fluralaner:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.0488 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0.015 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: No toxicity at the limit of solubility

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): >= 0.08 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility

Toxicity to fish (Chronic toxicity) : NOEC (Zebrafish): >= 0.049 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 204  
Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.0736 µg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1,000

**Poly(oxy-1,2-ethanediyl), .alpha.-[(tetrahydro-2-furanyl)methyl]-.omega.-hydroxy-:**

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

**N,N-Diethyl-m-toluamide:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 97 mg/l  
Exposure time: 96 h

**Fluralaner / Diethyltoluamide Liquid Formula-tion**Version  
19.1Revision Date:  
2025/10/02SDS Number:  
412184-00031Date of last issue: 2025/04/14  
Date of first issue: 2016/01/15

Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 75 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Selenastrum capricornutum (green algae)): 41 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Selenastrum capricornutum (green algae)): 7.6 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 3.7 mg/l  
Exposure time: 21 d

**Acetone:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 5,540 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia pulex (Water flea)): 8,800 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 7,000 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): >= 79 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50: 61,150 mg/l  
Exposure time: 30 min  
Method: ISO 8192

**Persistence and degradability****Components:****N,N-Dimethylacetamide:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 70 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C  
Remarks: The test was conducted equivalent or similar to guideline

**Poly(oxy-1,2-ethanediyl), .alpha.-[(tetrahydro-2-furanyl)methyl]-.omega.-hydroxy-:**

Biodegradability : Result: Not readily biodegradable.  
Method: OECD Test Guideline 301F  
Remarks: Based on data from similar materials

**Fluralaner / Diethyltoluamide Liquid Formula-tion**Version  
19.1Revision Date:  
2025/10/02SDS Number:  
412184-00031Date of last issue: 2025/04/14  
Date of first issue: 2016/01/15**N,N-Diethyl-m-toluamide:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 83.8 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

**Acetone:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 91 %  
Exposure time: 28 d

**Bioaccumulative potential****Components:****Fluralaner:**

Bioaccumulation : Species: Zebrafish  
Bioconcentration factor (BCF): 79.4  
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4.5

**Poly(oxy-1,2-ethanediyl), .alpha.-[(tetrahydro-2-furanyl)methyl]-.omega.-hydroxy-:**

Partition coefficient: n-octanol/water : log Pow: < 4  
Remarks: Calculation

**N,N-Diethyl-m-toluamide:**

Partition coefficient: n-octanol/water : log Pow: 2.02

**Acetone:**

Partition coefficient: n-octanol/water : log Pow: -0.27 - -0.23

**Mobility in soil****Components:****Fluralaner:**

Distribution among environmental compartments : log Koc: 4.1

**Hazardous to the ozone layer**

Not applicable

**Other adverse effects****Components:****Fluralaner:**

# SAFETY DATA SHEET



## Fluralaner / Diethyltoluamide Liquid Formula-tion

Version  
19.1

Revision Date:  
2025/10/02

SDS Number:  
412184-00031

Date of last issue: 2025/04/14  
Date of first issue: 2016/01/15

Results of PBT and vPvB assessment : Not persistent, bioaccumulative, and toxic (PBT).

### 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Waste from residues : Dispose of in accordance with local regulations.  
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Empty containers retain residue and can be dangerous.  
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.  
If not otherwise specified: Dispose of as unused product.

### 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 1090  
Proper shipping name : ACETONE SOLUTION  
Class : 3  
Packing group : II  
Labels : 3  
Environmentally hazardous : yes

##### IATA-DGR

UN/ID No. : UN 1090  
Proper shipping name : Acetone solution  
Class : 3  
Packing group : II  
Labels : Flammable Liquids  
Packing instruction (cargo aircraft) : 364  
Packing instruction (passenger aircraft) : 353

##### IMDG-Code

UN number : UN 1090  
Proper shipping name : ACETONE SOLUTION (Fluralaner)  
Class : 3  
Packing group : II  
Labels : 3  
EmS Code : F-E, S-D  
Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

Refer to section 15 for specific national regulation.

# SAFETY DATA SHEET



## Fluralaner / Diethyltoluamide Liquid Formula-tion

Version  
19.1

Revision Date:  
2025/10/02

SDS Number:  
412184-00031

Date of last issue: 2025/04/14  
Date of first issue: 2016/01/15

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**ERG Code** : 127

## 15. REGULATORY INFORMATION

### Related Regulations

#### Fire Service Law

Group 4, Type 1 petroleums, Water insoluble liquid, (200 litre), Hazardous rank II

#### Chemical Substance Control Law

Priority Assessment Chemical Substance

Chemical name	Number
N,N-Dimethylacetamide	277

#### Industrial Safety and Health Law

##### Harmful Substances Prohibited from Manufacture

Not applicable

##### Harmful Substances Required Permission for Manufacture

Not applicable

##### Substances Prevented From Impairment of Health

Chemical name
N,N-dimethylacetamide

##### Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

##### Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

### Substances Subject to be Notified Names

#### Law Article 57-2 (Ministerial Order Article 34-2 Appended Table 2)

Chemical name	Concentration (%)	Remarks
N,N-Dimethylacetamide	>=30 - <40	-
N,N-Diethyl-3-methylbenzamide	>=10 - <20	From April 1st, 2026
Acetone	10.7	-

### Substances Subject to be Indicated Names

#### Law Article 57 (Ministerial Order Article 30 Appended Table 2)

Chemical name	Remarks
N,N-Dimethylacetamide	-
N,N-Diethyl-3-methylbenzamide	From April 1st, 2026
Acetone	-

# SAFETY DATA SHEET



## Fluralaner / Diethyltoluamide Liquid Formula-tion

Version  
19.1

Revision Date:  
2025/10/02

SDS Number:  
412184-00031

Date of last issue: 2025/04/14  
Date of first issue: 2016/01/15

### Skin and Eye Damage Substances (ISHL MO Art. 594-2)

Chemical name
---------------

N,N-Dimethylacetamide
-----------------------

### Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regula-tions)

Chemical name
---------------

N,N-dimethylacetamide
-----------------------

### Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

### Ordinance on Prevention of Lead Poisoning

Not applicable

### Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

### Ordinance on Prevention of Organic Solvent Poisoning

Organic Solvents Class 2

### Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Inflammable Substance

### Poisonous and Deleterious Substances Control Law

Not applicable

### Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the En-vironment and Promotion of Improvements to the Management Thereof

### Class I Designated Chemical Substances

Chemical name	Administration number	Concentration (%)
N,N-Dimethylacetamide	213	32

### High Pressure Gas Safety Act

Not applicable

### Explosive Control Law

Not applicable

### Vessel Safety Law

Flammable liquids (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

### Aviation Law

Flammable liquid (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

### Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Noxious liquid substance(Category Z)

Pack transportation : Classified as marine pollutant

### Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission)

# SAFETY DATA SHEET



## Fluralaner / Diethyltoluamide Liquid Formula-tion

Version  
19.1

Revision Date:  
2025/10/02

SDS Number:  
412184-00031

Date of last issue: 2025/04/14  
Date of first issue: 2016/01/15

---

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

### Waste Disposal and Public Cleansing Law

Specially Controlled Industrial Waste

### The components of this product are reported in the following inventories:

AICS : not determined

CA. DSL : not determined

IECSC : not determined

---

## 16. OTHER INFORMATION

In this SDS, if the concentration of substances subject to notification under the Industrial Safety and Health Law is indicated as a range, it includes cases where it is a trade secret.

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

### Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	: ACGIH - Biological Exposure Indices (BEI)
JP ISHL OEL 577-2(2)	: Concentration standard (Value set by the Minister of Health, Labour and Welfare stipulated under the Ministerial Ordinance Article 577-2(2))
JP OEL ISHL	: Japan. Administrative Control Levels
JP OEL JSOH	: Japan. The Japan Society for Occupational Health. Recommendation of Occupational Exposure Limits
JSOH	: Occupational exposure limits based on biological monitoring (JSOH).
ACGIH / TWA	: 8-hour, time-weighted average
ACGIH / STEL	: Short-term exposure limit
JP ISHL OEL 577-2(2) / 8h-OEL-M	: 8-hour Occupational Exposure Limit-Mean
JP OEL ISHL / ACL	: Administrative Control level
JP OEL JSOH / OEL-M	: Occupational Exposure Limit-Mean

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonised Sys-

# SAFETY DATA SHEET



## Fluralaner / Diethyltoluamide Liquid Formula-tion

Version  
19.1

Revision Date:  
2025/10/02

SDS Number:  
412184-00031

Date of last issue: 2025/04/14  
Date of first issue: 2016/01/15

---

tem; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organisation; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardisation; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MERCOSUR - The Agreement for the Facilitation of the Transport of Dangerous Goods; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organisation for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN