

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Flunixin Liquid Formulation

Version
6.14

Revision Date:
14.04.2025

SDS Number:
493854-00027

Date of last issue: 28.09.2024
Date of first issue: 28.01.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Flunixin Liquid Formulation

Other means of identification : FINADYNE TRANSDERMAL (A11281)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Veterinary product

Recommended restrictions on use : Not applicable

1.3 Details of the supplier of the safety data sheet

Company : MSD
Kilsheelan
Clonmel Tipperary, IE

Telephone : 353-51-601000

E-mail address of person responsible for the SDS : EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4

H302: Harmful if swallowed.

Acute toxicity, Category 3

H331: Toxic if inhaled.

Serious eye damage, Category 1

H318: Causes serious eye damage.

Reproductive toxicity, Category 1B

H360FD: May damage fertility. May damage the unborn child.

Specific target organ toxicity - repeated exposure, Category 2

H373: May cause damage to organs through prolonged or repeated exposure.

Long-term (chronic) aquatic hazard, Category 3

H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Flunixin Liquid Formulation

| | | | |
|-----------------|------------------------------|-----------------------------|---|
| Version 6.14 | Revision Date: 14.04.2025 | SDS Number: 493854-00027 | Date of last issue: 28.09.2024 Date of first issue: 28.01.2016 |
|-----------------|------------------------------|-----------------------------|---|

| | | |
|--------------------------|---|---|
| Hazard pictograms | : | |
| Signal word | : | Danger |
| Hazard statements | : | H302 Harmful if swallowed. H318 Causes serious eye damage. H331 Toxic if inhaled. H360FD May damage fertility. May damage the unborn child. H373 May cause damage to organs through prolonged or repeated exposure. H412 Harmful to aquatic life with long lasting effects. |
| Precautionary statements | : | <p>Prevention:</p> <p>P201 Obtain special instructions before use. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>Response:</p> <p>P304 + P340 + P311 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P308 + P313 IF exposed or concerned: Get medical advice/ attention.</p> |

Hazardous components which must be listed on the label:

2-Pyrrolidone

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Flunixin Liquid Formulation

Version
6.14

Revision Date:
14.04.2025

SDS Number:
493854-00027

Date of last issue: 28.09.2024
Date of first issue: 28.01.2016

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

| Chemical name | CAS-No. EC-No. Index-No. Registration number | Classification | Concentration (% w/w) |
|---|---|---|--------------------------|
| L-Menthol | 2216-51-5 218-690-9 | Skin Irrit. 2; H315 Eye Irrit. 2; H319 specific concentra- tion limit Skin Irrit. 2; H315 > 25 % Eye Irrit. 2; H319 > 25 % | >= 10 - < 20 |
| 2-Pyrrolidone | 616-45-5 210-483-1 | Eye Irrit. 2; H319 Repr. 1B; H360FD specific concentra- tion limit Repr. 1B; H360FD > 3 % | >= 10 - < 20 |
| 1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3- (perfluoromethyl)anilino]nicotinate | 42461-84-7 255-836-0 | Acute Tox. 3; H301 Acute Tox. 2; H330 Eye Dam. 1; H318 STOT SE 3; H335 STOT RE 1; H372 (Gastrointestinal tract, Kidney, Blood) Aquatic Chronic 2; H411 | >= 3 - < 10 |

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.

When symptoms persist or in all cases of doubt seek medical advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Flunixin Liquid Formulation

Version
6.14

Revision Date:
14.04.2025

SDS Number:
493854-00027

Date of last issue: 28.09.2024
Date of first issue: 28.01.2016

when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention immediately.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Harmful if swallowed.
Causes serious eye damage.
Toxic if inhaled.
May damage fertility. May damage the unborn child.
May cause damage to organs through prolonged or repeated exposure.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Flunixin Liquid Formulation

Version
6.14

Revision Date:
14.04.2025

SDS Number:
493854-00027

Date of last issue: 28.09.2024
Date of first issue: 28.01.2016

Hazardous combustion products : Carbon oxides
Fluorine compounds
Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Flunixin Liquid Formulation

Version
6.14

Revision Date:
14.04.2025

SDS Number:
493854-00027

Date of last issue: 28.09.2024
Date of first issue: 28.01.2016

SECTION 7: Handling and storage

7.1 Precautions for safe handling

| | |
|-------------------------|--|
| Technical measures | : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section. |
| Local/Total ventilation | : If sufficient ventilation is unavailable, use with local exhaust ventilation. |
| Advice on safe handling | : Do not get on skin or clothing. Do not breathe mist or vapours. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment. |
| Hygiene measures | : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |

7.2 Conditions for safe storage, including any incompatibilities

| | |
|---|--|
| Requirements for storage areas and containers | : Keep in properly labelled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. |
| Advice on common storage | : Do not store with the following product types: Strong oxidizing agents Self-reactive substances and mixtures Organic peroxides Explosives Gases |

7.3 Specific end use(s)

| | |
|-----------------|---------------------|
| Specific use(s) | : No data available |
|-----------------|---------------------|

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

| Components | CAS-No. | Value type (Form) | Control parameters | Basis |
|------------|---------|-------------------|--------------------|-------|
|------------|---------|-------------------|--------------------|-------|

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Flunixin Liquid Formulation

Version
6.14

Revision Date:
14.04.2025

SDS Number:
493854-00027

Date of last issue: 28.09.2024
Date of first issue: 28.01.2016

| | | of exposure) | | |
|---|---------------------------|--------------|----------------------------|----------|
| 1-deoxy-1- (methylamino)-D- glucitol 2-[2- methyl-3- (perfluorome- thyl)anilino]nicotina te | 42461-84-7 | TWA | 40 µg/m3 (OEB 3) | Internal |
| | Further information: Skin | | | |
| | | Wipe limit | 400 µg/100 cm ² | Internal |

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

| Substance name | End Use | Exposure routes | Potential health effects | Value |
|----------------|-----------|-----------------|----------------------------|-------------------|
| 2-Pyrrolidone | Workers | Inhalation | Long-term systemic effects | 57,8 mg/m3 |
| | Workers | Skin contact | Long-term systemic effects | 10 mg/kg bw/day |
| | Workers | Skin contact | Acute systemic effects | 277 mg/kg bw/day |
| | Consumers | Inhalation | Long-term systemic effects | 17,1 mg/m3 |
| | Consumers | Skin contact | Long-term systemic effects | 6 mg/kg bw/day |
| | Consumers | Skin contact | Acute systemic effects | 167 mg/kg bw/day |
| | Consumers | Ingestion | Long-term systemic effects | 5,2 mg/kg bw/day |
| | Consumers | Ingestion | Acute systemic effects | 33,3 mg/kg bw/day |
| L-Menthol | Workers | Inhalation | Long-term systemic effects | 132 mg/m3 |
| | Workers | Skin contact | Long-term systemic effects | 19 mg/kg bw/day |
| | Consumers | Inhalation | Long-term systemic effects | 33 mg/m3 |
| | Workers | Inhalation | Long-term local effects | 10 mg/m3 |
| | Consumers | Inhalation | Long-term local effects | 1,7 mg/m3 |
| | Consumers | Skin contact | Long-term systemic effects | 9,4 mg/kg bw/day |
| | Consumers | Ingestion | Long-term systemic effects | 9,4 mg/kg bw/day |

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

| Substance name | Environmental Compartment | Value |
|---|---------------------------|--------------|
| Decanoic acid, mixed diesters with octanoic acid and propylene glycol | Soil | 0,2638 mg/kg |
| 2-Pyrrolidone | Fresh water | 0,5 mg/l |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Flunixin Liquid Formulation

Version
6.14

Revision Date:
14.04.2025

SDS Number:
493854-00027

Date of last issue: 28.09.2024
Date of first issue: 28.01.2016

| | | |
|-----------|---------------------------|--------------------------------|
| | Freshwater - intermittent | 0,5 mg/l |
| | Marine water | 0,05 mg/l |
| | Sewage treatment plant | 10 mg/l |
| | Fresh water sediment | 0,4205 mg/kg dry weight (d.w.) |
| | Soil | 0,0612 mg/kg dry weight (d.w.) |
| L-Menthol | Fresh water | 15,6 µg/l |
| | Marine water | 1,56 µg/l |
| | Intermittent use/release | 156 µg/l |
| | Sewage treatment plant | 2,37 mg/l |
| | Fresh water sediment | 289 µg/l |
| | Marine sediment | 28,9 µg/l |
| | Soil | 48,4 µg/l |

8.2 Exposure controls

Engineering measures

Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Skin and body protection : Work uniform or laboratory coat.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Use appropriate degowning techniques to remove potentially contaminated clothing.

Respiratory protection

: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter should conform to NS EN 14387

Filter type

: Combined particulates and organic vapour type (A-P)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Flunixin Liquid Formulation

Version 6.14 Revision Date: 14.04.2025 SDS Number: 493854-00027 Date of last issue: 28.09.2024
Date of first issue: 28.01.2016

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : liquid

Colour : red

Odour : amine-like

Odour Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : No data available

Viscosity

Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-octanol/water : Not applicable

Vapour pressure : No data available

Relative density : No data available

Density : No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Flunixin Liquid Formulation

| | | | |
|-----------------|------------------------------|-----------------------------|---|
| Version 6.14 | Revision Date: 14.04.2025 | SDS Number: 493854-00027 | Date of last issue: 28.09.2024 Date of first issue: 28.01.2016 |
|-----------------|------------------------------|-----------------------------|---|

Relative vapour density : No data available

Particle characteristics
Particle size : Not applicable

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : No data available

Molecular weight : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Harmful if swallowed.

Toxic if inhaled.

Product:

Acute oral toxicity : Acute toxicity estimate: 638,55 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Flunixin Liquid Formulation

| | | | |
|-----------------|------------------------------|-----------------------------|---|
| Version 6.14 | Revision Date: 14.04.2025 | SDS Number: 493854-00027 | Date of last issue: 28.09.2024 Date of first issue: 28.01.2016 |
|-----------------|------------------------------|-----------------------------|---|

Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 0,6145 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Components:

L-Menthol:

Acute inhalation toxicity : LC50 (Rat): 5,289 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg
Method: OECD Test Guideline 402

2-Pyrrolidone:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 401
Assessment: The substance or mixture has no acute oral toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Acute oral toxicity : LD50 (Rat): 53 - 157 mg/kg
LD50 (Mouse): 176 - 249 mg/kg
LD50 (Guinea pig): 488,3 mg/kg
LD50 (Monkey): 300 mg/kg

Acute inhalation toxicity : LC50 (Rat): < 0,52 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute toxicity (other routes of administration) : LD50 (Rat): 59,4 - 185,3 mg/kg
Application Route: Intraperitoneal
LD50 (Mouse): 164 - 363 mg/kg
Application Route: Intraperitoneal

Skin corrosion/irritation

Not classified based on available information.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Flunixin Liquid Formulation

Version 6.14 Revision Date: 14.04.2025 SDS Number: 493854-00027 Date of last issue: 28.09.2024
Date of first issue: 28.01.2016

Components:

L-Menthol:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

2-Pyrrolidone:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Species : Rabbit
Result : Mild skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

L-Menthol:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Irritation to eyes, reversing within 7 days

2-Pyrrolidone:

Species : Rabbit
Result : Irritation to eyes, reversing within 7 days

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Species : Rabbit
Result : Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

L-Menthol:

Test Type : Local lymph node assay (LLNA)
Exposure routes : Skin contact
Species : Mouse
Method : OECD Test Guideline 429
Result : negative

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Flunixin Liquid Formulation

Version
6.14

Revision Date:
14.04.2025

SDS Number:
493854-00027

Date of last issue: 28.09.2024
Date of first issue: 28.01.2016

2-Pyrrolidone:

Test Type : Local lymph node assay (LLNA)
Exposure routes : Skin contact
Species : Mouse
Method : OECD Test Guideline 429
Result : negative
Remarks : Based on data from similar materials

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Test Type : Maximisation Test
Exposure routes : Dermal
Species : Guinea pig
Assessment : Does not cause skin sensitisation.
Result : negative

Germ cell mutagenicity

Not classified based on available information.

Components:

L-Menthol:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474
Result: negative
Remarks: Based on data from similar materials

2-Pyrrolidone:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Flunixin Liquid Formulation

| | | | |
|-----------------|------------------------------|-----------------------------|---|
| Version 6.14 | Revision Date: 14.04.2025 | SDS Number: 493854-00027 | Date of last issue: 28.09.2024 Date of first issue: 28.01.2016 |
|-----------------|------------------------------|-----------------------------|---|

Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474
Result: negative

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

| | |
|------------------------------------|---|
| Genotoxicity in vitro | : Test Type: Bacterial reverse mutation assay (AMES) Result: negative |
| | Test Type: in vitro assay Test system: mouse lymphoma cells Result: positive |
| | Test Type: Chromosomal aberration Test system: Chinese hamster ovary cells Result: positive |
| | Test Type: in vitro assay Test system: Escherichia coli Result: positive |
| Genotoxicity in vivo | : Test Type: Micronucleus test Species: Mouse Application Route: Oral Result: negative |
| Germ cell mutagenicity- Assessment | : Weight of evidence does not support classification as a germ cell mutagen. |

Carcinogenicity

Not classified based on available information.

Components:

L-Menthol:

| | |
|-------------------|--|
| Species | : Mouse |
| Application Route | : Ingestion |
| Exposure time | : 103 weeks |
| Method | : OECD Test Guideline 453 |
| Result | : negative |
| Remarks | : Based on data from similar materials |

2-Pyrrolidone:

| | |
|-------------------|--|
| Species | : Mouse |
| Application Route | : Ingestion |
| Exposure time | : 18 month(s) |
| Result | : negative |
| Remarks | : Based on data from similar materials |

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

| | |
|---------|-------|
| Species | : Rat |
|---------|-------|

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Flunixin Liquid Formulation

| | | | |
|-----------------|------------------------------|-----------------------------|---|
| Version 6.14 | Revision Date: 14.04.2025 | SDS Number: 493854-00027 | Date of last issue: 28.09.2024 Date of first issue: 28.01.2016 |
|-----------------|------------------------------|-----------------------------|---|

| | | |
|-------------------|---|--|
| Application Route | : | oral (feed) |
| Exposure time | : | 104 w |
| LOAEL | : | 2 mg/kg body weight |
| Result | : | negative |
| Target Organs | : | Gastrointestinal tract |
| Remarks | : | Significant toxicity observed in testing |
| Species | : | Mouse |
| Application Route | : | oral (feed) |
| Exposure time | : | 97 w |
| NOAEL | : | 0,6 mg/kg body weight |
| Result | : | negative |
| Target Organs | : | Gastrointestinal tract |
| Remarks | : | Significant toxicity observed in testing |

Reproductive toxicity

May damage fertility. May damage the unborn child.

Components:

L-Menthol:

| | | |
|-------------------------------|---|--|
| Effects on foetal development | : | Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative |
|-------------------------------|---|--|

2-Pyrrolidone:

| | | |
|----------------------|---|--|
| Effects on fertility | : | Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: positive Remarks: Based on data from similar materials |
|----------------------|---|--|

| | | |
|-------------------------------|---|--|
| Effects on foetal development | : | Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: positive |
|-------------------------------|---|--|

| | | |
|------------------------------------|---|--|
| Reproductive toxicity - Assessment | : | Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments. |
|------------------------------------|---|--|

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

| | | |
|----------------------|---|--|
| Effects on fertility | : | Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Oral General Toxicity - Parent: LOAEL: 1 - 1,5 mg/kg body weight Symptoms: No foetal abnormalities Result: No effects on fertility and early embryonic development were detected. |
|----------------------|---|--|

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Flunixin Liquid Formulation

| | | | |
|-----------------|------------------------------|-----------------------------|---|
| Version 6.14 | Revision Date: 14.04.2025 | SDS Number: 493854-00027 | Date of last issue: 28.09.2024 Date of first issue: 28.01.2016 |
|-----------------|------------------------------|-----------------------------|---|

| | |
|-------------------------------|---|
| Effects on foetal development | : Test Type: Development Species: Rat Application Route: Oral General Toxicity Maternal: LOAEL: 2 mg/kg body weight Embryo-foetal toxicity: NOAEL: 2 mg/kg body weight Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses |
| | Test Type: Embryo-foetal development Species: Rabbit Application Route: Oral General Toxicity Maternal: LOAEL: 3 mg/kg body weight Embryo-foetal toxicity: NOAEL: 3 mg/kg body weight Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses |

STOT - single exposure

Not classified based on available information.

Components:

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

| | |
|------------|-------------------------------------|
| Assessment | : May cause respiratory irritation. |
|------------|-------------------------------------|

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

| | |
|---------------|---|
| Target Organs | : Gastrointestinal tract, Kidney, Blood |
| Assessment | : Causes damage to organs through prolonged or repeated exposure. |

Repeated dose toxicity

Components:

L-Menthol:

| | |
|-------------------|--|
| Species | : Mouse |
| NOAEL | : 1.250 mg/kg |
| Application Route | : Ingestion |
| Exposure time | : 91 Days |
| Method | : OECD Test Guideline 408 |
| Remarks | : Based on data from similar materials |

2-Pyrrolidone:

| | |
|-------------------|-------------|
| Species | : Rat |
| NOAEL | : 207 mg/kg |
| Application Route | : Ingestion |
| Exposure time | : 3 Months |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Flunixin Liquid Formulation

Version 6.14 Revision Date: 14.04.2025 SDS Number: 493854-00027 Date of last issue: 28.09.2024
Date of first issue: 28.01.2016

Method : OECD Test Guideline 408

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Species : Rat
NOAEL : 2 mg/kg
LOAEL : < 4 mg/kg
Application Route : Oral
Exposure time : 6 w
Target Organs : Gastrointestinal tract

Species : Rat
NOAEL : 1 mg/kg
Application Route : Oral
Exposure time : 1 y
Target Organs : Gastrointestinal tract, Kidney

Species : Monkey
NOAEL : 15 mg/kg
Application Route : Oral
Exposure time : 90 d
Target Organs : Gastrointestinal tract, Blood

Species : Rabbit
LOAEL : 80 mg/kg
Application Route : Dermal
Exposure time : 21 d
Symptoms : Severe irritation

Species : Dog
LOAEL : 11 mg/kg
Application Route : Oral
Exposure time : 9 d
Target Organs : Gastrointestinal tract
Symptoms : Vomiting

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Not classified based on available information.

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Flunixin Liquid Formulation

Version
6.14

Revision Date:
14.04.2025

SDS Number:
493854-00027

Date of last issue: 28.09.2024
Date of first issue: 28.01.2016

Experience with human exposure

Components:

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

| | |
|--------------|--|
| Inhalation | : Symptoms: respiratory tract irritation |
| Skin contact | : Symptoms: Skin irritation |
| Eye contact | : Symptoms: Severe irritation |
| Ingestion | : Symptoms: Gastrointestinal disturbance, bleeding, hypertension, Kidney disorders |

SECTION 12: Ecological information

12.1 Toxicity

Components:

L-Menthol:

| | |
|---|--|
| Toxicity to fish | : LC50 (Danio rerio (zebra fish)): 15,6 mg/l Exposure time: 96 h Method: Directive 67/548/EEC, Annex V, C.1. |
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Daphnia magna (Water flea)): 26,6 mg/l Exposure time: 48 h Method: Directive 67/548/EEC, Annex V, C.2. |
| Toxicity to algae/aquatic plants | : EC50 (Desmodesmus subspicatus (green algae)): 21,4 mg/l Exposure time: 72 h Method: Directive 67/548/EEC, Annex V, C.3. |
| | : NOEC (Desmodesmus subspicatus (green algae)): 9,65 mg/l Exposure time: 72 h Method: Directive 67/548/EEC, Annex V, C.3. |
| Toxicity to microorganisms | : EC50 : 237 mg/l Exposure time: 96 h Test Type: Respiration inhibition of activated sludge Method: OECD Test Guideline 209 |

2-Pyrrolidone:

| | |
|---|--|
| Toxicity to fish | : LC50 (Danio rerio (zebra fish)): > 4.600 - 10.000 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 |
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Daphnia magna (Water flea)): > 500 mg/l Exposure time: 48 h |
| Toxicity to algae/aquatic plants | : ErC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l Exposure time: 72 h |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Flunixin Liquid Formulation

| | | | |
|-----------------|------------------------------|-----------------------------|---|
| Version 6.14 | Revision Date: 14.04.2025 | SDS Number: 493854-00027 | Date of last issue: 28.09.2024 Date of first issue: 28.01.2016 |
|-----------------|------------------------------|-----------------------------|---|

Toxicity to microorganisms : EC50 : > 1.000 mg/l
Exposure time: 30 min
Method: OECD Test Guideline 209

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 28 mg/l
Exposure time: 96 h
Method: FDA 4.11

LC50 (Oncorhynchus mykiss (rainbow trout)): 5,5 mg/l
Exposure time: 96 h
Method: FDA 4.11

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 15 mg/l
Exposure time: 48 h
Method: FDA 4.08

Toxicity to algae/aquatic plants : NOEC (Microcystis aeruginosa (blue-green algae)): 97 mg/l
Exposure time: 13 d
Method: FDA 4.01

NOEC (Selenastrum capricornutum (green algae)): 96 mg/l
Exposure time: 12 d

12.2 Persistence and degradability

Components:

L-Menthol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 64 %
Exposure time: 28 d
Method: OECD Test Guideline 301D

2-Pyrrolidone:

Biodegradability : Result: Readily biodegradable.
Remarks: Based on data from similar materials

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Stability in water : Hydrolysis: 0 %(28 d)

12.3 Bioaccumulative potential

Components:

L-Menthol:

Bioaccumulation : Species: Cyprinus carpio (Carp)
Exposure time: 6 Weeks
Bioconcentration factor (BCF): 0,5 - 15

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Flunixin Liquid Formulation

Version
6.14

Revision Date:
14.04.2025

SDS Number:
493854-00027

Date of last issue: 28.09.2024
Date of first issue: 28.01.2016

Method: OECD Test Guideline 305

Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: 3,15

2-Pyrrolidone:

Partition coefficient: n-octanol/water : log Pow: -0,71
Method: OECD Test Guideline 107

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Partition coefficient: n-octanol/water : log Pow: 1,34

12.4 Mobility in soil

Components:

1-deoxy-1-(methylamino)-D-glucitol 2-[2-methyl-3-(perfluoromethyl)anilino]nicotinate:

Distribution among environmental compartments : log Koc: 1,92

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Flunixin Liquid Formulation

| | | | |
|-----------------|------------------------------|-----------------------------|---|
| Version 6.14 | Revision Date: 14.04.2025 | SDS Number: 493854-00027 | Date of last issue: 28.09.2024 Date of first issue: 28.01.2016 |
|-----------------|------------------------------|-----------------------------|---|

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.4 Packing group

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Flunixin Liquid Formulation

Version
6.14

Revision Date:
14.04.2025

SDS Number:
493854-00027

Date of last issue: 28.09.2024
Date of first issue: 28.01.2016

SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of H-Statements

H301 : Toxic if swallowed.
H315 : Causes skin irritation.
H318 : Causes serious eye damage.
H319 : Causes serious eye irritation.
H330 : Fatal if inhaled.
H335 : May cause respiratory irritation.
H360FD : May damage fertility. May damage the unborn child.
H372 : Causes damage to organs through prolonged or repeated exposure.
H411 : Toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Aquatic Chronic : Long-term (chronic) aquatic hazard
Eye Dam. : Serious eye damage
Eye Irrit. : Eye irritation
Repr. : Reproductive toxicity
Skin Irrit. : Skin irritation
STOT RE : Specific target organ toxicity - repeated exposure
STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Flunixin Liquid Formulation

Version
6.14

Revision Date:
14.04.2025

SDS Number:
493854-00027

Date of last issue: 28.09.2024
Date of first issue: 28.01.2016

Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Classification of the mixture:

| | |
|-------------------|--------|
| Acute Tox. 4 | H302 |
| Acute Tox. 3 | H331 |
| Eye Dam. 1 | H318 |
| Repr. 1B | H360FD |
| STOT RE 2 | H373 |
| Aquatic Chronic 3 | H412 |

Classification procedure:

| |
|--------------------|
| Calculation method |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NO / EN