

# SAFETY DATA SHEET



## Sulfadiazine (40%) / Trimethoprim (8%) Liquid Formulation

Version  
12.0

Revision Date:  
2025/06/17

SDS Number:  
508643-00028

Date of last issue: 2025/04/14  
Date of first issue: 2016/02/10

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Sulfadiazine (40%) / Trimethoprim (8%) Liquid Formulation

Other means of identification : Tribrissen 48% (A005320)

#### Manufacturer or supplier's details

Company : MSD

Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Skin corrosion/irritation : Category 1A

Serious eye damage/eye irritation : Category 1

Respiratory sensitisation : Category 1

Reproductive toxicity : Category 2

Specific target organ toxicity - single exposure : Category 3

Specific target organ toxicity - repeated exposure : Category 2 (Bone marrow)

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

# SAFETY DATA SHEET



## Sulfadiazine (40%) / Trimethoprim (8%) Liquid Formulation

Version  
12.0

Revision Date:  
2025/06/17

SDS Number:  
508643-00028

Date of last issue: 2025/04/14  
Date of first issue: 2016/02/10

### GHS label elements

Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	<p>H314 Causes severe skin burns and eye damage. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 May cause respiratory irritation. H361d Suspected of damaging the unborn child. H373 May cause damage to organs (Bone marrow) through prolonged or repeated exposure. H410 Very toxic to aquatic life with long lasting effects.</p>
Precautionary statements	:	<p><b>Prevention:</b> P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe mist or vapours. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P284 Wear respiratory protection.</p> <p><b>Response:</b> P301 + P330 + P331 + P310 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/ doctor. P303 + P361 + P353 + P310 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. Immediately call a POISON CENTER/ doctor. P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor. P363 Wash contaminated clothing before reuse. P391 Collect spillage.</p>

**Sulfadiazine (40%) / Trimethoprim (8%) Liquid Formulation**Version  
12.0Revision Date:  
2025/06/17SDS Number:  
508643-00028Date of last issue: 2025/04/14  
Date of first issue: 2016/02/10**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

None known.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
sulfadiazine	68-35-9	>= 30 -< 60
Trimethoprim	738-70-5	>= 3 -< 10
Sodium hydroxide	1310-73-2	>= 5 -< 10
2,2'-Iminodiethanol	111-42-2	< 1

**4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention immediately.

In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Get medical attention immediately.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention immediately.

If swallowed : If swallowed, DO NOT induce vomiting.  
If vomiting occurs have person lean forward.  
Call a physician or poison control centre immediately.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed : Causes digestive tract burns.  
Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reac-

# SAFETY DATA SHEET



## Sulfadiazine (40%) / Trimethoprim (8%) Liquid Formulation

Version 12.0	Revision Date: 2025/06/17	SDS Number: 508643-00028	Date of last issue: 2025/04/14 Date of first issue: 2016/02/10
-----------------	------------------------------	-----------------------------	---

tive airways dysfunction syndrome).  
Causes serious eye damage.  
May cause allergy or asthma symptoms or breathing difficulties if inhaled.  
May cause respiratory irritation.  
Suspected of damaging the unborn child.  
May cause damage to organs through prolonged or repeated exposure.  
Causes severe burns.

**Protection of first-aiders** : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

**Notes to physician** : Treat symptomatically and supportively.

## 5. FIREFIGHTING MEASURES

**Suitable extinguishing media** : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

**Unsuitable extinguishing media** : None known.

**Specific hazards during fire-fighting** : Exposure to combustion products may be a hazard to health.

**Hazardous combustion products** : Carbon oxides  
Metal oxides

**Specific extinguishing methods** : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

**Special protective equipment for firefighters** : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions, protective equipment and emergency procedures** : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

**Environmental precautions** : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).

# SAFETY DATA SHEET



## Sulfadiazine (40%) / Trimethoprim (8%) Liquid Formulation

Version  
12.0

Revision Date:  
2025/06/17

SDS Number:  
508643-00028

Date of last issue: 2025/04/14  
Date of first issue: 2016/02/10

---

Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

## 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapours.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitisers.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.  
Keep in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Self-reactive substances and mixtures  
Organic peroxides  
Oxidizing agents  
Explosives

**Sulfadiazine (40%) / Trimethoprim (8%) Liquid Formulation**Version  
12.0Revision Date:  
2025/06/17SDS Number:  
508643-00028Date of last issue: 2025/04/14  
Date of first issue: 2016/02/10

---

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
sulfadiazine	68-35-9	TWA	2 mg/m3 (OEB 1)	Internal
Trimethoprim	738-70-5	TWA	400 µg/m3 (OEB 2)	Internal
Sodium hydroxide	1310-73-2	KTD	2 mg/m3	ID OEL
		C	2 mg/m3	ACGIH
2,2'-Iminodiethanol	111-42-2	NAB (Inhala- ble fraction and vapor)	1 ppm	ID OEL
		Further information: Confirmed animal carcinogen., Skin		
		TWA (Inhala- ble fraction and vapor)	1 mg/m3	ACGIH

**Engineering measures**

- : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., dripless quick connections).
- All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
- Laboratory operations do not require special containment.

**Personal protective equipment**

Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	: Particulates type
Hand protection	
Material	: Chemical-resistant gloves
Eye protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

# SAFETY DATA SHEET



## Sulfadiazine (40%) / Trimethoprim (8%) Liquid Formulation

Version  
12.0

Revision Date:  
2025/06/17

SDS Number:  
508643-00028

Date of last issue: 2025/04/14  
Date of first issue: 2016/02/10

The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	suspension
Colour	:	light yellow
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	10.0 - 10.5
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available

# SAFETY DATA SHEET



## Sulfadiazine (40%) / Trimethoprim (8%) Liquid Formulation

Version 12.0 Revision Date: 2025/06/17 SDS Number: 508643-00028 Date of last issue: 2025/04/14 Date of first issue: 2016/02/10

---

Decomposition temperature : No data available  
Viscosity  
Viscosity, kinematic : No data available  
Explosive properties : Not explosive  
Oxidizing properties : The substance or mixture is not classified as oxidizing.  
Particle characteristics  
Particle size : Not applicable

### 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.  
Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : Can react with strong oxidizing agents.  
Conditions to avoid : None known.  
Incompatible materials : Oxidizing agents  
Acids  
Hazardous decomposition products : No hazardous decomposition products are known.

### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

#### Components:

##### **sulfadiazine:**

Acute oral toxicity	: LD50 (Mouse): 1,500 mg/kg
Acute dermal toxicity	: LD50 (Rat): > 5,000 mg/kg Remarks: Based on data from similar materials
Acute toxicity (other routes of	: LD50 (Rat): 880 mg/kg

**Sulfadiazine (40%) / Trimethoprim (8%) Liquid Formulation**Version  
12.0Revision Date:  
2025/06/17SDS Number:  
508643-00028Date of last issue: 2025/04/14  
Date of first issue: 2016/02/10**Administration:** administration) Application Route: IntravenousLD50 (Mouse): 180 mg/kg  
Application Route: Intravenous**Trimethoprim:**

Acute oral toxicity	: LD50 (Rat): 1,500 - 5,300 mg/kg
	LD50 (Mouse): 1,910 - 7,000 mg/kg
Acute toxicity (other routes of administration)	: LD50 (Rat): 400 - 500 mg/kg Application Route: Intraperitoneal
	LD50 (Dog): 90 mg/kg Application Route: Intravenous
	LD50 (Mouse): 132 mg/kg Application Route: Intravenous

**Sodium hydroxide:**

Acute inhalation toxicity	: Assessment: Corrosive to the respiratory tract.
---------------------------	---

**2,2'-Iminodiethanol:**

Acute oral toxicity	: LD50 (Rat): 1,600 mg/kg
Acute inhalation toxicity	: LC50 (Rat, male): > 3.35 mg/l Exposure time: 4 h Test atmosphere: dust/mist

**Skin corrosion/irritation**

Causes severe burns.

**Components:****sulfadiazine:**

Result	: Skin irritation
Remarks	: Based on data from similar materials

**Sodium hydroxide:**

Result	: Corrosive after 3 minutes or less of exposure
--------	---

**2,2'-Iminodiethanol:**

Species	: Rabbit
Result	: Skin irritation

**Sulfadiazine (40%) / Trimethoprim (8%) Liquid Formulation**Version  
12.0Revision Date:  
2025/06/17SDS Number:  
508643-00028Date of last issue: 2025/04/14  
Date of first issue: 2016/02/10**Serious eye damage/eye irritation**

Causes serious eye damage.

**Components:****sulfadiazine:**

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 7 days
Remarks	:	Based on data from similar materials

**Sodium hydroxide:**

Result	:	Irreversible effects on the eye
Remarks	:	Based on skin corrosivity.

**2,2'-Iminodiethanol:**

Species	:	Rabbit
Result	:	Irreversible effects on the eye

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

**Components:****sulfadiazine:**

Test Type	:	Maximisation Test
Species	:	Guinea pig
Result	:	Not a skin sensitizer.
Remarks	:	Based on data from similar materials

**Trimethoprim:**

Test Type	:	Maximisation Test
Exposure routes	:	Dermal
Species	:	Guinea pig
Result	:	Not a skin sensitizer.

**Sodium hydroxide:**

Test Type	:	Human repeat insult patch test (HRIPT)
Exposure routes	:	Skin contact
Result	:	negative

**2,2'-Iminodiethanol:**

Test Type	:	Maximisation Test
-----------	---	-------------------

**Sulfadiazine (40%) / Trimethoprim (8%) Liquid Formulation**

Version 12.0	Revision Date: 2025/06/17	SDS Number: 508643-00028	Date of last issue: 2025/04/14 Date of first issue: 2016/02/10
-----------------	------------------------------	-----------------------------	---

---

Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****sulfadiazine:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Based on data from similar materials
	:	Test Type: Chromosomal aberration Test system: Chinese hamster ovary cells Result: negative Remarks: Based on data from similar materials

**Trimethoprim:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	:	Test Type: Chromosomal aberration Result: negative
	:	Test Type: In vitro mammalian cell gene mutation test Result: negative
	:	Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Result: negative

Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Rat Result: negative
	:	Test Type: Chromosomal aberration Species: Humans Result: negative

**2,2'-Iminodiethanol:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	:	Test Type: In vitro mammalian cell gene mutation test Result: negative

# SAFETY DATA SHEET



## Sulfadiazine (40%) / Trimethoprim (8%) Liquid Formulation

Version 12.0 Revision Date: 2025/06/17 SDS Number: 508643-00028 Date of last issue: 2025/04/14 Date of first issue: 2016/02/10

---

		Test Type: Chromosome aberration test in vitro Result: negative
		Test Type: In vitro sister chromatid exchange assay in mammalian cells Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Skin contact Result: negative

### Carcinogenicity

Not classified based on available information.

### Components:

#### 2,2'-Iminodiethanol:

Species	:	Mouse
Application Route	:	Skin contact
Exposure time	:	103 weeks
Result	:	positive
Remarks	:	The mechanism or mode of action may not be relevant in humans.
Species	:	Rat
Application Route	:	Skin contact
Exposure time	:	103 weeks
Result	:	negative
Carcinogenicity - Assessment	:	Weight of evidence does not support classification as a carcinogen

### Reproductive toxicity

Suspected of damaging the unborn child.

### Components:

#### sulfadiazine:

Effects on foetal development	:	Test Type: Development Species: Mouse Application Route: Oral General Toxicity Maternal: NOAEL: 1,000 mg/kg body weight Result: Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses
-------------------------------	---	--

#### Trimethoprim:

Effects on fertility	:	Test Type: Fertility Species: Rat
----------------------	---	--------------------------------------

**Sulfadiazine (40%) / Trimethoprim (8%) Liquid Formulation**Version  
12.0Revision Date:  
2025/06/17SDS Number:  
508643-00028Date of last issue: 2025/04/14  
Date of first issue: 2016/02/10

		Application Route: Oral Fertility: NOAEL: 70 mg/kg body weight Result: No effects on fertility
Effects on foetal development	:	Test Type: Development Species: Rat Application Route: Oral Developmental Toxicity: LOAEL: 70 mg/kg body weight Result: Effects on newborn Remarks: Maternal toxicity observed.
		Test Type: Development Species: Rat Application Route: Oral Developmental Toxicity: LOAEL: 70 mg/kg body weight Result: Embryotoxic effects. Remarks: Maternal toxicity observed.
		Test Type: Development Species: Rat Application Route: Oral Developmental Toxicity: LOAEL: 15 mg/kg body weight Result: Embryotoxic effects., Teratogenic effects
		Test Type: Development Species: Hamster Application Route: Oral Developmental Toxicity: LOAEL: 1.7 mg/kg body weight Result: Embryotoxic effects., No teratogenic effects
		Test Type: Development Species: Rabbit Application Route: Oral Developmental Toxicity: LOAEL: 100 mg/kg body weight Result: Embryotoxic effects., No teratogenic effects
Reproductive toxicity - Assessment	:	Suspected of damaging the unborn child.
<b>2,2'-Iminodiethanol:</b>		
Effects on fertility	:	Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: OECD Test Guideline 443 Result: positive
Effects on foetal development	:	Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: OECD Test Guideline 443 Result: positive

**Sulfadiazine (40%) / Trimethoprim (8%) Liquid Formulation**

Version 12.0      Revision Date: 2025/06/17      SDS Number: 508643-00028      Date of last issue: 2025/04/14  
Date of first issue: 2016/02/10

---

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, and/or on development, based on animal experiments.

**STOT - single exposure**

May cause respiratory irritation.

**Components:****sulfadiazine:**

Assessment : May cause respiratory irritation.

**STOT - repeated exposure**

May cause damage to organs (Bone marrow) through prolonged or repeated exposure.

**Components:****Trimethoprim:**

Target Organs : Bone marrow  
Assessment : Causes damage to organs through prolonged or repeated exposure.

**2,2'-Iminodiethanol:**

Exposure routes : Ingestion  
Target Organs : Kidney, Blood, Liver, Nervous system  
Assessment : Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

Exposure routes : inhalation (dust/mist/fume)  
Target Organs : Kidney, Blood  
Assessment : Shown to produce significant health effects in animals at concentrations of >0.02 to 0.2 mg/l/6h/d.

Exposure routes : Skin contact  
Target Organs : Blood, Liver, Kidney  
Assessment : Shown to produce significant health effects in animals at concentrations of >20 to 200 mg/kg bw.

**Repeated dose toxicity****Components:****Trimethoprim:**

Species : Rat  
NOAEL : 100 mg/kg  
LOAEL : 300 mg/kg  
Application Route : Oral  
Exposure time : 6 Months  
Target Organs : Bone marrow, Liver, Pituitary gland, Thyroid

# SAFETY DATA SHEET



## Sulfadiazine (40%) / Trimethoprim (8%) Liquid Formulation

Version 12.0      Revision Date: 2025/06/17      SDS Number: 508643-00028      Date of last issue: 2025/04/14  
Date of first issue: 2016/02/10

---

Species : Rat  
LOAEL : 300 mg/kg  
Application Route : Oral  
Exposure time : 3 Months  
Target Organs : Bone marrow

Species : Dog  
NOAEL : 2.5 mg/kg  
LOAEL : 45 mg/kg  
Application Route : Oral  
Exposure time : 3 Months  
Target Organs : Blood, Thyroid

### 2,2'-Iminodiethanol:

Species : Rat, female  
LOAEL : 14 mg/kg  
Application Route : Ingestion  
Exposure time : 13 Weeks

Species : Rat  
NOAEL : 0.015 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 90 Days  
Method : OECD Test Guideline 413

Species : Rat  
LOAEL : 32 mg/kg  
Application Route : Skin contact  
Exposure time : 13 Weeks

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

##### **sulfadiazine:**

General Information : May cause eye, skin, and respiratory tract irritation.

##### **Trimethoprim:**

Ingestion : Target Organs: Bone marrow  
Symptoms: Abdominal pain, Nausea, Vomiting, skin rash, Dizziness, Headache, mental depression, confusion

**Sulfadiazine (40%) / Trimethoprim (8%) Liquid Formulation**Version  
12.0Revision Date:  
2025/06/17SDS Number:  
508643-00028Date of last issue: 2025/04/14  
Date of first issue: 2016/02/10**12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****sulfadiazine:**

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Anabaena flos-aquae): 17 mg/l Exposure time: 72 h Method: OECD Test Guideline 201  NOEC (Anabaena flos-aquae): 3.9 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	: EC50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	: NOEC (Pseudokirchneriella subcapitata (green algae)): 0.13 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	: EC50 (Microcystis aeruginosa (blue-green algae)): 0.135 mg/l Exposure time: 7 Days Method: ISO 8692
M-Factor (Acute aquatic toxicity)	: 1
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 6.2 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
M-Factor (Chronic aquatic toxicity)	: 1
Toxicity to microorganisms	: EC50: > 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209

**Sulfadiazine (40%) / Trimethoprim (8%) Liquid Formulation**

Version 12.0	Revision Date: 2025/06/17	SDS Number: 508643-00028	Date of last issue: 2025/04/14 Date of first issue: 2016/02/10
-----------------	------------------------------	-----------------------------	---

---

NOEC: 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

**Trimethoprim:**

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna Straus): 92 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (microalgae)): 80.3 mg/l Exposure time: 72 h
	NOEC (Pseudokirchneriella subcapitata (green algae)): 16 mg/l Exposure time: 72 h
	EC50 (Anabaena flos-aquae): 253 mg/l Exposure time: 72 h
	EC10 (Anabaena flos-aquae): 26 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	: NOEC (Zebrafish): 0.157 mg/l Exposure time: 21 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 6 mg/l Exposure time: 21 d
Toxicity to microorganisms	: EC10: 16.7 mg/l Exposure time: 3 hrs Test Type: Respiration inhibition Method: OECD Test Guideline 209
	EC50: > 1,000 mg/l Exposure time: 3 hrs Test Type: Respiration inhibition Method: OECD Test Guideline 209

**2,2'-Iminodiethanol:**

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 460 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Ceriodaphnia dubia (water flea)): 30.1 mg/l Exposure time: 48 h

**Sulfadiazine (40%) / Trimethoprim (8%) Liquid Formulation**Version  
12.0Revision Date:  
2025/06/17SDS Number:  
508643-00028Date of last issue: 2025/04/14  
Date of first issue: 2016/02/10

Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): 9.5 mg/l Exposure time: 72 h
	EC10 (Pseudokirchneriella subcapitata (green algae)): 1.1 mg/l Exposure time: 72 h
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: EC10 (Daphnia magna (Water flea)): 1.05 mg/l Exposure time: 21 d
Toxicity to microorganisms	: EC10 (activated sludge): > 1,000 mg/l Exposure time: 30 min Method: OECD Test Guideline 209

**Persistence and degradability****Components:****sulfadiazine:**

Biodegradability	: Result: Not readily biodegradable. Biodegradation: 0 % Exposure time: 28 d Method: OECD Test Guideline 314
------------------	---

**Trimethoprim:**

Biodegradability	: Result: Not readily biodegradable. Biodegradation: 4 % Exposure time: 28 d Method: OECD Test Guideline 301D
	Result: Not inherently biodegradable. Biodegradation: 0 % Exposure time: 28 d Method: OECD Test Guideline 302B

**2,2'-Iminodiethanol:**

Biodegradability	: Result: Readily biodegradable. Biodegradation: 93 % Exposure time: 28 d Method: OECD Test Guideline 301F Remarks: The test was conducted according to guideline
------------------	---

**Bioaccumulative potential****Components:****sulfadiazine:**

Partition coefficient: n-	: log Pow: 0.12
---------------------------	-----------------

# SAFETY DATA SHEET



## Sulfadiazine (40%) / Trimethoprim (8%) Liquid Formulation

Version 12.0 Revision Date: 2025/06/17 SDS Number: 508643-00028 Date of last issue: 2025/04/14 Date of first issue: 2016/02/10

---

|||octanol/water

### Trimethoprim:

|||Partition coefficient: n-octanol/water : log Pow: 0.91

### 2,2'-Iminodiethanol:

|||Partition coefficient: n-octanol/water : log Pow: -2.46  
Method: OECD Test Guideline 107

### Mobility in soil

No data available

### Other adverse effects

No data available

---

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3267  
Proper shipping name : CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S.  
(Sodium hydroxide)  
Class : 8  
Packing group : I  
Labels : 8  
Environmentally hazardous : no

#### IATA-DGR

UN/ID No. : UN 3267  
Proper shipping name : Corrosive liquid, basic, organic, n.o.s.  
(Sodium hydroxide)  
Class : 8  
Packing group : I  
Labels : Corrosive  
Packing instruction (cargo aircraft) : 854  
Packing instruction (passenger aircraft) : 850

#### IMDG-Code

# SAFETY DATA SHEET



## Sulfadiazine (40%) / Trimethoprim (8%) Liquid Formulation

Version  
12.0

Revision Date:  
2025/06/17

SDS Number:  
508643-00028

Date of last issue: 2025/04/14  
Date of first issue: 2016/02/10

---

UN number	:	UN 3267
Proper shipping name	:	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Sodium hydroxide, sulfadiazine)
Class	:	8
Packing group	:	I
Labels	:	8
EmS Code	:	F-A, S-B
Marine pollutant	:	yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

**Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.**

### Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered : Not applicable

### Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use : 2,2'-Iminodiethanol  
Sodium hydroxide

Prohibited substances : Not applicable

Restricted substances : Not applicable

### Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials

Type of hazardous materials subject to distribution and control, Annex I : Not applicable

Type of hazardous materials subject to distribution and control, Annex II : Not applicable

### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

# SAFETY DATA SHEET



## Sulfadiazine (40%) / Trimethoprim (8%) Liquid Formulation

Version 12.0 Revision Date: 2025/06/17 SDS Number: 508643-00028 Date of last issue: 2025/04/14 Date of first issue: 2016/02/10

---

IECSC : not determined

### 16. OTHER INFORMATION

Revision Date : 2025/06/17

#### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

#### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
ID OEL : Indonesia. Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average

ACGIH / C : Ceiling limit

ID OEL / NAB : Long term exposure limit

ID OEL / KTD : Ceiling

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Trans-

# SAFETY DATA SHEET



## Sulfadiazine (40%) / Trimethoprim (8%) Liquid Formulation

Version  
12.0

Revision Date:  
2025/06/17

SDS Number:  
508643-00028

Date of last issue: 2025/04/14  
Date of first issue: 2016/02/10

---

portion of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN