

# SAFETY DATA SHEET



## Fluazuron / Fipronil Formulation

Version 6.2      Revision Date: 14.04.2025      SDS Number: 557857-00020      Date of last issue: 28.09.2024  
Date of first issue: 15.03.2016

---

### Section 1: Identification

**Product identifier** : Fluazuron / Fipronil Formulation

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product  
Restrictions on use : Not applicable

**Manufacturer or supplier's details**

Company : MSD  
Address : 50 Tuas West Drive  
Singapore - Singapore 638408  
Telephone : +1-908-740-4000  
Emergency telephone number : 65 6697 2111 (24/7/365)  
E-mail address : EHSDATASTEWARD@msd.com

---

### Section 2: Hazard identification

**Classification of the substance or mixture**

Flammable liquids : Category 3  
Skin corrosion/irritation : Category 2  
Serious eye damage/eye irritation : Category 2  
Reproductive toxicity : Category 1B  
Specific target organ toxicity - single exposure : Category 3  
Specific target organ toxicity - repeated exposure : Category 2 (Central nervous system, Kidney)  
Short-term (acute) aquatic hazard : Category 1  
Long-term (chronic) aquatic hazard : Category 1

**GHS Label elements, including precautionary statements**

## Fluazuron / Fipronil Formulation

Version 6.2	Revision Date: 14.04.2025	SDS Number: 557857-00020	Date of last issue: 28.09.2024 Date of first issue: 15.03.2016
----------------	------------------------------	-----------------------------	---

Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	<p>H226 Flammable liquid and vapour.  H315 Causes skin irritation.  H319 Causes serious eye irritation.  H335 May cause respiratory irritation.  H360D May damage the unborn child.  H373 May cause damage to organs (Central nervous system, Kidney) through prolonged or repeated exposure.  H410 Very toxic to aquatic life with long lasting effects.</p>
Precautionary statements	:	<p><b>Prevention:</b>  P201 Obtain special instructions before use.  P202 Do not handle until all safety precautions have been read and understood.  P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  P233 Keep container tightly closed.  P241 Use explosion-proof electrical/ ventilating/ lighting equipment.  P242 Use non-sparking tools.  P243 Take action to prevent static discharges.  P260 Do not breathe mist or vapours.  P264 Wash skin thoroughly after handling.  P271 Use only outdoors or in a well-ventilated area.  P273 Avoid release to the environment.  P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.</p> <p><b>Response:</b>  P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.  P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  P308 + P313 IF exposed or concerned: Get medical advice/ attention.  P332 + P313 If skin irritation occurs: Get medical advice/ attention.  P337 + P313 If eye irritation persists: Get medical advice/ attention.  P391 Collect spillage.</p> <p><b>Storage:</b>  P403 + P235 Store in a well-ventilated place. Keep cool.</p>

**Fluazuron / Fipronil Formulation**

---

Version 6.2	Revision Date: 14.04.2025	SDS Number: 557857-00020	Date of last issue: 28.09.2024 Date of first issue: 15.03.2016
----------------	------------------------------	-----------------------------	---

---

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

Vapours may form explosive mixture with air.

---

**Section 3: Composition/information on ingredients**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
2-(2-Butoxyethoxy)ethanol	112-34-5	>= 50 -< 70
N-Methyl-2-pyrrolidone	872-50-4	>= 10 -< 20
Ethanol#	64-17-5	>= 10 -< 20
Fluazuron	86811-58-7	>= 2.5 -< 10
Fipronil (ISO)	120068-37-3	>= 1 -< 2.5
2,6-Di-tert-butyl-p-cresol	128-37-0	>= 0.1 -< 0.25
tert-Butyl-4-methoxyphenol	25013-16-5	>= 0.1 -< 0.25

# Voluntarily-disclosed substance

---

**Section 4: First-aid measures****Description of necessary first-aid measures**

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.  
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.
- If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

**Most important symptoms and effects, both acute and delayed**

- Risks : There may be delayed neurological effects, including brain oedema.

# SAFETY DATA SHEET



## Fluazuron / Fipronil Formulation

Version 6.2      Revision Date: 14.04.2025      SDS Number: 557857-00020      Date of last issue: 28.09.2024  
Date of first issue: 15.03.2016

---

Must not be confused with organophosphorous compounds!  
Causes skin irritation.  
Causes serious eye irritation.  
May cause respiratory irritation.  
May damage the unborn child.  
May cause damage to organs through prolonged or repeated exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

### Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

---

## Section 5: Fire-fighting measures

### Extinguishing media

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : High volume water jet

### Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not use a solid water stream as it may scatter and spread fire.  
Flash back possible over considerable distance.  
Vapours may form explosive mixtures with air.  
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Chlorine compounds  
Fluorine compounds  
Sulphur oxides

### Special protective actions for fire-fighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

**Fluazuron / Fipronil Formulation**

Version 6.2	Revision Date: 14.04.2025	SDS Number: 557857-00020	Date of last issue: 28.09.2024 Date of first issue: 15.03.2016
----------------	------------------------------	-----------------------------	---

---

**Section 6: Accidental release measures****Personal precautions, protective equipment and emergency procedures**

- Personal precautions : Remove all sources of ignition.  
Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

**Environmental precautions**

- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

**Methods and materials for containment and cleaning up**

- Methods for cleaning up : Non-sparking tools should be used.  
Soak up with inert absorbent material.  
Suppress (knock down) gases/vapours/mists with a water spray jet.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

**Section 7: Handling and storage****Precautions for safe handling**

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.  
Use explosion-proof electrical, ventilating and lighting equipment.
- Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapours.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

**Fluazuron / Fipronil Formulation**

Version 6.2	Revision Date: 14.04.2025	SDS Number: 557857-00020	Date of last issue: 28.09.2024 Date of first issue: 15.03.2016
----------------	------------------------------	-----------------------------	---

	<p>essment Non-sparking tools should be used. Keep container tightly closed. Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitisers. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.</p> <p>Hygiene measures</p> <p>: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.</p>
<b>Conditions for safe storage, including any incompatibilities</b>	
Conditions for safe storage	<p>: Keep in properly labelled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Keep away from heat and sources of ignition.</p>
Materials to avoid	<p>: Do not store with the following product types:</p> <ul style="list-style-type: none"><li>Self-reactive substances and mixtures</li><li>Organic peroxides</li><li>Oxidizing agents</li><li>Flammable gases</li><li>Pyrophoric liquids</li><li>Pyrophoric solids</li><li>Self-heating substances and mixtures</li><li>Poisonous gases</li><li>Explosives</li></ul>

---

**Section 8: Exposure controls/personal protection****Control parameters****Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis

# SAFETY DATA SHEET



## Fluazuron / Fipronil Formulation

Version  
6.2

Revision Date:  
14.04.2025

SDS Number:  
557857-00020

Date of last issue: 28.09.2024  
Date of first issue: 15.03.2016

2-(2-Butoxyethoxy)ethanol	112-34-5	TWA (Inhalable fraction and vapor)	10 ppm	ACGIH
Ethanol	64-17-5	PEL (long term)	1,000 ppm 1,880 mg/m <sup>3</sup>	SG OEL
		STEL	1,000 ppm	ACGIH
Fluazuron	86811-58-7	TWA	60 µg/m <sup>3</sup> (OEB 3)	Internal
		Wipe limit	600 µg/ 100cm <sup>2</sup>	Internal
Fipronil (ISO)	120068-37-3	TWA	2 µg/m <sup>3</sup> (OEB 4)	Internal
		Further information: Skin		
		Wipe limit	20 µg/100 cm <sup>2</sup>	Internal
2,6-Di-tert-butyl-p-cresol	128-37-0	PEL (long term)	10 mg/m <sup>3</sup>	SG OEL
		TWA (Inhalable fraction and vapor)	2 mg/m <sup>3</sup>	ACGIH

### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
N-Methyl-2-pyrrolidone	872-50-4	5-Hydroxy-N-methyl-2-pyrrolidone	Urine	End of shift (As soon as possible after exposure ceases)	100 mg/l	ACGIH BEI

### Appropriate engineering control measures

- Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., dripless quick connections). All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling.
- Use explosion-proof electrical, ventilating and lighting equipment.

### Individual protection measures, such as personal protective equipment (PPE)

- |                     |  |
|---------------------|--|
| Eye/face protection | <ul style="list-style-type: none"><li>Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.</li><li>Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.</li></ul> |
| Skin protection     | <ul style="list-style-type: none"><li>Work uniform or laboratory coat.</li></ul>   |

# SAFETY DATA SHEET



## Fluazuron / Fipronil Formulation

Version 6.2      Revision Date: 14.04.2025      SDS Number: 557857-00020      Date of last issue: 28.09.2024  
Date of first issue: 15.03.2016

---

	Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	Combined particulates and organic vapour type
Hand protection	
Material	: Chemical-resistant gloves
Remarks	: Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection.

---

### Section 9: Physical and chemical properties

Appearance	: liquid
Colour	: light yellow
Odour	: solvent-like
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: 32 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: Not applicable
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available

# SAFETY DATA SHEET



## Fluazuron / Fipronil Formulation

Version 6.2      Revision Date: 14.04.2025      SDS Number: 557857-00020      Date of last issue: 28.09.2024  
Date of first issue: 15.03.2016

---

**Solubility(ies)**  
Water solubility : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

**Viscosity**  
Viscosity, kinematic : No data available

**Explosive properties** : Not explosive

**Oxidizing properties** : The substance or mixture is not classified as oxidizing.

**Molecular weight** : No data available

**Particle characteristics**  
Particle size : No data available

---

### Section 10: Stability and reactivity

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : Flammable liquid and vapour.  
Vapours may form explosive mixture with air.  
Can react with strong oxidizing agents.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

---

### Section 11: Toxicological information

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l

**Fluazuron / Fipronil Formulation**Version  
6.2Revision Date:  
14.04.2025SDS Number:  
557857-00020Date of last issue: 28.09.2024  
Date of first issue: 15.03.2016

Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

**Components:****2-(2-Butoxyethoxy)ethanol:**

Acute oral toxicity : LD50 (Mouse): 2,410 mg/kg

Acute dermal toxicity : LD50 (Rabbit): 2,764 mg/kg

**N-Methyl-2-pyrrolidone:**

Acute oral toxicity : LD50 (Rat): 4,150 mg/kg  
Method: OECD Test Guideline 401  
Remarks: The test was conducted equivalent or similar to guideline

Acute inhalation toxicity : LC50 (Rat): > 5.1 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Remarks: The test was conducted according to guideline

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 402  
Remarks: The test was conducted equivalent or similar to guideline

**Ethanol:**

Acute oral toxicity : LD50 (Rat): 10,470 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male): 116.9 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 15,800 mg/kg

**Fluazuron:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 6.0 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

**Fluazuron / Fipronil Formulation**

Version 6.2      Revision Date: 14.04.2025      SDS Number: 557857-00020      Date of last issue: 28.09.2024  
Date of first issue: 15.03.2016

---

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402

**Fipronil (ISO):**

Acute oral toxicity : LD50 (Rat): 92 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.36 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rabbit): 354 mg/kg

**2,6-Di-tert-butyl-p-cresol:**

Acute oral toxicity : LD50 (Rat): > 6,000 mg/kg  
Method: OECD Test Guideline 401

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

**tert-Butyl-4-methoxyphenol:**

Acute oral toxicity : LD50 (Rabbit): 2,100 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

**Skin corrosion/irritation**

Causes skin irritation.

**Components:****2-(2-Butoxyethoxy)ethanol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Mild skin irritation

**N-Methyl-2-pyrrolidone:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation  
Remarks : The test was conducted equivalent or similar to guideline

**Ethanol:**

Species : Rabbit  
Method : OECD Test Guideline 404

**Fluazuron / Fipronil Formulation**

---

Version 6.2	Revision Date: 14.04.2025	SDS Number: 557857-00020	Date of last issue: 28.09.2024 Date of first issue: 15.03.2016
----------------	------------------------------	-----------------------------	---

---

Result : No skin irritation

**Fluazuron:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**Fipronil (ISO):**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**2,6-Di-tert-butyl-p-cresol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

**tert-Butyl-4-methoxyphenol:**

Species : Rabbit  
Result : Skin irritation

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Components:****2-(2-Butoxyethoxy)ethanol:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days

**N-Methyl-2-pyrrolidone:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days  
Method : OECD Test Guideline 405  
Remarks : The test was conducted equivalent or similar to guideline

**Ethanol:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days  
Method : OECD Test Guideline 405

**Fluazuron:**

Species : Rabbit  
Result : Mild eye irritation  
Method : OECD Test Guideline 405

**Fluazuron / Fipronil Formulation**

Version 6.2      Revision Date: 14.04.2025      SDS Number: 557857-00020      Date of last issue: 28.09.2024  
Date of first issue: 15.03.2016

---

**Fipronil (ISO):**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405

**2,6-Di-tert-butyl-p-cresol:**

Species : Rabbit  
Result : No eye irritation  
Method : OECD Test Guideline 405  
Remarks : Based on data from similar materials

**tert-Butyl-4-methoxyphenol:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days  
Remarks : Based on data from similar materials

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****2-(2-Butoxyethoxy)ethanol:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative

**N-Methyl-2-pyrrolidone:**

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : negative  
Remarks : Based on data from similar materials

**Ethanol:**

Test Type : Mouse ear swelling test (MEST)  
Exposure routes : Skin contact  
Species : Mouse  
Result : negative

# SAFETY DATA SHEET



## Fluazuron / Fipronil Formulation

Version 6.2      Revision Date: 14.04.2025      SDS Number: 557857-00020      Date of last issue: 28.09.2024  
Date of first issue: 15.03.2016

---

### **Fluazuron:**

Exposure routes : Skin contact  
Species : Guinea pig  
Result : negative

### **Fipronil (ISO):**

Test Type : Buehler Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

### **2,6-Di-tert-butyl-p-cresol:**

Test Type : Human repeat insult patch test (HRIPT)  
Exposure routes : Skin contact  
Species : Humans  
Result : negative

### **tert-Butyl-4-methoxyphenol:**

Test Type : Human repeat insult patch test (HRIPT)  
Exposure routes : Skin contact  
Result : negative

### **Germ cell mutagenicity**

Not classified based on available information.

### **Components:**

#### **2-(2-Butoxyethoxy)ethanol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Mouse  
Application Route: Ingestion  
Result: negative

#### **N-Methyl-2-pyrrolidone:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative  
Remarks: The test was conducted according to guideline

# SAFETY DATA SHEET



## Fluazuron / Fipronil Formulation

Version 6.2	Revision Date: 14.04.2025	SDS Number: 557857-00020	Date of last issue: 28.09.2024 Date of first issue: 15.03.2016
----------------	------------------------------	-----------------------------	---

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Remarks: The test was conducted according to guideline

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)

Method: OECD Test Guideline 482

Result: negative

Remarks: The test was conducted equivalent or similar to guideline

- Genotoxicity in vivo
- : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: The test was conducted according to guideline

### Ethanol:

- Genotoxicity in vitro
- : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

- Genotoxicity in vivo
- : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Rat  
Application Route: Ingestion  
Result: negative

### Fluazuron:

- Genotoxicity in vitro
- : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: DNA Repair  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

- Genotoxicity in vivo
- : Test Type: Cytogenetic assay  
Species: Hamster

# SAFETY DATA SHEET



## Fluazuron / Fipronil Formulation

Version  
6.2

Revision Date:  
14.04.2025

SDS Number:  
557857-00020

Date of last issue: 28.09.2024  
Date of first issue: 15.03.2016

---

Result: equivocal

### **Fipronil (ISO):**

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative

Genotoxicity in vivo

: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative

Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 486  
Result: negative

### **2,6-Di-tert-butyl-p-cresol:**

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Genotoxicity in vivo

: Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: Ingestion  
Result: negative

### **tert-Butyl-4-methoxyphenol:**

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test

# SAFETY DATA SHEET



## Fluazuron / Fipronil Formulation

Version 6.2      Revision Date: 14.04.2025      SDS Number: 557857-00020      Date of last issue: 28.09.2024  
Date of first issue: 15.03.2016

---

Method: OECD Test Guideline 476  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: negative

### Carcinogenicity

Not classified based on available information.

### Components:

#### **N-Methyl-2-pyrrolidone:**

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	2 Years
Method	:	OECD Test Guideline 451
Result	:	negative
Remarks	:	The test was conducted according to guideline
Species	:	Rat
Application Route	:	Inhalation
Exposure time	:	2 Years
Method	:	OECD Test Guideline 453
Result	:	negative
Remarks	:	The test was conducted equivalent or similar to guideline

#### **Fluazuron:**

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	2 Years
Method	:	OECD Test Guideline 453
Result	:	negative
Species	:	Mouse
Application Route	:	Ingestion
Exposure time	:	2 Years
Result	:	negative

#### **Fipronil (ISO):**

Species	:	Mouse
Application Route	:	Ingestion
Exposure time	:	78 weeks
Method	:	Directive 67/548/EEC, Annex V, B.32.
Result	:	negative
Species	:	Rat
Application Route	:	Ingestion

**Fluazuron / Fipronil Formulation**

---

Version 6.2	Revision Date: 14.04.2025	SDS Number: 557857-00020	Date of last issue: 28.09.2024 Date of first issue: 15.03.2016
----------------	------------------------------	-----------------------------	---

---

Exposure time : 104 weeks  
Method : Directive 67/548/EEC, Annex, B.33  
Result : positive  
Remarks : The mechanism or mode of action is not relevant in humans.

**2,6-Di-tert-butyl-p-cresol:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 22 Months  
Result : negative

**tert-Butyl-4-methoxyphenol:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 104 weeks  
Result : positive

Species : Hamster, male  
Application Route : Ingestion  
Exposure time : 24 weeks  
Result : positive

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

**Reproductive toxicity**

May damage the unborn child.

**Components:****2-(2-Butoxyethoxy)ethanol:**

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 415  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

**N-Methyl-2-pyrrolidone:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 416  
Result: negative  
Remarks: The test was conducted according to guideline

Effects on foetal development : Test Type: Embryo-foetal development

## Fluazuron / Fipronil Formulation

Version 6.2	Revision Date: 14.04.2025	SDS Number: 557857-00020	Date of last issue: 28.09.2024 Date of first issue: 15.03.2016
----------------	------------------------------	-----------------------------	---

---

ment	<p>Species: Rat Application Route: Ingestion Method: OECD Test Guideline 414 Result: positive Remarks: The test was conducted according to guideline</p> <p>Test Type: Fertility/early embryonic development Species: Rat Application Route: inhalation (vapour) Method: OECD Test Guideline 414 Result: positive Remarks: The test was conducted equivalent or similar to guideline</p> <p>Test Type: Embryo-foetal development Species: Rabbit Application Route: Ingestion Method: OECD Test Guideline 414 Result: positive Remarks: The test was conducted equivalent or similar to guideline</p>
Reproductive toxicity - Assessment	<p>: Clear evidence of adverse effects on development, based on animal experiments.</p>
<b>Ethanol:</b>	
Effects on fertility	<p>: Test Type: Two-generation reproduction toxicity study Species: Mouse Application Route: Ingestion Result: negative</p>
<b>Fluazuron:</b>	
Effects on fertility	<p>: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative</p>
Effects on foetal development	<p>: Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative</p>
	<p>Test Type: Embryo-foetal development Species: Rabbit Application Route: Ingestion Method: OECD Test Guideline 414 Result: negative</p>
<b>Fipronil (ISO):</b>	
Effects on fertility	<p>: Test Type: Two-generation reproduction toxicity study</p>

# SAFETY DATA SHEET



## Fluazuron / Fipronil Formulation

Version  
6.2

Revision Date:  
14.04.2025

SDS Number:  
557857-00020

Date of last issue: 28.09.2024  
Date of first issue: 15.03.2016

---

Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative

### 2,6-Di-tert-butyl-p-cresol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

### tert-Butyl-4-methoxyphenol:

Effects on fertility : Test Type: One-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Fertility/early embryonic development  
Species: Mouse  
Application Route: Ingestion  
Result: positive

Reproductive toxicity - Assessment : Some evidence of adverse effects on development, based on animal experiments.

### STOT - single exposure

May cause respiratory irritation.

### Components:

#### **N-Methyl-2-pyrrolidone:**

Assessment : May cause respiratory irritation.

### **STOT - repeated exposure**

May cause damage to organs (Central nervous system, Kidney) through prolonged or repeated exposure.

**Fluazuron / Fipronil Formulation**Version  
6.2Revision Date:  
14.04.2025SDS Number:  
557857-00020Date of last issue: 28.09.2024  
Date of first issue: 15.03.2016**Components:****Fipronil (ISO):**

Exposure routes : Ingestion  
Target Organs : Central nervous system, Kidney  
Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

**2,6-Di-tert-butyl-p-cresol:**

Assessment : No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

**Repeated dose toxicity****Components:****2-(2-Butoxyethoxy)ethanol:**

Species : Rat  
NOAEL : 250 mg/kg  
LOAEL : 1,000 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Method : OECD Test Guideline 408

Species : Rat  
NOAEL : >= 0.094 mg/l  
Application Route : inhalation (vapour)  
Exposure time : 90 Days  
Method : OECD Test Guideline 413

Species : Rat  
NOAEL : >= 2,000 mg/kg  
Application Route : Skin contact  
Exposure time : 90 Days

**N-Methyl-2-pyrrolidone:**

Species : Rat, male  
NOAEL : 169 mg/kg  
LOAEL : 433 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Method : OECD Test Guideline 408  
Remarks : The test was conducted according to guideline

Species : Rat  
NOAEL : 0.5 mg/l  
LOAEL : 1 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 96 Days  
Method : OECD Test Guideline 413  
Remarks : The test was conducted according to guideline

# SAFETY DATA SHEET



## Fluazuron / Fipronil Formulation

Version 6.2      Revision Date: 14.04.2025      SDS Number: 557857-00020      Date of last issue: 28.09.2024  
Date of first issue: 15.03.2016

---

Species : Rabbit, male  
NOAEL : 826 mg/kg  
LOAEL : 1,653 mg/kg  
Application Route : Skin contact  
Exposure time : 20 Days  
Method : OECD Test Guideline 410  
Remarks : The test was conducted equivalent or similar to guideline

### Ethanol:

Species : Rat  
NOAEL : 1,730 mg/kg  
LOAEL : 3,200 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

### Fluazuron:

Species : Rat  
LOAEL : 240 mg/kg  
Application Route : Ingestion  
Exposure time : 13 Weeks  
Target Organs : Liver, Thyroid, Pituitary gland

Species : Rat  
NOAEL : 10 mg/kg  
LOAEL : 100 mg/kg  
Application Route : Skin contact  
Exposure time : 3 Weeks

Species : Dog  
NOAEL : 7.5 mg/kg  
LOAEL : 110 mg/kg  
Application Route : Ingestion  
Exposure time : 52 Weeks  
Target Organs : Liver

### Fipronil (ISO):

Species : Rabbit  
NOAEL : 5 mg/kg  
LOAEL : 10 mg/kg  
Application Route : Skin contact  
Exposure time : 21 Days  
Method : OECD Test Guideline 410

Species : Rat, male  
NOAEL : 0.059 mg/kg  
LOAEL : 0.019 mg/kg  
Application Route : Ingestion  
Exposure time : 89 Weeks

# SAFETY DATA SHEET



## Fluazuron / Fipronil Formulation

Version 6.2      Revision Date: 14.04.2025      SDS Number: 557857-00020      Date of last issue: 28.09.2024  
Date of first issue: 15.03.2016

---

Method : Directive 67/548/EEC, Annex, B.33

### 2,6-Di-tert-butyl-p-cresol:

Species : Rat  
NOAEL : 25 mg/kg  
Application Route : Ingestion  
Exposure time : 22 Months

### tert-Butyl-4-methoxyphenol:

Species : Rat  
NOAEL : 50 mg/kg  
LOAEL : 250 mg/kg  
Application Route : Ingestion  
Exposure time : 8 Months

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

#### **N-Methyl-2-pyrrolidone:**

Skin contact : Symptoms: Skin irritation

---

## Section 12: Ecological information

### Toxicity

#### Components:

#### **2-(2-Butoxyethoxy)ethanol:**

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 1,300 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 201

NOEC (Desmodesmus subspicatus (green algae)): >= 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC10: > 1,995 mg/l  
Exposure time: 30 min

# SAFETY DATA SHEET



## Fluazuron / Fipronil Formulation

Version 6.2      Revision Date: 14.04.2025      SDS Number: 557857-00020      Date of last issue: 28.09.2024  
Date of first issue: 15.03.2016

---

### **N-Methyl-2-pyrrolidone:**

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 500 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1,000 mg/l  
Exposure time: 24 h  
Method: DIN 38412  
Remarks: The test was conducted according to guideline
- Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): 600.5 mg/l  
Exposure time: 72 h  
EC10 (Desmodesmus subspicatus (green algae)): 92.6 mg/l  
Exposure time: 72 h
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 12.5 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211  
Remarks: The test was conducted according to guideline
- Toxicity to microorganisms : EC50 (activated sludge): > 600 mg/l  
Exposure time: 30 min  
Method: ISO 8192  
Remarks: The test was conducted according to guideline

### **Ethanol:**

- Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 14,200 mg/l  
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Ceriodaphnia dubia (water flea)): 5,012 mg/l  
Exposure time: 48 h
- Toxicity to algae/aquatic plants : ErC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l  
Exposure time: 72 h  
EC10 (Chlorella vulgaris (Fresh water algae)): 11.5 mg/l  
Exposure time: 72 h
- Toxicity to fish (Chronic toxicity) : NOEC (Oryzias latipes (Japanese medaka)): >= 79 mg/l  
Exposure time: 100 d
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 9.6 mg/l  
Exposure time: 9 d
- Toxicity to microorganisms : EC50 (Protozoa): 5,800 mg/l  
Exposure time: 4 h

### **Fluazuron:**

- Toxicity to fish : LC50 (Cyprinus carpio (Carp)): > 9.1 mg/l  
Exposure time: 96 h

# SAFETY DATA SHEET



## **Fluazuron / Fipronil Formulation**

Version Revision Date: SDS Number: Date of last issue: 28.09.2024  
6.2 14.04.2025 557857-00020 Date of first issue: 15.03.2016

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia sp. (water flea)): 0.0006 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	NOEC (Raphidocelis subcapitata (freshwater green alga)): 27.9 mg/l Exposure time: 72 h
M-Factor (Acute aquatic toxicity)	:	1,000
M-Factor (Chronic aquatic toxicity)	:	1,000

## Fipronil (ISO):

Toxicity to fish	:	LC50 (Lepomis macrochirus (Bluegill sunfish)): 85.2 µg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	LC50 (Mysidopsis bahia (opossum shrimp)): 0.14 µg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): 68 µg/l Exposure time: 96 h Method: OECD Test Guideline 201
		NOEC (Desmodesmus subspicatus (green algae)): 40 µg/l Exposure time: 96 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	:	1,000
Toxicity to fish (Chronic toxicity)	:	NOEC (Cyprinodon variegatus (sheepshead minnow)): 2.9 µg/l Exposure time: 35 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Mysidopsis bahia (opossum shrimp)): 0.0077 µg/l Exposure time: 28 d
M-Factor (Chronic aquatic toxicity)	:	10,000
Toxicity to microorganisms	:	EC50: > 1,000 mg/l Exposure time: 3 h

### 2,6-Di-tert-butyl-p-cresol:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 0.57 mg/l  
Exposure time: 96 h  
Method: Directive 67/548/EEC, Annex V, C.1.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.48 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0.24 mg/l

# SAFETY DATA SHEET



## Fluazuron / Fipronil Formulation

Version 6.2      Revision Date: 14.04.2025      SDS Number: 557857-00020      Date of last issue: 28.09.2024  
Date of first issue: 15.03.2016

---

Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.24 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1  
Toxicity to fish (Chronic toxicity) : NOEC (Oryzias latipes (Japanese medaka)): 0.053 mg/l  
Exposure time: 30 d  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.316 mg/l  
Exposure time: 21 d

M-Factor (Chronic aquatic toxicity) : 1  
Toxicity to microorganisms : EC50: > 10,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209

### **tert-Butyl-4-methoxyphenol:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 1.56 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2.3 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 1.9 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.25 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

### **Persistence and degradability**

#### **Components:**

##### **2-(2-Butoxyethoxy)ethanol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 85 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

**Fluazuron / Fipronil Formulation**Version  
6.2Revision Date:  
14.04.2025SDS Number:  
557857-00020Date of last issue: 28.09.2024  
Date of first issue: 15.03.2016**N-Methyl-2-pyrrolidone:****Ethanol:****Fipronil (ISO):****2,6-Di-tert-butyl-p-cresol:****Bioaccumulative potential****Components:****2-(2-Butoxyethoxy)ethanol:**

Partition coefficient: n-octanol/water

: log Pow: 1

**N-Methyl-2-pyrrolidone:**

Partition coefficient: n-octanol/water

: log Pow: -0.46

Method: OECD Test Guideline 107

Remarks: The test was conducted according to guideline

**Ethanol:**

Partition coefficient: n-octanol/water

: log Pow: -0.35

**Fluazuron:**

Partition coefficient: n-octanol/water

: log Pow: 5.1

**Fipronil (ISO):**

Bioaccumulation

: Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 321

# SAFETY DATA SHEET



## Fluazuron / Fipronil Formulation

Version 6.2      Revision Date: 14.04.2025      SDS Number: 557857-00020      Date of last issue: 28.09.2024  
Date of first issue: 15.03.2016

---

Partition coefficient: n-octanol/water : log Pow: 4

### 2,6-Di-tert-butyl-p-cresol:

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): 330 - 1,800

Partition coefficient: n-octanol/water : log Pow: 5.1

### tert-Butyl-4-methoxyphenol:

Bioaccumulation : Species: Oryzias latipes (Orange-red killifish)  
Bioconcentration factor (BCF): 16 - 21

Partition coefficient: n-octanol/water : log Pow: 2.82  
Method: OECD Test Guideline 117

### Mobility in soil

No data available

### Other adverse effects

No data available

---

## Section 13: Disposal considerations

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Empty containers retain residue and can be dangerous.  
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.  
If not otherwise specified: Dispose of as unused product.

## Section 14: Transport information

### International Regulations

#### UNRTDG

UN number : UN 1170  
UN proper shipping name : ETHANOL SOLUTION  
Transport hazard class(es) : 3  
Packing group : III  
Labels : 3  
Environmental hazards : no

#### IATA-DGR

UN/ID No. : UN 1170  
UN proper shipping name : Ethanol solution

# SAFETY DATA SHEET



## Fluazuron / Fipronil Formulation

Version 6.2 Revision Date: 14.04.2025 SDS Number: 557857-00020 Date of last issue: 28.09.2024  
Date of first issue: 15.03.2016

---

Transport hazard class(es) : 3  
Packing group : III  
Labels : Flammable Liquids  
Packing instruction (cargo aircraft) : 366  
Packing instruction (passenger aircraft) : 355

### IMDG-Code

UN number : UN 1170  
Proper shipping name : ETHANOL SOLUTION (Fluazuron, Fipronil (ISO))  
Transport hazard class(es) : 3  
Packing group : III  
Labels : 3  
EmS Code : F-E, S-D  
Marine pollutant : yes

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## Section 15: Regulatory information

### Safety, health and environmental regulations specific for the product in question

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subject to the requirements in the Act/Regulations.

Environmental Protection and Management Act and : Fipronil  
Environmental Protection and Management (Hazardous Substances) Regulations  
Fire Safety (Petroleum and Flammable Materials) : Ethanol  
Regulations

### The components of this product are reported in the following inventories:

AICS : not determined  
DSL : not determined  
IECSC : not determined

## Section 16: Other information

Revision Date : 14.04.2025

### Further information

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD compile the Safety Data eChem Portal search results and European Chemicals Agency

**Fluazuron / Fipronil Formulation**

Version 6.2	Revision Date: 14.04.2025	SDS Number: 557857-00020	Date of last issue: 28.09.2024 Date of first issue: 15.03.2016
----------------	------------------------------	-----------------------------	---

---

Sheet cy, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

**Full text of other abbreviations**

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	: ACGIH - Biological Exposure Indices (BEI)
SG OEL	: Singapore. Workplace Safety and Health (General Provisions) Regulations - First Schedule Permissible Exposure Limits of Toxic Substances.
ACGIH / TWA	: 8-hour, time-weighted average
ACGIH / STEL	: Short-term exposure limit
SG OEL / PEL (long term)	: Permissible Exposure Level (PEL) Long Term

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECL - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their

# SAFETY DATA SHEET



## Fluazuron / Fipronil Formulation

---

Version 6.2	Revision Date: 14.04.2025	SDS Number: 557857-00020	Date of last issue: 28.09.2024 Date of first issue: 15.03.2016
----------------	------------------------------	-----------------------------	---

---

intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN