

**Fenbendazole (20%) Liquid Formulation**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 2023/09/30  |
| 4.0     | 2024/09/28     | 508609-00019 | Date of first issue: 2016/02/10 |

---

**1. PRODUCT AND COMPANY IDENTIFICATION**

Product name : Fenbendazole (20%) Liquid Formulation

**Manufacturer or supplier's details**

Company : MSD

Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

**2. HAZARDS IDENTIFICATION****GHS Classification**

Skin sensitisation : Category 1

Reproductive toxicity : Category 2

Specific target organ toxicity - repeated exposure (Oral) : Category 2 (Liver, Stomach, Nervous system, Lymph nodes)

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

**GHS label elements**

Hazard pictograms :



Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.  
H361fd Suspected of damaging fertility. Suspected of damag-

**Fenbendazole (20%) Liquid Formulation**

Version 4.0      Revision Date: 2024/09/28      SDS Number: 508609-00019      Date of last issue: 2023/09/30  
Date of first issue: 2016/02/10

ing the unborn child.  
H373 May cause damage to organs (Liver, Stomach, Nervous system, Lymph nodes) through prolonged or repeated exposure if swallowed.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

**Prevention:**  
P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe mist or vapours.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
P302 + P352 IF ON SKIN: Wash with plenty of water.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
P391 Collect spillage.

**Storage:**  
P405 Store locked up.

**Disposal:**  
P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

None known.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

| Chemical name  | CAS-No.    | Concentration (% w/w) |
|----------------|------------|-----------------------|
| fenbendazole   | 43210-67-9 | $\geq 10$ -< 25       |
| Benzyl alcohol | 100-51-6   | $\geq 1$ -< 10        |

**4. FIRST AID MEASURES**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical

**Fenbendazole (20%) Liquid Formulation**

|                |                              |                             |   |
|----------------|------------------------------|-----------------------------|---|
| Version<br>4.0 | Revision Date:<br>2024/09/28 | SDS Number:<br>508609-00019 | Date of last issue: 2023/09/30<br>Date of first issue: 2016/02/10 |
|----------------|------------------------------|-----------------------------|---|

---

|   |   |
|---|---|
| If inhaled  | : advice.<br>If inhaled, remove to fresh air.<br>Get medical attention.   |
| In case of skin contact                                     | : In case of contact, immediately flush skin with soap and plenty of water.<br>Remove contaminated clothing and shoes.<br>Get medical attention.<br>Wash clothing before reuse.<br>Thoroughly clean shoes before reuse. |
| In case of eye contact                                      | : Flush eyes with water as a precaution.<br>Get medical attention if irritation develops and persists.  |
| If swallowed  | : If swallowed, DO NOT induce vomiting.<br>Get medical attention.<br>Rinse mouth thoroughly with water.   |
| Most important symptoms and effects, both acute and delayed | : May cause an allergic skin reaction.<br>Suspected of damaging fertility. Suspected of damaging the unborn child.<br>May cause damage to organs through prolonged or repeated exposure if swallowed.                   |
| Protection of first-aiders                                  | : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).   |
| Notes to physician  | : Treat symptomatically and supportively.   |

---

**5. FIREFIGHTING MEASURES**

|   |   |
|---|---|
| Suitable extinguishing media                  | : Water spray<br>Alcohol-resistant foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical  |
| Unsuitable extinguishing media                | : None known.   |
| Specific hazards during fire-fighting         | : Exposure to combustion products may be a hazard to health.  |
| Hazardous combustion products                 | : Carbon oxides<br>Nitrogen oxides (NO <sub>x</sub> )<br>Sulphur oxides   |
| Specific extinguishing methods                | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.<br>Use water spray to cool unopened containers.<br>Remove undamaged containers from fire area if it is safe to do so.<br>Evacuate area. |
| Special protective equipment for firefighters | : In the event of fire, wear self-contained breathing apparatus.<br>Use personal protective equipment.  |

---

**6. ACCIDENTAL RELEASE MEASURES**

**Fenbendazole (20%) Liquid Formulation**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 2023/09/30  |
| 4.0     | 2024/09/28     | 508609-00019 | Date of first issue: 2016/02/10 |

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

**7. HANDLING AND STORAGE**

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapours.  
Do not swallow.  
Avoid contact with eyes.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Components with workplace control parameters**

| Components | CAS-No. | Value type | Control parame- | Basis |
|------------|---------|------------|-----------------|-------|
|------------|---------|------------|-----------------|-------|

**Fenbendazole (20%) Liquid Formulation**

Version 4.0      Revision Date: 2024/09/28      SDS Number: 508609-00019      Date of last issue: 2023/09/30  
Date of first issue: 2016/02/10

|              |            | (Form of exposure) | ters / Permissible concentration |          |
|--------------|------------|--------------------|----------------------------------|----------|
| fenbendazole | 43210-67-9 | TWA                | 100 µg/m <sup>3</sup> (OEB 2)    | Internal |

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Laboratory operations do not require special containment.

**Personal protective equipment**

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection

Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : suspension

Colour : white to off-white

Odour : No data available

Odour Threshold : No data available

pH : 6 - 8

**Fenbendazole (20%) Liquid Formulation**

|                |                              |                             |   |
|----------------|------------------------------|-----------------------------|---|
| Version<br>4.0 | Revision Date:<br>2024/09/28 | SDS Number:<br>508609-00019 | Date of last issue: 2023/09/30<br>Date of first issue: 2016/02/10 |
|----------------|------------------------------|-----------------------------|---|

---

|  |   |  |
|--|---|--|
| Melting point/freezing point                     | : | No data available  |
| Initial boiling point and boiling range          | : | No data available  |
| Flash point                                      | : | No data available  |
| Evaporation rate                                 | : | No data available  |
| Flammability (solid, gas)                        | : | Not applicable   |
| Flammability (liquids)                           | : | No data available  |
| Upper explosion limit / Upper flammability limit | : | No data available  |
| Lower explosion limit / Lower flammability limit | : | No data available  |
| Vapour pressure                                  | : | No data available  |
| Relative vapour density                          | : | No data available  |
| Relative density                                 | : | No data available  |
| Density  | : | No data available  |
| Solubility(ies)<br>Water solubility              | : | No data available  |
| Partition coefficient: n-octanol/water           | : | No data available  |
| Auto-ignition temperature                        | : | No data available  |
| Decomposition temperature                        | : | No data available  |
| Viscosity<br>Viscosity, kinematic                | : | No data available  |
| Explosive properties                             | : | Not explosive  |
| Oxidizing properties                             | : | The substance or mixture is not classified as oxidizing. |
| Molecular weight                                 | : | No data available  |
| Particle characteristics<br>Particle size        | : | No data available  |

---

**10. STABILITY AND REACTIVITY**

**Fenbendazole (20%) Liquid Formulation**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 2023/09/30  |
| 4.0     | 2024/09/28     | 508609-00019 | Date of first issue: 2016/02/10 |

|                                    |   |  |
|------------------------------------|---|--|
| Reactivity                         | : | Not classified as a reactivity hazard.         |
| Chemical stability                 | : | Stable under normal conditions.                |
| Possibility of hazardous reactions | : | Can react with strong oxidizing agents.        |
| Conditions to avoid                | : | None known.                                    |
| Incompatible materials             | : | Oxidizing agents                               |
| Hazardous decomposition products   | : | No hazardous decomposition products are known. |

**11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure :

- Inhalation
- Skin contact
- Ingestion
- Eye contact

**Acute toxicity**

|| Not classified based on available information.

**Product:**

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

**Components:****fenbendazole:**

|| Acute oral toxicity : LD50 (Rat): > 10,000 mg/kg  
LD50 (Mouse): > 10,000 mg/kg

**Benzyl alcohol:**

|| Acute oral toxicity : LD50 (Rat): 1,200 mg/kg  
Acute inhalation toxicity : LC50 (Rat): > 5.4 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

**Skin corrosion/irritation**

|| Not classified based on available information.

**Components:****fenbendazole:**

|| Species : Rabbit  
|| Result : No skin irritation

**Benzyl alcohol:**

|| Species : Rabbit

**Fenbendazole (20%) Liquid Formulation**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 2023/09/30  |
| 4.0     | 2024/09/28     | 508609-00019 | Date of first issue: 2016/02/10 |

---

|        |                           |
|--------|---------------------------|
| Method | : OECD Test Guideline 404 |
| Result | : No skin irritation      |

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****fenbendazole:**

|         |                     |
|---------|---------------------|
| Species | : Rabbit            |
| Result  | : No eye irritation |

**Benzyl alcohol:**

|         |  |
|---------|--|
| Species | : Rabbit                                       |
| Result  | : Irritation to eyes, reversing within 21 days |
| Method  | : OECD Test Guideline 405                      |

**Respiratory or skin sensitisation****Skin sensitisation**

May cause an allergic skin reaction.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Benzyl alcohol:**

|                 |  |
|-----------------|--|
| Test Type       | : Human repeat insult patch test (HRIPT) |
| Exposure routes | : Skin contact                           |
| Species         | : Humans                                 |
| Result          | : positive                               |

|            |  |
|------------|--|
| Assessment | : Probability or evidence of low to moderate skin sensitisation rate in humans |
|------------|--|

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****fenbendazole:**

|                       |  |
|-----------------------|--|
| Genotoxicity in vitro | : Test Type: Bacterial reverse mutation assay (AMES)<br>Result: negative |
|                       | Test Type: DNA Repair<br>Result: negative                                |
|                       | Test Type: Chromosomal aberration<br>Result: negative                    |



**Fenbendazole (20%) Liquid Formulation**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue:             |
| 4.0     | 2024/09/28     | 508609-00019 | 2023/09/30                      |
|         |                |              | Date of first issue: 2016/02/10 |

Test Type: in vitro assay  
Test system: mouse lymphoma cells  
Metabolic activation: Metabolic activation  
Result: equivocal

**Benzyl alcohol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo  
cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****fenbendazole:**

Species : Mouse  
Application Route : oral (feed)  
Exposure time : 2 Years  
NOAEL : 405 mg/kg body weight  
Result : negative

Species : Rat  
Application Route : Oral  
Exposure time : 2 Years  
NOAEL : 5 mg/kg body weight  
Result : negative  
Target Organs : Lymph nodes, Liver

**Benzyl alcohol:**

Species : Mouse  
Application Route : Ingestion  
Exposure time : 103 weeks  
Method : OECD Test Guideline 451  
Result : negative

**Reproductive toxicity**

Suspected of damaging fertility. Suspected of damaging the unborn child.

**Components:****fenbendazole:**

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: oral (feed)

**Fenbendazole (20%) Liquid Formulation**

|                |                              |                             |   |
|----------------|------------------------------|-----------------------------|---|
| Version<br>4.0 | Revision Date:<br>2024/09/28 | SDS Number:<br>508609-00019 | Date of last issue: 2023/09/30<br>Date of first issue: 2016/02/10 |
|----------------|------------------------------|-----------------------------|---|

|                                    |   |
|------------------------------------|---|
|                                    | General Toxicity - Parent: NOAEL: 15 mg/kg body weight<br>Fertility: LOAEL: 45 mg/kg body weight<br>Result: Effects on fertility  |
| Effects on foetal development      | : Test Type: Development<br>Species: Dog, female<br>Application Route: Oral<br>Developmental Toxicity: LOAEL: 100 mg/kg body weight<br>Result: Embryotoxic effects and adverse effects on the offspring were detected., No teratogenic effects<br><br>Test Type: Embryo-foetal development<br>Species: Rabbit<br>Application Route: Oral<br>Developmental Toxicity: NOAEL: 25 mg/kg body weight<br>Result: Fetotoxicity<br><br>Test Type: Embryo-foetal development<br>Species: Rabbit<br>Application Route: Oral<br>Developmental Toxicity: LOAEL: 63 mg/kg body weight<br><br>Test Type: Embryo-foetal development<br>Species: Rat<br>Application Route: Oral<br>Developmental Toxicity: NOAEL: 120 mg/kg body weight<br>Result: No effects on foetal development |
| Reproductive toxicity - Assessment | : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.  |

**Benzyl alcohol:**

|                               |   |
|-------------------------------|---|
| Effects on fertility          | : Test Type: Fertility/early embryonic development<br>Species: Rat<br>Application Route: Ingestion<br>Result: negative<br>Remarks: Based on data from similar materials |
| Effects on foetal development | : Test Type: Embryo-foetal development<br>Species: Mouse<br>Application Route: Ingestion<br>Result: negative  |

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

May cause damage to organs (Liver, Stomach, Nervous system, Lymph nodes) through prolonged or repeated exposure if swallowed.

**Fenbendazole (20%) Liquid Formulation**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 2023/09/30  |
| 4.0     | 2024/09/28     | 508609-00019 | Date of first issue: 2016/02/10 |

---

**Components:****fenbendazole:**

|                 |  |
|-----------------|--|
| Exposure routes | : Ingestion  |
| Target Organs   | : Liver, Stomach, Nervous system, Lymph nodes                        |
| Assessment      | : May cause damage to organs through prolonged or repeated exposure. |

**Repeated dose toxicity****Components:****fenbendazole:**

|                   |                 |
|-------------------|-----------------|
| Species           | : Rat           |
| LOAEL             | : 500 mg/kg     |
| Application Route | : Oral          |
| Exposure time     | : 2 Weeks       |
| Target Organs     | : Kidney, Liver |

|                   |  |
|-------------------|--|
| Species           | : Rat  |
| NOAEL             | : > 2,500 mg/kg                                |
| Application Route | : Oral   |
| Exposure time     | : 30 Days                                      |
| Remarks           | : No significant adverse effects were reported |

|                   |                          |
|-------------------|--------------------------|
| Species           | : Rat                    |
| LOAEL             | : 1,600 mg/kg            |
| Application Route | : Oral                   |
| Exposure time     | : 90 Days                |
| Target Organs     | : Central nervous system |
| Symptoms          | : Tremors                |

|               |  |
|---------------|--|
| Species       | : Dog                                  |
| NOAEL         | : 4 mg/kg                              |
| LOAEL         | : 8 mg/kg                              |
| Exposure time | : 6 Months                             |
| Target Organs | : Stomach, Nervous system, Lymph nodes |

**Benzyl alcohol:**

|                   |                               |
|-------------------|-------------------------------|
| Species           | : Rat                         |
| NOAEL             | : 1.072 mg/l                  |
| Application Route | : inhalation (dust/mist/fume) |
| Exposure time     | : 28 Days                     |
| Method            | : OECD Test Guideline 412     |

**Aspiration toxicity**

Not classified based on available information.

**Fenbendazole (20%) Liquid Formulation**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue:             |
| 4.0     | 2024/09/28     | 508609-00019 | 2023/09/30                      |
|         |                |              | Date of first issue: 2016/02/10 |

**Components:****fenbendazole:**

|| No aspiration toxicity classification

**Experience with human exposure****Components:****fenbendazole:**

|| Ingestion : Symptoms: Rapid respiration, Salivation, anorexia, Diarrhoea

**12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****fenbendazole:**

|| Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.009 mg/l  
Exposure time: 21 d

|| Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.0088 mg/l  
aquatic invertebrates : Exposure time: 48 h  
Method: OECD Test Guideline 202

|| M-Factor (Acute aquatic tox- : 100  
icity)

|| Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 0.00113 mg/l  
aquatic invertebrates (Chron- : Exposure time: 21 Days  
ic toxicity) : Method: OECD Test Guideline 211

|| M-Factor (Chronic aquatic : 10  
toxicity)

**Benzyl alcohol:**

|| Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l  
Exposure time: 96 h

|| Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 230 mg/l  
aquatic invertebrates : Exposure time: 48 h  
Method: OECD Test Guideline 202

|| Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata (green algae)): 770  
plants : mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

|| NOEC (Pseudokirchneriella subcapitata (green algae)): 310  
mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

**Fenbendazole (20%) Liquid Formulation**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 2023/09/30  |
| 4.0     | 2024/09/28     | 508609-00019 | Date of first issue: 2016/02/10 |

---

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 51 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

**Persistence and degradability****Components:****Benzyl alcohol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 92 - 96 %  
Exposure time: 14 d

**Bioaccumulative potential****Components:****fenbendazole:**

Partition coefficient: n-octanol/water : log Pow: 3.32

**Benzyl alcohol:**

Partition coefficient: n-octanol/water : log Pow: 1.05

**Mobility in soil****Components:****fenbendazole:**

Distribution among environmental compartments : log Koc: 3.8 - 4.7  
Method: FDA 3.08

**Other adverse effects**

No data available

---

**13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

**14. TRANSPORT INFORMATION****International Regulations**

UNRTDG

**Fenbendazole (20%) Liquid Formulation**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 2023/09/30  |
| 4.0     | 2024/09/28     | 508609-00019 | Date of first issue: 2016/02/10 |

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (fenbendazole)  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

**IATA-DGR**

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s. (fenbendazole)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

**IMDG-Code**

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (fenbendazole)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**15. REGULATORY INFORMATION**

**Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.**

**Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health**

Hazardous substances that must be registered : Not applicable

**Fenbendazole (20%) Liquid Formulation**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 2023/09/30  |
| 4.0     | 2024/09/28     | 508609-00019 | Date of first issue: 2016/02/10 |

---

**Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances**

|                                       |                  |
|---------------------------------------|------------------|
| Hazardous substances approved for use | : Not applicable |
| Prohibited substances                 | : Not applicable |
| Restricted substances                 | : Not applicable |

**Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials**

|  |                  |
|--|------------------|
| Type of hazardous materials subject to distribution and control, Annex I | : Not applicable |
|--|------------------|

|   |                  |
|---|------------------|
| Type of hazardous materials subject to distribution and control, Annex II | : Not applicable |
|---|------------------|

**The components of this product are reported in the following inventories:**

|       |                  |
|-------|------------------|
| AICS  | : not determined |
| DSL   | : not determined |
| IECSC | : not determined |

---

**16. OTHER INFORMATION**

|               |              |
|---------------|--------------|
| Revision Date | : 2024/09/28 |
|---------------|--------------|

**Further information**

|   |   |
|---|---|
| Sources of key data used to compile the Safety Data Sheet | : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <a href="http://echa.europa.eu/">http://echa.europa.eu/</a> |
|---|---|

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

|             |              |
|-------------|--------------|
| Date format | : yyyy/mm/dd |
|-------------|--------------|

**Full text of other abbreviations**

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and

**Fenbendazole (20%) Liquid Formulation**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 2023/09/30  |
| 4.0     | 2024/09/28     | 508609-00019 | Date of first issue: 2016/02/10 |

---

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN