

# SAFETY DATA SHEET



## Gentamicin / Betamethasone Formulation

Version  
12.0

Revision Date:  
2025/06/17

SDS Number:  
434592-00027

Date of last issue: 2025/04/14  
Date of first issue: 2016/01/06

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Gentamicin / Betamethasone Formulation

#### Supplier's company name, address and phone number

Company name of supplier : MSD

Address : 1-13-12, Kudan-kita, Chiyoda-ku, Tokyo, Japan

Telephone : 03-6272-1099

E-mail address : EHSDATASTEWARD@msd.com

Emergency telephone number : +1-908-423-6000

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### 2. HAZARDS IDENTIFICATION

#### GHS classification of chemical product

Reproductive toxicity : Category 1A

Specific target organ toxicity - repeated exposure : Category 1 (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland)

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

#### GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements :

H360D May damage the unborn child.  
H372 Causes damage to organs (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland) through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET



## Gentamicin / Betamethasone Formulation

Version 12.0	Revision Date: 2025/06/17	SDS Number: 434592-00027	Date of last issue: 2025/04/14 Date of first issue: 2016/01/06
-----------------	------------------------------	-----------------------------	---

### Precautionary statements

#### **Prevention:**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe mist or vapours.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

#### **Response:**

P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P391 Collect spillage.

#### **Storage:**

P405 Store locked up.

#### **Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Polyethylene glycol stearate	9004-99-3	>= 1 - < 10	7-319, 7-88, 7-1392
Gentamicin	1403-66-3	>= 0.3 - < 1	-
betamethasone	378-44-9	>= 0.1 - < 0.25	-
Benzalkonium chloride	8001-54-5	>= 0.0025 - < 0.025	3-326
Disodium EDTA, dihydrate	6381-92-6	< 0.1	2-1265, 2-1265

## 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.

When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.

# SAFETY DATA SHEET



## Gentamicin / Betamethasone Formulation

Version  
12.0

Revision Date:  
2025/06/17

SDS Number:  
434592-00027

Date of last issue: 2025/04/14  
Date of first issue: 2016/01/06

---

In case of skin contact	<p>Get medical attention.</p> <p>: In case of contact, immediately flush skin with soap and plenty of water.</p> <p>Remove contaminated clothing and shoes.</p> <p>Get medical attention.</p> <p>Wash clothing before reuse.</p> <p>Thoroughly clean shoes before reuse.</p>
In case of eye contact	<p>: Flush eyes with water as a precaution.</p> <p>Get medical attention if irritation develops and persists.</p>
If swallowed	<p>: If swallowed, DO NOT induce vomiting.</p> <p>Get medical attention.</p> <p>Rinse mouth thoroughly with water.</p>
Most important symptoms and effects, both acute and delayed	<p>: May damage the unborn child.</p> <p>Causes damage to organs through prolonged or repeated exposure.</p>
Protection of first-aiders	<p>: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).</p>
Notes to physician	<p>: Treat symptomatically and supportively.</p>

---

## 5. FIREFIGHTING MEASURES

Suitable extinguishing media	<p>: Water spray</p> <p>Alcohol-resistant foam</p> <p>Carbon dioxide (CO<sub>2</sub>)</p> <p>Dry chemical</p>
Unsuitable extinguishing media	<p>: None known.</p>
Specific hazards during fire-fighting	<p>: Exposure to combustion products may be a hazard to health.</p>
Hazardous combustion products	<p>: Carbon oxides</p>
Specific extinguishing methods	<p>: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.</p> <p>Use water spray to cool unopened containers.</p> <p>Remove undamaged containers from fire area if it is safe to do so.</p> <p>Evacuate area.</p>
Special protective equipment for firefighters	<p>: In the event of fire, wear self-contained breathing apparatus.</p> <p>Use personal protective equipment.</p>

---

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	<p>: Use personal protective equipment.</p> <p>Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).</p>
---	---

# SAFETY DATA SHEET



## Gentamicin / Betamethasone Formulation

Version 12.0	Revision Date: 2025/06/17	SDS Number: 434592-00027	Date of last issue: 2025/04/14 Date of first issue: 2016/01/06
-----------------	------------------------------	-----------------------------	---

Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

## 7. HANDLING AND STORAGE

### Handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing. Do not breathe mist or vapours. Do not swallow. Avoid contact with eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Keep container tightly closed. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.

Avoidance of contact : Oxidizing agents

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the

# SAFETY DATA SHEET



## Gentamicin / Betamethasone Formulation

Version 12.0 Revision Date: 2025/06/17 SDS Number: 434592-00027 Date of last issue: 2025/04/14 Date of first issue: 2016/01/06

use of administrative controls.

### Storage

Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

Packaging material : Unsuitable material: None known.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Concentration standard / Permissible concentration	Basis
Polyethylene glycol stearate	9004-99-3	TWA (Inhalable particulate matter)	10 mg/m <sup>3</sup>	ACGIH
		TWA (Respirable particulate matter)	3 mg/m <sup>3</sup>	ACGIH
Gentamicin	1403-66-3	TWA	0.1 mg/m <sup>3</sup> (OEB 2)	Internal
Further information: OTO				
betamethasone	378-44-9	TWA	1 µg/m <sup>3</sup> (OEB 4)	Internal
Further information: Skin				
		Wipe limit	10 µg/100 cm <sup>2</sup>	Internal

### Engineering measures

: The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

# SAFETY DATA SHEET



## Gentamicin / Betamethasone Formulation

Version  
12.0

Revision Date:  
2025/06/17

SDS Number:  
434592-00027

Date of last issue: 2025/04/14  
Date of first issue: 2016/01/06

---

Essentially no open handling permitted.  
Use closed processing systems or containment technologies.  
If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

### Personal protective equipment

Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	: Particulates type
Hand protection	
Material	: Chemical-resistant gloves
Remarks	: Consider double gloving.
Eye protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: liquid
Colour	: No data available
Odour	: No data available
Odour Threshold	: No data available
Melting point/freezing point	: No data available
Boiling point, initial boiling point and boiling range	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Lower explosion limit and upper explosion limit / flammability limit	
Upper explosion limit / Up- per flammability limit	: No data available

# SAFETY DATA SHEET



## Gentamicin / Betamethasone Formulation

Version  
12.0

Revision Date:  
2025/06/17

SDS Number:  
434592-00027

Date of last issue: 2025/04/14  
Date of first issue: 2016/01/06

---

Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available
Decomposition temperature	:	No data available
pH	:	No data available
Evaporation rate	:	No data available
Auto-ignition temperature	:	No data available
Viscosity	:	No data available
Viscosity, kinematic	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Vapour pressure	:	No data available
Density and / or relative density		
Relative density	:	No data available
Density	:	No data available
Relative vapour density	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics		
Particle size	:	No data available

---

## 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition	:	No hazardous decomposition products are known.

# SAFETY DATA SHEET



## Gentamicin / Betamethasone Formulation

Version  
12.0

Revision Date:  
2025/06/17

SDS Number:  
434592-00027

Date of last issue: 2025/04/14  
Date of first issue: 2016/01/06

products

### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

#### Components:

##### **Polyethylene glycol stearate:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

##### **Gentamicin:**

Acute oral toxicity : LD50 (Rat): 8,000 - 10,000 mg/kg

LD50 (Mouse): 10,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0.2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Remarks: No mortality observed at this dose.

Acute toxicity (other routes of administration) : LD50 (Rat): 67 - 96 mg/kg  
Application Route: Intravenous

LD50 (Rat): 371 - 384 mg/kg  
Application Route: Intramuscular

LDLo (Monkey): 30 mg/kg  
Application Route: Intravenous

##### **betamethasone:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

LD50 (Mouse): > 4,500 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.4 mg/l  
Exposure time: 4 h

# SAFETY DATA SHEET



## Gentamicin / Betamethasone Formulation

Version  
12.0

Revision Date:  
2025/06/17

SDS Number:  
434592-00027

Date of last issue: 2025/04/14  
Date of first issue: 2016/01/06

---

### **Benzalkonium chloride:**

Acute oral toxicity	: LD50 (Rat): 240 mg/kg
Acute inhalation toxicity	: LC50 (Rat, male): > 0.05 - 0.5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: Corrosive to the respiratory tract. Remarks: Based on data from similar materials
Acute dermal toxicity	: LD50 (Rat, female): 704 mg/kg

### **Disodium EDTA, dihydrate:**

Acute oral toxicity	: LD50 (Rat): 2,800 mg/kg
Acute inhalation toxicity	: LC50 (Rat, male): > 1 mg/l Exposure time: 6 h Test atmosphere: dust/mist Method: OECD Test Guideline 412

### **Skin corrosion/irritation**

Not classified based on available information.

### **Components:**

#### **Polyethylene glycol stearate:**

Species	: Rabbit
Method	: Draize Test
Result	: No skin irritation

#### **Gentamicin:**

Species	: Rabbit
Result	: Mild skin irritation

#### **betamethasone:**

Species	: Rabbit
Result	: Mild skin irritation

#### **Benzalkonium chloride:**

Species	: Human
Result	: Corrosive after 4 hours or less of exposure

#### **Serious eye damage/eye irritation**

Not classified based on available information.

# SAFETY DATA SHEET



## Gentamicin / Betamethasone Formulation

Version 12.0      Revision Date: 2025/06/17      SDS Number: 434592-00027      Date of last issue: 2025/04/14  
Date of first issue: 2016/01/06

---

### Components:

#### **Polyethylene glycol stearate:**

Species	:	Rabbit
Result	:	No eye irritation
Method	:	Draize Test

#### **Gentamicin:**

Species	:	Rabbit
Result	:	Mild eye irritation

#### **betamethasone:**

Species	:	Rabbit
Result	:	No eye irritation

#### **Benzalkonium chloride:**

Species	:	Rabbit
Result	:	Irreversible effects on the eye

#### **Disodium EDTA, dihydrate:**

Species	:	Rabbit
Result	:	No eye irritation

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

### Components:

#### **Polyethylene glycol stearate:**

Test Type	:	Open epicutaneous test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative

#### **Gentamicin:**

Remarks	:	No data available
---------	---	-------------------

#### **betamethasone:**

Exposure routes	:	Dermal
Species	:	Guinea pig
Result	:	Weak sensitizer

# SAFETY DATA SHEET



## Gentamicin / Betamethasone Formulation

Version  
12.0

Revision Date:  
2025/06/17

SDS Number:  
434592-00027

Date of last issue: 2025/04/14  
Date of first issue: 2016/01/06

### Benzalkonium chloride:

Test Type	:	Human repeat insult patch test (HRIPT)
Exposure routes	:	Skin contact
Species	:	Humans
Result	:	negative

### Disodium EDTA, dihydrate:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative
Remarks	:	Based on data from similar materials

### Germ cell mutagenicity

Not classified based on available information.

### Components:

#### Polyethylene glycol stearate:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	---	--

#### Gentamicin:

Genotoxicity in vitro	:	Test Type: In vitro mammalian cell gene mutation test Result: negative
	:	Test Type: Chromosome aberration test in vitro Result: equivocal
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intravenous injection Result: negative

#### betamethasone:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	:	Test Type: In vitro mammalian cell gene mutation test Result: negative
	:	Test Type: Chromosome aberration test in vitro Result: positive
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Oral

# SAFETY DATA SHEET



## Gentamicin / Betamethasone Formulation

Version 12.0      Revision Date: 2025/06/17      SDS Number: 434592-00027      Date of last issue: 2025/04/14  
Date of first issue: 2016/01/06

Result: equivocal

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

### Benzalkonium chloride:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: Based on data from similar materials

### Disodium EDTA, dihydrate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative

### Carcinogenicity

Not classified based on available information.

# SAFETY DATA SHEET



## Gentamicin / Betamethasone Formulation

Version 12.0 Revision Date: 2025/06/17 SDS Number: 434592-00027 Date of last issue: 2025/04/14  
Date of first issue: 2016/01/06

### Components:

#### **Gentamicin:**

||| Carcinogenicity - Assessment : No data available

#### **Benzalkonium chloride:**

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	2 Years
Method	:	OECD Test Guideline 453
Result	:	negative
Remarks	:	Based on data from similar materials

Species	:	Mouse
Application Route	:	Skin contact
Exposure time	:	80 weeks
Result	:	negative

Species	:	Rabbit
Application Route	:	Skin contact
Exposure time	:	90 weeks
Result	:	negative

#### **Disodium EDTA, dihydrate:**

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	103 weeks
Result	:	negative
Remarks	:	Based on data from similar materials

#### **Reproductive toxicity**

May damage the unborn child.

### Components:

#### **Gentamicin:**

||| Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Fertility: NOAEL: 20 mg/kg body weight  
Result: No significant adverse effects were reported

||| Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rabbit  
Developmental Toxicity: NOAEL: 3.6 mg/kg body weight  
Result: No embryo-foetal toxicity

||| Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Intraperitoneal  
Developmental Toxicity: LOAEL: 75 mg/kg body weight  
Result: Embryo-foetal toxicity

# SAFETY DATA SHEET



## Gentamicin / Betamethasone Formulation

Version  
12.0

Revision Date:  
2025/06/17

SDS Number:  
434592-00027

Date of last issue: 2025/04/14  
Date of first issue: 2016/01/06

Test Type: Embryo-foetal development  
Species: Mouse  
Application Route: Intraperitoneal  
Developmental Toxicity: LOAEL: 10 mg/kg body weight  
Result: foetal mortality, No malformations were observed.

Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Intraperitoneal  
Developmental Toxicity: LOAEL: 50 mg/kg body weight  
Result: foetal mortality, No malformations were observed.

### Reproductive toxicity - Assessment

: Positive evidence of adverse effects on development from human epidemiological studies.

### **betamethasone:**

#### Effects on foetal development

: Species: Rabbit  
Application Route: Intramuscular  
Developmental Toxicity: LOAEL: 0.05 mg/kg body weight  
Result: Fetotoxicity, Malformations were observed.

Species: Rat  
Application Route: Subcutaneous  
Developmental Toxicity: LOAEL: 0.42 mg/kg body weight  
Result: Malformations were observed.

Species: Mouse  
Application Route: Intramuscular  
Developmental Toxicity: LOAEL: 1 mg/kg body weight  
Result: Malformations were observed.

### Reproductive toxicity - Assessment

: Clear evidence of adverse effects on development, based on animal experiments.

### **Benzalkonium chloride:**

#### Effects on fertility

: Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 416  
Result: negative  
Remarks: Based on data from similar materials

#### Effects on foetal development

: Test Type: Embryo-foetal development  
Species: Rabbit  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET



## Gentamicin / Betamethasone Formulation

Version  
12.0

Revision Date:  
2025/06/17

SDS Number:  
434592-00027

Date of last issue: 2025/04/14  
Date of first issue: 2016/01/06

### Disodium EDTA, dihydrate:

Effects on fertility	: Test Type: Four-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Causes damage to organs (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland) through prolonged or repeated exposure.

### Components:

#### Gentamicin:

Target Organs	: Kidney, inner ear
Assessment	: Causes damage to organs through prolonged or repeated exposure.

#### betamethasone:

Target Organs	: Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland
Assessment	: Causes damage to organs through prolonged or repeated exposure.

#### Benzalkonium chloride:

Assessment	: No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.
------------	--

#### Disodium EDTA, dihydrate:

Exposure routes	: inhalation (dust/mist/fume)
Target Organs	: Respiratory Tract
Assessment	: May cause damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

### Components:

#### Gentamicin:

Species	: Dog
LOAEL	: 3 mg/kg

# SAFETY DATA SHEET



## Gentamicin / Betamethasone Formulation

Version 12.0      Revision Date: 2025/06/17      SDS Number: 434592-00027      Date of last issue: 2025/04/14  
Date of first issue: 2016/01/06

---

Application Route	:	Intramuscular
Exposure time	:	12 Months
Target Organs	:	Kidney
Symptoms	:	Vomiting, Salivation
Species	:	Monkey
LOAEL	:	50 mg/kg
Application Route	:	Subcutaneous
Exposure time	:	3 Weeks
Target Organs	:	Kidney, inner ear
Species	:	Monkey
LOAEL	:	6 mg/kg
Application Route	:	Intramuscular
Exposure time	:	3 Weeks
Target Organs	:	Blood, Kidney, inner ear, Liver
Species	:	Rat
NOAEL	:	5 mg/kg
LOAEL	:	10 mg/kg
Application Route	:	Intramuscular
Exposure time	:	52 Weeks
Target Organs	:	Kidney, Blood
Species	:	Rat
NOAEL	:	12.5 mg/kg
LOAEL	:	50 mg/kg
Application Route	:	Intramuscular
Exposure time	:	13 Weeks
Target Organs	:	Kidney
<b>betamethasone:</b>		
Species	:	Rabbit
LOAEL	:	0.05 %
Application Route	:	Skin contact
Exposure time	:	10 - 30 d
Target Organs	:	Pituitary gland, Immune system, muscle
Species	:	Rat
LOAEL	:	0.05 %
Application Route	:	Skin contact
Exposure time	:	8 Weeks
Target Organs	:	thymus gland
Species	:	Mouse
LOAEL	:	0.1 %
Application Route	:	Skin contact
Exposure time	:	8 Weeks
Target Organs	:	thymus gland
Species	:	Dog
LOAEL	:	0.05 mg/kg

# SAFETY DATA SHEET



## Gentamicin / Betamethasone Formulation

Version 12.0 Revision Date: 2025/06/17 SDS Number: 434592-00027 Date of last issue: 2025/04/14  
Date of first issue: 2016/01/06

---

Application Route : Oral  
Exposure time : 28 d  
Target Organs : Blood, thymus gland, Adrenal gland

### Benzalkonium chloride:

Species : Rat  
NOAEL : >= 100 mg/kg  
Application Route : Ingestion  
Exposure time : 12 Weeks

### Disodium EDTA, dihydrate:

Species : Rat  
NOAEL : 500 mg/kg  
Application Route : Ingestion  
Exposure time : 13 Weeks

Species : Rat  
LOAEL : 0.03 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 4 Weeks  
Method : OECD Test Guideline 412

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

##### Gentamicin:

Ingestion : Target Organs: Kidney  
Target Organs: inner ear  
Symptoms: Dizziness, Vertigo, hearing loss, tinnitus, fetal deafness

##### betamethasone:

Inhalation : Target Organs: Adrenal gland  
Skin contact : Symptoms: Redness, pruritis, Irritation

---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### Polyethylene glycol stearate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 10,000 mg/l

# SAFETY DATA SHEET



## Gentamicin / Betamethasone Formulation

Version 12.0 Revision Date: 2025/06/17 SDS Number: 434592-00027 Date of last issue: 2025/04/14 Date of first issue: 2016/01/06

Exposure time: 96 h  
Method: DIN 38412

Toxicity to microorganisms : EC10 (Bacteria): > 10,000 mg/l  
Exposure time: 16 h

### Gentamicin:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 86 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

LC50 (Americamysis): 30 mg/l  
Exposure time: 96 h  
Method: US-EPA OPPTS 850.1035

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 10 µg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 1.5 µg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

EC50 (Anabaena flos-aquae (cyanobacterium)): 4.7 µg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae (cyanobacterium)): 1.6 µg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 100

M-Factor (Chronic aquatic toxicity) : 1

Toxicity to microorganisms : EC50: 288.7 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

### betamethasone:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Americamysis): > 50 mg/l  
Exposure time: 96 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 34 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: No toxicity at the limit of solubility

# SAFETY DATA SHEET



## Gentamicin / Betamethasone Formulation

Version  
12.0

Revision Date:  
2025/06/17

SDS Number:  
434592-00027

Date of last issue: 2025/04/14  
Date of first issue: 2016/01/06

NOEC (Pseudokirchneriella subcapitata (green algae)): 34 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: No toxicity at the limit of solubility

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.052 mg/l  
Exposure time: 32 d  
Method: OECD Test Guideline 210

NOEC (Oryzias latipes (Japanese medaka)): 0.07 µg/l  
Exposure time: 219 d  
Method: OECD Test Guideline 229

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 8 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1,000

### Benzalkonium chloride:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 0.28 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.0056 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Chlorella pyrenoidosa (algae)): 0.09 mg/l  
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 100

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.032 mg/l  
Exposure time: 34 d

### Disodium EDTA, dihydrate:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 100 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 140 mg/l  
Exposure time: 48 h  
Method: DIN 38412

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

EC10 (Pseudokirchneriella subcapitata (green algae)): > 1

# SAFETY DATA SHEET



## Gentamicin / Betamethasone Formulation

Version 12.0 Revision Date: 2025/06/17 SDS Number: 434592-00027 Date of last issue: 2025/04/14 Date of first issue: 2016/01/06

mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 25 mg/l  
Exposure time: 21 d

Toxicity to microorganisms : EC10 (activated sludge): > 500 mg/l  
Exposure time: 30 min  
Method: OECD Test Guideline 209

### Persistence and degradability

#### Components:

##### **Polyethylene glycol stearate:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: > 70 %  
Exposure time: 10 d  
Method: OECD Test Guideline 302B

##### **Gentamicin:**

Biodegradability : Result: rapidly degradable  
Biodegradation: 100 %  
Exposure time: 28 d  
Method: OECD Test Guideline 314

##### **Benzalkonium chloride:**

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301D  
Remarks: Based on data from similar materials

##### **Disodium EDTA, dihydrate:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 2 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D

### Bioaccumulative potential

#### Components:

##### **Gentamicin:**

Partition coefficient: n-octanol/water : log Pow: < -2

##### **betamethasone:**

Partition coefficient: n-octanol/water : log Pow: 2.11

# SAFETY DATA SHEET



## Gentamicin / Betamethasone Formulation

Version 12.0 Revision Date: 2025/06/17 SDS Number: 434592-00027 Date of last issue: 2025/04/14 Date of first issue: 2016/01/06

---

### Benzalkonium chloride:

Bioaccumulation	:	Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): < 500 Remarks: Based on data from similar materials
Partition coefficient: n-octanol/water	:	log Pow: 1.692 Remarks: Calculation

### Disodium EDTA, dihydrate:

Bioaccumulation	:	Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): < 500 Remarks: Based on data from similar materials
Partition coefficient: n-octanol/water	:	log Pow: -4.3

### Mobility in soil

No data available

### Hazardous to the ozone layer

Not applicable

### Other adverse effects

No data available

---

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues	:	Dispose of in accordance with local regulations. Do not dispose of waste into sewer.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

---

## 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Gentamicin, Benzalkonium chloride)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes

#### IATA-DGR

UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (Gentamicin, Benzalkonium chloride)

# SAFETY DATA SHEET



## Gentamicin / Betamethasone Formulation

Version 12.0 Revision Date: 2025/06/17 SDS Number: 434592-00027 Date of last issue: 2025/04/14  
Date of first issue: 2016/01/06

---

Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Gentamicin, Benzalkonium chloride)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

Refer to section 15 for specific national regulation.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

ERG Code : 171

---

## 15. REGULATORY INFORMATION

### Related Regulations

#### Fire Service Law

Not applicable to dangerous materials / designated flammables.

#### Chemical Substance Control Law

Priority Assessment Chemical Substance

Chemical name	Number
Salt of alkyl(C=12-16)(benzyl)(dimethyl)ammonium	184
Sodium salt of 2,2',2'',2'''-(ethane-1,2-diyl)dinitrilo)tetraacetic acid	268

#### Industrial Safety and Health Law

##### Harmful Substances Prohibited from Manufacture

Not applicable

##### Harmful Substances Required Permission for Manufacture

Not applicable

# SAFETY DATA SHEET



## Gentamicin / Betamethasone Formulation

---

Version 12.0	Revision Date: 2025/06/17	SDS Number: 434592-00027	Date of last issue: 2025/04/14 Date of first issue: 2016/01/06
-----------------	------------------------------	-----------------------------	---

---

### Substances Prevented From Impairment of Health

Not applicable

### Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

### Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

### Substances Subject to be Notified Names

Not applicable

### Substances Subject to be Indicated Names

Not applicable

### Skin and Eye Damage Substances (ISHL MO Art. 594-2)

Not applicable

### Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)

Not applicable

### Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

### Ordinance on Prevention of Lead Poisoning

Not applicable

### Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

### Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

### Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

### Poisonous and Deleterious Substances Control Law

Not applicable

### Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

Not applicable

### High Pressure Gas Safety Act

Not applicable

### Explosive Control Law

Not applicable

### Vessel Safety Law

Miscellaneous dangerous substances and articles (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

# SAFETY DATA SHEET



## Gentamicin / Betamethasone Formulation

Version  
12.0

Revision Date:  
2025/06/17

SDS Number:  
434592-00027

Date of last issue: 2025/04/14  
Date of first issue: 2016/01/06

---

### Aviation Law

Miscellaneous dangerous substances and articles (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

### Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Not classified as noxious liquid substance  
Pack transportation : Classified as marine pollutant

### Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission)  
Not applicable  
Specific Narcotic or Psychotropic Raw Material (Export / Import permission)  
Not applicable

### Waste Disposal and Public Cleansing Law

Industrial waste

### The components of this product are reported in the following inventories:

AICS : not determined  
DSL : not determined  
IECSC : not determined

---

## 16. OTHER INFORMATION

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory con-

# SAFETY DATA SHEET



## Gentamicin / Betamethasone Formulation

Version  
12.0

Revision Date:  
2025/06/17

SDS Number:  
434592-00027

Date of last issue: 2025/04/14  
Date of first issue: 2016/01/06

---

centration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECL - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN