

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Gentamicin / Betamethasone Formulation

Version
9.0

Revision Date:
17.06.2025

SDS Number:
441402-00027

Date of last issue: 14.04.2025
Date of first issue: 06.01.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Gentamicin / Betamethasone Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Veterinary product

Recommended restrictions on use : Not applicable

1.3 Details of the supplier of the safety data sheet

Company : MSD
Kilsheelan
Clonmel Tipperary, IE

Telephone : 353-51-601000

E-mail address of person responsible for the SDS : EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture


Classification (REGULATION (EC) No 1272/2008)

Reproductive toxicity, Category 1A	H360D: May damage the unborn child.
Specific target organ toxicity - repeated exposure, Category 1	H372: Causes damage to organs through prolonged or repeated exposure.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Gentamicin / Betamethasone Formulation

Version
9.0

Revision Date:
17.06.2025

SDS Number:
441402-00027

Date of last issue: 14.04.2025
Date of first issue: 06.01.2016

Signal word	:	Danger
Hazard statements	:	H360D May damage the unborn child. H372 Causes damage to organs through prolonged or repeated exposure. H410 Very toxic to aquatic life with long lasting effects.
Precautionary statements	:	Prevention: P201 Obtain special instructions before use. P264 Wash skin thoroughly after handling. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: P308 + P313 IF exposed or concerned: Get medical advice/ attention. P391 Collect spillage.

Hazardous components which must be listed on the label:

Gentamicin
betamethasone

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Gentamicin	1403-66-3 215-765-8	Repr. 1A; H360D STOT RE 1; H372 (Kidney, inner ear) Aquatic Acute 1;	>= 0,3 - < 1

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Gentamicin / Betamethasone Formulation

Version
9.0

Revision Date:
17.06.2025

SDS Number:
441402-00027

Date of last issue: 14.04.2025
Date of first issue: 06.01.2016

		H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 1	
betamethasone	378-44-9 206-825-4	Acute Tox. 2; H330 Repr. 1B; H360D STOT RE 1; H372 (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland) Aquatic Chronic 1; H410 M-Factor (Chronic aquatic toxicity): 1.000 specific concentration limit STOT RE 1; H372 >= 0,01 % Repr. 1B; H360D >= 0,01 %	>= 0,1 - < 0,25
Benzalkonium chloride	8001-54-5	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Skin Corr. 1; H314 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 EUH071 M-Factor (Acute aquatic toxicity): 100 Acute toxicity estimate Acute oral toxicity: 240 mg/kg	>= 0,0025 - < 0,025

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Gentamicin / Betamethasone Formulation

Version
9.0

Revision Date:
17.06.2025

SDS Number:
441402-00027

Date of last issue: 14.04.2025
Date of first issue: 06.01.2016

		Acute inhalation toxicity (dust/mist): 0,05 mg/l Acute dermal toxiciti- ty: 704 mg/kg	
--	--	---	--

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Risks : May damage the unborn child.
Causes damage to organs through prolonged or repeated exposure.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Gentamicin / Betamethasone Formulation

Version 9.0	Revision Date: 17.06.2025	SDS Number: 441402-00027	Date of last issue: 14.04.2025 Date of first issue: 06.01.2016
----------------	------------------------------	-----------------------------	---

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate contain-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Gentamicin / Betamethasone Formulation

Version
9.0

Revision Date:
17.06.2025

SDS Number:
441402-00027

Date of last issue: 14.04.2025
Date of first issue: 06.01.2016

ment to keep material from spreading. If dyed material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	: If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	: Do not get on skin or clothing. Do not breathe mist or vapours. Do not swallow. Avoid contact with eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	: Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.
Advice on common storage	: Do not store with the following product types: Strong oxidizing agents Self-reactive substances and mixtures Organic peroxides

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Gentamicin / Betamethasone Formulation

Version
9.0

Revision Date:
17.06.2025

SDS Number:
441402-00027

Date of last issue: 14.04.2025
Date of first issue: 06.01.2016

Explosives
Gases

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Gentamicin	1403-66-3	TWA	0.1 mg/m ³ (OEB 2)	Internal
		Further information: OTO		
betamethasone	378-44-9	TWA	1 µg/m ³ (OEB 4)	Internal
		Further information: Skin		
		Wipe limit	10 µg/100 cm ²	Internal

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
Polyethylene glycol castor oil	Workers	Inhalation	Long-term systemic effects	16,4 mg/m ³
	Workers	Skin contact	Long-term systemic effects	4,67 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	2,9 mg/m ³
	Consumers	Skin contact	Long-term systemic effects	1,67 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	1,67 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
Polyethylene glycol castor oil	Fresh water	0,000 mg/l
	Freshwater - intermittent	0,0661 mg/l
	Marine water	0,000 mg/l
	Marine water - intermittent	0,00661 mg/l
	Fresh water sediment	0,0129 mg/kg dry weight (d.w.)
	Marine sediment	0,00129 mg/kg dry weight (d.w.)
	Soil	0,00258 mg/kg dry weight (d.w.)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Gentamicin / Betamethasone Formulation

Version
9.0

Revision Date:
17.06.2025

SDS Number:
441402-00027

Date of last issue: 14.04.2025
Date of first issue: 06.01.2016

8.2 Exposure controls

Engineering measures

The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies.

If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

Personal protective equipment

Eye/face protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Hand protection	
Material	: Chemical-resistant gloves
Remarks	: Consider double gloving.
Skin and body protection	: Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. Equipment should conform to NS EN 143
Filter type	: Particulates type (P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid
Colour	: No data available
Odour	: No data available
Odour Threshold	: No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Gentamicin / Betamethasone Formulation

Version 9.0	Revision Date: 17.06.2025	SDS Number: 441402-00027	Date of last issue: 14.04.2025 Date of first issue: 06.01.2016
----------------	------------------------------	-----------------------------	---

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

pH : No data available

Viscosity
Viscosity, kinematic : No data available

Solubility(ies)
Water solubility : No data available

Partition coefficient: n-octanol/water : No data available

Vapour pressure : No data available

Relative density : No data available

Density : No data available

Relative vapour density : No data available

Particle characteristics
Particle size : No data available

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Gentamicin / Betamethasone Formulation

Version 9.0	Revision Date: 17.06.2025	SDS Number: 441402-00027	Date of last issue: 14.04.2025 Date of first issue: 06.01.2016
----------------	------------------------------	-----------------------------	---

Evaporation rate : No data available

Molecular weight : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

||| Not classified based on available information.

Product:

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: Calculation method

Components:

Gentamicin:

||| Acute oral toxicity : LD50 (Rat): 8.000 - 10.000 mg/kg
LD50 (Mouse): 10.000 mg/kg

||| Acute inhalation toxicity : LC50 (Rat): > 0,2 mg/l

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Gentamicin / Betamethasone Formulation

Version
9.0

Revision Date:
17.06.2025

SDS Number:
441402-00027

Date of last issue: 14.04.2025
Date of first issue: 06.01.2016

Exposure time: 4 h
Test atmosphere: dust/mist
Remarks: No mortality observed at this dose.

Acute toxicity (other routes of administration) : LD50 (Rat): 67 - 96 mg/kg
Application Route: Intravenous

LD50 (Rat): 371 - 384 mg/kg
Application Route: Intramuscular

LDLo (Monkey): 30 mg/kg
Application Route: Intravenous

betamethasone:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

LD50 (Mouse): > 4.500 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0,4 mg/l
Exposure time: 4 h

Benzalkonium chloride:

Acute oral toxicity : LD50 (Rat): 240 mg/kg

Acute inhalation toxicity : LC50 (Rat, male): > 0,05 - 0,5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: Corrosive to the respiratory tract.
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat, female): 704 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:

Gentamicin:

Species : Rabbit
Result : Mild skin irritation

betamethasone:

Species : Rabbit
Result : Mild skin irritation

Benzalkonium chloride:

Species : Human
Result : Corrosive after 4 hours or less of exposure

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Gentamicin / Betamethasone Formulation

Version
9.0

Revision Date:
17.06.2025

SDS Number:
441402-00027

Date of last issue: 14.04.2025
Date of first issue: 06.01.2016

Serious eye damage/eye irritation

||| Not classified based on available information.

Components:

Gentamicin:

Species	:	Rabbit
Result	:	Mild eye irritation

betamethasone:

Species	:	Rabbit
Result	:	No eye irritation

Benzalkonium chloride:

Species	:	Rabbit
Result	:	Irreversible effects on the eye

Respiratory or skin sensitisation

Skin sensitisation

||| Not classified based on available information.

Respiratory sensitisation

||| Not classified based on available information.

Components:

Gentamicin:

Remarks	:	No data available
---------	---	-------------------

betamethasone:

Exposure routes	:	Dermal
Species	:	Guinea pig
Result	:	Weak sensitizer

Benzalkonium chloride:

Test Type	:	Human repeat insult patch test (HRIPT)
Exposure routes	:	Skin contact
Species	:	Humans
Result	:	negative

Germ cell mutagenicity

||| Not classified based on available information.

Components:

Gentamicin:

Genotoxicity in vitro	:	Test Type: In vitro mammalian cell gene mutation test
		Result: negative

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Gentamicin / Betamethasone Formulation

Version
9.0

Revision Date:
17.06.2025

SDS Number:
441402-00027

Date of last issue: 14.04.2025
Date of first issue: 06.01.2016

		Test Type: Chromosome aberration test in vitro Result: equivocal
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intravenous injection Result: negative
betamethasone:		
Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: In vitro mammalian cell gene mutation test Result: negative
		Test Type: Chromosome aberration test in vitro Result: positive
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Oral Result: equivocal
Germ cell mutagenicity- Assessment	:	Weight of evidence does not support classification as a germ cell mutagen.
Benzalkonium chloride:		
Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative Remarks: Based on data from similar materials
		Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 474 Result: negative Remarks: Based on data from similar materials

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Gentamicin / Betamethasone Formulation

Version
9.0

Revision Date:
17.06.2025

SDS Number:
441402-00027

Date of last issue: 14.04.2025
Date of first issue: 06.01.2016

Carcinogenicity

||| Not classified based on available information.

Components:

Gentamicin:

||| Carcinogenicity - Assessment : No data available

Benzalkonium chloride:

||| Species : Rat
Application Route : Ingestion
Exposure time : 2 Years
Method : OECD Test Guideline 453
Result : negative
Remarks : Based on data from similar materials

||| Species : Mouse
Application Route : Skin contact
Exposure time : 80 weeks
Result : negative

||| Species : Rabbit
Application Route : Skin contact
Exposure time : 90 weeks
Result : negative

Reproductive toxicity

||| May damage the unborn child.

Components:

Gentamicin:

||| Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Fertility: NOAEL: 20 mg/kg body weight
Result: No significant adverse effects were reported

||| Effects on foetal development : Test Type: Embryo-foetal development
Species: Rabbit
Developmental Toxicity: NOAEL: 3,6 mg/kg body weight
Result: No embryo-foetal toxicity

Test Type: Embryo-foetal development
Species: Rat
Application Route: Intraperitoneal
Developmental Toxicity: LOAEL: 75 mg/kg body weight
Result: Embryo-foetal toxicity

Test Type: Embryo-foetal development
Species: Mouse
Application Route: Intraperitoneal
Developmental Toxicity: LOAEL: 10 mg/kg body weight

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Gentamicin / Betamethasone Formulation

Version
9.0

Revision Date:
17.06.2025

SDS Number:
441402-00027

Date of last issue: 14.04.2025
Date of first issue: 06.01.2016

Result: foetal mortality, No malformations were observed.

Test Type: Embryo-foetal development

Species: Rat

Application Route: Intraperitoneal

Developmental Toxicity: LOAEL: 50 mg/kg body weight

Result: foetal mortality, No malformations were observed.

Reproductive toxicity - Assessment

: Positive evidence of adverse effects on development from human epidemiological studies.

betamethasone:

Effects on foetal development

: Species: Rabbit
Application Route: Intramuscular
Developmental Toxicity: LOAEL: 0,05 mg/kg body weight
Result: Fetotoxicity, Malformations were observed.

Species: Rat

Application Route: Subcutaneous

Developmental Toxicity: LOAEL: 0,42 mg/kg body weight

Result: Malformations were observed.

Species: Mouse

Application Route: Intramuscular

Developmental Toxicity: LOAEL: 1 mg/kg body weight

Result: Malformations were observed.

Reproductive toxicity - Assessment

: Clear evidence of adverse effects on development, based on animal experiments.

Benzalkonium chloride:

Effects on fertility

: Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 416
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development

: Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative
Remarks: Based on data from similar materials

STOT - single exposure

||| Not classified based on available information.

STOT - repeated exposure

||| Causes damage to organs through prolonged or repeated exposure.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Gentamicin / Betamethasone Formulation

Version
9.0

Revision Date:
17.06.2025

SDS Number:
441402-00027

Date of last issue: 14.04.2025
Date of first issue: 06.01.2016

Components:

Gentamicin:

Target Organs
Assessment

: Kidney, inner ear
: Causes damage to organs through prolonged or repeated exposure.

betamethasone:

Target Organs
Assessment

: Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland
: Causes damage to organs through prolonged or repeated exposure.

Benzalkonium chloride:

Assessment

: No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.

Repeated dose toxicity

Components:

Gentamicin:

Species
LOAEL
Application Route
Exposure time
Target Organs
Symptoms

: Dog
: 3 mg/kg
: Intramuscular
: 12 Months
: Kidney
: Vomiting, Salivation

Species
LOAEL
Application Route
Exposure time
Target Organs

: Monkey
: 50 mg/kg
: Subcutaneous
: 3 Weeks
: Kidney, inner ear

Species
LOAEL
Application Route
Exposure time
Target Organs

: Monkey
: 6 mg/kg
: Intramuscular
: 3 Weeks
: Blood, Kidney, inner ear, Liver

Species
NOAEL
LOAEL
Application Route
Exposure time
Target Organs

: Rat
: 5 mg/kg
: 10 mg/kg
: Intramuscular
: 52 Weeks
: Kidney, Blood

Species
NOAEL
LOAEL

: Rat
: 12,5 mg/kg
: 50 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Gentamicin / Betamethasone Formulation

Version 9.0	Revision Date: 17.06.2025	SDS Number: 441402-00027	Date of last issue: 14.04.2025 Date of first issue: 06.01.2016
----------------	------------------------------	-----------------------------	---

Application Route	:	Intramuscular
Exposure time	:	13 Weeks
Target Organs	:	Kidney

betamethasone:

Species	:	Rabbit
LOAEL	:	0.05 %
Application Route	:	Skin contact
Exposure time	:	10 - 30 d
Target Organs	:	Pituitary gland, Immune system, muscle

Species	:	Rat
LOAEL	:	0.05 %
Application Route	:	Skin contact
Exposure time	:	8 Weeks
Target Organs	:	thymus gland

Species	:	Mouse
LOAEL	:	0.1 %
Application Route	:	Skin contact
Exposure time	:	8 Weeks
Target Organs	:	thymus gland

Species	:	Dog
LOAEL	:	0,05 mg/kg
Application Route	:	Oral
Exposure time	:	28 d
Target Organs	:	Blood, thymus gland, Adrenal gland

Benzalkonium chloride:

Species	:	Rat
NOAEL	:	>= 100 mg/kg
Application Route	:	Ingestion
Exposure time	:	12 Weeks

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Not classified based on available information.

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Gentamicin / Betamethasone Formulation

Version
9.0

Revision Date:
17.06.2025

SDS Number:
441402-00027

Date of last issue: 14.04.2025
Date of first issue: 06.01.2016

Experience with human exposure

Components:

Gentamicin:

Ingestion : Target Organs: Kidney
Target Organs: inner ear
Symptoms: Dizziness, Vertigo, hearing loss, tinnitus, fetal deafness

betamethasone:

Inhalation : Target Organs: Adrenal gland
Skin contact : Symptoms: Redness, pruritis, Irritation

SECTION 12: Ecological information

12.1 Toxicity

Components:

Gentamicin:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 86 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

LC50 (Americamysis): 30 mg/l
Exposure time: 96 h
Method: US-EPA OPPTS 850.1035

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 10 µg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 1,5 µg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

EC50 (Anabaena flos-aquae (cyanobacterium)): 4,7 µg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Anabaena flos-aquae (cyanobacterium)): 1,6 µg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 100

Toxicity to microorganisms : EC50 : 288,7 mg/l
Exposure time: 3 h
Test Type: Respiration inhibition
Method: OECD Test Guideline 209

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Gentamicin / Betamethasone Formulation

Version
9.0

Revision Date:
17.06.2025

SDS Number:
441402-00027

Date of last issue: 14.04.2025
Date of first issue: 06.01.2016

M-Factor (Chronic aquatic toxicity) : 1

betamethasone:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Americamysis): > 50 mg/l
Exposure time: 96 h

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): > 34 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: No toxicity at the limit of solubility

NOEC (Pseudokirchneriella subcapitata (green algae)): 34 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: No toxicity at the limit of solubility

Toxicity to fish (Chronic toxicity) : NOEC: 0,052 mg/l
Exposure time: 32 d
Species: Pimephales promelas (fathead minnow)
Method: OECD Test Guideline 210

NOEC: 0,07 µg/l
Exposure time: 219 d
Species: Oryzias latipes (Japanese medaka)
Method: OECD Test Guideline 229

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 8 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 1.000

Benzalkonium chloride:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 0,28 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,0056 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Chlorella pyrenoidosa (algae)): 0,09 mg/l
Exposure time: 72 h

M-Factor (Acute aquatic toxicity) : 100

Toxicity to fish (Chronic toxicity) : NOEC: 0,032 mg/l
Exposure time: 34 d
Species: Pimephales promelas (fathead minnow)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Gentamicin / Betamethasone Formulation

Version
9.0

Revision Date:
17.06.2025

SDS Number:
441402-00027

Date of last issue: 14.04.2025
Date of first issue: 06.01.2016

II

12.2 Persistence and degradability

Components:

Gentamicin:

Biodegradability : Result: rapidly degradable
Biodegradation: 100 %
Exposure time: 28 d
Method: OECD Test Guideline 314

Benzalkonium chloride:

Biodegradability : Result: Readily biodegradable.
Method: OECD Test Guideline 301D
Remarks: Based on data from similar materials

12.3 Bioaccumulative potential

Components:

Gentamicin:

Partition coefficient: n-octanol/water : log Pow: < -2

betamethasone:

Partition coefficient: n-octanol/water : log Pow: 2,11

Benzalkonium chloride:

Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)
Bioconcentration factor (BCF): < 500
Remarks: Based on data from similar materials

Partition coefficient: n-octanol/water : log Pow: 1,692
Remarks: Calculation

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Gentamicin / Betamethasone Formulation

Version
9.0

Revision Date:
17.06.2025

SDS Number:
441402-00027

Date of last issue: 14.04.2025
Date of first issue: 06.01.2016

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number or ID number

ADN	: UN 3082
ADR	: UN 3082
RID	: UN 3082
IMDG	: UN 3082
IATA	: UN 3082

14.2 UN proper shipping name

ADN	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Gentamicin, Benzalkonium chloride)
ADR	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Gentamicin, Benzalkonium chloride)
RID	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Gentamicin, Benzalkonium chloride)
IMDG	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Gentamicin, Benzalkonium chloride)
IATA	: Environmentally hazardous substance, liquid, n.o.s. (Gentamicin, Benzalkonium chloride)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Gentamicin / Betamethasone Formulation

Version 9.0 Revision Date: 17.06.2025 SDS Number: 441402-00027 Date of last issue: 14.04.2025
Date of first issue: 06.01.2016

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	: 9	
ADR	: 9	
RID	: 9	
IMDG	: 9	
IATA	: 9	

14.4 Packing group

ADN	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
ADR	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
Tunnel restriction code	: (-)
RID	
Packing group	: III
Classification Code	: M6
Hazard Identification Number	: 90
Labels	: 9
IMDG	
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
IATA (Cargo)	
Packing instruction (cargo aircraft)	: 964
Packing instruction (LQ)	: Y964
Packing group	: III
Labels	: Miscellaneous
IATA (Passenger)	
Packing instruction (passenger aircraft)	: 964
Packing instruction (LQ)	: Y964
Packing group	: III
Labels	: Miscellaneous

14.5 Environmental hazards

ADN	
Environmentally hazardous	: yes
ADR	

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Gentamicin / Betamethasone Formulation

Version 9.0 Revision Date: 17.06.2025 SDS Number: 441402-00027 Date of last issue: 14.04.2025
Date of first issue: 06.01.2016

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

: Conditions of restriction for the following entries should be considered: Number on list 3

Number on list 75: If you intend to use this product as tattoo ink, please contact your vendor.

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).

: Not applicable

REACH - List of substances subject to authorisation (Annex XIV)

: Not applicable

Regulation (EU) No 2024/590 on substances that deplete the ozone layer

: Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast)

: Not applicable

Regulation (EU) No 649/2012 of the European Parlia-

: Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Gentamicin / Betamethasone Formulation

Version Revision Date: SDS Number: Date of last issue: 14.04.2025
9.0 17.06.2025 441402-00027 Date of first issue: 06.01.2016

ment and the Council concerning the export and import of dangerous chemicals

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Major accident hazards involving dangerous substances:		Quantity 1	Quantity 2
E1	ENVIRONMENTAL HAZARDS	100 t	200 t

Other regulations:

Note the Working Environment Act § 4-1 and § 4-2 on requirements for the employer to protect pregnant employees against discomfort and injury as a result of the work situation and the working environment.

Note the regulation on organization, leadership and participation, chapter 12 on the work of children and young people

The components of this product are reported in the following inventories:

AICS : not determined
DSL : not determined
IECSC : not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines

Full text of H-Statements

- H301 : Toxic if swallowed.
- H311 : Toxic in contact with skin.
- H314 : Causes severe skin burns and eye damage.
- H318 : Causes serious eye damage.
- H330 : Fatal if inhaled.
- H360D : May damage the unborn child.
- H372 : Causes damage to organs through prolonged or repeated exposure.
- H372 : Causes damage to organs through prolonged or repeated exposure if swallowed.
- H400 : Very toxic to aquatic life.
- H410 : Very toxic to aquatic life with long lasting effects.
- H411 : Toxic to aquatic life with long lasting effects.
- EUH071 : Corrosive to the respiratory tract.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Gentamicin / Betamethasone Formulation

Version 9.0	Revision Date: 17.06.2025	SDS Number: 441402-00027	Date of last issue: 14.04.2025 Date of first issue: 06.01.2016
----------------	------------------------------	-----------------------------	---

Eye Dam.	: Serious eye damage
Repr.	: Reproductive toxicity
Skin Corr.	: Skin corrosion
STOT RE	: Specific target organ toxicity - repeated exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECL - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Classification of the mixture:

Repr. 1A	H360D
STOT RE 1	H372
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure:

Calculation method
Calculation method
Calculation method
Calculation method

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Gentamicin / Betamethasone Formulation

Version
9.0

Revision Date:
17.06.2025

SDS Number:
441402-00027

Date of last issue: 14.04.2025
Date of first issue: 06.01.2016

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NO / EN