

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Enilconazole Smoke Formulation

Version
8.0

Revision Date:
2025/04/14

SDS Number:
785468-00022

Date of last issue: 2024/09/28
Date of first issue: 2016/06/28

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Enilconazole Smoke Formulation

Manufacturer or supplier's details

Company : MSD

Address : No. 485 Jing Tai Road
Pu Tuo District - Shanghai - China 200331

Telephone : +1-908-740-4000

Emergency telephone number : 86-571-87268110

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance : powder
Colour : Grey-brown
Odour : No data available

May cause fire or explosion; strong oxidizer. May be harmful if swallowed. Causes serious eye irritation. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure. Toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

GHS Classification

Oxidizing solids : Category 1
Acute toxicity (Oral) : Category 5
Serious eye damage/eye irritation : Category 2A
Carcinogenicity : Category 2
Specific target organ toxicity - repeated exposure : Category 2
Short-term (acute) aquatic hazard : Category 2

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Enilconazole Smoke Formulation

Version
8.0

Revision Date:
2025/04/14

SDS Number:
785468-00022

Date of last issue: 2024/09/28
Date of first issue: 2016/06/28

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	<p>H271 May cause fire or explosion; strong oxidizer. H303 May be harmful if swallowed. H319 Causes serious eye irritation. H351 Suspected of causing cancer. H373 May cause damage to organs through prolonged or repeated exposure. H401 Toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.</p>
Precautionary statements	:	<p>Prevention: P203 Obtain, read and follow all safety instructions before use. P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. P220 Keep/Store away from clothing/ .? /combustible materials. P260 Do not breathe dust. P264 Wash skin thoroughly after handling. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection. P283 Wear fire/ flame resistant/ retardant clothing.</p> <p>Response: P301 + P337 + P317 IF SWALLOWED or if eye irritation persists: Get medical help. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P306 + P360 IF ON CLOTHING: rinse immediately contaminated clothing and skin with plenty of water before removing clothes. P318 IF exposed or concerned, get medical advice. P371 + P380 + P375 In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. P391 Collect spillage.</p> <p>Storage: P405 Store locked up. P420 Store away from other materials.</p>

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Enilconazole Smoke Formulation

Version
8.0

Revision Date:
2025/04/14

SDS Number:
785468-00022

Date of last issue: 2024/09/28
Date of first issue: 2016/06/28



Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Physical and chemical hazards

May cause fire or explosion; strong oxidizer.

Health hazards

May be harmful if swallowed. Causes serious eye irritation. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure.

Environmental hazards

Toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Other hazards which do not result in classification

Contact with dust can cause mechanical irritation or drying of the skin.

May form explosive dust-air mixture during processing, handling or other means.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Talc	14807-96-6	>= 50 -< 70
1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole	35554-44-0	>= 10 -< 20
Potassium chlorate	3811-04-9	>= 10 -< 20

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.

In case of eye contact : Thoroughly clean shoes before reuse.
In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Enilconazole Smoke Formulation

Version 8.0	Revision Date: 2025/04/14	SDS Number: 785468-00022	Date of last issue: 2024/09/28 Date of first issue: 2016/06/28
----------------	------------------------------	-----------------------------	---

Most important symptoms and effects, both acute and delayed	: Contact with dust can cause mechanical irritation or drying of the skin. May be harmful if swallowed. Causes serious eye irritation. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire-fighting	: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Chlorine compounds Metal oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Fight fire remotely due to the risk of explosion. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Evacuate personnel to safe areas. Only trained personnel should re-enter the area. Remove all sources of ignition. Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
---	--

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Enilconazole Smoke Formulation

Version
8.0

Revision Date:
2025/04/14

SDS Number:
785468-00022

Date of last issue: 2024/09/28
Date of first issue: 2016/06/28

Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Non-sparking tools should be used. Soak up with inert absorbent material. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Flush with water. Suppress (knock down) gases/vapours/mists with a water spray jet. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Handling

Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.

Local/Total ventilation : Use only with adequate ventilation. If advised by assessment of the local exposure potential, use only in an area equipped with explosion-proof exhaust ventilation.

Advice on safe handling : Do not breathe dust. Do not swallow. Do not get in eyes. Avoid prolonged or repeated contact with skin. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Keep container tightly closed. Minimize dust generation and accumulation. Keep container closed when not in use. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Keep away from combustible material.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Enilconazole Smoke Formulation

Version
8.0

Revision Date:
2025/04/14

SDS Number:
785468-00022

Date of last issue: 2024/09/28
Date of first issue: 2016/06/28

Avoidance of contact : Take care to prevent spills, waste and minimize release to the environment.

Avoidance of contact : Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents

Avoidance of contact : Flammable materials

Avoidance of contact : Organic materials

Storage

Conditions for safe storage : Keep in properly labelled containers.

Conditions for safe storage : Store locked up.

Conditions for safe storage : Keep tightly closed.

Conditions for safe storage : Keep in a cool, well-ventilated place.

Conditions for safe storage : Keep away from direct sunlight.

Conditions for safe storage : Store in accordance with the particular national regulations.

Conditions for safe storage : Keep away from heat and sources of ignition.

Conditions for safe storage : Store in original container.

Materials to avoid : Do not store with the following product types:

Materials to avoid : Self-reactive substances and mixtures

Materials to avoid : Organic peroxides

Materials to avoid : Flammable gases

Materials to avoid : Flammable liquids

Materials to avoid : Pyrophoric liquids

Materials to avoid : Pyrophoric solids

Materials to avoid : Self-heating substances and mixtures

Materials to avoid : Substances and mixtures, which in contact with water, emit flammable gases

Materials to avoid : Explosives

Materials to avoid : Corrosive Substances

Packaging material : Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Talc	14807-96-6	PC-TWA (Total dust)	3 mg/m3	CN OEL
		PC-TWA (Respirable dust)	1 mg/m3	CN OEL
		TWA (Res- pirable par- ticulate mat- ter)	2 mg/m3	ACGIH
1-[2-(allyloxy)-2-(2,4- dichlorophenyl)ethyl]-1H- imidazole	35554-44-0	TWA	0.3 mg/m3 (OEB 2)	Internal
		Further information: Skin		

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Enilconazole Smoke Formulation

Version
8.0

Revision Date:
2025/04/14

SDS Number:
785468-00022

Date of last issue: 2024/09/28
Date of first issue: 2016/06/28

Engineering measures

- : Use feasible engineering controls to minimize exposure to compound.
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Personal protective equipment

Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	: Particulates type
Eye/face protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat.
Hand protection	
Material	: Chemical-resistant gloves
Remarks	: Take note that the product is flammable, which may impact the selection of hand protection.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: powder
Colour	: Grey-brown
Odour	: No data available
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Enilconazole Smoke Formulation

Version
8.0

Revision Date:
2025/04/14

SDS Number:
785468-00022

Date of last issue: 2024/09/28
Date of first issue: 2016/06/28

Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: No data available
Solubility(ies)	
Water solubility	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, kinematic	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is classified as oxidizing with the category 1.
Molecular weight	: No data available
Particle characteristics	
Particle size	: No data available

10. STABILITY AND REACTIVITY

Reactivity	: May cause fire or explosion; strong oxidizer.
------------	---

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Enilconazole Smoke Formulation

Version
8.0

Revision Date:
2025/04/14

SDS Number:
785468-00022

Date of last issue: 2024/09/28
Date of first issue: 2016/06/28

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: May form explosive dust-air mixture during processing, handling or other means. Exposure to metals, combustible or organic materials can cause a violent reaction or ignition. May cause fire or explosion; strong oxidizer.
Conditions to avoid	: Heat, flames and sparks. Avoid dust formation.
Incompatible materials	: Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents Flammable materials Organic materials
Hazardous decomposition products	: No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Exposure routes	: Inhalation Skin contact Ingestion Eye contact
-----------------	--

Acute toxicity

May be harmful if swallowed.

Product:

Acute oral toxicity	: LD50 (Rat): 2,100 - 2,800 mg/kg
Acute inhalation toxicity	: LC0 (Rat): 10.73 mg/l Test atmosphere: dust/mist Remarks: No mortality observed at this dose.
Acute dermal toxicity	: LD50 (Rat): > 2,000 mg/kg LD50 (Rabbit): > 0.6 ml/kg

Components:

Talc:

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg Remarks: Based on data from similar materials
---------------------	--

1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole:

Acute oral toxicity	: LD50 (Rat): 227 mg/kg Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI LD50 (Mouse): 390 - 620 mg/kg LD50 (Dog): > 640 mg/kg
---------------------	---

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Enilconazole Smoke Formulation

Version
8.0

Revision Date:
2025/04/14

SDS Number:
785468-00022

Date of last issue: 2024/09/28
Date of first issue: 2016/06/28

Acute inhalation toxicity	:	LC50 (Rat): 1.84 - 2.88 mg/l Exposure time: 4 h Test atmosphere: dust/mist Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI
Acute dermal toxicity	:	LD50 (Rat): 4,200 - 4,800 mg/kg LD50 (Rabbit): 4,200 mg/kg
Acute toxicity (other routes of administration)	:	LD50 (Rat): 155 mg/kg Application Route: Intraperitoneal

Potassium chlorate:

Acute oral toxicity	:	Acute toxicity estimate (Humans): 100 mg/kg Method: Expert judgement
Acute inhalation toxicity	:	LC50 (Rat): > 5.1 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 436 Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Not classified based on available information.

Product:

Species	:	Rabbit
Result	:	No skin irritation

Components:

Talc:

Species	:	Rabbit
Result	:	No skin irritation

1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole:

Species	:	Rabbit
Result	:	Mild skin irritation

Potassium chlorate:

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Enilconazole Smoke Formulation

Version 8.0 Revision Date: 2025/04/14 SDS Number: 785468-00022 Date of last issue: 2024/09/28
Date of first issue: 2016/06/28

Species	:	Rabbit
Result	:	No skin irritation
Remarks	:	Based on data from similar materials

Serious eye damage/eye irritation

Causes serious eye irritation.

Product:

Species	:	Rabbit
Result	:	Moderate eye irritation

Components:

Talc:

Species	:	Rabbit
Result	:	No eye irritation

1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole:

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Remarks	:	Based on harmonised classification in EU regulation 1272/2008, Annex VI

Species	:	Rabbit
Result	:	Moderate eye irritation
Remarks	:	Based on harmonised classification in EU regulation 1272/2008, Annex VI

Potassium chlorate:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Product:

Species	:	Guinea pig
Result	:	Not a skin sensitizer.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Enilconazole Smoke Formulation

Version
8.0

Revision Date:
2025/04/14

SDS Number:
785468-00022

Date of last issue: 2024/09/28
Date of first issue: 2016/06/28

Components:

Talc:

Exposure routes	:	Skin contact
Species	:	Humans
Result	:	negative

1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole:

Test Type	:	Maximisation Test
Exposure routes	:	Dermal
Species	:	Guinea pig
Result	:	equivocal
Exposure routes	:	Dermal
Species	:	Humans
Result	:	Not a skin sensitizer.

Potassium chloride:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative
Remarks	:	Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Components:

Talc:

Genotoxicity in vitro	:	Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Result: negative
Genotoxicity in vivo	:	Test Type: Chromosome aberration test in vitro Species: Rat Application Route: Ingestion Result: negative

1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: Chromosomal aberration Test system: Human lymphocytes Result: negative
		Test Type: gene mutation test

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Enilconazole Smoke Formulation

Version
8.0

Revision Date:
2025/04/14

SDS Number:
785468-00022

Date of last issue: 2024/09/28
Date of first issue: 2016/06/28

Test system: Chinese hamster fibroblasts
Result: negative

Test Type: unscheduled DNA synthesis assay
Test system: rat hepatocytes
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Rat
Application Route: Oral
Result: negative

Test Type: Micronucleus test
Species: Mouse
Application Route: Oral
Result: negative

Test Type: Rodent dominant lethal test (germ cell) (in vivo)
Species: Mouse
Result: negative

Potassium chloride:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative
Remarks: Based on data from similar materials

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Method: OECD Test Guideline 482
Result: negative
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 474
Result: negative
Remarks: Based on data from similar materials

Carcinogenicity

Suspected of causing cancer.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Enilconazole Smoke Formulation

Version 8.0 Revision Date: 2025/04/14 SDS Number: 785468-00022 Date of last issue: 2024/09/28
Date of first issue: 2016/06/28

Components:

Talc:

Species	:	Mouse
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	2 Years
Result	:	negative

1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole:

Species	:	Rat
Application Route	:	Oral
Exposure time	:	2 Years
NOAEL	:	40 mg/kg body weight
Result	:	negative
Species	:	Mouse
Application Route	:	Oral
Exposure time	:	2 Years
LOAEL	:	33 mg/kg body weight
Result	:	positive
Target Organs	:	Liver
Species	:	Mouse
Application Route	:	oral (feed)
Exposure time	:	23 Months
NOAEL	:	8 mg/kg body weight
LOAEL	:	105 mg/kg body weight
Result	:	positive
Target Organs	:	Liver
Remarks	:	Based on harmonised classification in EU regulation 1272/2008, Annex VI
Carcinogenicity - Assessment	:	Limited evidence of carcinogenicity in animal studies

Potassium chlorate:

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	106 weeks
Result	:	negative
Remarks	:	Based on data from similar materials

Reproductive toxicity

Not classified based on available information.

Components:

Talc:

Effects on foetal development	:	Test Type: Embryo-foetal development
	:	Species: Rat

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Enilconazole Smoke Formulation

Version
8.0

Revision Date:
2025/04/14

SDS Number:
785468-00022

Date of last issue: 2024/09/28
Date of first issue: 2016/06/28

Application Route: Ingestion
Result: negative

1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole:

Effects on fertility

: Test Type: Multi-generation study
Species: Rat
Application Route: Oral
General Toxicity - Parent: NOAEL: 20 mg/kg body weight
Result: Maternal toxicity observed., Embryotoxic effects and adverse effects on the offspring were detected.
Remarks: Not classified due to data which are conclusive although insufficient for classification.

Effects on foetal development

: Test Type: Development
Species: Rat
Application Route: Oral
Developmental Toxicity: LOAEL: 80 mg/kg body weight
Result: Reduced foetal weight, Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses
Remarks: The effects were seen only at maternally toxic doses.

Test Type: Development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: LOAEL: 10 mg/kg body weight
Result: Maternal toxicity observed., No teratogenic effects, Postimplantation loss.
Remarks: The effects were seen only at maternally toxic doses.

Potassium chloride:

Effects on fertility

: Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 416
Result: negative
Remarks: Based on data from similar materials

Effects on foetal development

: Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

STOT - single exposure

Not classified based on available information.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Enilconazole Smoke Formulation

Version
8.0

Revision Date:
2025/04/14

SDS Number:
785468-00022

Date of last issue: 2024/09/28
Date of first issue: 2016/06/28

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:

1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole:

Target Organs	:	Liver
Assessment	:	May cause damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole:

Species	:	Rat
NOAEL	:	5 mg/kg
LOAEL	:	20 mg/kg
Application Route	:	Oral
Exposure time	:	3 - 24 Months
Target Organs	:	Liver
Symptoms	:	decrease in appetite

Species	:	Dog
NOAEL	:	2.5 mg/kg
LOAEL	:	20 mg/kg
Application Route	:	Oral
Exposure time	:	12 Months
Symptoms	:	Salivation, Vomiting

Species	:	Mouse
NOAEL	:	12 mg/kg
LOAEL	:	140 mg/kg
Application Route	:	Oral
Exposure time	:	3 Months
Target Organs	:	Liver

Potassium chlorate:

Species	:	Rat
NOAEL	:	> 100 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days
Remarks	:	Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Enilconazole Smoke Formulation

Version
8.0

Revision Date:
2025/04/14

SDS Number:
785468-00022

Date of last issue: 2024/09/28
Date of first issue: 2016/06/28

Experience with human exposure

Components:

1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole:

Skin contact	: Symptoms: pruritis, skin rash, Skin irritation
Eye contact	: Symptoms: Eye irritation
Ingestion	: Symptoms: Nausea

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Talc:

Toxicity to fish	: LC50 (Brachydanio rerio (zebrafish)): > 100,000 mg/l Exposure time: 24 h
------------------	---

1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 1.48 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
------------------	---

LC50 (Lepomis macrochirus (Bluegill sunfish)): 3.99 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
--

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 3.54 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
---	--

Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): 1.2 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
----------------------------------	--

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.457 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
--

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): < 0.007 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
--	---

M-Factor (Chronic aquatic toxicity)	: 10
-------------------------------------	------

Potassium chlorate:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
------------------	--

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Enilconazole Smoke Formulation

Version
8.0

Revision Date:
2025/04/14

SDS Number:
785468-00022

Date of last issue: 2024/09/28
Date of first issue: 2016/06/28

Exposure time: 96 h
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (Lemna minor (duckweed)): > 10 - 100 mg/l
Exposure time: 7 d
Method: OECD Test Guideline 221
Remarks: Based on data from similar materials

NOEC (Lemna minor (duckweed)): > 1 mg/l
Exposure time: 7 d
Method: OECD Test Guideline 221
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOEC (Danio rerio (zebra fish)): > 1 mg/l
Exposure time: 36 d
Method: OECD Test Guideline 210
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): > 1 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50: > 1,000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
Remarks: Based on data from similar materials

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.
Remarks: Based on national or regional regulation.

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.
Remarks: Based on national or regional regulation.

Persistence and degradability

Components:

1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole:

Biodegradability : Result: not rapidly degradable
Biodegradation: 50 %
Exposure time: 166 d

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Enilconazole Smoke Formulation

Version
8.0

Revision Date:
2025/04/14

SDS Number:
785468-00022

Date of last issue: 2024/09/28
Date of first issue: 2016/06/28

Bioaccumulative potential

Components:

1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole:

Partition coefficient: n-octanol/water : log Pow: 3.82

Mobility in soil

Components:

1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole:

Distribution among environmental compartments : log Koc: 3.82

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 1485
Proper shipping name : POTASSIUM CHLORATE MIXTURE
Class : 5.1
Packing group : II
Labels : 5.1
Environmentally hazardous : no

IATA-DGR

UN/ID No. : UN 1485
Proper shipping name : Potassium chlorate Mixture
Class : 5.1
Packing group : II
Labels : Oxidizer
Packing instruction (cargo aircraft) : 562
Packing instruction (passenger aircraft) : 558

IMDG-Code

UN number : UN 1485

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Enilconazole Smoke Formulation

Version
8.0

Revision Date:
2025/04/14

SDS Number:
785468-00022

Date of last issue: 2024/09/28
Date of first issue: 2016/06/28

Proper shipping name	:	POTASSIUM CHLORATE MIXTURE (1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole)
Class	:	5.1
Packing group	:	II
Labels	:	5.1
EmS Code	:	F-H, S-Q
Marine pollutant	:	yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number	:	UN 1485
Proper shipping name	:	POTASSIUM CHLORATE MIXTURE
Class	:	5.1
Packing group	:	II
Labels	:	5.1
Marine pollutant	:	yes

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals	:	This product is not listed in the catalogue of hazardous chemicals, but it meets the definition of hazardous chemicals and its principles of determination.
----------------------------------	---	---

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218)

No. / Code	Chemical name / Category	Threshold quantity
W9.1	Oxidising solids and liquids	50 t
Hazardous Chemicals for Priority Management under SAWS		: Listed

Catalogue of Specially Controlled Hazardous Chemicals	:	Listed
---	---	--------

List of Explosive Precursors	:	Listed
------------------------------	---	--------

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Enilconazole Smoke Formulation

Version 8.0 Revision Date: 2025/04/14 SDS Number: 785468-00022 Date of last issue: 2024/09/28
Date of first issue: 2016/06/28

Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not listed

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export : Not listed

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

Regulations of Ozone Depleting Substances Management

List of Controlled Ozone Depleting Substances Import and Export : Not listed

List of Controlled Ozone Depleting Substances : Not listed

Environmental Protection Law

List of Priority Controlled Chemicals : Not listed

List of Key Controlled New Pollutants : Not listed

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

Revision Date : 2025/04/14

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Enilconazole Smoke Formulation

Version 8.0	Revision Date: 2025/04/14	SDS Number: 785468-00022	Date of last issue: 2024/09/28 Date of first issue: 2016/06/28
----------------	------------------------------	-----------------------------	---

CN OEL : Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.

ACGIH / TWA : 8-hour, time-weighted average

CN OEL / PC-TWA : Permissible concentration - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN