

# SAFETY DATA SHEET



## Enilconazole Smoke Formulation

Version 8.1 Revision Date: 14.04.2025 SDS Number: 785478-00022 Date of last issue: 28.09.2024 Date of first issue: 28.06.2016

---

### Section 1: Identification

Product name : Enilconazole Smoke Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : 33 Whakatiki Street - Private Bag 908  
Upper Hutt - New Zealand

Telephone : 0800 800 543

Emergency telephone number : 0800 764 766 (0800 POISON) 0800 243 622 (0800 CHEMCALL)

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### Section 2: Hazard identification

#### GHS Classification

Oxidizing solids : Category 1

Serious eye damage/eye irritation : Category 2

Carcinogenicity : Category 2

Specific target organ toxicity - repeated exposure : Category 2

Hazardous to the aquatic environment - chronic hazard : Category 1

#### GHS label elements

Hazard pictograms :

Signal word : Danger

Hazard statements : H271 May cause fire or explosion; strong oxidizer.  
H319 Causes serious eye irritation.

# SAFETY DATA SHEET



## Enilconazole Smoke Formulation

---

Version 8.1	Revision Date: 14.04.2025	SDS Number: 785478-00022	Date of last issue: 28.09.2024 Date of first issue: 28.06.2016
----------------	------------------------------	-----------------------------	---

---

H351 Suspected of causing cancer.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements	:	<p><b>Prevention:</b> P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P220 Keep away from clothing and other combustible materials. P264 Wash skin thoroughly after handling. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P283 Wear fire resistant or flame retardant clothing.</p> <p><b>Response:</b> P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P306 + P360 IF ON CLOTHING: rinse immediately contaminated clothing and skin with plenty of water before removing clothes. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P371 + P380 + P375 In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. P391 Collect spillage.</p> <p><b>Storage:</b> P405 Store locked up.</p> <p><b>Disposal:</b> P501 Dispose of contents/ container to an approved waste disposal plant.</p>
--------------------------	---	--

### Other hazards which do not result in classification

Contact with dust can cause mechanical irritation or drying of the skin.  
May form explosive dust-air mixture during processing, handling or other means.

---

### Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

#### Components

Chemical name	CAS-No.	Concentration (% w/w)
Talc	14807-96-6	>= 50 -< 70

# SAFETY DATA SHEET



## Enilconazole Smoke Formulation

Version 8.1 Revision Date: 14.04.2025 SDS Number: 785478-00022 Date of last issue: 28.09.2024 Date of first issue: 28.06.2016

1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole	35554-44-0	>= 10 -< 20
Potassium chlorate	3811-04-9	>= 10 -< 20

### Section 4: First-aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : Contact with dust can cause mechanical irritation or drying of the skin.  
Causes serious eye irritation.  
Suspected of causing cancer.  
May cause damage to organs through prolonged or repeated exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

### Section 5: Fire-fighting measures

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard.  
Exposure to combustion products may be a hazard to health.

Hazardous combustion prod- : Carbon oxides

# SAFETY DATA SHEET



## Enilconazole Smoke Formulation

---

Version 8.1	Revision Date: 14.04.2025	SDS Number: 785478-00022	Date of last issue: 28.09.2024 Date of first issue: 28.06.2016
-------------	---------------------------	--------------------------	---

---

ucts	Chlorine compounds Metal oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Fight fire remotely due to the risk of explosion. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
Hazchem Code	: 1Y

---

### Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures	: Evacuate personnel to safe areas. Only trained personnel should re-enter the area. Remove all sources of ignition. Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	: Non-sparking tools should be used. Soak up with inert absorbent material. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Flush with water. Suppress (knock down) gases/vapours/mists with a water spray jet. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

### Section 7: Handling and storage

## Enilconazole Smoke Formulation

Version 8.1	Revision Date: 14.04.2025	SDS Number: 785478-00022	Date of last issue: 28.09.2024 Date of first issue: 28.06.2016
----------------	------------------------------	-----------------------------	---

Technical measures	<ul style="list-style-type: none"> <li>: Static electricity may accumulate and ignite suspended dust causing an explosion.</li> <li>Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.</li> </ul>
Local/Total ventilation	<ul style="list-style-type: none"> <li>: Use only with adequate ventilation.</li> <li>If advised by assessment of the local exposure potential, use only in an area equipped with explosion-proof exhaust ventilation.</li> </ul>
Advice on safe handling	<ul style="list-style-type: none"> <li>: Do not breathe dust.</li> <li>Do not swallow.</li> <li>Do not get in eyes.</li> <li>Avoid prolonged or repeated contact with skin.</li> <li>Wash skin thoroughly after handling.</li> <li>Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment</li> <li>Keep container tightly closed.</li> <li>Minimize dust generation and accumulation.</li> <li>Keep container closed when not in use.</li> <li>Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</li> <li>Take precautionary measures against static discharges.</li> <li>Keep away from combustible material.</li> <li>Take care to prevent spills, waste and minimize release to the environment.</li> </ul>
Hygiene measures	<ul style="list-style-type: none"> <li>: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.</li> <li>When using do not eat, drink or smoke.</li> <li>Wash contaminated clothing before re-use.</li> <li>The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.</li> </ul>
Conditions for safe storage	<ul style="list-style-type: none"> <li>: Keep in properly labelled containers.</li> <li>Store locked up.</li> <li>Keep tightly closed.</li> <li>Keep in a cool, well-ventilated place.</li> <li>Keep away from direct sunlight.</li> <li>Store in accordance with the particular national regulations.</li> <li>Keep away from heat and sources of ignition.</li> <li>Store in original container.</li> </ul>
Materials to avoid	<ul style="list-style-type: none"> <li>: Do not store with the following product types:</li> <li>Self-reactive substances and mixtures</li> <li>Organic peroxides</li> <li>Flammable gases</li> <li>Flammable liquids</li> <li>Pyrophoric liquids</li> <li>Pyrophoric solids</li> <li>Self-heating substances and mixtures</li> <li>Substances and mixtures, which in contact with water, emit</li> </ul>

# SAFETY DATA SHEET



## Enilconazole Smoke Formulation

Version 8.1 Revision Date: 14.04.2025 SDS Number: 785478-00022 Date of last issue: 28.09.2024 Date of first issue: 28.06.2016

flammable gases  
Explosives  
Corrosive Substances

### Section 8: Exposure controls/personal protection

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Talc	14807-96-6	WES-TWA (Respirable dust)	2 mg/m3	NZ OEL
		TWA (Respirable particulate matter)	2 mg/m3	ACGIH
1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole	35554-44-0	TWA	0.3 mg/m3 (OEB 2)	Internal
Further information: Skin				

**Engineering measures** : Use feasible engineering controls to minimize exposure to compound.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

#### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Material : Chemical-resistant gloves

Remarks : Take note that the product is flammable, which may impact the selection of hand protection.

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

### Section 9: Physical and chemical properties

Appearance : powder

# SAFETY DATA SHEET



## Enilconazole Smoke Formulation

Version 8.1      Revision Date: 14.04.2025      SDS Number: 785478-00022      Date of last issue: 28.09.2024  
Date of first issue: 28.06.2016

---

Colour	:	Grey-brown
Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	May form explosive dust-air mixture during processing, handling or other means.
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive

# SAFETY DATA SHEET



## Enilconazole Smoke Formulation

Version 8.1      Revision Date: 14.04.2025      SDS Number: 785478-00022      Date of last issue: 28.09.2024  
Date of first issue: 28.06.2016

---

Oxidizing properties : The substance or mixture is classified as oxidizing with the category 1.

Molecular weight : No data available

Particle characteristics

Particle size : No data available

---

### Section 10: Stability and reactivity

Reactivity : May cause fire or explosion; strong oxidizer.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.

Exposure to metals, combustible or organic materials can cause a violent reaction or ignition.

May cause fire or explosion; strong oxidizer.

Conditions to avoid : Heat, flames and sparks.

Avoid dust formation.

Incompatible materials : Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents

Flammable materials

Organic materials

Hazardous decomposition products : No hazardous decomposition products are known.

---

### Section 11: Toxicological information

Exposure routes : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : LD50 (Rat): 2,100 - 2,800 mg/kg

Acute inhalation toxicity : LC0 (Rat): 10.73 mg/l  
Test atmosphere: dust/mist  
Remarks: No mortality observed at this dose.

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
LD50 (Rabbit): > 0.6 ml/kg

#### Components:

#### Talc:

# SAFETY DATA SHEET



## Enilconazole Smoke Formulation

Version 8.1      Revision Date: 14.04.2025      SDS Number: 785478-00022      Date of last issue: 28.09.2024  
Date of first issue: 28.06.2016

---

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Remarks: Based on data from similar materials

### 1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole:

Acute oral toxicity : LD50 (Rat): 227 mg/kg  
Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

LD50 (Mouse): 390 - 620 mg/kg

LD50 (Dog): > 640 mg/kg

Acute inhalation toxicity : LC50 (Rat): 1.84 - 2.88 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

Acute dermal toxicity : LD50 (Rat): 4,200 - 4,800 mg/kg

LD50 (Rabbit): 4,200 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 155 mg/kg  
Application Route: Intraperitoneal

### Potassium chloride:

Acute oral toxicity : Acute toxicity estimate (Humans): 100 mg/kg  
Method: Expert judgement

Acute inhalation toxicity : Acute toxicity estimate: 1.5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Expert judgement  
Remarks: Based on national or regional regulation.

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

### Skin corrosion/irritation

Not classified based on available information.

### Product:

Species : Rabbit  
Result : No skin irritation

### Components:

#### Talc:

# SAFETY DATA SHEET



## Enilconazole Smoke Formulation

Version 8.1      Revision Date: 14.04.2025      SDS Number: 785478-00022      Date of last issue: 28.09.2024  
Date of first issue: 28.06.2016

---

Species : Rabbit  
Result : No skin irritation

### 1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole:

Species : Rabbit  
Result : Mild skin irritation

### Potassium chlorate:

Species : Rabbit  
Result : No skin irritation  
Remarks : Based on data from similar materials

### Serious eye damage/eye irritation

Causes serious eye irritation.

### Product:

Species : Rabbit  
Result : Moderate eye irritation

### Components:

#### Talc:

Species : Rabbit  
Result : No eye irritation

### 1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole:

Species : Rabbit  
Result : Irreversible effects on the eye  
Remarks : Based on harmonised classification in EU regulation 1272/2008, Annex VI

Species : Rabbit  
Result : Moderate eye irritation  
Remarks : Based on harmonised classification in EU regulation 1272/2008, Annex VI

### Potassium chlorate:

Result : Irritation to eyes, reversing within 21 days  
Remarks : Based on national or regional regulation.

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

**Enilconazole Smoke Formulation**Version  
8.1Revision Date:  
14.04.2025SDS Number:  
785478-00022Date of last issue: 28.09.2024  
Date of first issue: 28.06.2016**Product:**

Species : Guinea pig  
Result : Not a skin sensitizer.

**Components:****Talc:**

Exposure routes : Skin contact  
Species : Humans  
Result : negative

**1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole:**

Test Type : Maximisation Test  
Exposure routes : Dermal  
Species : Guinea pig  
Result : equivocal

Exposure routes : Dermal  
Species : Humans  
Result : Not a skin sensitizer.

**Potassium chlorate:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative  
Remarks : Based on data from similar materials

**Chronic toxicity****Germ cell mutagenicity**

Not classified based on available information.

**Components:****Talc:**

Genotoxicity in vitro : Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Result: negative

Genotoxicity in vivo : Test Type: Chromosome aberration test in vitro  
Species: Rat  
Application Route: Ingestion  
Result: negative

**1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

**Enilconazole Smoke Formulation**

Version 8.1

Revision Date: 14.04.2025

SDS Number: 785478-00022

Date of last issue: 28.09.2024  
Date of first issue: 28.06.2016

Test Type: Chromosomal aberration  
Test system: Human lymphocytes  
Result: negative

Test Type: gene mutation test  
Test system: Chinese hamster fibroblasts  
Result: negative

Test Type: unscheduled DNA synthesis assay  
Test system: rat hepatocytes  
Result: negative

Genotoxicity in vivo

: Test Type: Micronucleus test  
Species: Rat  
Application Route: Oral  
Result: negative

Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Result: negative

Test Type: Rodent dominant lethal test (germ cell) (in vivo)  
Species: Mouse  
Result: negative

**Potassium chlorate:**

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: Based on data from similar materials

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Method: OECD Test Guideline 482  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo

: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative  
Remarks: Based on data from similar materials

# SAFETY DATA SHEET



## Enilconazole Smoke Formulation

Version 8.1 Revision Date: 14.04.2025 SDS Number: 785478-00022 Date of last issue: 28.09.2024 Date of first issue: 28.06.2016

---

### Carcinogenicity

Suspected of causing cancer.

#### Components:

##### **Talc:**

Species : Mouse  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 2 Years  
Result : negative

##### **1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole:**

Species : Rat  
Application Route : Oral  
Exposure time : 2 Years  
NOAEL : 40 mg/kg body weight  
Result : negative

Species : Mouse  
Application Route : Oral  
Exposure time : 2 Years  
LOAEL : 33 mg/kg body weight  
Result : positive  
Target Organs : Liver

Species : Mouse  
Application Route : oral (feed)  
Exposure time : 23 Months  
NOAEL : 8 mg/kg body weight  
LOAEL : 105 mg/kg body weight  
Result : positive  
Target Organs : Liver  
Remarks : Based on harmonised classification in EU regulation 1272/2008, Annex VI

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

##### **Potassium chloride:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 106 weeks  
Result : negative  
Remarks : Based on data from similar materials

### **Reproductive toxicity**

Not classified based on available information.

#### Components:

##### **Talc:**

Effects on foetal development : Test Type: Embryo-foetal development

## SAFETY DATA SHEET



## Enilconazole Smoke Formulation

Version Revision Date: SDS Number: Date of last issue: 28.09.2024  
8.1 14.04.2025 785478-00022 Date of first issue: 28.06.2016

Species: Rat  
Application Route: Ingestion  
Result: negative

### 1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole:

Effects on fertility	: Test Type: Multi-generation study Species: Rat Application Route: Oral General Toxicity - Parent: NOAEL: 20 mg/kg body weight Result: Maternal toxicity observed., Embryotoxic effects and adverse effects on the offspring were detected. Remarks: Not classified due to data which are conclusive although insufficient for classification.
----------------------	--

Effects on foetal development : Test Type: Development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: LOAEL: 80 mg/kg body weight  
Result: Reduced foetal weight, Embryotoxic effects and adverse effects on the offspring were detected only at high maternally toxic doses  
Remarks: The effects were seen only at maternally toxic doses

Test Type: Development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: LOAEL: 10 mg/kg body weight  
Result: Maternal toxicity observed., No teratogenic effects,  
Postimplantation loss.  
Remarks: The effects were seen only at maternally toxic dos-  
es.

## Potassium chlorate:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 416  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

## STOT - single exposure

Not classified based on available information.

# SAFETY DATA SHEET



## Enilconazole Smoke Formulation

Version  
8.1

Revision Date:  
14.04.2025

SDS Number:  
785478-00022

Date of last issue: 28.09.2024  
Date of first issue: 28.06.2016

---

### STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

#### Components:

##### **1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole:**

Target Organs : Liver  
Assessment : May cause damage to organs through prolonged or repeated exposure.

##### **Potassium chlorate:**

Assessment : May cause damage to organs through prolonged or repeated exposure.  
Remarks : Based on national or regional regulation.

### Repeated dose toxicity

#### Components:

##### **1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole:**

Species : Rat  
NOAEL : 5 mg/kg  
LOAEL : 20 mg/kg  
Application Route : Oral  
Exposure time : 3 - 24 Months  
Target Organs : Liver  
Symptoms : decrease in appetite

Species : Dog  
NOAEL : 2.5 mg/kg  
LOAEL : 20 mg/kg  
Application Route : Oral  
Exposure time : 12 Months  
Symptoms : Salivation, Vomiting

Species : Mouse  
NOAEL : 12 mg/kg  
LOAEL : 140 mg/kg  
Application Route : Oral  
Exposure time : 3 Months  
Target Organs : Liver

##### **Potassium chlorate:**

Species : Rat  
NOAEL : > 100 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days  
Remarks : Based on data from similar materials

# SAFETY DATA SHEET



## Enilconazole Smoke Formulation

Version 8.1 Revision Date: 14.04.2025 SDS Number: 785478-00022 Date of last issue: 28.09.2024 Date of first issue: 28.06.2016

---

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

##### **1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole:**

Skin contact : Symptoms: pruritis, skin rash, Skin irritation  
Eye contact : Symptoms: Eye irritation  
Ingestion : Symptoms: Nausea

---

## Section 12: Ecological information

### Ecotoxicity

#### Components:

##### **Talc:**

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): > 100,000 mg/l  
Exposure time: 24 h

##### **1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1.48 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

LC50 (Lepomis macrochirus (Bluegill sunfish)): 3.99 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 3.54 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 1.2 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.457 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): < 0.007 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 10

# SAFETY DATA SHEET



## Enilconazole Smoke Formulation

Version 8.1      Revision Date: 14.04.2025      SDS Number: 785478-00022      Date of last issue: 28.09.2024  
Date of first issue: 28.06.2016

---

### **Potassium chlorate:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : EC50 (Lemma minor (duckweed)): > 10 - 100 mg/l  
Exposure time: 7 d  
Method: OECD Test Guideline 221  
Remarks: Based on data from similar materials

NOEC (Lemma minor (duckweed)): > 1 mg/l  
Exposure time: 7 d  
Method: OECD Test Guideline 221  
Remarks: Based on data from similar materials

Toxicity to fish (Chronic toxicity) : NOEC (Danio rerio (zebra fish)): > 1 mg/l  
Exposure time: 36 d  
Method: OECD Test Guideline 210  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): > 1 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211  
Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 3 h  
Method: OECD Test Guideline 209  
Remarks: Based on data from similar materials

### **Ecotoxicology Assessment**

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.  
Remarks: Based on national or regional regulation.

### **Persistence and degradability**

#### **Components:**

##### **1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole:**

Biodegradability : Result: not rapidly degradable  
Biodegradation: 50 %  
Exposure time: 166 d

# SAFETY DATA SHEET



## Enilconazole Smoke Formulation

Version 8.1 Revision Date: 14.04.2025 SDS Number: 785478-00022 Date of last issue: 28.09.2024 Date of first issue: 28.06.2016

---

### Bioaccumulative potential

#### Components:

##### **1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole:**

Partition coefficient: n-octanol/water : log Pow: 3.82

### Mobility in soil

#### Components:

##### **1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole:**

Distribution among environmental compartments : log Koc: 3.82

### Other adverse effects

No data available

---

## Section 13: Disposal considerations

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## Section 14: Transport information

### International Regulations

#### UNRTDG

UN number : UN 1485  
Proper shipping name : POTASSIUM CHLORATE MIXTURE  
Class : 5.1  
Packing group : II  
Labels : 5.1  
Environmentally hazardous : no

#### IATA-DGR

UN/ID No. : UN 1485  
Proper shipping name : Potassium chlorate Mixture  
Class : 5.1  
Packing group : II  
Labels : Oxidizer  
Packing instruction (cargo aircraft) : 562  
Packing instruction (passenger aircraft) : 558

#### IMDG-Code

UN number : UN 1485  
Proper shipping name : POTASSIUM CHLORATE MIXTURE

# SAFETY DATA SHEET



## Enilconazole Smoke Formulation

Version 8.1 Revision Date: 14.04.2025 SDS Number: 785478-00022 Date of last issue: 28.09.2024 Date of first issue: 28.06.2016

---

		(1-[2-(allyloxy)-2-(2,4-dichlorophenyl)ethyl]-1H-imidazole)
Class	:	5.1
Packing group	:	II
Labels	:	5.1
EmS Code	:	F-H, S-Q
Marine pollutant	:	yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### NZS 5433

UN number	:	UN 1485
Proper shipping name	:	POTASSIUM CHLORATE MIXTURE
Class	:	5.1
Packing group	:	II
Labels	:	5.1
Hazchem Code	:	1Y
Marine pollutant	:	yes

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## Section 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### HSNO Approval Number

not allocated

Tolerable Exposure Limits (TEL)

Not applicable

Environmental Exposure Limits (EEL)

Not applicable

#### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

---

## Section 16: Other information

Revision Date : 14.04.2025

### Further information

**Enilconazole Smoke Formulation**

---

Version 8.1	Revision Date: 14.04.2025	SDS Number: 785478-00022	Date of last issue: 28.09.2024 Date of first issue: 28.06.2016
----------------	------------------------------	-----------------------------	---

---

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

**Full text of other abbreviations**

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
NZ OEL	: New Zealand. Workplace Exposure Standards for Atmospheric Contaminants
ACGIH / TWA	: 8-hour, time-weighted average
NZ OEL / WES-TWA	: Workplace Exposure Standard - Time Weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECL - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their

# SAFETY DATA SHEET



## Enilconazole Smoke Formulation

---

Version 8.1	Revision Date: 14.04.2025	SDS Number: 785478-00022	Date of last issue: 28.09.2024 Date of first issue: 28.06.2016
----------------	------------------------------	-----------------------------	---

---

intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN