

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Dexamethasone (with Ethanol) Formulation

Version  
3.3

Revision Date:  
20.02.2025

SDS Number:  
761917-00020

Date of last issue: 28.09.2024  
Date of first issue: 14.06.2016

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Dexamethasone (with Ethanol) Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : Briahnager - Off Pune Nagar Road  
Wagholi - Pune - India 412 207

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### 2. HAZARDS IDENTIFICATION

#### Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

##### Classification

Flammable liquid

##### GHS Classification

Flammable liquids : Category 4

##### GHS label elements

Hazard pictograms : None

Signal word : Warning

Hazard statements : H227 Combustible liquid.

Precautionary statements : **Prevention:**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

##### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Dexamethasone (with Ethanol) Formulation

Version  
3.3

Revision Date:  
20.02.2025

SDS Number:  
761917-00020

Date of last issue: 28.09.2024  
Date of first issue: 14.06.2016

### Other hazards which do not result in classification

Vapours may form explosive mixture with air.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Ethanol#	64-17-5	>= 5 - < 10
Benzyl alcohol	100-51-6	>= 0.1 - < 1
dexamethasone	50-02-2	>= 0.1 - < 0.25

#: Voluntarily-disclosed substance

## 4. FIRST AID MEASURES

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	: In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: None known.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

## 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	: High volume water jet
Specific hazards during fire-fighting	: Do not use a solid water stream as it may scatter and spread fire.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Dexamethasone (with Ethanol) Formulation

Version  
3.3

Revision Date:  
20.02.2025

SDS Number:  
761917-00020

Date of last issue: 28.09.2024  
Date of first issue: 14.06.2016

Flash back possible over considerable distance.  
Vapours may form explosive mixtures with air.  
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.  
Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Non-sparking tools should be used.  
Soak up with inert absorbent material.  
Suppress (knock down) gases/vapours/mists with a water spray jet.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

## 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Dexamethasone (with Ethanol) Formulation

Version  
3.3

Revision Date:  
20.02.2025

SDS Number:  
761917-00020

Date of last issue: 28.09.2024  
Date of first issue: 14.06.2016

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe vapours or spray mist.  
Do not swallow.  
Avoid contact with eyes.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Take precautionary measures against static discharges.  
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labelled containers.  
Keep tightly closed.  
Keep in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.  
Keep away from heat and sources of ignition.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Ethanol	64-17-5	TWA	1,000 ppm 1,900 mg/m <sup>3</sup>	IN OEL
		STEL	1,000 ppm	ACGIH
dexamethasone	50-02-2	TWA	10 µg/m <sup>3</sup> (OEB 3)	Internal
	Further information: Skin			
		Wipe limit	100 µg/100 cm <sup>2</sup>	Internal

**Engineering measures** : Minimize workplace exposure concentrations.  
If sufficient ventilation is unavailable, use with local exhaust ventilation.

### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection : Chemical-resistant gloves

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Dexamethasone (with Ethanol) Formulation

Version  
3.3

Revision Date:  
20.02.2025

SDS Number:  
761917-00020

Date of last issue: 28.09.2024  
Date of first issue: 14.06.2016

determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Take note that the product is flammable, which may impact the selection of hand protection. Wash hands before breaks and at the end of workday.

Eye protection	: Wear the following personal protective equipment: Safety glasses
Skin and body protection	: Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  Wear the following personal protective equipment: If assessment demonstrates that there is a risk of explosive atmospheres or flash fires, use flame retardant antistatic protective clothing. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: clear
Odour	: No data available
Odour Threshold	: No data available
pH	: 4.9
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: 68 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: Not applicable
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Dexamethasone (with Ethanol) Formulation

Version 3.3 Revision Date: 20.02.2025 SDS Number: 761917-00020 Date of last issue: 28.09.2024 Date of first issue: 14.06.2016

---

Vapour pressure	:	No data available
Relative vapour density	:	No data available
Density	:	No data available
Solubility(ies)	:	No data available
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	No data available
Particle size	:	No data available

---

## 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Combustible liquid. Vapours may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

## 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

### Acute toxicity

Not classified based on available information.

### Components:

#### **Ethanol:**

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Dexamethasone (with Ethanol) Formulation

Version  
3.3

Revision Date:  
20.02.2025

SDS Number:  
761917-00020

Date of last issue: 28.09.2024  
Date of first issue: 14.06.2016

Acute oral toxicity : LD50 (Rat): 10,470 mg/kg  
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat, male): 116.9 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): > 15,800 mg/kg

### **Benzyl alcohol:**

Acute oral toxicity : LD50 (Rat): 1,200 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.4 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

### **dexamethasone:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
LD50 (Mouse): > 6,500 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 14 mg/kg  
Application Route: Subcutaneous

### **Skin corrosion/irritation**

Not classified based on available information.

### **Components:**

#### **Ethanol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### **Benzyl alcohol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

#### **dexamethasone:**

Species : Rabbit  
Result : Mild skin irritation

### **Serious eye damage/eye irritation**

Not classified based on available information.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Dexamethasone (with Ethanol) Formulation

Version 3.3      Revision Date: 20.02.2025      SDS Number: 761917-00020      Date of last issue: 28.09.2024  
Date of first issue: 14.06.2016

---

### Components:

#### **Ethanol:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irritation to eyes, reversing within 21 days

#### **Benzyl alcohol:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irritation to eyes, reversing within 21 days

#### **dexamethasone:**

Species : Rabbit  
Result : Mild eye irritation

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

Not classified based on available information.

#### **Respiratory sensitisation**

Not classified based on available information.

### Components:

#### **Ethanol:**

Test Type : Mouse ear swelling test (MEST)  
Exposure routes : Skin contact  
Species : Mouse  
Result : negative

#### **Benzyl alcohol:**

Test Type : Human repeat insult patch test (HRIPT)  
Exposure routes : Skin contact  
Species : Humans  
Result : positive

Assessment : Probability or evidence of low to moderate skin sensitisation rate in humans

#### **Germ cell mutagenicity**

Not classified based on available information.

### Components:

#### **Ethanol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Method: OECD Test Guideline 471  
Result: negative

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Dexamethasone (with Ethanol) Formulation

Version  
3.3

Revision Date:  
20.02.2025

SDS Number:  
761917-00020

Date of last issue: 28.09.2024  
Date of first issue: 14.06.2016

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Rat  
Application Route: Ingestion  
Result: negative

### **Benzyl alcohol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Result: negative

### **dexamethasone:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: in vitro assay  
Test system: mouse lymphoma cells  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Application Route: Oral  
Result: negative

### **Carcinogenicity**

Not classified based on available information.

### **Components:**

#### **Benzyl alcohol:**

Species : Mouse  
Application Route : Ingestion  
Exposure time : 103 weeks  
Method : OECD Test Guideline 451  
Result : negative

### **Reproductive toxicity**

Not classified based on available information.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Dexamethasone (with Ethanol) Formulation

Version  
3.3

Revision Date:  
20.02.2025

SDS Number:  
761917-00020

Date of last issue: 28.09.2024  
Date of first issue: 14.06.2016

### Components:

#### **Ethanol:**

Effects on fertility

: Test Type: Two-generation reproduction toxicity study  
Species: Mouse  
Application Route: Ingestion  
Result: negative

#### **Benzyl alcohol:**

Effects on fertility

: Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development

: Test Type: Embryo-foetal development  
Species: Mouse  
Application Route: Ingestion  
Result: negative

#### **dexamethasone:**

Effects on foetal development

: Test Type: Development  
Species: Mouse  
Application Route: Subcutaneous  
Developmental Toxicity: LOAEL: 6 mg/kg body weight  
Result: Specific developmental abnormalities, Cleft palate

Species: Rabbit  
Application Route: Intramuscular  
Developmental Toxicity: NOAEL: 0.025 mg/kg body weight  
Result: Specific developmental abnormalities

Species: Rabbit  
Application Route: Intramuscular  
Developmental Toxicity: LOAEL: >= 0.062 mg/kg body weight  
Result: Specific developmental abnormalities

Species: Rat  
Application Route: Subcutaneous  
Developmental Toxicity: LOAEL: >= 0.02 mg/kg body weight  
Result: Skeletal and visceral variations, Fetal growth retardation

Reproductive toxicity - Assessment

: May damage the unborn child.

#### **STOT - single exposure**

Not classified based on available information.

#### **STOT - repeated exposure**

Not classified based on available information.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Dexamethasone (with Ethanol) Formulation

Version  
3.3

Revision Date:  
20.02.2025

SDS Number:  
761917-00020

Date of last issue: 28.09.2024  
Date of first issue: 14.06.2016

### Components:

#### **dexamethasone:**

Exposure routes : Oral  
Target Organs : Adrenal gland, Immune system, thymus gland  
Assessment : May cause damage to organs through prolonged or repeated exposure.

#### **Repeated dose toxicity**

### Components:

#### **Ethanol:**

Species : Rat  
NOAEL : 1,730 mg/kg  
LOAEL : 3,200 mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

#### **Benzyl alcohol:**

Species : Rat  
NOAEL : 1.072 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 28 Days  
Method : OECD Test Guideline 412

#### **dexamethasone:**

Species : Rat  
NOAEL : 0.0015 mg/kg  
Application Route : Oral  
Exposure time : 7 d  
Target Organs : Liver  
Remarks : Significant toxicity observed in testing

Species : Rat  
LOAEL : 0.003 mg/kg  
Application Route : Oral  
Exposure time : 90 d  
Target Organs : Blood, Adrenal gland, thymus gland  
Remarks : Significant toxicity observed in testing

Species : Dog  
LOAEL : 0.125 mg/kg  
Application Route : Oral  
Exposure time : 6 Weeks  
Target Organs : Adrenal gland  
Remarks : Significant toxicity observed in testing

Species : Rat  
LOAEL : 0.4 mg/kg  
Application Route : Oral

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Dexamethasone (with Ethanol) Formulation

Version 3.3 Revision Date: 20.02.2025 SDS Number: 761917-00020 Date of last issue: 28.09.2024 Date of first issue: 14.06.2016

---

Exposure time	:	3 Months
Target Organs	:	Immune system
Remarks	:	Significant toxicity observed in testing
Species	:	Dog
LOAEL	:	8 mg/kg
Application Route	:	Oral
Exposure time	:	3 Months
Target Organs	:	Immune system
Remarks	:	Significant toxicity observed in testing

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

##### **dexamethasone:**

Ingestion	:	Target Organs: Immune system
		Target Organs: Adrenal gland
		Target Organs: Bone
		Symptoms: muscle weakness

---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **Ethanol:**

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 14,200 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Ceriodaphnia dubia (water flea)): 5,012 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	ErC50 ( Chlorella vulgaris (Fresh water algae)): 275 mg/l Exposure time: 72 h  EC10 ( Chlorella vulgaris (Fresh water algae)): 11.5 mg/l Exposure time: 72 h
Toxicity to microorganisms	:	EC50 (Protozoa): 5,800 mg/l Exposure time: 4 h
Toxicity to fish (Chronic toxicity)	:	NOEC: >= 79 mg/l Exposure time: 100 d Species: Oryzias latipes (Japanese medaka)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC: 9.6 mg/l Exposure time: 9 d Species: Daphnia magna (Water flea)

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Dexamethasone (with Ethanol) Formulation

Version  
3.3

Revision Date:  
20.02.2025

SDS Number:  
761917-00020

Date of last issue: 28.09.2024  
Date of first issue: 14.06.2016

### Benzyl alcohol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 230 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 ( Pseudokirchneriella subcapitata (green algae)): 770 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC ( Pseudokirchneriella subcapitata (green algae)): 310 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 51 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211

### dexamethasone:

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 56 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 ( Pseudokirchneriella subcapitata (green algae)): > 9.2 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC ( Pseudokirchneriella subcapitata (green algae)): 9.2 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

NOEC: 1,000 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

Toxicity to fish (Chronic toxicity) : NOEC: 0.033 mg/l  
Exposure time: 32 d  
Species: Pimephales promelas (fathead minnow)  
Method: OECD Test Guideline 210

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Dexamethasone (with Ethanol) Formulation

Version  
3.3

Revision Date:  
20.02.2025

SDS Number:  
761917-00020

Date of last issue: 28.09.2024  
Date of first issue: 14.06.2016

---

M-Factor (Chronic aquatic toxicity) : 1

### Persistence and degradability

#### Components:

##### **Ethanol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 84 %  
Exposure time: 20 d

##### **Benzyl alcohol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 92 - 96 %  
Exposure time: 14 d

##### **dexamethasone:**

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 50 %  
Exposure time: 3.54 d  
Method: OECD Test Guideline 314

### Bioaccumulative potential

#### Components:

##### **Ethanol:**

Partition coefficient: n-octanol/water : log Pow: -0.35

##### **Benzyl alcohol:**

Partition coefficient: n-octanol/water : log Pow: 1.05

##### **dexamethasone:**

Partition coefficient: n-octanol/water : log Pow: 1.83

### Mobility in soil

No data available

### Other adverse effects

No data available

---

## 13. DISPOSAL CONSIDERATIONS

#### **Disposal methods**

Waste from residues : Do not dispose of waste into sewer.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Dexamethasone (with Ethanol) Formulation

Version  
3.3

Revision Date:  
20.02.2025

SDS Number:  
761917-00020

Date of last issue: 28.09.2024  
Date of first issue: 14.06.2016

---

Contaminated packaging : Dispose of in accordance with local regulations.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Empty containers retain residue and can be dangerous.  
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.  
If not otherwise specified: Dispose of as unused product.

---

## 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

Not regulated as a dangerous good

#### IATA-DGR

Not regulated as a dangerous good

#### IMDG-Code

Not regulated as a dangerous good

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### Special precautions for user

Not applicable

---

## 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

---

## 16. OTHER INFORMATION

Revision Date : 20.02.2025

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

IN OEL : India. Permissible levels of certain chemical substances in work environment.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Dexamethasone (with Ethanol) Formulation

Version  
3.3

Revision Date:  
20.02.2025

SDS Number:  
761917-00020

Date of last issue: 28.09.2024  
Date of first issue: 14.06.2016

ACGIH / STEL  
IN OEL / TWA

: Short-term exposure limit  
: Time-Weighted Average Concentration (TWA) (8 hrs.)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN