

Buserelin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
4.0	03.12.2024	641713-00022	Date of first issue: 03.05.2016

Section 1: Identification

Product identifier : Buserelin Formulation

Other means of identification : RECEPTAL (A004062)
RECEPTAL SYNTHETIC GONADOTROPHIN RELEASING HORMONE (36019)

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

Manufacturer or supplier's details

Company : MSD

Address : 50 Tuas West Drive
Singapore - Singapore 638408

Telephone : +1-908-740-4000

Emergency telephone number : 65 6697 2111 (24/7/365)

E-mail address : EHSDATASTEWARD@msd.com

Section 2: Hazard identification**Classification of the substance or mixture**

Skin sensitisation : Category 1

GHS Label elements, including precautionary statements

Hazard pictograms :



Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.

Precautionary statements :

Prevention:

P261 Avoid breathing mist or vapours.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves.

Response:

Buserelin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
4.0	03.12.2024	641713-00022	Date of first issue: 03.05.2016

P302 + P352 IF ON SKIN: Wash with plenty of water.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Benzyl alcohol	100-51-6	≥ 1 - < 10
Buserelin	68630-75-1	< 0.1

Section 4: First-aid measures**Description of necessary first-aid measures**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention if symptoms occur.
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed

Risks : May cause an allergic skin reaction.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

Buserelin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
4.0	03.12.2024	641713-00022	Date of first issue: 03.05.2016

Section 5: Fire-fighting measures**Extinguishing media**

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

Special protective actions for fire-fighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Section 6: Accidental release measures**Personal precautions, protective equipment and emergency procedures**

Personal precautions : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can

Buserelin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
4.0	03.12.2024	641713-00022	Date of first issue: 03.05.2016

be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

Section 7: Handling and storage**Precautions for safe handling**

- | | | |
|-------------------------|---|--|
| Technical measures | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section. |
| Local/Total ventilation | : | Use only with adequate ventilation. |
| Advice on safe handling | : | Do not get on skin or clothing.
Avoid breathing mist or vapours.
Do not swallow.
Avoid contact with eyes.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Take care to prevent spills, waste and minimize release to the environment. |
| Hygiene measures | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |

Conditions for safe storage, including any incompatibilities

- | | | |
|-----------------------------|---|--|
| Conditions for safe storage | : | Keep in properly labelled containers.
Store in accordance with the particular national regulations. |
| Materials to avoid | : | Do not store with the following product types:
Strong oxidizing agents |

Section 8: Exposure controls/personal protection**Control parameters****Occupational Exposure Limits**

Buserelin Formulation

Version 4.0 Revision Date: 03.12.2024 SDS Number: 641713-00022 Date of last issue: 28.09.2024
 Date of first issue: 03.05.2016

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Buserelin	68630-75-1	TWA	0.1 µg/m ³ (OEB 5)	Internal
		Wipe limit	1 µg/100 cm ²	Internal

Appropriate engineering control measures

: The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable.

Use closed processing systems or containment technologies to control at source (e.g., glove boxes/isolators) and to prevent leakage of compounds into the workplace.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

No open handling permitted.

Totally enclosed processes and materials transport systems are required.

Operations require the use of appropriate containment technology designed to prevent leakage of compounds into the workplace.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection : Wear safety glasses with side shields or goggles.
 If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
 Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin protection : Work uniform or laboratory coat.
 Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
 Use appropriate degowning techniques to remove potentially contaminated clothing.

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Organic vapour type

Hand protection

Buserelin Formulation

Version 4.0	Revision Date: 03.12.2024	SDS Number: 641713-00022	Date of last issue: 28.09.2024 Date of first issue: 03.05.2016
----------------	------------------------------	-----------------------------	---

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Section 9: Physical and chemical properties

Appearance : liquid, Aqueous solution

Colour : colourless

Odour : No data available

Odour Threshold : No data available

pH : 5.7 - 6.3

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : 1.004 g/cm³

Solubility(ies)

Water solubility : soluble

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : Not applicable

Decomposition temperature : No data available

Viscosity

Buserelin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
4.0	03.12.2024	641713-00022	Date of first issue: 03.05.2016

Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	Not applicable
Particle characteristics	:	
Particle size	:	No data available

Section 10: Stability and reactivity

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

Section 11: Toxicological information

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 2,000 mg/kg Method: Calculation method
---------------------	---	--

Components:**Benzyl alcohol:**

Acute oral toxicity	:	LD50 (Rat): 1,200 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5.4 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Assessment: The substance or mixture has no acute inhalation toxicity

Buserelin:

Acute oral toxicity	:	LD50 (Rat): 400 mg/kg
---------------------	---	-----------------------

Buserelin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
4.0	03.12.2024	641713-00022	Date of first issue: 03.05.2016

LD50 (Mouse): > 1,000 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 36 mg/kg
Application Route: IntravenousLD50 (Rat): > 500 mg/kg
Application Route: SubcutaneousLD50 (Mouse): 56 - 78 mg/kg
Application Route: IntravenousLD50 (Dog): > 100 mg/kg
Application Route: Subcutaneous**Skin corrosion/irritation**

Not classified based on available information.

Components:**Benzyl alcohol:**

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

Buserelin:

Species	: Rabbit
Result	: No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Benzyl alcohol:**

Species	: Rabbit
Result	: Irritation to eyes, reversing within 21 days
Method	: OECD Test Guideline 405

Buserelin:

Species	: Rabbit
Result	: No eye irritation

Respiratory or skin sensitisation**Skin sensitisation**

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Buserelin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
4.0	03.12.2024	641713-00022	Date of first issue: 03.05.2016

Components:**Benzyl alcohol:**

Test Type	:	Human repeat insult patch test (HRIPT)
Exposure routes	:	Skin contact
Species	:	Humans
Result	:	positive
Assessment	:	Probability or evidence of low to moderate skin sensitisation rate in humans

Buserelin:

Exposure routes	:	Dermal
Species	:	Guinea pig
Result	:	Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

Components:**Benzyl alcohol:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative

Buserelin:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative Test Type: unscheduled DNA synthesis assay Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative

Carcinogenicity

Not classified based on available information.

Buserelin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
4.0	03.12.2024	641713-00022	Date of first issue: 03.05.2016

Components:**Benzyl alcohol:**

Species	: Mouse
Application Route	: Ingestion
Exposure time	: 103 weeks
Method	: OECD Test Guideline 451
Result	: negative

Buserelin:

Species	: Rat
Application Route	: Subcutaneous
Exposure time	: 24 Months
Result	: negative
Target Organs	: Uterus (including cervix), Pituitary gland, Testes

Reproductive toxicity

Not classified based on available information.

Components:**Benzyl alcohol:**

Effects on fertility	: Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
----------------------	---

Effects on foetal development	: Test Type: Embryo-foetal development Species: Mouse Application Route: Ingestion Result: negative
-------------------------------	--

Buserelin:

Effects on fertility	: Test Type: Fertility/early embryonic development Species: Rat Application Route: Subcutaneous Fertility: LOAEL: 0.2 µg/kg Result: Effects on fertility
----------------------	--

Test Type: Fertility/early embryonic development
Species: Mouse, male
Application Route: Subcutaneous
Fertility: LOAEL: > 1,000 µg/kg
Result: Effects on fertility

Test Type: Fertility/early embryonic development
Species: Mouse, female
Application Route: Subcutaneous
Fertility: LOAEL: 100 µg/kg
Result: Effects on fertility

Buserelin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
4.0	03.12.2024	641713-00022	Date of first issue: 03.05.2016

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Intravenous injection
Developmental Toxicity: LOAEL: 0.4 µg/kg body weight
Result: Embryotoxic effects., Effects on early embryonic development

Test Type: Embryo-foetal development
Species: Rabbit
Developmental Toxicity: LOAEL: 0.1 µg/kg body weight
Result: Embryotoxic effects., No specific developmental abnormalities

Test Type: Embryo-foetal development
Species: Mouse
Developmental Toxicity: NOAEL: 0.1 µg/kg body weight
Result: Embryotoxic effects., No effects on F1 offspring

Reproductive toxicity - Assessment : May damage fertility.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity**Components:****Benzyl alcohol:**

Species : Rat
NOAEL : 1.072 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 28 Days
Method : OECD Test Guideline 412

Buserelin:

Species : Rat
LOAEL : 0.5 ug/kg/day
Application Route : Subcutaneous
Exposure time : 14 Days

Species : Rat
LOAEL : 0.05 ug/kg/day
Application Route : Subcutaneous
Exposure time : 28 Days
Target Organs : Testis

Species : Rabbit
NOAEL : 20 ug/kg/day

Buserelin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
4.0	03.12.2024	641713-00022	Date of first issue: 03.05.2016

Exposure time : 4 Weeks
Target Organs : Prostate, Pituitary gland, Testis

Species : Monkey
LOAEL : 5 ug/kg/day
Exposure time : 1 yr
Target Organs : Ovary, Pituitary gland

Species : Dog
LOAEL : 0.05 mg/kg
Application Route : Subcutaneous
Exposure time : 30 Days
Target Organs : Pituitary gland, Testis

Species : Dog
LOAEL : 0.05 mg/kg
Application Route : Subcutaneous
Exposure time : 6 Months
Target Organs : Reproductive organs

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Buserelin:**

Inhalation : Symptoms: male reproductive effects, female reproductive effects, reduced libido, Headache, Rash, Gastrointestinal disturbance, mental depression, Local irritation
Remarks: May damage fertility.
Based on Human Evidence

Section 12: Ecological information**Toxicity****Components:****Benzyl alcohol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 460 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 230 mg/l
aquatic invertebrates : Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : EC50 (Pseudokirchneriella subcapitata (green algae)): 770
plants : mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Buserelin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
4.0	03.12.2024	641713-00022	Date of first issue: 03.05.2016

NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 51 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Buserelin:**Ecotoxicology Assessment**

Acute aquatic toxicity : No data available

Chronic aquatic toxicity : No data available

Persistence and degradability**Components:****Benzyl alcohol:**

Biodegradability : Result: Readily biodegradable.
Biodegradation: 92 - 96 %
Exposure time: 14 d

Bioaccumulative potential**Components:****Benzyl alcohol:**

Partition coefficient: n-octanol/water : log Pow: 1.05

Mobility in soil

No data available

Other adverse effects

No data available

Section 13: Disposal considerations**Disposal methods**

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

Buserelin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
4.0	03.12.2024	641713-00022	Date of first issue: 03.05.2016

Section 14: Transport information**International Regulations****UNRTDG**

UN number	:	Not applicable
UN proper shipping name	:	Not applicable
Transport hazard class(es)	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Environmentally hazardous	:	no

IATA-DGR

UN/ID No.	:	Not applicable
UN proper shipping name	:	Not applicable
Transport hazard class(es)	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo aircraft)	:	Not applicable
Packing instruction (passenger aircraft)	:	Not applicable

IMDG-Code

UN number	:	Not applicable
UN proper shipping name	:	Not applicable
Transport hazard class(es)	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code	:	Not applicable
Marine pollutant	:	Not applicable

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

Not applicable

Section 15: Regulatory information**Safety, health and environmental regulations specific for the product in question**

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subjected to the SDS, labelling, PEL and other requirements in the Act/Regulations.

Environmental Protection and Management Act and Environmental Protection and Management (Hazardous Substances) Regulations	:	Not applicable
---	---	----------------

Fire Safety (Petroleum and Flammable Materials)	:	Not applicable
---	---	----------------

Buserelin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
4.0	03.12.2024	641713-00022	Date of first issue: 03.05.2016

Regulations

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

Section 16: Other information

Revision Date : 03.12.2024

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Tem-

Buserelin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
4.0	03.12.2024	641713-00022	Date of first issue: 03.05.2016

perature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN