

Gonadorelin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2023
6.0	28.09.2024	641753-00017	Date of first issue: 27.04.2016

SECTION 1. IDENTIFICATION

Product name : Gonadorelin Formulation

Other means of identification : FERTAGYL SYNTHETIC GONADOTROPHIN RELEASING HORMONE (37210)

Manufacturer or supplier's details

Company : MSD

Address : Talcahuano 750, 6th floor, Ciudad Autonoma
Buenos Aires, Argentina C1013AAP

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Skin sensitization : Category 1

Reproductive toxicity : Category 2

Specific target organ toxicity - repeated exposure (Oral) : Category 1 (Endocrine system)

GHS label elements

Hazard pictograms :  

Signal Word : Danger

Hazard Statements : H317 May cause an allergic skin reaction.
H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.
H372 Causes damage to organs (Endocrine system) through prolonged or repeated exposure if swallowed.

Gonadorelin Formulation

Version 6.0 Revision Date: 28.09.2024 SDS Number: 641753-00017 Date of last issue: 08.12.2023
Date of first issue: 27.04.2016

Precautionary Statements

Prevention:

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Benzyl alcohol	100-51-6	≥ 1 - < 5
Gonadorelin	34973-08-5	$\geq 0,001$ - $< 0,1$

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.

Gonadorelin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2023
6.0	28.09.2024	641753-00017	Date of first issue: 27.04.2016

In case of eye contact	: Thoroughly clean shoes before reuse. Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: May cause an allergic skin reaction. Suspected of damaging fertility. Suspected of damaging the unborn child. Causes damage to organs through prolonged or repeated exposure if swallowed.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages

Gonadorelin Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
6.0	28.09.2024	641753-00017	08.12.2023
			Date of first issue: 27.04.2016

cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapors.
Do not swallow.
Avoid contact with eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.
Store locked up.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Explosives
Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Ingredients with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Gonadorelin	34973-08-5	TWA	0.2 µg/m ³ (OEB 5)	Internal
		Wipe limit	2 µg/100 cm ²	Internal

Gonadorelin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2023
6.0	28.09.2024	641753-00017	Date of first issue: 27.04.2016

Engineering measures : Ensure adequate ventilation, especially in confined areas.
Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Organic vapor Type
Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:
Safety glasses

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : No data available

Odor : No data available

Odor Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Gonadorelin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2023
6.0	28.09.2024	641753-00017	Date of first issue: 27.04.2016

Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, dynamic	:	No data available
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	Not applicable
Particle characteristics	:	
Particle size	:	No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Gonadorelin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2023
6.0	28.09.2024	641753-00017	Date of first issue: 27.04.2016

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

|| Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5.000 mg/kg
Method: Calculation method

Components:**Benzyl alcohol:**

|| Acute oral toxicity : LD50 (Rat): 1.200 mg/kg
|| Acute inhalation toxicity : LC50 (Rat): > 5,4 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Gonadorelin:

|| Acute oral toxicity : LD50 (Rat): > 3.000 mg/kg
LD50 (Mouse): > 4.000 mg/kg
|| Acute inhalation toxicity : Remarks: No data available
|| Acute dermal toxicity : Remarks: No data available

Skin corrosion/irritation

|| Not classified based on available information.

Components:**Benzyl alcohol:**

|| Species : Rabbit
|| Method : OECD Test Guideline 404
|| Result : No skin irritation

Gonadorelin:

|| Remarks : No data available

Serious eye damage/eye irritation

|| Not classified based on available information.

Components:**Benzyl alcohol:**

|| Species : Rabbit

Gonadorelin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2023
6.0	28.09.2024	641753-00017	Date of first issue: 27.04.2016

Result	: Irritation to eyes, reversing within 21 days
Method	: OECD Test Guideline 405

Gonadorelin:

Remarks	: No data available
---------	---------------------

Respiratory or skin sensitization**Skin sensitization**

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.
--

Components:**Benzyl alcohol:**

Test Type	: Human repeat insult patch test (HRIPT)
Routes of exposure	: Skin contact
Species	: Humans
Result	: positive

Assessment	: Probability or evidence of low to moderate skin sensitization rate in humans
------------	--

Gonadorelin:

Remarks	: No data available
---------	---------------------

Germ cell mutagenicity

Not classified based on available information.
--

Components:**Benzyl alcohol:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative

Gonadorelin:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative Remarks: Based on data from similar materials Test Type: In vitro mammalian cell gene mutation test Result: negative Remarks: Based on data from similar materials Test Type: Chromosome aberration test in vitro
-----------------------	---

Gonadorelin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2023
6.0	28.09.2024	641753-00017	Date of first issue: 27.04.2016

	Result: negative
	Remarks: Based on data from similar materials
Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Not classified based on available information.

Components:**Benzyl alcohol:**

Species	: Mouse
Application Route	: Ingestion
Exposure time	: 103 weeks
Method	: OECD Test Guideline 451
Result	: negative

Gonadorelin:

Species	: Mouse
Exposure time	: 2 Years
LOAEL	: 2,4 mg/kg body weight
Result	: positive
Remarks	: Based on data from similar materials

Species	: Rat
Exposure time	: 1 Years
LOAEL	: 0,05 mg/kg body weight
Result	: negative
Remarks	: Benign tumor(s) The mechanism or mode of action may not be relevant in humans. Based on data from similar materials

Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

Components:**Benzyl alcohol:**

Effects on fertility	: Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
Effects on fetal development	: Test Type: Embryo-fetal development Species: Mouse Application Route: Ingestion Result: negative

Gonadorelin:

Effects on fertility	: Test Type: Fertility/early embryonic development
----------------------	--

Gonadorelin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2023
6.0	28.09.2024	641753-00017	Date of first issue: 27.04.2016

	Species: Rat, female Application Route: Subcutaneous Fertility: LOAEL: 50 µg/kg Result: Effects on fertility. Remarks: Based on data from similar materials Test Type: Fertility/early embryonic development Species: Rat, male Application Route: Subcutaneous Fertility: LOAEL: 500 µg/kg Result: Effects on fertility. Remarks: Based on data from similar materials Test Type: Fertility/early embryonic development Species: Rabbit Application Route: Subcutaneous Fertility: LOAEL: 1.000 µg/kg Result: Effects on fertility. Test Type: Fertility/early embryonic development Species: Dog, male and female Application Route: Subcutaneous Fertility: LOAEL: 107 - 214 µg/kg Result: Effects on fertility.
Effects on fetal development	: Test Type: Embryo-fetal development Species: Rat Application Route: Subcutaneous Developmental Toxicity: LOAEL: >= 2 µg/kg Result: Effects on fetal development. Test Type: Embryo-fetal development Species: Rabbit Application Route: Subcutaneous Developmental Toxicity: LOAEL: > 20 µg/kg Result: Effects on fetal development.
Reproductive toxicity - Assessment	: Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Causes damage to organs (Endocrine system) through prolonged or repeated exposure if swallowed.

Components:**Gonadorelin:**

Target Organs	: Endocrine system
Assessment	: Causes damage to organs through prolonged or repeated exposure.

Gonadorelin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2023
6.0	28.09.2024	641753-00017	Date of first issue: 27.04.2016

Repeated dose toxicity**Components:****Benzyl alcohol:**

Species	: Rat
NOAEL	: 1,072 mg/l
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 28 Days
Method	: OECD Test Guideline 412

Gonadorelin:

Species	: Rat
NOAEL	: 0,12 mg/kg
Application Route	: Intramuscular
Exposure time	: 15 Days
Remarks	: No significant adverse effects were reported

Species	: Rat
NOAEL	: 0,072 mg/kg
Application Route	: Intravenous
Exposure time	: 15 Days
Remarks	: No significant adverse effects were reported

Species	: Dog
NOAEL	: 0,12 mg/kg
Application Route	: Intramuscular
Exposure time	: 15 Days
Remarks	: No significant adverse effects were reported

Species	: Dog
NOAEL	: 0,072 mg/kg
Application Route	: Intravenous
Exposure time	: 15 Days
Remarks	: No significant adverse effects were reported

Aspiration toxicity

|| Not classified based on available information.

Experience with human exposure**Components:****Gonadorelin:**

Ingestion	: Symptoms: Nausea, Abdominal pain, Headache, Palpitation, acne, liver function change, bronchospasm, anaphylaxis
-----------	---

Gonadorelin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2023
6.0	28.09.2024	641753-00017	Date of first issue: 27.04.2016

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Benzyl alcohol:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 460 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 230 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 51 mg/l Exposure time: 21 d Method: OECD Test Guideline 211

Persistence and degradability

Components:

Benzyl alcohol:

Biodegradability	:	Result: Readily biodegradable. Biodegradation: 92 - 96 % Exposure time: 14 d
------------------	---	--

Bioaccumulative potential

Components:

Benzyl alcohol:

Partition coefficient: n-octanol/water	:	log Pow: 1,05
--	---	---------------

Mobility in soil

No data available

Other adverse effects

No data available

Gonadorelin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2023
6.0	28.09.2024	641753-00017	Date of first issue: 27.04.2016

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

Not applicable

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Argentina. Carcinogenic Substances and Agents Registry. : Not applicable

Control of precursors and essential chemicals for the preparation of drugs. : Not applicable

The ingredients of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

SECTION 16. OTHER INFORMATION

Revision Date	:	28.09.2024
Date format	:	dd.mm.yyyy

Further information

Sources of key data used to : Internal technical data, data from raw material SDSs, OECD

Gonadorelin Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 08.12.2023
6.0	28.09.2024	641753-00017	Date of first issue: 27.04.2016

compile the Material Safety
Data SheeteChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8