

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Methyl Salicylate / Diclofenac Formulation

Version
10.0

Revision Date:
2025/04/14

SDS Number:
656960-00021

Date of last issue: 2024/09/28
Date of first issue: 2016/05/02

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Methyl Salicylate / Diclofenac Formulation

Manufacturer or supplier's details

Company : MSD

Address : No. 485 Jing Tai Road
Pu Tuo District - Shanghai - China 200331

Telephone : +1-908-740-4000

Emergency telephone number : 86-571-87268110

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance : ointment

Colour : light red

Odour : aromatic

May be harmful if swallowed. Causes mild skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Suspected of damaging the unborn child. May cause damage to organs through prolonged or repeated exposure. Toxic to aquatic life with long lasting effects.

GHS Classification

Acute toxicity (Oral) : Category 5

Skin corrosion/irritation : Category 3

Serious eye damage/eye irritation : Category 1

Skin sensitisation : Category 1

Reproductive toxicity : Category 2

Specific target organ toxicity - repeated exposure : Category 2

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Methyl Salicylate / Diclofenac Formulation

Version
10.0

Revision Date:
2025/04/14

SDS Number:
656960-00021

Date of last issue: 2024/09/28
Date of first issue: 2016/05/02

Short-term (acute) aquatic hazard : Category 2

Long-term (chronic) aquatic hazard : Category 2

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements :

H303 May be harmful if swallowed.
H316 Causes mild skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H361d Suspected of damaging the unborn child.
H373 May cause damage to organs through prolonged or repeated exposure.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements :

Prevention:

P203 Obtain, read and follow all safety instructions before use.
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P301 + P333 + P317 IF SWALLOWED or if skin irritation or rash occurs: Get medical help.
P305 + P354 + P338 + P317 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical help.
P318 IF exposed or concerned, get medical advice.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Methyl Salicylate / Diclofenac Formulation

Version
10.0

Revision Date:
2025/04/14

SDS Number:
656960-00021

Date of last issue: 2024/09/28
Date of first issue: 2016/05/02

II

Physical and chemical hazards

Not classified based on available information.

Health hazards

May be harmful if swallowed. Causes mild skin irritation. Causes serious eye damage. May cause an allergic skin reaction. Suspected of damaging the unborn child. May cause damage to organs through prolonged or repeated exposure.

Environmental hazards

Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Petrolatum	8009-03-8	>= 70 -< 90
Zinc oxide	1314-13-2	>= 10 -< 20
Methyl salicylate	119-36-8	>= 3 -< 10
Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate	15307-79-6	>= 1 -< 2.5
(+)-Bornan-2-one	464-49-3	>= 1 -< 2.5

4. FIRST AID MEASURES

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air. Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
- In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention immediately.
- If swallowed : If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
- Most important symptoms and effects, both acute and : May be harmful if swallowed. Causes mild skin irritation.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Methyl Salicylate / Diclofenac Formulation

Version 10.0	Revision Date: 2025/04/14	SDS Number: 656960-00021	Date of last issue: 2024/09/28 Date of first issue: 2016/05/02
-----------------	------------------------------	-----------------------------	---

delayed	May cause an allergic skin reaction. Causes serious eye damage. Suspected of damaging the unborn child. May cause damage to organs through prolonged or repeated exposure.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire-fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Chlorine compounds Nitrogen oxides (NO _x) Sodium oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Methyl Salicylate / Diclofenac Formulation

Version
10.0

Revision Date:
2025/04/14

SDS Number:
656960-00021

Date of last issue: 2024/09/28
Date of first issue: 2016/05/02

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

Handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing. Avoid breathing dust, fume, gas, mist, vapours or spray. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Keep container tightly closed. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.

Avoidance of contact : Oxidizing agents

Storage

Conditions for safe storage : Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types: Strong oxidizing agents

Packaging material : Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Petrolatum	8009-03-8	TWA (Inhal- able particu- late matter)	5 mg/m3	ACGIH
Zinc oxide	1314-13-2	PC-TWA	3 mg/m3	CN OEL

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Methyl Salicylate / Diclofenac Formulation

Version 10.0 Revision Date: 2025/04/14 SDS Number: 656960-00021 Date of last issue: 2024/09/28 Date of first issue: 2016/05/02

		PC-STEL	5 mg/m ³	CN OEL
		TWA (Respirable particulate matter)	2 mg/m ³	ACGIH
		STEL (Respirable particulate matter)	10 mg/m ³	ACGIH
Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate	15307-79-6	TWA	100 µg/m ³ (OEB 2)	Internal
Further information: Skin				
(+)-Bornan-2-one	464-49-3	TWA	2 ppm	ACGIH
		STEL	3 ppm	ACGIH

Engineering measures : Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Eye/face protection : Wear the following personal protective equipment: Chemical resistant goggles must be worn. If splashes are likely to occur, wear: Face-shield

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.

When using do not eat, drink or smoke.

Contaminated work clothing should not be allowed out of the workplace.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Methyl Salicylate / Diclofenac Formulation

Version
10.0

Revision Date:
2025/04/14

SDS Number:
656960-00021

Date of last issue: 2024/09/28
Date of first issue: 2016/05/02

Wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	ointment
Colour	:	light red
Odour	:	aromatic
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not classified as a flammability hazard
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Methyl Salicylate / Diclofenac Formulation

Version
10.0

Revision Date:
2025/04/14

SDS Number:
656960-00021

Date of last issue: 2024/09/28
Date of first issue: 2016/05/02

Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	No data available

10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Exposure routes	:	Skin contact Ingestion Eye contact
-----------------	---	--

Acute toxicity

May be harmful if swallowed.

Product:

Acute oral toxicity	:	Acute toxicity estimate: 4,005 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 10 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method

Components:

Petrolatum:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials
Acute dermal toxicity	:	LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Methyl Salicylate / Diclofenac Formulation

Version
10.0

Revision Date:
2025/04/14

SDS Number:
656960-00021

Date of last issue: 2024/09/28
Date of first issue: 2016/05/02

toxicity

Remarks: Based on data from similar materials

Zinc oxide:

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 5.7 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	: LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

Methyl salicylate:

Acute oral toxicity	: LD50 (Rat): 890 mg/kg
---------------------	-------------------------

Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

Acute oral toxicity	: LD50 (Rat): 55 - 240 mg/kg LD50 (Mouse): 170 - 389 mg/kg
Acute toxicity (other routes of administration)	: LD50 (Rat): 97 - 161 mg/kg Application Route: Intravenous LD50 (Mouse): 92 - 147 mg/kg Application Route: Intravenous

(+)-Bornan-2-one:

Acute oral toxicity	: LD50 (Mouse): > 300 - 2,000 mg/kg Remarks: Based on data from similar materials Acute toxicity estimate (Humans): > 50 - 500 mg/kg Method: Expert judgement Remarks: Based on data from similar materials
Acute inhalation toxicity	: LC50 (Rat): > 0.5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Remarks: Based on data from similar materials
Acute dermal toxicity	: LD50 (Rat): > 2,000 mg/kg Remarks: Based on data from similar materials

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Methyl Salicylate / Diclofenac Formulation

Version
10.0

Revision Date:
2025/04/14

SDS Number:
656960-00021

Date of last issue: 2024/09/28
Date of first issue: 2016/05/02

Skin corrosion/irritation

Causes mild skin irritation.

Components:

Petrolatum:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation
Remarks	:	Based on data from similar materials

Zinc oxide:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Methyl salicylate:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

Result	:	irritating
--------	---	------------

(+)-Bornan-2-one:

Species	:	Rabbit
Result	:	No skin irritation
Remarks	:	Based on data from similar materials

Serious eye damage/eye irritation

Causes serious eye damage.

Components:

Petrolatum:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405
Remarks	:	Based on data from similar materials

Zinc oxide:

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

Methyl salicylate:

Species	:	Tissue Culture
---------	---	----------------

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Methyl Salicylate / Diclofenac Formulation

Version 10.0 Revision Date: 2025/04/14 SDS Number: 656960-00021 Date of last issue: 2024/09/28
Date of first issue: 2016/05/02

Method : OECD Test Guideline 491

Result : Irreversible effects on the eye

Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

Result : Mild eye irritation

(+)-Bornan-2-one:

Result : Eye irritation

Remarks : Based on data from similar materials

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

Petrolatum:

Test Type : Buehler Test
Exposure routes : Skin contact
Species : Guinea pig
Result : negative
Remarks : Based on data from similar materials

Zinc oxide:

Test Type : Maximisation Test
Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : negative

Methyl salicylate:

Test Type : Local lymph node assay (LLNA)
Exposure routes : Skin contact
Species : Mouse
Result : positive

Assessment : Probability or evidence of low to moderate skin sensitisation rate in humans

(+)-Bornan-2-one:

Test Type : Buehler Test
Exposure routes : Skin contact
Species : Guinea pig

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Methyl Salicylate / Diclofenac Formulation

Version
10.0

Revision Date:
2025/04/14

SDS Number:
656960-00021

Date of last issue: 2024/09/28
Date of first issue: 2016/05/02

Method	:	OECD Test Guideline 406
Result	:	negative
Remarks	:	Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Components:

Petrolatum:

Genotoxicity in vitro	:	Test Type: Chromosome aberration test in vitro Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 Result: negative Remarks: Based on data from similar materials

Zinc oxide:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: equivocal
		Test Type: Chromosome aberration test in vitro Result: equivocal
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Rat Application Route: inhalation (dust/mist/fume) Method: OECD Test Guideline 474 Result: negative
		Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Rat Application Route: inhalation (dust/mist/fume) Result: positive
		Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Methyl Salicylate / Diclofenac Formulation

Version
10.0

Revision Date:
2025/04/14

SDS Number:
656960-00021

Date of last issue: 2024/09/28
Date of first issue: 2016/05/02

Method: OECD Test Guideline 474
Result: negative

Germ cell mutagenicity - Assessment : Weight of evidence does not support classification as a germ cell mutagen.

Methyl salicylate:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Mouse Lymphoma
Result: negative

Genotoxicity in vivo : Test Type: Chromosomal aberration
Species: CHO
Result: negative

(+)-Bornan-2-one:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)
Species: Mouse
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials

Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Species: Mouse
Application Route: Skin contact
Result: negative

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Methyl Salicylate / Diclofenac Formulation

Version
10.0

Revision Date:
2025/04/14

SDS Number:
656960-00021

Date of last issue: 2024/09/28
Date of first issue: 2016/05/02

Remarks: Based on data from similar materials

Carcinogenicity

Not classified based on available information.

Components:

Petrolatum:

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	2 Years
Result	:	negative

Zinc oxide:

Species	:	Mouse
Application Route	:	Ingestion
Exposure time	:	1 Years
Result	:	negative
Remarks	:	Based on data from similar materials

Methyl salicylate:

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	2 Years
Result	:	negative

Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

Species	:	Rat
Application Route	:	Oral
Exposure time	:	2 Years
Result	:	negative

Species	:	Mouse
Application Route	:	Oral
Exposure time	:	2 Years
Result	:	negative

Reproductive toxicity

Suspected of damaging the unborn child.

Components:

Petrolatum:

Effects on fertility	:	Test Type: Reproduction/Developmental toxicity screening test
		Species: Rat
		Application Route: Ingestion
		Result: negative

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Methyl Salicylate / Diclofenac Formulation

Version
10.0

Revision Date:
2025/04/14

SDS Number:
656960-00021

Date of last issue: 2024/09/28
Date of first issue: 2016/05/02

Remarks: Based on data from similar materials

Effects on foetal development

: Test Type: Embryo-foetal development
Species: Rat
Application Route: Skin contact
Result: negative

Remarks: Based on data from similar materials

Zinc oxide:

Effects on fertility

: Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Remarks: Based on data from similar materials

Effects on foetal development

: Test Type: Embryo-foetal development
Species: Rat
Application Route: inhalation (dust/mist/fume)
Method: OECD Test Guideline 414
Result: negative

Remarks: Based on data from similar materials

Methyl salicylate:

Effects on fertility

: Test Type: Three-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on foetal development

: Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: positive

Remarks: Based on data from similar materials

Test Type: Embryo-foetal development

Species: Monkey

Application Route: Ingestion

Result: positive

Remarks: Based on data from similar materials

Reproductive toxicity - Assessment

: Some evidence of adverse effects on development, based on animal experiments.

Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

Effects on fertility

: Test Type: Fertility
Species: Rat, male and female
Application Route: Oral
Fertility: NOAEL: 4 mg/kg body weight
Result: No effects on fertility

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Methyl Salicylate / Diclofenac Formulation

Version
10.0

Revision Date:
2025/04/14

SDS Number:
656960-00021

Date of last issue: 2024/09/28
Date of first issue: 2016/05/02

Effects on foetal development	: Test Type: Development Species: Rat Application Route: Oral Developmental Toxicity: LOAEL: 1 mg/kg body weight Result: Embryo-foetal toxicity, No teratogenic effects
	Test Type: Development Species: Rabbit Application Route: Oral Developmental Toxicity: LOAEL: 5 mg/kg body weight Result: Embryo-foetal toxicity, No teratogenic effects
Reproductive toxicity - Assessment	: Suspected of damaging the unborn child.
(+)-Bornan-2-one:	
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative

STOT - single exposure

Not classified based on available information.

Components:

(+)-Bornan-2-one:

Assessment	: May cause respiratory irritation.
Remarks	: Based on data from similar materials

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:

Zinc oxide:

Assessment	: No significant health effects observed in animals at concentrations of 0.2 mg/l/6h/d or less.
------------	---

Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

Target Organs	: Gastrointestinal tract, Blood, lymphatic system, Liver, Prostate
Assessment	: Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

Petrolatum:

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Methyl Salicylate / Diclofenac Formulation

Version 10.0 Revision Date: 2025/04/14 SDS Number: 656960-00021 Date of last issue: 2024/09/28
Date of first issue: 2016/05/02

Species	:	Rat
NOAEL	:	5,000 mg/kg
Application Route	:	Ingestion
Exposure time	:	2 yr

Zinc oxide:

Species	:	Rat, male
NOAEL	:	0.0015 mg/l
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	3 Months
Method	:	OECD Test Guideline 413

Methyl salicylate:

Species	:	Rat
NOAEL	:	50 mg/kg
LOAEL	:	250 mg/kg
Application Route	:	Ingestion
Exposure time	:	2 yr

Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

Species	:	Rat
LOAEL	:	0.25 mg/kg
Application Route	:	Oral
Exposure time	:	98 w
Target Organs	:	Gastrointestinal tract, Blood, lymphatic system, Liver, Prostate

Species	:	Dog
LOAEL	:	1 mg/kg
Application Route	:	Oral
Exposure time	:	12 w
Target Organs	:	Blood

Species	:	Baboon
NOAEL	:	0.5 mg/kg
LOAEL	:	5 mg/kg
Application Route	:	Oral
Exposure time	:	52 w
Target Organs	:	Gastrointestinal tract, Blood
Symptoms	:	constipation, Diarrhoea

(+)-Bornan-2-one:

Species	:	Rat
NOAEL	:	> 200 mg/kg
Application Route	:	Skin contact
Exposure time	:	13 Weeks
Remarks	:	Based on data from similar materials

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Methyl Salicylate / Diclofenac Formulation

Version
10.0

Revision Date:
2025/04/14

SDS Number:
656960-00021

Date of last issue: 2024/09/28
Date of first issue: 2016/05/02

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

||| Ingestion : Symptoms: Abdominal pain, Diarrhoea, constipation, heart-burn, Ulceration, Dizziness, Headache, Breathing difficulties, Rash

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Petrolatum:

||| Toxicity to fish : LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l
Exposure time: 96 h
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

||| Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10,000 mg/l
Exposure time: 48 h
Test substance: Water Accommodated Fraction
Remarks: Based on data from similar materials

||| Toxicity to algae/aquatic plants : NOEL (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l
Exposure time: 72 h
Test substance: Water Accommodated Fraction
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

||| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 10 mg/l
Exposure time: 21 d
Test substance: Water Accommodated Fraction
Remarks: Based on data from similar materials

Zinc oxide:

||| Toxicity to fish : LC50 : > 0.1 - 1 mg/l
Exposure time: 96 h
Remarks: Based on data from similar materials

||| Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.136 mg/l
Exposure time: 72 h

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Methyl Salicylate / Diclofenac Formulation

Version
10.0

Revision Date:
2025/04/14

SDS Number:
656960-00021

Date of last issue: 2024/09/28
Date of first issue: 2016/05/02

	NOEC (Pseudokirchneriella subcapitata (green algae)): > 0.01 - 0.1 mg/l Exposure time: 72 h Remarks: Based on data from similar materials
M-Factor (Acute aquatic toxicity)	: 1
Toxicity to fish (Chronic toxicity)	: NOEC (Jordanella floridae (flagfish)): > 0.01 - 0.1 mg/l Exposure time: 14 Weeks Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Ceriodaphnia dubia (water flea)): > 0.01 - 0.1 mg/l Exposure time: 7 d Remarks: Based on data from similar materials
M-Factor (Chronic aquatic toxicity)	: 1

Methyl salicylate:

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 10 - 100 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 10 - 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: ErC50 (Desmodesmus subspicatus (green algae)): 1.6 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Desmodesmus subspicatus (green algae)): 0.79 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to microorganisms	: EC10 (Pseudomonas putida): 140 mg/l Exposure time: 16 h

Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 166.6 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 80.1 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): 71.9 mg/l

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Methyl Salicylate / Diclofenac Formulation

Version
10.0

Revision Date:
2025/04/14

SDS Number:
656960-00021

Date of last issue: 2024/09/28
Date of first issue: 2016/05/02

Exposure time: 72 h
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 49.2 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity):
: NOEC (Pimephales promelas (fathead minnow)): 0.32 mg/l
Exposure time: 32 d
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity):
: NOEC (Daphnia magna (Water flea)): 10 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

(+)-Bornan-2-one:

Toxicity to fish:
: LC50 (Danio rerio (zebra fish)): > 10 - 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates:
: EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants:
: ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1 - 10 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

NOEC (Pseudokirchneriella subcapitata (green algae)): > 0.01 - 0.1 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
Remarks: Based on data from similar materials

Toxicity to microorganisms:
: EC50: > 100 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209
Remarks: Based on data from similar materials

Persistence and degradability

Components:

Petrolatum:

Biodegradability:
: Result: Not readily biodegradable.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Methyl Salicylate / Diclofenac Formulation

Version
10.0

Revision Date:
2025/04/14

SDS Number:
656960-00021

Date of last issue: 2024/09/28
Date of first issue: 2016/05/02

Biodegradation: 31 %
Exposure time: 28 d
Method: OECD Test Guideline 301F
Remarks: Based on data from similar materials

Methyl salicylate:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 98.4 %
Exposure time: 28 d

(+)-Bornan-2-one:

Biodegradability : Result: Readily biodegradable.
Method: OECD Test Guideline 301F
Remarks: Based on data from similar materials

Bioaccumulative potential

Components:

Zinc oxide:

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)
Bioconcentration factor (BCF): 78 - 2,060

Methyl salicylate:

Partition coefficient: n-octanol/water : log Pow: 2.55

Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

Partition coefficient: n-octanol/water : log Pow: 4.51

(+)-Bornan-2-one:

Partition coefficient: n-octanol/water : log Pow: 2.3

Mobility in soil

No data available

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Methyl Salicylate / Diclofenac Formulation

Version
10.0

Revision Date:
2025/04/14

SDS Number:
656960-00021

Date of last issue: 2024/09/28
Date of first issue: 2016/05/02

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc oxide, Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes

IATA-DGR

UN/ID No.	:	UN 3077
Proper shipping name	:	Environmentally hazardous substance, solid, n.o.s. (Zinc oxide, Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	956
Packing instruction (passenger aircraft)	:	956
Environmentally hazardous	:	yes

IMDG-Code

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc oxide, Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number	:	UN 3077
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc oxide, Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate)
Class	:	9

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Methyl Salicylate / Diclofenac Formulation

Version
10.0

Revision Date:
2025/04/14

SDS Number:
656960-00021

Date of last issue: 2024/09/28
Date of first issue: 2016/05/02

Packing group : III
Labels : 9
Marine pollutant : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : This product is not listed in the catalogue of hazardous chemicals, but it meets the definition of hazardous chemicals and its principles of determination.

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218) : Not listed

Hazardous Chemicals for Priority Management under SAWS : Not listed

Catalogue of Specially Controlled Hazardous Chemicals : Not listed

List of Explosive Precursors : Not listed

Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not listed

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export : Not listed

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

Yangtze River Protection Law

This product does not contain any dangerous chemicals prohibited for inland river transport.

Regulations of Ozone Depleting Substances Management

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Methyl Salicylate / Diclofenac Formulation

Version 10.0 Revision Date: 2025/04/14 SDS Number: 656960-00021 Date of last issue: 2024/09/28 Date of first issue: 2016/05/02

|| List of Controlled Ozone Depleting Substances Import and Export : Not listed

|| List of Controlled Ozone Depleting Substances : Not listed

Environmental Protection Law

|| List of Priority Controlled Chemicals : Not listed

|| List of Key Controlled New Pollutants : Not listed

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

Revision Date : 2025/04/14

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

CN OEL : Occupational exposure limits for hazardous agents in the workplace - Chemical hazardous agents.

ACGIH / TWA : 8-hour, time-weighted average

ACGIH / STEL : Short-term exposure limit

CN OEL / PC-TWA : Permissible concentration - time weighted average

CN OEL / PC-STEL : Permissible concentration - short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



Methyl Salicylate / Diclofenac Formulation

Version
10.0

Revision Date:
2025/04/14

SDS Number:
656960-00021

Date of last issue: 2024/09/28
Date of first issue: 2016/05/02

Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

CN / EN