

# SAFETY DATA SHEET



## Methyl Salicylate / Diclofenac Formulation

Version 10.0 Revision Date: 2025/04/14 SDS Number: 656963-00019 Date of last issue: 2023/09/30 Date of first issue: 2016/05/02

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Methyl Salicylate / Diclofenac Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Serious eye damage/eye irritation : Category 1

Skin sensitisation : Category 1

Reproductive toxicity : Category 2

Specific target organ toxicity - repeated exposure : Category 2 (Gastrointestinal tract, Blood, lymphatic system, Liver, Prostate)

Long-term (chronic) aquatic hazard : Category 2

#### GHS label elements

Hazard pictograms : 

Signal word : Danger

Hazard statements : H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H361d Suspected of damaging the unborn child.

**Methyl Salicylate / Diclofenac Formulation**Version  
10.0Revision Date:  
2025/04/14SDS Number:  
656963-00019Date of last issue: 2023/09/30  
Date of first issue: 2016/05/02

H373 May cause damage to organs (Gastrointestinal tract, Blood, lymphatic system, Liver, Prostate) through prolonged or repeated exposure.  
H411 Toxic to aquatic life with long lasting effects.

**Precautionary statements****: Prevention:**

P201 Obtain special instructions before use.  
P202 Do not handle until all safety precautions have been read and understood.  
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P302 + P352 IF ON SKIN: Wash with plenty of water.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
P391 Collect spillage.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

None known.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Petrolatum	8009-03-8	>= 60 -<= 100
Zinc oxide	1314-13-2	>= 10 -< 25
Methyl salicylate	119-36-8	>= 3 -< 10
Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate	15307-79-6	>= 1 -< 2.5

# SAFETY DATA SHEET



## Methyl Salicylate / Diclofenac Formulation

Version 10.0 Revision Date: 2025/04/14 SDS Number: 656963-00019 Date of last issue: 2023/09/30 Date of first issue: 2016/05/02

(+)-Bornan-2-one	464-49-3	>= 0.25 -< 2.5
------------------	----------	----------------

### 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.  
Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention immediately.

If swallowed : If swallowed, DO NOT induce vomiting.  
Get medical attention.  
Rinse mouth thoroughly with water.

Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.  
Causes serious eye damage.  
Suspected of damaging the unborn child.  
May cause damage to organs through prolonged or repeated exposure.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Chlorine compounds  
Nitrogen oxides (NO<sub>x</sub>)  
Sodium oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

# SAFETY DATA SHEET



## Methyl Salicylate / Diclofenac Formulation

Version 10.0      Revision Date: 2025/04/14      SDS Number: 656963-00019      Date of last issue: 2023/09/30  
Date of first issue: 2016/05/02

---

Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Sweep up or vacuum up spillage and collect in suitable container for disposal. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

## 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not get on skin or clothing. Avoid breathing dust, fume, gas, mist, vapours or spray. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Keep container tightly closed. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labelled containers. Store locked up. Keep tightly closed. Store in accordance with the particular national regulations.

# SAFETY DATA SHEET



## Methyl Salicylate / Diclofenac Formulation

Version 10.0 Revision Date: 2025/04/14 SDS Number: 656963-00019 Date of last issue: 2023/09/30 Date of first issue: 2016/05/02

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Petrolatum	8009-03-8	NAB (Mist)	5 mg/m3	ID OEL
		PSD (Mist)	10 mg/m3	ID OEL
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
Zinc oxide	1314-13-2	NAB (Respirable particulate matter)	2 mg/m3	ID OEL
		Further information: Not classified as carcinogenic to humans. Not enough data to classify these materials as carcinogenic to humans or animals		
		PSD (Respirable particulate matter)	10 mg/m3	ID OEL
		Further information: Not classified as carcinogenic to humans. Not enough data to classify these materials as carcinogenic to humans or animals		
		TWA (Respirable particulate matter)	2 mg/m3	ACGIH
		STEL (Respirable particulate matter)	10 mg/m3	ACGIH
Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate	15307-79-6	TWA	100 µg/m3 (OEB 2)	Internal
		Further information: Skin		
(+)-Bornan-2-one	464-49-3	NAB	2 ppm 12 mg/m3	ID OEL
		Further information: Not classified as carcinogenic to humans. Not enough data to classify these materials as carcinogenic to humans or animals		
		PSD	3 ppm 19 mg/m3	ID OEL
		Further information: Not classified as carcinogenic to humans. Not enough data to classify these materials as carcinogenic to humans or animals		

# SAFETY DATA SHEET



## Methyl Salicylate / Diclofenac Formulation

Version 10.0 Revision Date: 2025/04/14 SDS Number: 656963-00019 Date of last issue: 2023/09/30 Date of first issue: 2016/05/02

		TWA	2 ppm	ACGIH
		STEL	3 ppm	ACGIH

<b>Engineering measures</b>	: Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.
<b>Personal protective equipment</b>	
Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	
Hand protection	: Combined particulates and organic vapour type
Material	: Chemical-resistant gloves
Remarks	: Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
Eye protection	: Wear the following personal protective equipment: Chemical resistant goggles must be worn. If splashes are likely to occur, wear: Face-shield
Skin and body protection	: Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: ointment
Colour	: light red
Odour	: aromatic
Odour Threshold	: No data available
pH	: No data available

# SAFETY DATA SHEET



## Methyl Salicylate / Diclofenac Formulation

Version 10.0      Revision Date: 2025/04/14      SDS Number: 656963-00019      Date of last issue: 2023/09/30  
Date of first issue: 2016/05/02

---

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not classified as a flammability hazard

Flammability (liquids) : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-octanol/water : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : No data available

Particle characteristics

Particle size : No data available

---

## 10. STABILITY AND REACTIVITY

# SAFETY DATA SHEET



## Methyl Salicylate / Diclofenac Formulation

Version 10.0 Revision Date: 2025/04/14 SDS Number: 656963-00019 Date of last issue: 2023/09/30 Date of first issue: 2016/05/02

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Can react with strong oxidizing agents.
Conditions to avoid	: None known.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: No hazardous decomposition products are known.

### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: > 5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method

#### Components:

##### **Petrolatum:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Method: OECD Test Guideline 401  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity  
Remarks: Based on data from similar materials

##### **Zinc oxide:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.7 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal

# SAFETY DATA SHEET



## Methyl Salicylate / Diclofenac Formulation

Version  
10.0

Revision Date:  
2025/04/14

SDS Number:  
656963-00019

Date of last issue: 2023/09/30  
Date of first issue: 2016/05/02

toxicity

### **Methyl salicylate:**

Acute oral toxicity : LD50 (Rat): 890 mg/kg

### **Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:**

Acute oral toxicity : LD50 (Rat): 55 - 240 mg/kg

LD50 (Mouse): 170 - 389 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 97 - 161 mg/kg  
Application Route: Intravenous

LD50 (Mouse): 92 - 147 mg/kg  
Application Route: Intravenous

### **(+)-Bornan-2-one:**

Acute oral toxicity : LD50 (Mouse): > 300 - 2,000 mg/kg  
Remarks: Based on data from similar materials  
Acute toxicity estimate (Humans): > 50 - 500 mg/kg  
Method: Expert judgement  
Remarks: Based on data from similar materials

Acute inhalation toxicity : LC50 (Rat): > 0.5 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Remarks: Based on data from similar materials

### **Skin corrosion/irritation**

Not classified based on available information.

### **Components:**

#### **Petrolatum:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

#### **Zinc oxide:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**Methyl Salicylate / Diclofenac Formulation**Version  
10.0Revision Date:  
2025/04/14SDS Number:  
656963-00019Date of last issue: 2023/09/30  
Date of first issue: 2016/05/02**Methyl salicylate:**

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

**Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:**

Result	:	irritating
--------	---	------------

**(+)-Bornan-2-one:**

Species	:	Rabbit
Result	:	No skin irritation
Remarks	:	Based on data from similar materials

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Components:****Petrolatum:**

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405
Remarks	:	Based on data from similar materials

**Zinc oxide:**

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

**Methyl salicylate:**

Species	:	Tissue Culture
Method	:	OECD Test Guideline 491
Result	:	Irreversible effects on the eye

**Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:**

Result	:	Mild eye irritation
--------	---	---------------------

**(+)-Bornan-2-one:**

Result	:	Eye irritation
Remarks	:	Based on data from similar materials

**Respiratory or skin sensitisation****Skin sensitisation**

May cause an allergic skin reaction.

## Methyl Salicylate / Diclofenac Formulation

Version  
10.0

Revision Date:  
2025/04/14

SDS Number:  
656963-00019

Date of last issue: 2023/09/30  
Date of first issue: 2016/05/02

### Respiratory sensitisation

Not classified based on available information.

#### Components:

##### **Petrolatum:**

Test Type	:	Buehler Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative
Remarks	:	Based on data from similar materials

##### **Zinc oxide:**

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative

##### **Methyl salicylate:**

Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Skin contact
Species	:	Mouse
Result	:	positive
Assessment	:	Probability or evidence of low to moderate skin sensitisation rate in humans

##### **(+)-Bornan-2-one:**

Test Type	:	Buehler Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative
Remarks	:	Based on data from similar materials

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### **Petrolatum:**

Genotoxicity in vitro	:	Test Type: Chromosome aberration test in vitro Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection

**Methyl Salicylate / Diclofenac Formulation**Version  
10.0Revision Date:  
2025/04/14SDS Number:  
656963-00019Date of last issue: 2023/09/30  
Date of first issue: 2016/05/02

Method: OECD Test Guideline 474

Result: negative

Remarks: Based on data from similar materials

**Zinc oxide:**

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)  
Result: negativeTest Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476

Result: equivocal

Test Type: Chromosome aberration test in vitro  
Result: equivocal

Genotoxicity in vivo

: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Rat  
Application Route: inhalation (dust/mist/fume)  
Method: OECD Test Guideline 474  
Result: negative

Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)

Species: Rat

Application Route: inhalation (dust/mist/fume)

Result: positive

Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)

Species: Mouse

Application Route: Intraperitoneal injection

Method: OECD Test Guideline 474

Result: negative

Germ cell mutagenicity - Assessment

: Weight of evidence does not support classification as a germ cell mutagen.

**Methyl salicylate:**

Genotoxicity in vitro

: Test Type: Chromosome aberration test in vitro  
Result: negative

Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

**Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:**

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Mouse Lymphoma

## Methyl Salicylate / Diclofenac Formulation

Version  
10.0

Revision Date:  
2025/04/14

SDS Number:  
656963-00019

Date of last issue: 2023/09/30  
Date of first issue: 2016/05/02

Result: negative

Genotoxicity in vivo

: Test Type: Chromosomal aberration  
Species: CHO  
Result: negative

### (+)-Bornan-2-one:

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative  
Remarks: Based on data from similar materials

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro  
Result: negative

Genotoxicity in vivo

: Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Mouse  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Skin contact  
Result: negative  
Remarks: Based on data from similar materials

## Carcinogenicity

Not classified based on available information.

## Components:

### Petrolatum:

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	2 Years
Result	:	negative

### Zinc oxide:

Species	:	Mouse
Application Route	:	Ingestion
Exposure time	:	1 Years
Result	:	negative
Remarks	:	Based on data from similar materials

**Methyl Salicylate / Diclofenac Formulation**Version  
10.0Revision Date:  
2025/04/14SDS Number:  
656963-00019Date of last issue: 2023/09/30  
Date of first issue: 2016/05/02**Methyl salicylate:**

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	2 Years
Result	:	negative

**Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:**

Species	:	Rat
Application Route	:	Oral
Exposure time	:	2 Years
Result	:	negative

Species	:	Mouse
Application Route	:	Oral
Exposure time	:	2 Years
Result	:	negative

**Reproductive toxicity**

Suspected of damaging the unborn child.

**Components:****Petrolatum:**

Effects on fertility	:	Test Type: Reproduction/Developmental toxicity screening test Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
Effects on foetal development	:	Test Type: Embryo-foetal development Species: Rat Application Route: Skin contact Result: negative Remarks: Based on data from similar materials

**Zinc oxide:**

Effects on fertility	:	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
Effects on foetal development	:	Test Type: Embryo-foetal development Species: Rat Application Route: inhalation (dust/mist/fume) Method: OECD Test Guideline 414 Result: negative Remarks: Based on data from similar materials

**Methyl Salicylate / Diclofenac Formulation**Version  
10.0Revision Date:  
2025/04/14SDS Number:  
656963-00019Date of last issue: 2023/09/30  
Date of first issue: 2016/05/02**Methyl salicylate:**

Effects on fertility	: Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: positive Remarks: Based on data from similar materials
	Test Type: Embryo-foetal development Species: Monkey Application Route: Ingestion Result: positive Remarks: Based on data from similar materials
Reproductive toxicity - Assessment	: Some evidence of adverse effects on development, based on animal experiments.

**Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:**

Effects on fertility	: Test Type: Fertility Species: Rat, male and female Application Route: Oral Fertility: NOAEL: 4 mg/kg body weight Result: No effects on fertility
Effects on foetal development	: Test Type: Development Species: Rat Application Route: Oral Developmental Toxicity: LOAEL: 1 mg/kg body weight Result: Embryo-foetal toxicity, No teratogenic effects
	Test Type: Development Species: Rabbit Application Route: Oral Developmental Toxicity: LOAEL: 5 mg/kg body weight Result: Embryo-foetal toxicity, No teratogenic effects
Reproductive toxicity - Assessment	: Suspected of damaging the unborn child.

**(+)-Bornan-2-one:**

Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative
-------------------------------	--

**STOT - single exposure**

Not classified based on available information.

# SAFETY DATA SHEET



## Methyl Salicylate / Diclofenac Formulation

Version  
10.0

Revision Date:  
2025/04/14

SDS Number:  
656963-00019

Date of last issue: 2023/09/30  
Date of first issue: 2016/05/02

### Components:

#### **(+)-Bornan-2-one:**

Assessment	: May cause respiratory irritation.
Remarks	: Based on data from similar materials

#### **STOT - repeated exposure**

May cause damage to organs (Gastrointestinal tract, Blood, lymphatic system, Liver, Prostate) through prolonged or repeated exposure.

### Components:

#### **Zinc oxide:**

Assessment	: No significant health effects observed in animals at concentrations of 0.2 mg/l/6h/d or less.
------------	---

#### **Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:**

Target Organs	: Gastrointestinal tract, Blood, lymphatic system, Liver, Prostate
Assessment	: Causes damage to organs through prolonged or repeated exposure.

#### **Repeated dose toxicity**

### Components:

#### **Petrolatum:**

Species	: Rat
NOAEL	: 5,000 mg/kg
Application Route	: Ingestion
Exposure time	: 2 yr

#### **Zinc oxide:**

Species	: Rat, male
NOAEL	: 0.0015 mg/l
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 3 Months
Method	: OECD Test Guideline 413

#### **Methyl salicylate:**

Species	: Rat
NOAEL	: 50 mg/kg
LOAEL	: 250 mg/kg
Application Route	: Ingestion
Exposure time	: 2 yr

#### **Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:**

Species	: Rat
LOAEL	: 0.25 mg/kg
Application Route	: Oral

# SAFETY DATA SHEET



## Methyl Salicylate / Diclofenac Formulation

Version 10.0 Revision Date: 2025/04/14 SDS Number: 656963-00019 Date of last issue: 2023/09/30 Date of first issue: 2016/05/02

---

Exposure time	:	98 w
Target Organs	:	Gastrointestinal tract, Blood, lymphatic system, Liver, Prostate
Species	:	Dog
LOAEL	:	1 mg/kg
Application Route	:	Oral
Exposure time	:	12 w
Target Organs	:	Blood
Species	:	Baboon
NOAEL	:	0.5 mg/kg
LOAEL	:	5 mg/kg
Application Route	:	Oral
Exposure time	:	52 w
Target Organs	:	Gastrointestinal tract, Blood
Symptoms	:	constipation, Diarrhoea

### (+)-Bornan-2-one:

Species	:	Rat
NOAEL	:	> 200 mg/kg
Application Route	:	Skin contact
Exposure time	:	13 Weeks
Remarks	:	Based on data from similar materials

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

#### Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

Ingestion	:	Symptoms: Abdominal pain, Diarrhoea, constipation, heart-burn, Ulceration, Dizziness, Headache, Breathing difficulties, Rash
-----------	---	--

---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

#### Petrolatum:

Toxicity to fish	:	LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 10,000 mg/l Exposure time: 48 h

# SAFETY DATA SHEET



## Methyl Salicylate / Diclofenac Formulation

Version 10.0 Revision Date: 2025/04/14 SDS Number: 656963-00019 Date of last issue: 2023/09/30 Date of first issue: 2016/05/02

Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : NOEL (Pseudokirchneriella subcapitata (green algae)): >= 100 mg/l  
Exposure time: 72 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 10 mg/l  
Exposure time: 21 d  
Test substance: Water Accommodated Fraction  
Remarks: Based on data from similar materials

### Zinc oxide:

Toxicity to fish : LC50 : > 0.1 - 1 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.136 mg/l  
Exposure time: 72 h  
NOEC (Pseudokirchneriella subcapitata (green algae)): > 0.01 - 0.1 mg/l  
Exposure time: 72 h  
Remarks: Based on data from similar materials

M-Factor (Acute aquatic toxicity) : 1

Toxicity to fish (Chronic toxicity) : NOEC (Jordanella floridae (flagfish)): > 0.01 - 0.1 mg/l  
Exposure time: 14 Weeks  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia dubia (water flea)): > 0.01 - 0.1 mg/l  
Exposure time: 7 d  
Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 1

### Methyl salicylate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): > 10 - 100 mg/l  
Exposure time: 96 h  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 10 - 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

## SAFETY DATA SHEET



## **Methyl Salicylate / Diclofenac Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/09/30  
10.0 2025/04/14 656963-00019 Date of first issue: 2016/05/02

Toxicity to algae/aquatic plants	: ErC50 (Desmodesmus subspicatus (green algae)): 1.6 mg/l Exposure time: 72 h Method: OECD Test Guideline 201  NOEC (Desmodesmus subspicatus (green algae)): 0.79 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to microorganisms	: EC10 (Pseudomonas putida): 140 mg/l Exposure time: 16 h

### Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 166.6 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 80.1 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (*Pseudokirchneriella subcapitata* (green algae)): 71.9 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (*Pseudokirchneriella subcapitata* (green algae)): 49.2 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (*Pimephales promelas* (fathead minnow)): 0.32 mg/l  
Exposure time: 32 d  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 10 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

### (+)-Bornan-2-one:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 10 - 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

Toxicity to algae/aquatic : ErC50 (*Pseudokirchneriella subcapitata* (green algae)): > 1 -

## SAFETY DATA SHEET



## **Methyl Salicylate / Diclofenac Formulation**

Version Revision Date: SDS Number: Date of last issue: 2023/09/30  
10.0 2025/04/14 656963-00019 Date of first issue: 2016/05/02

plants	<p>10 mg/l            Exposure time: 72 h            Method: OECD Test Guideline 201            Remarks: Based on data from similar materials</p> <p>NOEC (Pseudokirchneriella subcapitata (green algae)): &gt; 0.01            - 0.1 mg/l            Exposure time: 72 h            Method: OECD Test Guideline 201            Remarks: Based on data from similar materials</p>
Toxicity to microorganisms	<p>: EC50: &gt; 100 mg/l            Exposure time: 3 h            Method: OECD Test Guideline 209            Remarks: Based on data from similar materials</p>

## Persistence and degradability

## Components:

## Petrolatum:

Biodegradability	: Result: Not readily biodegradable. Biodegradation: 31 % Exposure time: 28 d Method: OECD Test Guideline 301F Remarks: Based on data from similar materials
------------------	--

## **Methyl salicylate:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 98.4 %  
Exposure time: 28 d

### (+)-Bornan-2-one:

Biodegradability : Result: Readily biodegradable.  
Method: OECD Test Guideline 301F  
Remarks: Based on data from similar materials

## Bioaccumulative potential

## Components:

## Zinc oxide:

Bioaccumulation : Species: *Oncorhynchus mykiss* (rainbow trout)  
Bioconcentration factor (BCF): 78 - 2,060

## **Methyl salicylate:**

Partition coefficient: n-octanol/water : log Pow: 2.55

### Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

# SAFETY DATA SHEET



## Methyl Salicylate / Diclofenac Formulation

Version 10.0 Revision Date: 2025/04/14 SDS Number: 656963-00019 Date of last issue: 2023/09/30 Date of first issue: 2016/05/02

---

Partition coefficient: n-octanol/water : log Pow: 4.51

### (+)-Bornan-2-one:

Partition coefficient: n-octanol/water : log Pow: 2.3

### Mobility in soil

No data available

### Other adverse effects

No data available

---

## 13. DISPOSAL CONSIDERATIONS

### Disposal methods

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## 14. TRANSPORT INFORMATION

### International Regulations

#### UNRTDG

UN number : UN 3077  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Zinc oxide, Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate)

Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

#### IATA-DGR

UN/ID No. : UN 3077  
Proper shipping name : Environmentally hazardous substance, solid, n.o.s.  
(Zinc oxide, Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate)

Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 956  
Packing instruction (passenger aircraft) : 956  
Environmentally hazardous : yes

#### IMDG-Code

UN number : UN 3077

# SAFETY DATA SHEET



## Methyl Salicylate / Diclofenac Formulation

Version 10.0 Revision Date: 2025/04/14 SDS Number: 656963-00019 Date of last issue: 2023/09/30 Date of first issue: 2016/05/02

---

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(Zinc oxide, Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate)

Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

**Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.**

**Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health**

Hazardous substances that must be registered : Not applicable

**Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances**

Hazardous substances approved for use : Not applicable

Prohibited substances : Not applicable

Restricted substances : Not applicable

**Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials**

Type of hazardous materials subject to distribution and control, Annex I : Not applicable

Type of hazardous materials subject to distribution and control, Annex II : Not applicable

### The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

**Methyl Salicylate / Diclofenac Formulation**Version  
10.0Revision Date:  
2025/04/14SDS Number:  
656963-00019Date of last issue: 2023/09/30  
Date of first issue: 2016/05/02**16. OTHER INFORMATION**

Revision Date : 2025/04/14

**Further information**Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ID OEL : Indonesia. Occupational Exposure Limits

ACGIH / TWA : 8-hour, time-weighted average

ACGIH / STEL : Short-term exposure limit

ID OEL / NAB : Long term exposure limit

ID OEL / PSD : Short term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recom-

# SAFETY DATA SHEET



## Methyl Salicylate / Diclofenac Formulation

Version  
10.0

Revision Date:  
2025/04/14

SDS Number:  
656963-00019

Date of last issue: 2023/09/30  
Date of first issue: 2016/05/02

---

mendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN