

**Furosemide Solid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
8.1	2025/04/14	645627-00018	Date of first issue: 2016/05/03

---

**1. PRODUCT AND COMPANY IDENTIFICATION**

Chemical product name : Furosemide Solid Formulation

**Supplier's company name, address and phone number**

Company name of supplier : MSD

Address : 1-13-12, Kudan-kita, Chiyoda-ku, Tokyo, Japan

Telephone : 03-6272-1099

E-mail address : EHSDATASTEWARD@msd.com

Emergency telephone number : +1-908-423-6000

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

**2. HAZARDS IDENTIFICATION****GHS classification of chemical product**

Specific target organ toxicity - : Category 1 (Kidney, Liver)  
repeated exposure

**GHS label elements**

Hazard pictograms :



Signal word : Danger

Hazard statements : H372 Causes damage to organs (Kidney, Liver) through prolonged or repeated exposure.

Precautionary statements :

**Prevention:**

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

**Response:**

P314 Get medical advice/ attention if you feel unwell.

**Disposal:**

P501 Dispose of contents/ container to an approved waste

## Furosemide Solid Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
8.1	2025/04/14	645627-00018	2024/09/28
			Date of first issue: 2016/05/03

disposal plant.

**Other hazards which do not result in classification**

Important symptoms and outlines of the emergency assumed : Dust contact with the eyes can lead to mechanical irritation. Contact with dust can cause mechanical irritation or drying of the skin. May form explosive dust-air mixture during processing, handling or other means.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
Starch	9005-25-8	$\geq 50 - < 60$	8-98
Furosemide	54-31-9	$\geq 10 - < 20$	9-377
Cellulose	9004-34-6	$\geq 1 - < 10$	

**4. FIRST AID MEASURES**

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	: In case of contact, immediately flush skin with soap and plenty of water. Get medical attention if symptoms occur.
In case of eye contact	: If in eyes, rinse well with water. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: Contact with dust can cause mechanical irritation or drying of the skin. Dust contact with the eyes can lead to mechanical irritation. Causes damage to organs through prolonged or repeated exposure.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

**5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Water spray

**Furosemide Solid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
8.1	2025/04/14	645627-00018	Date of first issue: 2016/05/03

---

	Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire-fighting	: Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a potential dust explosion hazard. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Nitrogen oxides (NO <sub>x</sub> ) Carbon oxides Sulphur oxides Chlorine compounds
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

**6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	: Sweep up or vacuum up spillage and collect in suitable container for disposal. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding

**Furosemide Solid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
8.1	2025/04/14	645627-00018	Date of first issue: 2016/05/03

certain local or national requirements.

**7. HANDLING AND STORAGE****Handling**

- Technical measures : Static electricity may accumulate and ignite suspended dust causing an explosion.  
Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe dust.  
Do not swallow.  
Avoid contact with eyes.  
Avoid prolonged or repeated contact with skin.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Minimize dust generation and accumulation.  
Keep container closed when not in use.  
Keep away from heat and sources of ignition.  
Take precautionary measures against static discharges.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Avoidance of contact : Oxidizing agents
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

**Storage**

- Conditions for safe storage : Keep in properly labelled containers.  
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents
- Packaging material : Unsuitable material: None known.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Threshold limit value and permissible exposure limits for each component in the work environment**

Components	CAS-No.	Value type	Control parame-	Basis
------------	---------	------------	-----------------	-------

## Furosemide Solid Formulation

Version 8.1	Revision Date: 2025/04/14	SDS Number: 645627-00018	Date of last issue: 2024/09/28 Date of first issue: 2016/05/03
----------------	------------------------------	-----------------------------	---

		(Form of exposure)	ters / Concentration standard / Permissible concentration	
Starch	9005-25-8	TWA	10 mg/m <sup>3</sup>	ACGIH
Furosemide	54-31-9	TWA	200 µg/m <sup>3</sup>	Internal
		TWA	OEB 2 (>=100 - 1000 µg/m <sup>3</sup> )	Internal
Cellulose	9004-34-6	TWA	10 mg/m <sup>3</sup>	ACGIH

**Engineering measures** : Use feasible engineering controls to minimize exposure to compound.  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

**Personal protective equipment**

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection : Chemical-resistant gloves

Material

Eye protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Physical state : powder

Colour : yellow

Odour : No data available

Odour Threshold : No data available

Melting point/freezing point : No data available

Boiling point, initial boiling point and boiling range : No data available

Flammability (solid, gas) : May form explosive dust-air mixture during processing, handling or other means.

Flammability (liquids) : No data available

**Furosemide Solid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
8.1	2025/04/14	645627-00018	Date of first issue: 2016/05/03

---

Lower explosion limit and upper explosion limit / flammability limit

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Flash point : Not applicable

Decomposition temperature : No data available

pH : No data available

Evaporation rate : No data available

Auto-ignition temperature : No data available

Viscosity

Viscosity, kinematic : No data available

Solubility(ies)

Water solubility : No data available

Partition coefficient: n-octanol/water : No data available

Vapour pressure : No data available

Density and / or relative density

Relative density : No data available

Density : No data available

Relative vapour density : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Molecular weight : Not applicable

Particle characteristics

Particle size : No data available

---

**10. STABILITY AND REACTIVITY**

Reactivity : Not classified as a reactivity hazard.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : May form explosive dust-air mixture during processing, handling or other means.

**Furosemide Solid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
8.1	2025/04/14	645627-00018	Date of first issue: 2016/05/03

---

Can react with strong oxidizing agents.

Conditions to avoid	:	Heat, flames and sparks. Avoid dust formation.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

**11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

**Acute toxicity**

Not classified based on available information.

**Components:****Starch:**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg

**Furosemide:**

Acute oral toxicity	:	LD50 (Rat): 2,600 mg/kg
		LD50 (Dog): 2,000 mg/kg
		LD50 (Rabbit): 800 mg/kg
Acute toxicity (other routes of administration)	:	LD0 (Humans): 6 - 29 mg/kg Application Route: Intravenous
		LD50 (Rat): 800 mg/kg Application Route: Intravenous

**Cellulose:**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5.8 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg

**Skin corrosion/irritation**

Not classified based on available information.

**Furosemide Solid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
8.1	2025/04/14	645627-00018	Date of first issue: 2016/05/03

---

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****Starch:**

Species	:	Rabbit
Result	:	No eye irritation

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****Starch:**

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****Starch:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES)
		Result: negative

**Furosemide:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES)
		Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: mouse lymphoma cells  
Result: positive

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Test system: mammalian liver cells  
Result: negative

Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster ovary cells  
Result: positive

Test Type: In vitro sister chromatid exchange assay in mam-

**Furosemide Solid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
8.1	2025/04/14	645627-00018	Date of first issue: 2016/05/03

---

- malian cells  
Test system: Chinese hamster cells  
Result: negative
- Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative
- Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Chinese hamster  
Application Route: Ingestion  
Result: negative
- Cellulose:**
- Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative
- Test Type: In vitro mammalian cell gene mutation test  
Result: negative
- Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**Components:****Furosemide:**

Species	: Rat
Application Route	: Ingestion
Exposure time	: 104 weeks
LOAEL	: 16 mg/kg body weight
Result	: equivocal

Species	: Mouse
Application Route	: Ingestion
Exposure time	: 2 Years
LOAEL	: 91 mg/kg body weight
Result	: positive

**Cellulose:**

Species	: Rat
Application Route	: Ingestion
Exposure time	: 72 weeks

**Furosemide Solid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
8.1	2025/04/14	645627-00018	Date of first issue: 2016/05/03

---

Result : negative

**Reproductive toxicity**

Not classified based on available information.

**Components:****Furosemide:**

Effects on fertility	: Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Ingestion General Toxicity - Parent: NOAEL: 90 mg/kg body weight Result: No effects on reproduction parameters  Test Type: One-generation reproduction toxicity study Species: Mouse Application Route: Ingestion General Toxicity - Parent: NOAEL: 200 mg/kg body weight Result: No effects on reproduction parameters
Effects on foetal development	: Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion General Toxicity Maternal: LOAEL: 50 mg/kg body weight Developmental Toxicity: NOAEL: 300 mg/kg body weight Result: No embryotoxic effects, No teratogenic effects  Test Type: Fertility/early embryonic development Species: Mouse Application Route: Ingestion General Toxicity Maternal: LOAEL: 25 mg/kg body weight Result: Maternal toxicity observed., Fetal effects  Test Type: Fertility/early embryonic development Species: Rabbit Application Route: Ingestion General Toxicity Maternal: LOAEL: <= 12 mg/kg body weight Developmental Toxicity: LOAEL: 12.5 mg/kg body weight Result: Maternal toxicity observed., Reduced number of viable fetuses  Test Type: Fertility/early embryonic development Species: Rabbit Application Route: Ingestion General Toxicity Maternal: LOAEL: 15 mg/kg body weight Result: Maternal toxicity observed., No effects on foetal development

**Cellulose:**

Effects on fertility	: Test Type: One-generation reproduction toxicity study Species: Rat
----------------------	--

**Furosemide Solid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
8.1	2025/04/14	645627-00018	Date of first issue: 2016/05/03

---

Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
Result: negative

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Causes damage to organs (Kidney, Liver) through prolonged or repeated exposure.

**Components:****Furosemide:**

Exposure routes : Ingestion  
Target Organs : Kidney  
Assessment : Shown to produce significant health effects in animals at concentrations of 10 mg/kg bw or less.

**Repeated dose toxicity****Components:****Starch:**

Species : Rat  
NOAEL :  $\geq 2,000$  mg/kg  
Application Route : Skin contact  
Exposure time : 28 Days  
Method : OECD Test Guideline 410

**Furosemide:**

Species : Dog  
NOAEL : 4 mg/kg  
LOAEL : 8 mg/kg  
Application Route : Ingestion  
Exposure time : 12 Months  
Target Organs : Kidney  
Symptoms : Blood disorders  
Remarks : Significant toxicity observed in testing

**Cellulose:**

Species : Rat  
NOAEL :  $\geq 9,000$  mg/kg  
Application Route : Ingestion  
Exposure time : 90 Days

**Furosemide Solid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
8.1	2025/04/14	645627-00018	Date of first issue: 2016/05/03

---

**Aspiration toxicity**

Not classified based on available information.

**Experience with human exposure****Components:****Furosemide:**

Inhalation	:	Remarks: May be harmful if inhaled.
Skin contact	:	Remarks: May irritate skin.
Eye contact	:	Remarks: May cause eye irritation.
Ingestion	:	Symptoms: Kidney disorders, Headache, electrolyte imbalance, dry mouth, hearing loss, Irregular cardiac activity, Gastrointestinal disturbance, hypotension

---

**12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****Furosemide:**

Toxicity to fish	:	LC50 : 500 mg/l Exposure time: 96 h
------------------	---	--

**Cellulose:**

Toxicity to fish	:	LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
------------------	---	--

**Persistence and degradability****Components:****Cellulose:**

Biodegradability	:	Result: Readily biodegradable.
------------------	---	--------------------------------

**Bioaccumulative potential****Components:****Furosemide:**

Partition coefficient: n-octanol/water	:	log Pow: 2.03
--	---	---------------

**Mobility in soil**

No data available

**Furosemide Solid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
8.1	2025/04/14	645627-00018	Date of first issue: 2016/05/03

---

**Hazardous to the ozone layer**

Not applicable

**Other adverse effects**

No data available

---

**13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues	:	Dispose of in accordance with local regulations. Do not dispose of waste into sewer.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

---

**14. TRANSPORT INFORMATION****International Regulations****UNRTDG**

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Environmentally hazardous	:	no

**IATA-DGR**

UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo aircraft)	:	Not applicable
Packing instruction (passenger aircraft)	:	Not applicable

**IMDG-Code**

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code	:	Not applicable
Marine pollutant	:	Not applicable

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Furosemide Solid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
8.1	2025/04/14	645627-00018	Date of first issue: 2016/05/03

---

**National Regulations**

Refer to section 15 for specific national regulation.

**Special precautions for user**

Not applicable

---

**15. REGULATORY INFORMATION****Related Regulations****Fire Service Law**

Not applicable to dangerous materials / designated flammables.

**Chemical Substance Control Law**

Not applicable for Specified Chemical Substance, Monitoring Chemical Substance and Priority Assessment Chemical Substance.

**Industrial Safety and Health Law****Harmful Substances Prohibited from Manufacture**

Not applicable

**Harmful Substances Required Permission for Manufacture**

Not applicable

**Substances Prevented From Impairment of Health**

Not applicable

**Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity**

Not applicable

**Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity**

Not applicable

**Substances Subject to be Notified Names**

Not applicable

**Substances Subject to be Indicated Names**

Not applicable

**Skin and Eye Damage Substances (ISHL MO Art. 594-2)**

Not applicable

**Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)**

Not applicable

**Ordinance on Prevention of Hazards Due to Specified Chemical Substances**

Not applicable

**Ordinance on Prevention of Lead Poisoning**

Not applicable

**Furosemide Solid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 2024/09/28
8.1	2025/04/14	645627-00018	Date of first issue: 2016/05/03

---

**Ordinance on Prevention of Tetraalkyl Lead Poisoning**

Not applicable

**Ordinance on Prevention of Organic Solvent Poisoning**

Not applicable

**Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)**

Not applicable

**Poisonous and Deleterious Substances Control Law**

Not applicable

**Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof**

Not applicable

**High Pressure Gas Safety Act**

Not applicable

**Explosive Control Law**

Not applicable

**Vessel Safety Law**

Not regulated as a dangerous good

**Aviation Law**

Not regulated as a dangerous good

**Marine Pollution and Sea Disaster Prevention etc Law**

Bulk transportation : Not classified as noxious liquid substance

Pack transportation : Not classified as marine pollutant

**Narcotics and Psychotropics Control Act**

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

**Waste Disposal and Public Cleansing Law**

Industrial waste

**The components of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

---

**16. OTHER INFORMATION****Further information**

**Furosemide Solid Formulation**

Version	Revision Date:	SDS Number:	Date of last issue:
8.1	2025/04/14	645627-00018	2024/09/28
			Date of first issue: 2016/05/03

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

**Full text of other abbreviations**

ACGIH : USA. ACGIH Threshold Limit Values (TLV)

ACGIH / TWA : 8-hour, time-weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.