

Enrofloxacin (10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
7.0	2024/09/28	633944-00021	Date of first issue: 2016/04/27

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Enrofloxacin (10%) Formulation

Manufacturer or supplier's details

Company : MSD

Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION**GHS Classification**

Skin sensitisation : Category 1

Reproductive toxicity : Category 2

Specific target organ toxicity - repeated exposure : Category 1 (cartilage, Testis)

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H317 May cause an allergic skin reaction.
H361f Suspected of damaging fertility.
H372 Causes damage to organs (cartilage, Testis) through

Enrofloxacin (10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
7.0	2024/09/28	633944-00021	2023/09/30
			Date of first issue: 2016/04/27

prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

Prevention:
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mist or vapours.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
P302 + P352 IF ON SKIN: Wash with plenty of water.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P391 Collect spillage.

Storage:
P405 Store locked up.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Enrofloxacin	93106-60-6	≥ 10 -< 25
Benzyl alcohol	100-51-6	≥ 1 -< 10

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

Enrofloxacin (10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
7.0	2024/09/28	633944-00021	Date of first issue: 2016/04/27

If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	:	May cause an allergic skin reaction. Suspected of damaging fertility. Causes damage to organs through prolonged or repeated exposure.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	:	Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	:	None known.
Specific hazards during fire-fighting	:	Exposure to combustion products may be a hazard to health.
Hazardous combustion products	:	Carbon oxides
Specific extinguishing methods	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency measures	:	Use personal protective equipment. Follow safe handling advice (see section 7) and personal pro-
---	---	---

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
7.0	2024/09/28	633944-00021	Date of first issue: 2016/04/27

gency procedures	ective equipment recommendations (see section 8).
Environmental precautions	: - Avoid release to the environment. - Prevent further leakage or spillage if safe to do so. - Prevent spreading over a wide area (e.g. by containment or oil barriers). - Retain and dispose of contaminated wash water. - Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	: - Soak up with inert absorbent material. - For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. - Clean up remaining materials from spill with suitable absorbent. - Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. - Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

Technical measures	:	See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	:	Use only with adequate ventilation.
Advice on safe handling	:	Do not get on skin or clothing.
		Do not breathe mist or vapours.
		Do not swallow.
		Avoid contact with eyes.
		Wash skin thoroughly after handling.
		Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
		Do not eat, drink or smoke when using this product.
		Take care to prevent spills, waste and minimize release to the environment.
Conditions for safe storage	:	Keep in properly labelled containers.
		Store locked up.
		Store in accordance with the particular national regulations.
Materials to avoid	:	Do not store with the following product types:
		Strong oxidizing agents

Components with workplace control parameters

Components	CAS-No.	Value type	Control param-	Basis
------------	---------	------------	----------------	-------

Enrofloxacin (10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
7.0	2024/09/28	633944-00021	2023/09/30
			Date of first issue: 2016/04/27

		(Form of exposure)	ters / Permissible concentration	
Enrofloxacin	93106-60-6	TWA	0.2 mg/m3 (OEB 2)	Internal

Engineering measures : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.
Laboratory operations do not require special containment.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection

Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : No data available

Odour : No data available

Odour Threshold : No data available

pH : No data available

Enrofloxacin (10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
7.0	2024/09/28	633944-00021	Date of first issue: 2016/04/27

Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle characteristics Particle size	:	Not applicable

10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.

Enrofloxacin (10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
7.0	2024/09/28	633944-00021	Date of first issue: 2016/04/27

Possibility of hazardous reactions : Can react with strong oxidizing agents.

Conditions to avoid : None known.

Incompatible materials : Oxidizing agents

Hazardous decomposition products : No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

|| Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:**Enrofloxacin:**

Acute oral toxicity : LD50 (Rabbit): 500 - 800 mg/kg
LD50 (Rat): > 5,000 mg/kg
LD50 (Mouse): > 5,000 mg/kg
Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

Benzyl alcohol:

Acute oral toxicity : LD50 (Rat): 1,200 mg/kg
Acute inhalation toxicity : LC50 (Rat): > 5.4 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Skin corrosion/irritation

|| Not classified based on available information.

Components:**Enrofloxacin:**

|| Result : No skin irritation

Benzyl alcohol:

Enrofloxacin (10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
7.0	2024/09/28	633944-00021	Date of first issue: 2016/04/27

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation

Serious eye damage/eye irritation

|| Not classified based on available information.

Components:**Enrofloxacin:**

Result	: Mild eye irritation
--------	-----------------------

Benzyl alcohol:

Species	: Rabbit
Result	: Irritation to eyes, reversing within 21 days
Method	: OECD Test Guideline 405

Respiratory or skin sensitisation**Skin sensitisation**

|| May cause an allergic skin reaction.

Respiratory sensitisation

|| Not classified based on available information.

Components:**Enrofloxacin:**

Test Type	: Maximisation Test
Exposure routes	: Dermal
Species	: Guinea pig
Result	: Not a skin sensitizer.

Benzyl alcohol:

Test Type	: Human repeat insult patch test (HRIPT)
Exposure routes	: Skin contact
Species	: Humans
Result	: positive

Assessment	: Probability or evidence of low to moderate skin sensitisation rate in humans
------------	--

Germ cell mutagenicity

|| Not classified based on available information.

Components:**Enrofloxacin:**

Genotoxicity in vitro	: Test Type: Chromosomal aberration Result: positive
-----------------------	---

Enrofloxacin (10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
7.0	2024/09/28	633944-00021	Date of first issue: 2016/04/27

Genotoxicity in vivo	:	Test Type: Micronucleus test
		Species: Mouse
		Result: negative
		Test Type: Mammalian bone marrow sister chromatid exchange
		Species: Hamster
		Result: negative
		Test Type: Chromosomal aberration
		Species: Rat
		Result: negative

Benzyl alcohol:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES)
		Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
		Species: Mouse
		Application Route: Intraperitoneal injection
		Result: negative

Carcinogenicity

Not classified based on available information.

Components:**Enrofloxacin:**

Species	:	Rat
Application Route	:	Oral
Exposure time	:	2 Years
Result	:	negative

Species	:	Mouse
Application Route	:	Oral
Exposure time	:	2 Years
Result	:	negative

Benzyl alcohol:

Species	:	Mouse
Application Route	:	Ingestion
Exposure time	:	103 weeks
Method	:	OECD Test Guideline 451
Result	:	negative

Reproductive toxicity

Suspected of damaging fertility.

Enrofloxacin (10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
7.0	2024/09/28	633944-00021	Date of first issue: 2016/04/27

Components:**Enrofloxacin:**

Effects on fertility	:	Test Type: Two-generation study Species: Rat Application Route: Oral Fertility: LOAEL: 15 mg/kg body weight Result: Effects on fertility, alteration in sperm morphology
Effects on foetal development	:	Test Type: Development Species: Rat Application Route: Oral Developmental Toxicity: LOAEL: 210 mg/kg body weight Result: Reduced foetal weight, No teratogenic effects Remarks: Maternal toxicity observed. Test Type: Development Species: Rabbit Application Route: Oral Developmental Toxicity: NOAEL: 25 mg/kg body weight Result: No fetotoxicity, No teratogenic effects
Reproductive toxicity - Assessment	:	Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

Benzyl alcohol:

Effects on fertility	:	Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
Effects on foetal development	:	Test Type: Embryo-foetal development Species: Mouse Application Route: Ingestion Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Causes damage to organs (cartilage, Testis) through prolonged or repeated exposure.

Components:**Enrofloxacin:**

Target Organs	:	cartilage, Testis
Assessment	:	Causes damage to organs through prolonged or repeated exposure.

Enrofloxacin (10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
7.0	2024/09/28	633944-00021	Date of first issue: 2016/04/27

Repeated dose toxicity**Components:****Enrofloxacin:**

Species	: Rat
NOAEL	: 36 mg/kg
LOAEL	: 150 mg/kg
Application Route	: Oral
Exposure time	: 13 Weeks
Target Organs	: Testis

Species	: Dog
NOAEL	: 3 mg/kg
LOAEL	: 9.6 mg/kg
Application Route	: Oral
Exposure time	: 13 Weeks
Target Organs	: cartilage

Species	: Cat
NOAEL	: 25 mg/kg
Application Route	: Oral
Exposure time	: 30 Days
Remarks	: No significant adverse effects were reported

Benzyl alcohol:

Species	: Rat
NOAEL	: 1.072 mg/l
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 28 Days
Method	: OECD Test Guideline 412

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****Enrofloxacin:**

Ingestion	: Symptoms: Gastrointestinal disturbance, central nervous system effects, Sensitivity to light
-----------	--

12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Enrofloxacin:**

Toxicity to fish	: LC50 (Lepomis macrochirus (Bluegill sunfish)): 79.5 mg/l Exposure time: 96 h
------------------	---

Enrofloxacin (10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
7.0	2024/09/28	633944-00021	2023/09/30
			Date of first issue: 2016/04/27

	LC50 (<i>Oncorhynchus mykiss</i> (rainbow trout)): > 196 mg/l Exposure time: 96 h
	LC50 (<i>Oryzias latipes</i> (Japanese medaka)): > 100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (<i>Hyalella azteca</i> (Amphipod)): > 206 mg/l Exposure time: 96 h
	EC50 (<i>Daphnia magna</i> (Water flea)): 79.9 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50 (<i>Pseudokirchneriella subcapitata</i> (green algae)): 3.1 mg/l Exposure time: 72 h
	EC50 (<i>Microcystis aeruginosa</i> (blue-green algae)): 0.049 mg/l Exposure time: 5 d
M-Factor (Acute aquatic toxicity)	: 10
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (<i>Daphnia magna</i> (Water flea)): 9.8 mg/l Exposure time: 21 d
	NOEC (<i>Daphnia magna</i> (Water flea)): 5 mg/l Exposure time: 21 d
	LOEC (<i>Daphnia magna</i> (Water flea)): 15 mg/l Exposure time: 21 d
M-Factor (Chronic aquatic toxicity)	: 10

Benzyl alcohol:

Toxicity to fish	: LC50 (<i>Pimephales promelas</i> (fathead minnow)): 460 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (<i>Daphnia magna</i> (Water flea)): 230 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (<i>Pseudokirchneriella subcapitata</i> (green algae)): 770 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	NOEC (<i>Pseudokirchneriella subcapitata</i> (green algae)): 310 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other	: NOEC (<i>Daphnia magna</i> (Water flea)): 51 mg/l

Enrofloxacin (10%) Formulation

Version 7.0	Revision Date: 2024/09/28	SDS Number: 633944-00021	Date of last issue: 2023/09/30 Date of first issue: 2016/04/27
----------------	------------------------------	-----------------------------	---

aquatic invertebrates (Chronic toxicity)

Exposure time: 21 d
Method: OECD Test Guideline 211

Persistence and degradability**Components:****Benzyl alcohol:**

Biodegradability : Result: Readily biodegradable.
Biodegradation: 92 - 96 %
Exposure time: 14 d

Bioaccumulative potential**Components:****Enrofloxacin:**

Partition coefficient: n-octanol/water : log Pow: 0.5

Benzyl alcohol:

Partition coefficient: n-octanol/water : log Pow: 1.05

Mobility in soil**Components:****Enrofloxacin:**

Distribution among environmental compartments : Koc: 5.55

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Enrofloxacin (10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
7.0	2024/09/28	633944-00021	Date of first issue: 2016/04/27

Class : ()
Packing group : 9
Labels : III
Environmentally hazardous : 9
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

Class : ()
Packing group : 9
Labels : III
Packing instruction (cargo aircraft) : Miscellaneous
Packing instruction (passenger aircraft) : 964
Environmentally hazardous : 964
Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Class : ()
Packing group : 9
Labels : III
EmS Code : 9
Marine pollutant : F-A, S-F
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.

Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health

Hazardous substances that must be registered : Not applicable

Enrofloxacin (10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
7.0	2024/09/28	633944-00021	Date of first issue: 2016/04/27

Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances

Hazardous substances approved for use	: Not applicable
Prohibited substances	: Not applicable
Restricted substances	: Not applicable

Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials

Type of hazardous materials subject to distribution and control, Annex I	: Not applicable
Type of hazardous materials subject to distribution and control, Annex II	: Not applicable

The components of this product are reported in the following inventories:

AICS	: not determined
DSL	: not determined
IECSC	: not determined

16. OTHER INFORMATION

Revision Date	: 2024/09/28
---------------	--------------

Further information

Sources of key data used to compile the Safety Data Sheet	: Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/
---	---

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format	: yyyy/mm/dd
-------------	--------------

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory con-

Enrofloxacin (10%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 2023/09/30
7.0	2024/09/28	633944-00021	Date of first issue: 2016/04/27

centration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN