

# SAFETY DATA SHEET



## Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version 10.0      Revision Date: 14.04.2025      SDS Number: 935020-00017      Date of last issue: 06.04.2024  
Date of first issue: 12.10.2016

---

### Section 1: Identification

Product name : Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : 33 Whakatiki Street - Private Bag 908  
Upper Hutt - New Zealand

Telephone : 0800 800 543

Emergency telephone number : 0800 764 766 (0800 POISON)    0800 243 622 (0800  
CHEMCALL)

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable

---

### Section 2: Hazard identification

#### GHS Classification

Flammable liquids : Category 3

Acute toxicity (Oral) : Category 2

Acute toxicity (Inhalation) : Category 4

Acute toxicity (Dermal) : Category 3

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 1

Germ cell mutagenicity : Category 1

Carcinogenicity : Category 1

Reproductive toxicity : Category 1

Specific target organ toxicity - single exposure : Category 1 (Central nervous system)

# SAFETY DATA SHEET



## Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version  
10.0

Revision Date:  
14.04.2025

SDS Number:  
935020-00017

Date of last issue: 06.04.2024  
Date of first issue: 12.10.2016

Specific target organ toxicity - : Category 2 (Nervous system)  
single exposure

Specific target organ toxicity - : Category 3  
single exposure

Specific target organ toxicity - : Category 1 (Central nervous system)  
repeated exposure

Specific target organ toxicity - : Category 2  
repeated exposure

Aspiration hazard : Category 1

Hazardous to the aquatic environment - acute hazard : Category 1

Hazardous to the aquatic environment - chronic hazard : Category 1

### GHS label elements

Hazard pictograms	:	    
Signal word	:	Danger
Hazard statements	:	H226 Flammable liquid and vapour. H300 Fatal if swallowed. H304 May be fatal if swallowed and enters airways. H311 Toxic in contact with skin. H315 Causes skin irritation. H318 Causes serious eye damage. H332 Harmful if inhaled. H336 May cause drowsiness or dizziness. H340 May cause genetic defects. H350 May cause cancer. H360D May damage the unborn child. H370 Causes damage to organs (Central nervous system). H371 May cause damage to organs (Nervous system). H372 Causes damage to organs (Central nervous system) through prolonged or repeated exposure. H373 May cause damage to organs through prolonged or repeated exposure. H410 Very toxic to aquatic life with long lasting effects.
Precautionary statements	:	<b>Prevention:</b> P201 Obtain special instructions before use.

# SAFETY DATA SHEET



## Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version 10.0	Revision Date: 14.04.2025	SDS Number: 935020-00017	Date of last issue: 06.04.2024 Date of first issue: 12.10.2016
-----------------	------------------------------	-----------------------------	---

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P241 Use explosion-proof electrical/ ventilating/ lighting equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P260 Do not breathe mist or vapours.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

### Response:

P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth.

P302 + P352 + P312 IF ON SKIN: Wash with plenty of water. Call a POISON CENTER/ doctor if you feel unwell.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.

P331 Do NOT induce vomiting.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

P391 Collect spillage.

### Storage:

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

Vapours may form explosive mixture with air.

## Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

### Components

**Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation**Version  
10.0Revision Date:  
14.04.2025SDS Number:  
935020-00017Date of last issue: 06.04.2024  
Date of first issue: 12.10.2016

Chemical name	CAS-No.	Concentration (% w/w)
Solvent naphtha (petroleum), light aromatic	64742-95-6	>= 50 -< 70
Ethion	563-12-2	>= 10 -< 20
Chlorpyrifos	2921-88-2	>= 2.5 -< 10
2-Methyl-1-propanol	78-83-1	>= 3 -< 10
(S)- $\alpha$ -Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate	67375-30-8	>= 2.5 -< 10
Hydrocarbons, C10, aromatics, <1% naphthalene	64742-94-5	>= 1 -< 2.5
2,6-Di-tert-butyl-p-cresol	128-37-0	>= 1 -< 2.5

**Section 4: First-aid measures**

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.

In case of eye contact : Thoroughly clean shoes before reuse.  
In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention immediately.

If swallowed : If swallowed, DO NOT induce vomiting.  
If vomiting occurs have person lean forward.  
Call a physician or poison control centre immediately.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed : Fatal if swallowed.  
May be fatal if swallowed and enters airways.  
Toxic in contact with skin.  
Causes skin irritation.  
Causes serious eye damage.  
Harmful if inhaled.  
May cause drowsiness or dizziness.  
May cause genetic defects.  
May cause cancer.  
May damage the unborn child.  
Causes damage to organs.  
Causes damage to organs through prolonged or repeated exposure.

**Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation**Version  
10.0Revision Date:  
14.04.2025SDS Number:  
935020-00017Date of last issue: 06.04.2024  
Date of first issue: 12.10.2016

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

**Section 5: Fire-fighting measures**

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire-fighting : Do not use a solid water stream as it may scatter and spread fire.  
Flash back possible over considerable distance.  
Vapours may form explosive mixtures with air.  
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Sulphur oxides  
Oxides of phosphorus  
Chlorine compounds  
Nitrogen oxides (NO<sub>x</sub>)

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Hazchem Code : 3W

**Section 6: Accidental release measures**

Personal precautions, protective equipment and emergency procedures : Remove all sources of ignition.  
Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).

**Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation**Version  
10.0Revision Date:  
14.04.2025SDS Number:  
935020-00017Date of last issue: 06.04.2024  
Date of first issue: 12.10.2016

Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Non-sparking tools should be used.  
Soak up with inert absorbent material.  
Suppress (knock down) gases/vapours/mists with a water spray jet.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

**Section 7: Handling and storage**

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.  
Use explosion-proof electrical, ventilating and lighting equipment.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapours.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Non-sparking tools should be used.  
Keep container tightly closed.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
Take precautionary measures against static discharges.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.

# SAFETY DATA SHEET



## Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version  
10.0

Revision Date:  
14.04.2025

SDS Number:  
935020-00017

Date of last issue: 06.04.2024  
Date of first issue: 12.10.2016

Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.  
Keep in a cool, well-ventilated place.  
Store in accordance with the particular national regulations.  
Keep away from heat and sources of ignition.

Materials to avoid : Do not store with the following product types:  
Self-reactive substances and mixtures  
Organic peroxides  
Oxidizing agents  
Flammable gases  
Pyrophoric liquids  
Pyrophoric solids  
Self-heating substances and mixtures  
Poisonous gases  
Explosives

### Section 8: Exposure controls/personal protection

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Solvent naphtha (petroleum), light aromatic	64742-95-6	WES-TWA	300 ppm 890 mg/m <sup>3</sup>	NZ OEL
		WES-STEL	500 ppm 1,480 mg/m <sup>3</sup>	NZ OEL
		TWA	200 mg/m <sup>3</sup> (total hydrocarbon vapor)	ACGIH
Ethion	563-12-2	TWA	4 µg/m <sup>3</sup> (OEB 4)	Internal
		Further information: Skin		
			Wipe limit	40 µg/100 cm <sup>2</sup>
			TWA (Inhal- able fraction and vapor)	0.05 mg/m <sup>3</sup>
Chlorpyrifos	2921-88-2	WES-TWA	0.2 mg/m <sup>3</sup>	NZ OEL
		Further information: Exposure can also be estimated by biological monitoring, Skin absorption		
			TWA (Inhal- able fraction and vapor)	0.1 mg/m <sup>3</sup>
2-Methyl-1-propanol	78-83-1	WES-TWA	50 ppm 152 mg/m <sup>3</sup>	NZ OEL
			TWA	50 ppm
Hydrocarbons, C10, aromatics, <1% naphthalene	64742-94-5	WES-TWA (Mist)	5 mg/m <sup>3</sup>	NZ OEL
		WES-STEL	10 mg/m <sup>3</sup>	NZ OEL

# SAFETY DATA SHEET



## Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version 10.0 Revision Date: 14.04.2025 SDS Number: 935020-00017 Date of last issue: 06.04.2024 Date of first issue: 12.10.2016

		(Mist)		
		TWA (Inhalable particulate matter)	5 mg/m3	ACGIH
2,6-Di-tert-butyl-p-cresol	128-37-0	WES-TWA	10 mg/m3	NZ OEL
		Further information: Skin sensitiser		
		TWA (Inhalable fraction and vapor)	2 mg/m3	ACGIH

### Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
Chlorpyrifos	2921-88-2	Cholinesterase activity	Blood		< 60 % of baseline	NZ BEI
		Cholinesterase activity	Blood		< 80 % of baseline	NZ BEI
		Cholinesterase activity	Blood		> 75 % of baseline	NZ BEI
		Acetylcholinesterase activity	In red blood cells	End of shift	70 % of an individual's baseline	ACGIH BEI
		Butyrylcholinesterase activity	In serum or plasma	End of shift	60 % of an individual's baseline	ACGIH BEI

**Engineering measures** : Minimize workplace exposure concentrations. If sufficient ventilation is unavailable, use with local exhaust ventilation. Use explosion-proof electrical, ventilating and lighting equipment.

### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type  
Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to

**Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation**Version  
10.0Revision Date:  
14.04.2025SDS Number:  
935020-00017Date of last issue: 06.04.2024  
Date of first issue: 12.10.2016

chemicals of the aforementioned protective gloves with the glove manufacturer. Take note that the product is flammable, which may impact the selection of hand protection. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment: Chemical resistant goggles must be worn. If splashes are likely to occur, wear: Face-shield

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Wear the following personal protective equipment: If assessment demonstrates that there is a risk of explosive atmospheres or flash fires, use flame retardant antistatic protective clothing. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

**Section 9: Physical and chemical properties**

Appearance : liquid

Colour : yellow

Odour : strong

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling range : No data available

Flash point : 43 °C

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : Not applicable

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

# SAFETY DATA SHEET



## Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version  
10.0

Revision Date:  
14.04.2025

SDS Number:  
935020-00017

Date of last issue: 06.04.2024  
Date of first issue: 12.10.2016

---

Relative vapour density	:	No data available
Relative density	:	0.96 - 1.02
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	No data available

---

### Section 10: Stability and reactivity

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Flammable liquid and vapour. Vapours may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

### Section 11: Toxicological information

Exposure routes	:	Inhalation Skin contact Ingestion Eye contact
-----------------	---	--

**Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation**Version  
10.0Revision Date:  
14.04.2025SDS Number:  
935020-00017Date of last issue: 06.04.2024  
Date of first issue: 12.10.2016**Acute toxicity**

Fatal if swallowed.  
Toxic in contact with skin.  
Harmful if inhaled.

**Product:**

Acute oral toxicity	:	Acute toxicity estimate: 42.45 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: 2.24 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: 233.61 mg/kg Method: Calculation method

**Components:****Solvent naphtha (petroleum), light aromatic:**

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5.61 mg/l Exposure time: 4 h Test atmosphere: vapour
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg

**Ethion:**

Acute oral toxicity	:	LD50 (Rat): 13 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0.450 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rat): 62 mg/kg

**Chlorpyrifos:**

Acute oral toxicity	:	LD50 (Rat, female): 68 mg/kg
Acute inhalation toxicity	:	Acute toxicity estimate: 1.5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Expert judgement Remarks: Based on national or regional regulation.
Acute dermal toxicity	:	LD50 (Rat, females): 1,250 mg/kg

## Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version  
10.0Revision Date:  
14.04.2025SDS Number:  
935020-00017Date of last issue: 06.04.2024  
Date of first issue: 12.10.2016

Acute toxicity estimate: 50.001 mg/kg  
Method: Expert judgement  
Remarks: Based on national or regional regulation.

### 2-Methyl-1-propanol:

Acute oral toxicity	: LD50 (Rat, female): 3,350 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	: LC50 (Rat): > 18.18 mg/l Exposure time: 6 h Test atmosphere: vapour
Acute dermal toxicity	: LD50 (Rabbit, female): 2,460 mg/kg Method: OECD Test Guideline 402

### (S)- $\alpha$ -Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:

Acute oral toxicity	: Acute toxicity estimate: 5.001 mg/kg Method: Expert judgement Remarks: Based on national or regional regulation.
Acute inhalation toxicity	: LC50 (Rat): > 1.16 - 1.21 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rat): > 2,000 mg/kg

### Hydrocarbons, C10, aromatics, <1% naphthalene:

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 420 Remarks: Based on data from similar materials
Acute inhalation toxicity	: LC50 (Rat): > 4.778 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Remarks: Based on data from similar materials
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on data from similar materials

### 2,6-Di-tert-butyl-p-cresol:

Acute oral toxicity	: LD50 (Rat): > 6,000 mg/kg Method: OECD Test Guideline 401
---------------------	--

**Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation**Version  
10.0Revision Date:  
14.04.2025SDS Number:  
935020-00017Date of last issue: 06.04.2024  
Date of first issue: 12.10.2016

||| Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

**Skin corrosion/irritation**

Causes skin irritation.

**Components:****Solvent naphtha (petroleum), light aromatic:**

||| Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation

**Ethion:**

||| Species : Rabbit  
Result : Mild skin irritation

**Chlorpyrifos:**

||| Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**2-Methyl-1-propanol:**

||| Species : Rabbit  
Method : OECD Test Guideline 404  
Result : Skin irritation

**(S)- $\alpha$ -Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:**

||| Species : Rabbit  
Result : Skin irritation

**Hydrocarbons, C10, aromatics, <1% naphthalene:**

||| Assessment : Repeated exposure may cause skin dryness or cracking.

**2,6-Di-tert-butyl-p-cresol:**

||| Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation  
Remarks : Based on data from similar materials

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation**Version  
10.0Revision Date:  
14.04.2025SDS Number:  
935020-00017Date of last issue: 06.04.2024  
Date of first issue: 12.10.2016**Components:****Solvent naphtha (petroleum), light aromatic:**

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405

**Ethion:**

Result	:	No eye irritation
--------	---	-------------------

**Chlorpyrifos:**

Result	:	Irritation to eyes, reversing within 21 days
Remarks	:	Based on national or regional regulation.

**2-Methyl-1-propanol:**

Species	:	Rabbit
Result	:	Irreversible effects on the eye
Method	:	OECD Test Guideline 405

**(S)- $\alpha$ -Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:**

Species	:	Rabbit
Result	:	No eye irritation

**Hydrocarbons, C10, aromatics, <1% naphthalene:**

Species	:	Rabbit
Result	:	No eye irritation
Remarks	:	Based on data from similar materials

**2,6-Di-tert-butyl-p-cresol:**

Species	:	Rabbit
Result	:	No eye irritation
Method	:	OECD Test Guideline 405
Remarks	:	Based on data from similar materials

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation**Version  
10.0Revision Date:  
14.04.2025SDS Number:  
935020-00017Date of last issue: 06.04.2024  
Date of first issue: 12.10.2016**Components:****Solvent naphtha (petroleum), light aromatic:**

Test Type	:	Buehler Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative

**Ethion:**

Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative

**Chlorpyrifos:**

Test Type	:	Buehler Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative

**2-Methyl-1-propanol:**

Test Type	:	Buehler Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative
Remarks	:	Based on data from similar materials

**(S)-α-Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:**

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	negative

**Hydrocarbons, C10, aromatics, <1% naphthalene:**

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Result	:	negative
Remarks	:	Based on data from similar materials

**2,6-Di-tert-butyl-p-cresol:**

Test Type	:	Human repeat insult patch test (HRIPT)
Exposure routes	:	Skin contact

**Ethion / Chlorpyrifos / Alpha-Cypermethrin  
Formulation**Version  
10.0Revision Date:  
14.04.2025SDS Number:  
935020-00017Date of last issue: 06.04.2024  
Date of first issue: 12.10.2016

Species	:	Humans
Result	:	negative

**Chronic toxicity****Germ cell mutagenicity**

May cause genetic defects.

**Components:****Solvent naphtha (petroleum), light aromatic:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: In vitro mammalian cell gene mutation test Result: positive
Genotoxicity in vivo	:	Test Type: Sister chromatid exchange analysis in spermatogonia Species: Mouse Application Route: Intraperitoneal injection Result: positive
Germ cell mutagenicity - Assessment	:	Positive result(s) from in vivo heritable germ cell mutagenicity tests in mammals

**Ethion:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Result: negative
		Test Type: In vitro sister chromatid exchange assay in mammalian cells Result: negative
		Test Type: in vitro micronucleus test Result: positive
Genotoxicity in vivo	:	Test Type: Chromosomal aberration Species: Rat Result: negative
		Test Type: In vivo micronucleus test Species: Mouse Result: positive
Germ cell mutagenicity -	:	Weight of evidence does not support classification as a germ

## Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version  
10.0

Revision Date:  
14.04.2025

SDS Number:  
935020-00017

Date of last issue: 06.04.2024  
Date of first issue: 12.10.2016

Assessment	cell mutagen.
<b>Chlorpyrifos:</b>	
Genotoxicity in vitro	<p>: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative</p> <p>Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative</p> <p>Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Result: negative</p> <p>Test Type: Chromosome aberration test in vitro Result: positive</p>
Genotoxicity in vivo	<p>: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 474 Result: negative</p>
<b>2-Methyl-1-propanol:</b>	
Genotoxicity in vitro	<p>: Test Type: Bacterial reverse mutation assay (AMES) Result: negative</p> <p>Test Type: In vitro mammalian cell gene mutation test Result: negative</p> <p>Test Type: in vitro micronucleus test Result: negative</p>
Genotoxicity in vivo	<p>: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Method: OECD Test Guideline 474 Result: negative</p>
<b>(S)-<math>\alpha</math>-Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:</b>	
Genotoxicity in vitro	<p>: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative</p> <p>Test Type: Chromosome aberration test in vitro</p>

**Ethion / Chlorpyrifos / Alpha-Cypermethrin  
Formulation**Version  
10.0Revision Date:  
14.04.2025SDS Number:  
935020-00017Date of last issue: 06.04.2024  
Date of first issue: 12.10.2016

Method: OECD Test Guideline 473  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 475  
Result: negative

Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Ingestion  
Method: OECD Test Guideline 474  
Result: negative

Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo  
Species: Rat  
Application Route: Ingestion  
Result: negative

**Hydrocarbons, C10, aromatics, <1% naphthalene:**

Genotoxicity in vitro : Test Type: In vitro sister chromatid exchange assay in mammalian cells  
Result: negative  
Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: inhalation (vapour)  
Result: negative  
Remarks: Based on data from similar materials

**2,6-Di-tert-butyl-p-cresol:**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Result: negative

Test Type: Chromosome aberration test in vitro  
Result: negative

## Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version  
10.0

Revision Date:  
14.04.2025

SDS Number:  
935020-00017

Date of last issue: 06.04.2024  
Date of first issue: 12.10.2016

Genotoxicity in vivo : Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)  
Species: Rat  
Application Route: Ingestion  
Result: negative

### Carcinogenicity

May cause cancer.

### Components:

#### **Solvent naphtha (petroleum), light aromatic:**

Species : Mouse  
Application Route : Skin contact  
Exposure time : 2 Years  
Result : positive

Carcinogenicity - Assessment : Sufficient evidence of carcinogenicity in animal experiments

#### **Ethion:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 18 Months  
Result : negative

Species : Mouse  
Application Route : Ingestion  
Exposure time : 24 Months  
Result : negative

#### **Chlorpyrifos:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative

#### **(S)- $\alpha$ -Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 2 Years  
Result : negative

#### **2,6-Di-tert-butyl-p-cresol:**

Species : Rat  
Application Route : Ingestion  
Exposure time : 22 Months

**Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation**Version  
10.0Revision Date:  
14.04.2025SDS Number:  
935020-00017Date of last issue: 06.04.2024  
Date of first issue: 12.10.2016**Result** : negative**Reproductive toxicity**

May damage the unborn child.

**Components:****Solvent naphtha (petroleum), light aromatic:**

Effects on fertility	: Test Type: Reproduction/Developmental toxicity screening test Species: Rat Application Route: inhalation (vapour) Result: negative
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: inhalation (vapour) Result: negative

**Ethion:**

Effects on fertility	: Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative

**Chlorpyrifos:**

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: positive
Reproductive toxicity - Assessment	: Clear evidence of adverse effects on development, based on animal experiments.

**2-Methyl-1-propanol:**

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: inhalation (vapour)
----------------------	---

**Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation**Version  
10.0Revision Date:  
14.04.2025SDS Number:  
935020-00017Date of last issue: 06.04.2024  
Date of first issue: 12.10.2016

Method: OPPTS 870.3800  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: inhalation (vapour)  
Method: OECD Test Guideline 414  
Result: negative

**(S)- $\alpha$ -Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:**

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Method: OECD Test Guideline 414  
Result: negative

**Hydrocarbons, C10, aromatics, <1% naphthalene:**

Effects on fertility : Test Type: Three-generation reproduction toxicity study  
Species: Rat  
Application Route: inhalation (vapour)  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

**2,6-Di-tert-butyl-p-cresol:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

**Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation**Version  
10.0Revision Date:  
14.04.2025SDS Number:  
935020-00017Date of last issue: 06.04.2024  
Date of first issue: 12.10.2016**STOT - single exposure**

May cause drowsiness or dizziness.  
Causes damage to organs (Central nervous system).  
May cause damage to organs (Nervous system).

**Components:****Solvent naphtha (petroleum), light aromatic:**

||| Assessment : May cause drowsiness or dizziness.

**Ethion:**

||| Assessment : Causes damage to organs.

**Chlorpyrifos:**

||| Target Organs : Nervous system  
||| Assessment : Causes damage to organs.

**2-Methyl-1-propanol:**

||| Assessment : May cause respiratory irritation.  
May cause drowsiness or dizziness.

**(S)- $\alpha$ -Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:**

||| Assessment : May cause respiratory irritation.  
||| Remarks : Based on national or regional regulation.

**Hydrocarbons, C10, aromatics, <1% naphthalene:**

||| Assessment : May cause drowsiness or dizziness.  
||| Remarks : Based on data from similar materials

**STOT - repeated exposure**

Causes damage to organs (Central nervous system) through prolonged or repeated exposure.  
May cause damage to organs through prolonged or repeated exposure.

**Components:****Ethion:**

||| Target Organs : Central nervous system  
||| Assessment : Causes damage to organs through prolonged or repeated exposure.

**Chlorpyrifos:**

||| Assessment : Causes damage to organs through prolonged or repeated exposure.  
||| Remarks : Based on national or regional regulation.

**Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation**Version  
10.0Revision Date:  
14.04.2025SDS Number:  
935020-00017Date of last issue: 06.04.2024  
Date of first issue: 12.10.2016**(S)- $\alpha$ -Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:**

Exposure routes	:	Ingestion
Target Organs	:	Central nervous system
Assessment	:	Shown to produce significant health effects in animals at concentrations of >10 to 100 mg/kg bw.

**2,6-Di-tert-butyl-p-cresol:**

Assessment	:	No significant health effects observed in animals at concentrations of 100 mg/kg bw or less.
------------	---	--

**Repeated dose toxicity****Components:****Solvent naphtha (petroleum), light aromatic:**

Species	:	Rat
NOAEL	:	500 mg/kg
Application Route	:	Ingestion
Exposure time	:	28 Days

**Ethion:**

Species	:	Dog
NOAEL	:	0.05 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days

**Chlorpyrifos:**

Species	:	Rat
NOAEL	:	0.1 mg/kg
LOAEL	:	1 mg/kg
Application Route	:	Ingestion
Exposure time	:	13 Weeks

Species	:	Rat
NOAEL	:	> 0.000296 mg/l
Application Route	:	inhalation (vapour)
Exposure time	:	13 Weeks

Species	:	Rat
NOAEL	:	> 5 mg/kg
Application Route	:	Skin contact
Exposure time	:	21 Days

**2-Methyl-1-propanol:**

Species	:	Rat
NOAEL	:	> 1,450 mg/kg

**Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation**Version  
10.0Revision Date:  
14.04.2025SDS Number:  
935020-00017Date of last issue: 06.04.2024  
Date of first issue: 12.10.2016

Application Route	:	Ingestion
Exposure time	:	90 Days
Method	:	OECD Test Guideline 408

Species	:	Rat
NOAEL	:	>= 7.5 mg/l
Application Route	:	inhalation (vapour)
Exposure time	:	17 Weeks

**(S)-α-Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:**

Species	:	Dog
NOAEL	:	3.5 mg/kg
LOAEL	:	13.3 mg/kg
Application Route	:	Ingestion
Exposure time	:	90 Days

**Hydrocarbons, C10, aromatics, <1% naphthalene:**

Species	:	Rat
NOAEL	:	300 mg/kg
Application Route	:	Ingestion
Exposure time	:	13 Weeks
Remarks	:	Based on data from similar materials

**2,6-Di-tert-butyl-p-cresol:**

Species	:	Rat
NOAEL	:	25 mg/kg
Application Route	:	Ingestion
Exposure time	:	22 Months

**Aspiration toxicity**

May be fatal if swallowed and enters airways.

**Product:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

**Components:****Solvent naphtha (petroleum), light aromatic:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.
--

**2-Methyl-1-propanol:**

The substance or mixture causes concern owing to the assumption that it causes a human aspiration toxicity hazard.
--

# SAFETY DATA SHEET



## Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version 10.0 Revision Date: 14.04.2025 SDS Number: 935020-00017 Date of last issue: 06.04.2024 Date of first issue: 12.10.2016

---

### Hydrocarbons, C10, aromatics, <1% naphthalene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

### Experience with human exposure

#### Components:

##### **Ethion:**

Ingestion : Symptoms: Blurred vision, Dizziness, Headache

---

## Section 12: Ecological information

### Ecotoxicity

#### Components:

##### **Solvent naphtha (petroleum), light aromatic:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 8.2 mg/l  
Exposure time: 96 h  
Test substance: Water Accommodated Fraction

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 4.5 mg/l  
Exposure time: 48 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EL50 (Pseudokirchneriella subcapitata (microalgae)): 3.1 mg/l  
Exposure time: 96 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201

NOELR (Pseudokirchneriella subcapitata (microalgae)): 0.5 mg/l  
Exposure time: 96 h  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOELR (Daphnia magna (Water flea)): 2.6 mg/l  
Exposure time: 21 d  
Test substance: Water Accommodated Fraction  
Method: OECD Test Guideline 211

##### **Ethion:**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.18 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50: 0.056 - 7.7 µg/l  
Exposure time: 48 h

**Ethion / Chlorpyrifos / Alpha-Cypermethrin  
Formulation**Version  
10.0Revision Date:  
14.04.2025SDS Number:  
935020-00017Date of last issue: 06.04.2024  
Date of first issue: 12.10.2016

M-Factor (Acute aquatic toxicity) : 10,000

M-Factor (Chronic aquatic toxicity) : 10,000

**Chlorpyrifos:**

Toxicity to fish : LC50 : > 0.1 - 1 µg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50: > 0.01 - 0.1 µg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Scenedesmus subspicatus): 0.48 mg/l  
Exposure time: 96 h

M-Factor (Acute aquatic toxicity) : 10,000

Toxicity to fish (Chronic toxicity) : NOEC: 0.3 µg/l  
Exposure time: 35 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Mysidopsis bahia (opossum shrimp)): 0.0046 µg/l  
Exposure time: 21 d

M-Factor (Chronic aquatic toxicity) : 10,000

**2-Methyl-1-propanol:**

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 1,430 mg/l  
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia pulex (Water flea)): 1,100 mg/l  
Exposure time: 48 h

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 1,799 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 117 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 20 mg/l  
Exposure time: 21 d

Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 16 h

## Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version  
10.0

Revision Date:  
14.04.2025

SDS Number:  
935020-00017

Date of last issue: 06.04.2024  
Date of first issue: 12.10.2016

### (S)- $\alpha$ -Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:

Toxicity to fish	:	LC50 (Cyprinus carpio (Carp)): 0.00084 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.0003 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		EC10 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	:	1,000
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0.03 µg/l Exposure time: 34 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.03 µg/l Exposure time: 21 d
M-Factor (Chronic aquatic toxicity)	:	1,000

### Hydrocarbons, C10, aromatics, <1% naphthalene:

Toxicity to fish	:	LL50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EL50 (Daphnia magna (Water flea)): 3 - 10 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 - 3 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials

**Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation**Version  
10.0Revision Date:  
14.04.2025SDS Number:  
935020-00017Date of last issue: 06.04.2024  
Date of first issue: 12.10.2016**2,6-Di-tert-butyl-p-cresol:**

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): > 0.57 mg/l Exposure time: 96 h Method: Directive 67/548/EEC, Annex V, C.1.
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.48 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): > 0.24 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
		NOEC (Pseudokirchneriella subcapitata (green algae)): 0.24 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	:	1
Toxicity to fish (Chronic toxicity)	:	NOEC (Oryzias latipes (Japanese medaka)): 0.053 mg/l Exposure time: 30 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.316 mg/l Exposure time: 21 d
M-Factor (Chronic aquatic toxicity)	:	1
Toxicity to microorganisms	:	EC50: > 10,000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209

**Persistence and degradability****Components:****Solvent naphtha (petroleum), light aromatic:**

Biodegradability	:	Result: Inherently biodegradable. Biodegradation: 94 % Exposure time: 25 d
------------------	---	--

**Ethion:**

Biodegradability	:	Result: not rapidly degradable
------------------	---	--------------------------------

**Chlorpyrifos:**

Biodegradability	:	Result: Not readily biodegradable. Biodegradation: 22 %
------------------	---	--

## Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version  
10.0

Revision Date:  
14.04.2025

SDS Number:  
935020-00017

Date of last issue: 06.04.2024  
Date of first issue: 12.10.2016

Exposure time: 28 d  
Method: OECD Test Guideline 301D

Stability in water : Degradation half life (DT50): > 2 Months

### 2-Methyl-1-propanol:

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 74 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D

### (S)- $\alpha$ -Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 0 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301B

### Hydrocarbons, C10, aromatics, <1% naphthalene:

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 49.56 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

### 2,6-Di-tert-butyl-p-cresol:

Biodegradability : Result: Not readily biodegradable.  
Biodegradation: 4.5 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301C

### Bioaccumulative potential

#### Components:

##### Ethion:

Partition coefficient: n-octanol/water : log Pow: 5.07

##### Chlorpyrifos:

Bioaccumulation : Species: Danio rerio (zebra fish)  
Bioconcentration factor (BCF): 6,918  
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 5.21  
Method: OECD Test Guideline 107

### 2-Methyl-1-propanol:

**Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation**Version  
10.0Revision Date:  
14.04.2025SDS Number:  
935020-00017Date of last issue: 06.04.2024  
Date of first issue: 12.10.2016

Partition coefficient: n-octanol/water : log Pow: 1  
Method: OECD Test Guideline 117

**(S)- $\alpha$ -Cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate:**

Bioaccumulation : Species: Fish  
Bioconcentration factor (BCF): 910

Partition coefficient: n-octanol/water : log Pow: 6.94

**2,6-Di-tert-butyl-p-cresol:**

Bioaccumulation : Species: Cyprinus carpio (Carp)  
Bioconcentration factor (BCF): 330 - 1,800

Partition coefficient: n-octanol/water : log Pow: 5.1

**Mobility in soil**

No data available

**Other adverse effects**

No data available

---

**Section 13: Disposal considerations****Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Empty containers retain residue and can be dangerous.  
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.  
If not otherwise specified: Dispose of as unused product.

---

**Section 14: Transport information****International Regulations****UNRTDG**

UN number

Proper shipping name

: UN 1992

: FLAMMABLE LIQUID, TOXIC, N.O.S.  
(2-Methyl-1-propanol, Ethion)

Class

: 3

Subsidiary risk

: 6.1

Packing group

: III

Labels

: 3 (6.1)

Environmentally hazardous

: yes

# SAFETY DATA SHEET



## Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version  
10.0

Revision Date:  
14.04.2025

SDS Number:  
935020-00017

Date of last issue: 06.04.2024  
Date of first issue: 12.10.2016

---

### IATA-DGR

UN/ID No.	:	UN 1992
Proper shipping name	:	Flammable liquid, toxic, n.o.s. (2-Methyl-1-propanol, Ethion)
Class	:	3
Subsidiary risk	:	6.1
Packing group	:	III
Labels	:	Flammable Liquids, Toxic
Packing instruction (cargo aircraft)	:	366
Packing instruction (passenger aircraft)	:	355

### IMDG-Code

UN number	:	UN 1992
Proper shipping name	:	FLAMMABLE LIQUID, TOXIC, N.O.S. (2-Methyl-1-propanol, Ethion, Chlorpyrifos)
Class	:	3
Subsidiary risk	:	6.1
Packing group	:	III
Labels	:	3 (6.1)
EmS Code	:	F-E, S-D
Marine pollutant	:	yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### NZS 5433

UN number	:	UN 1992
Proper shipping name	:	FLAMMABLE LIQUID, TOXIC, N.O.S. (2-Methyl-1-propanol, Ethion)
Class	:	3
Subsidiary risk	:	6.1
Packing group	:	III
Labels	:	3 (6.1)
Hazchem Code	:	3W
Marine pollutant	:	yes

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

**Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation**Version  
10.0Revision Date:  
14.04.2025SDS Number:  
935020-00017Date of last issue: 06.04.2024  
Date of first issue: 12.10.2016**Section 15: Regulatory information****Safety, health and environmental regulations/legislation specific for the substance or mixture****HSNO Approval Number**

HSR100758 Veterinary Medicines Non dispersive Closed System Application Group Standard

Tolerable Exposure Limits (TEL)

Not applicable

Environmental Exposure Limits (EEL)

Not applicable

**HSW Controls**

Certified handler certificate required.

Tracking hazardous substance is required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

**The components of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

**Section 16: Other information**

Revision Date : 14.04.2025

**Further information**Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

**Full text of other abbreviations**

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	: ACGIH - Biological Exposure Indices (BEI)
NZ BEI	: New Zealand. Biological Exposure Indices
NZ OEL	: New Zealand. Workplace Exposure Standards for Atmospheric Contaminants

ACGIH / TWA	: 8-hour, time-weighted average
NZ OEL / WES-TWA	: Workplace Exposure Standard - Time Weighted average
NZ OEL / WES-STEL	: Workplace Exposure Standard - Short-Term Exposure Limit

# SAFETY DATA SHEET



## Ethion / Chlorpyrifos / Alpha-Cypermethrin Formulation

Version  
10.0

Revision Date:  
14.04.2025

SDS Number:  
935020-00017

Date of last issue: 06.04.2024  
Date of first issue: 12.10.2016

---

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); EC<sub>x</sub> - Concentration associated with x% response; EL<sub>x</sub> - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErC<sub>x</sub> - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC<sub>50</sub> - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC<sub>50</sub> - Lethal Concentration to 50 % of a test population; LD<sub>50</sub> - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN