

**Clotrimazole / Gentamicin / Betamethasone
(0.1%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
7.0	03.12.2024	808849-00023	Date of first issue: 22.07.2016

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Clotrimazole / Gentamicin / Betamethasone (0.1%) Formulation
Other means of identification : OTOMAX OINTMENT (51104)

Manufacturer or supplier's details

Company name of supplier : MSD
Address : 126 E. Lincoln Avenue
Rahway, New Jersey U.S.A. 07065
Telephone : 908-740-4000
Emergency telephone : 1-908-423-6000
E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Reproductive toxicity : Category 1A
Specific target organ toxicity : Category 1 (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland)
- repeated exposure
Specific target organ toxicity : Category 2 (Liver, Kidney, Adrenal gland)
- repeated exposure (Oral)

GHS label elements

Hazard pictograms :



Signal Word : Danger

Hazard Statements : H360Df May damage the unborn child. Suspected of damaging fertility.
H372 Causes damage to organs (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland) through prolonged or repeated exposure.
H373 May cause damage to organs (Liver, Kidney, Adrenal gland) through prolonged or repeated exposure if swallowed.

Precautionary Statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.

**Clotrimazole / Gentamicin / Betamethasone
(0.1%) Formulation**

Version 7.0	Revision Date: 03.12.2024	SDS Number: 808849-00023	Date of last issue: 06.07.2024 Date of first issue: 22.07.2016
----------------	------------------------------	-----------------------------	---

P260 Do not breathe mist or vapors.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P280 Wear protective gloves/ protective clothing/ eye protection/
face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/
attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste dis-
posal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
White mineral oil (petroleum)	8042-47-5	≥ 90 - ≤ 100
clotrimazole	23593-75-1	≥ 1 - < 5
Gentamicin	1403-66-3	≥ 0.1 - < 1
Betamethasone	378-44-9	≥ 0.1 - < 1

SECTION 4. FIRST AID MEASURES

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	: In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention. Rinse mouth thoroughly with water.
Most important symptoms and effects, both acute and delayed	: May damage the unborn child. Suspected of damaging fertility. Causes damage to organs through prolonged or repeated

**Clotrimazole / Gentamicin / Betamethasone
(0.1%) Formulation**

Version 7.0	Revision Date: 03.12.2024	SDS Number: 808849-00023	Date of last issue: 06.07.2024 Date of first issue: 22.07.2016
----------------	------------------------------	-----------------------------	---

Protection of first-aiders : exposure.
First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g., by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable

**Clotrimazole / Gentamicin / Betamethasone
(0.1%) Formulation**

Version 7.0	Revision Date: 03.12.2024	SDS Number: 808849-00023	Date of last issue: 06.07.2024 Date of first issue: 22.07.2016
----------------	------------------------------	-----------------------------	---

absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

- | | | |
|-----------------------------|---|--|
| Technical measures | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section. |
| Local/Total ventilation | : | If sufficient ventilation is unavailable, use with local exhaust ventilation. |
| Advice on safe handling | : | Do not get on skin or clothing.
Do not breathe mist or vapors.
Do not swallow.
Avoid contact with eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment. |
| Hygiene measures | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |
| Conditions for safe storage | : | Keep in properly labeled containers.
Store locked up.
Keep tightly closed.
Store in accordance with the particular national regulations. |
| Materials to avoid | : | Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Explosives
Gases |

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Ingredients with workplace control parameters**

Components	CAS-No.	Value type	Control parame-	Basis
------------	---------	------------	-----------------	-------

Clotrimazole / Gentamicin / Betamethasone (0.1%) Formulation

Version 7.0 Revision Date: 03.12.2024 SDS Number: 808849-00023 Date of last issue: 06.07.2024
Date of first issue: 22.07.2016

		(Form of exposure)	ters / Permissible concentration	
White mineral oil (petroleum)	8042-47-5	VLE-PPT (Mist)	5 mg/m ³	NOM-010-STPS-2014
		TWA (Inhalable particulate matter)	5 mg/m ³	ACGIH
clotrimazole	23593-75-1	TWA	0.2 mg/m ³ (OEB 2)	Internal
Gentamicin	1403-66-3	TWA	0.1 mg/m ³ (OEB 2)	Internal
Further information: OTO				
Betamethasone	378-44-9	TWA	1 µg/m ³ (OEB 4)	Internal
Further information: Skin				
		Wipe limit	10 µg/100 cm ²	Internal

Engineering measures

: The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable. All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Essentially no open handling permitted. Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapor type

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.

**Clotrimazole / Gentamicin / Betamethasone
(0.1%) Formulation**

Version 7.0	Revision Date: 03.12.2024	SDS Number: 808849-00023	Date of last issue: 06.07.2024 Date of first issue: 22.07.2016
----------------	------------------------------	-----------------------------	---

Skin and body protection : Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
: Work uniform or laboratory coat.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Use appropriate degowning techniques to remove potentially contaminated clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Color	: No data available
Odor	: No data available
Odor Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: No data available
Density	: No data available
Solubility(ies) Water solubility	: No data available
Partition coefficient: n-octanol/water	: Not applicable

**Clotrimazole / Gentamicin / Betamethasone
(0.1%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
7.0	03.12.2024	808849-00023	Date of first issue: 22.07.2016

Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle characteristics		
Particle size	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: > 10 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: > 5,000 mg/kg Method: Calculation method

Components:

White mineral oil (petroleum):

**Clotrimazole / Gentamicin / Betamethasone
(0.1%) Formulation**

Version 7.0	Revision Date: 03.12.2024	SDS Number: 808849-00023	Date of last issue: 06.07.2024 Date of first issue: 22.07.2016
----------------	------------------------------	-----------------------------	---

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

clotrimazole:

Acute oral toxicity	: LD50 (Rat): 708 mg/kg LD50 (Mouse): 761 mg/kg LD50 (Rabbit): > 1,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 0.73 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Mouse): 923 mg/kg

Gentamicin:

Acute oral toxicity	: LD50 (Rat): 8,000 - 10,000 mg/kg LD50 (Mouse): 10,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): > 0.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist Remarks: No mortality observed at this dose.
Acute toxicity (other routes of administration)	: LD50 (Rat): 67 - 96 mg/kg Application Route: Intravenous LD50 (Rat): 371 - 384 mg/kg Application Route: Intramuscular LDLo (Monkey): 30 mg/kg Application Route: Intravenous

Betamethasone:

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg LD50 (Mouse): > 4,500 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 0.4 mg/l Exposure time: 4 h

**Clotrimazole / Gentamicin / Betamethasone
(0.1%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
7.0	03.12.2024	808849-00023	Date of first issue: 22.07.2016

II**Skin corrosion/irritation**

Not classified based on available information.

Components:**White mineral oil (petroleum):**

Species	: Rabbit
Result	: No skin irritation

clotrimazole:

Species	: Rabbit
Result	: No skin irritation

Gentamicin:

Species	: Rabbit
Result	: Mild skin irritation

Betamethasone:

Species	: Rabbit
Result	: Mild skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**White mineral oil (petroleum):**

Species	: Rabbit
Result	: No eye irritation

clotrimazole:

Species	: Rabbit
Result	: Mild eye irritation

Gentamicin:

Species	: Rabbit
Result	: Mild eye irritation

Betamethasone:

Species	: Rabbit
Result	: No eye irritation

Respiratory or skin sensitization**Skin sensitization**

Not classified based on available information.

**Clotrimazole / Gentamicin / Betamethasone
(0.1%) Formulation**

Version 7.0	Revision Date: 03.12.2024	SDS Number: 808849-00023	Date of last issue: 06.07.2024 Date of first issue: 22.07.2016
----------------	------------------------------	-----------------------------	---

Respiratory sensitization

Not classified based on available information.

Components:**White mineral oil (petroleum):**

Test Type	: Buehler Test
Routes of exposure	: Skin contact
Species	: Guinea pig
Result	: negative

Gentamicin:

Remarks	: No data available
---------	---------------------

Betamethasone:

Routes of exposure	: Dermal
Species	: Guinea pig
Result	: Weak sensitizer

Germ cell mutagenicity

Not classified based on available information.

Components:**White mineral oil (petroleum):**

Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 Result: negative Remarks: Based on data from similar materials

clotrimazole:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative Test Type: Chromosome aberration test in vitro Result: negative Test Type: in vitro micronucleus test Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Rat Application Route: Oral Result: negative

**Clotrimazole / Gentamicin / Betamethasone
(0.1%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
7.0	03.12.2024	808849-00023	Date of first issue: 22.07.2016

	Test Type: Mammalian spermatogonial chromosome aberration test (in vivo) Species: Hamster Result: negative
Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen.

Gentamicin:

Genotoxicity in vitro	: Test Type: In vitro mammalian cell gene mutation test Result: negative
	Test Type: Chromosome aberration test in vitro Result: equivocal
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intravenous injection Result: negative

Betamethasone:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: In vitro mammalian cell gene mutation test Result: negative
	Test Type: Chromosome aberration test in vitro Result: positive
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Oral Result: equivocal
Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen.

Carcinogenicity

Not classified based on available information.

Components:**White mineral oil (petroleum):**

Species	: Rat
Application Route	: Ingestion
Exposure time	: 24 Months
Result	: negative

**Clotrimazole / Gentamicin / Betamethasone
(0.1%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
7.0	03.12.2024	808849-00023	Date of first issue: 22.07.2016

clotrimazole:

Species	: Rat
Application Route	: Oral
Exposure time	: 78 weeks
Result	: negative

Gentamicin:

Carcinogenicity - Assessment	: No data available
------------------------------	---------------------

Reproductive toxicity

May damage the unborn child. Suspected of damaging fertility.

Components:**White mineral oil (petroleum):**

Effects on fertility	: Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Skin contact Result: negative
Effects on fetal development	: Test Type: Embryo-fetal development Species: Rat Application Route: Ingestion Result: negative

clotrimazole:

Effects on fertility	: Test Type: Fertility/early embryonic development Species: Rat Application Route: Oral Fertility: LOAEL: 50 mg/kg body weight Result: Effects on fertility.
Effects on fetal development	: Test Type: Embryo-fetal development Species: Rat Application Route: Oral Developmental Toxicity: LOAEL: 100 mg/kg body weight Result: Embryo-fetal toxicity., No teratogenic effects. Test Type: Embryo-fetal development Species: Rat Application Route: Oral Developmental Toxicity: NOAEL: 50 mg/kg body weight Result: Embryo-fetal toxicity., No teratogenic effects. Test Type: Embryo-fetal development Species: Mouse Application Route: Oral Developmental Toxicity: NOAEL: 200 mg/kg body weight Result: No effects on fetal development. Test Type: Embryo-fetal development

**Clotrimazole / Gentamicin / Betamethasone
(0.1%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
7.0	03.12.2024	808849-00023	Date of first issue: 22.07.2016

Species: Rabbit
Application Route: Oral
Developmental Toxicity: NOAEL: 180 mg/kg body weight
Result: No effects on fetal development.

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

Gentamicin:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Fertility: NOAEL: 20 mg/kg body weight
Result: No significant adverse effects were reported

Effects on fetal development : Test Type: Embryo-fetal development
Species: Rabbit
Developmental Toxicity: NOAEL: 3.6 mg/kg body weight
Result: No embryo-fetal toxicity.

Test Type: Embryo-fetal development
Species: Rat
Application Route: Intraperitoneal
Developmental Toxicity: LOAEL: 75 mg/kg body weight
Result: Embryo-fetal toxicity.

Test Type: Embryo-fetal development
Species: Mouse
Application Route: Intraperitoneal
Developmental Toxicity: LOAEL: 10 mg/kg body weight
Result: Fetal mortality., No malformations were observed.

Test Type: Embryo-fetal development
Species: Rat
Application Route: Intraperitoneal
Developmental Toxicity: LOAEL: 50 mg/kg body weight
Result: Fetal mortality., No malformations were observed.

Reproductive toxicity - Assessment : Positive evidence of adverse effects on development from human epidemiological studies.

Betamethasone:

Effects on fetal development : Species: Rabbit
Application Route: Intramuscular
Developmental Toxicity: LOAEL: 0.05 mg/kg body weight
Result: Fetotoxicity., Malformations were observed.

Species: Rat
Application Route: Subcutaneous
Developmental Toxicity: LOAEL: 0.42 mg/kg body weight
Result: Malformations were observed.

Clotrimazole / Gentamicin / Betamethasone (0.1%) Formulation

Version 7.0	Revision Date: 03.12.2024	SDS Number: 808849-00023	Date of last issue: 06.07.2024 Date of first issue: 22.07.2016
----------------	------------------------------	-----------------------------	---

Species: Mouse
Application Route: Intramuscular
Developmental Toxicity: LOAEL: 1 mg/kg body weight
Result: Malformations were observed.

Reproductive toxicity - Assessment : Clear evidence of adverse effects on development, based on animal experiments.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Causes damage to organs (Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland) through prolonged or repeated exposure.
May cause damage to organs (Liver, Kidney, Adrenal gland) through prolonged or repeated exposure if swallowed.

Components:

clotrimazole:

Target Organs : Liver, Kidney, Adrenal gland
Assessment : May cause damage to organs through prolonged or repeated exposure.

Gentamicin:

Target Organs : Kidney, inner ear
Assessment : Causes damage to organs through prolonged or repeated exposure.

Betamethasone:

Target Organs : Pituitary gland, Immune system, muscle, thymus gland, Blood, Adrenal gland
Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

White mineral oil (petroleum):

Species : Rat
LOAEL : 160 mg/kg
Application Route : Ingestion
Exposure time : 90 Days

Species : Rat
LOAEL : ≥ 1 mg/l
Application Route : inhalation (dust/mist/fume)
Exposure time : 4 Weeks
Method : OECD Test Guideline 412

**Clotrimazole / Gentamicin / Betamethasone
(0.1%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
7.0	03.12.2024	808849-00023	Date of first issue: 22.07.2016

clotrimazole:

Species	: Rabbit
LOAEL	: 5 - 40 mg/kg
Application Route	: Skin contact
Exposure time	: 3 Weeks
Target Organs	: Skin
Symptoms	: Edema, Fissuring, Necrosis, Redness

Species	: Rat
LOAEL	: 10 mg/kg
Application Route	: Oral
Exposure time	: 18 Months
Target Organs	: Liver, Kidney, Adrenal gland

Species	: Dog
LOAEL	: 25 mg/kg
Application Route	: Oral
Exposure time	: 6 - 12 Months
Target Organs	: Adrenal gland
Symptoms	: Salivation, Lachrymation, Vomiting

Gentamicin:

Species	: Dog
LOAEL	: 3 mg/kg
Application Route	: Intramuscular
Exposure time	: 12 Months
Target Organs	: Kidney
Symptoms	: Vomiting, Salivation

Species	: Monkey
LOAEL	: 50 mg/kg
Application Route	: Subcutaneous
Exposure time	: 3 Weeks
Target Organs	: Kidney, inner ear

Species	: Monkey
LOAEL	: 6 mg/kg
Application Route	: Intramuscular
Exposure time	: 3 Weeks
Target Organs	: Blood, Kidney, inner ear, Liver

Species	: Rat
NOAEL	: 5 mg/kg
LOAEL	: 10 mg/kg
Application Route	: Intramuscular
Exposure time	: 52 Weeks
Target Organs	: Kidney, Blood

Species	: Rat
NOAEL	: 12.5 mg/kg
LOAEL	: 50 mg/kg
Application Route	: Intramuscular
Exposure time	: 13 Weeks

**Clotrimazole / Gentamicin / Betamethasone
(0.1%) Formulation**

Version 7.0	Revision Date: 03.12.2024	SDS Number: 808849-00023	Date of last issue: 06.07.2024 Date of first issue: 22.07.2016
----------------	------------------------------	-----------------------------	---

|| Target Organs : Kidney

Betamethasone:

|| Species : Rabbit
|| LOAEL : 0.05 %
|| Application Route : Skin contact
|| Exposure time : 10 - 30 d
|| Target Organs : Pituitary gland, Immune system, muscle

|| Species : Rat
|| LOAEL : 0.05 %
|| Application Route : Skin contact
|| Exposure time : 8 Weeks
|| Target Organs : thymus gland

|| Species : Mouse
|| LOAEL : 0.1 %
|| Application Route : Skin contact
|| Exposure time : 8 Weeks
|| Target Organs : thymus gland

|| Species : Dog
|| LOAEL : 0.05 mg/kg
|| Application Route : Oral
|| Exposure time : 28 d
|| Target Organs : Blood, thymus gland, Adrenal gland

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****clotrimazole:**

|| Skin contact : Symptoms: Rash, Itching, Blistering, Edema, Redness
|| Ingestion : Symptoms: Abdominal pain, Nausea, Vomiting, Diarrhea

Gentamicin:

|| Ingestion : Target Organs: Kidney
|| : Target Organs: inner ear
|| : Symptoms: Dizziness, Vertigo, hearing loss, tinnitus, fetal deafness

Betamethasone:

|| Inhalation : Target Organs: Adrenal gland
|| Skin contact : Symptoms: Redness, pruritis, Irritation

Clotrimazole / Gentamicin / Betamethasone (0.1%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
7.0	03.12.2024	808849-00023	Date of first issue: 22.07.2016

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

White mineral oil (petroleum):

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	NOEC (Pseudokirchneriella subcapitata (green algae)): 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 1,000 mg/l Exposure time: 28 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 1,000 mg/l Exposure time: 21 d

clotrimazole:

Toxicity to fish	:	LC50 (Brachydanio rerio (zebrafish)): > 0.29 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.02 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	:	EC50 (Desmodesmus subspicatus (green algae)): 0.268 mg/l Exposure time: 72 h NOEC (Desmodesmus subspicatus (green algae)): 0.017 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): 0.025 mg/l Exposure time: 32 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.01 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
Toxicity to microorganisms	:	EC50: > 10,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209

**Clotrimazole / Gentamicin / Betamethasone
(0.1%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue:
7.0	03.12.2024	808849-00023	06.07.2024
			Date of first issue: 22.07.2016

II**Gentamicin:**

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 86 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 LC50 (Americamysis): 30 mg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): 10 µg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 1.5 µg/l Exposure time: 72 h Method: OECD Test Guideline 201 EC50 (Anabaena flos-aquae (cyanobacterium)): 4.7 µg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Anabaena flos-aquae (cyanobacterium)): 1.6 µg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to microorganisms	: EC50: 288.7 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209

Betamethasone:

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Americamysis): > 50 mg/l Exposure time: 96 h
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): > 34 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility. NOEC (Pseudokirchneriella subcapitata (green algae)): 34 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility.
Toxicity to fish (Chronic toxicity)	: NOEC (Pimephales promelas (fathead minnow)): 0.052 mg/l Exposure time: 32 d Method: OECD Test Guideline 210

**Clotrimazole / Gentamicin / Betamethasone
(0.1%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
7.0	03.12.2024	808849-00023	Date of first issue: 22.07.2016

NOEC (*Oryzias latipes* (Japanese medaka)): 0.07 µg/l
Exposure time: 219 d
Method: OECD Test Guideline 229

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (*Daphnia magna* (Water flea)): 8 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Persistence and degradability**Components:****White mineral oil (petroleum):**

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 31 %
Exposure time: 28 d

clotrimazole:

Stability in water : Hydrolysis: 50 %(242 d)

Gentamicin:

Biodegradability : Result: rapidly degradable
Biodegradation: 100 %
Exposure time: 28 d
Method: OECD Test Guideline 314

Bioaccumulative potential**Components:****Gentamicin:**

Partition coefficient: n-octanol/water : log Pow: < -2

Betamethasone:

Partition coefficient: n-octanol/water : log Pow: 2.11

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

**Clotrimazole / Gentamicin / Betamethasone
(0.1%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
7.0	03.12.2024	808849-00023	Date of first issue: 22.07.2016

If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (clotrimazole, Gentamicin)
Class	:	9
Packing group	:	III
Labels	:	9
Environmentally hazardous	:	yes

IATA-DGR

UN/ID No.	:	UN 3082
Proper shipping name	:	Environmentally hazardous substance, liquid, n.o.s. (clotrimazole, Gentamicin)
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passenger aircraft)	:	964
Environmentally hazardous	:	yes

IMDG-Code

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (clotrimazole, Gentamicin)
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**NOM-002-SCT**

UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (clotrimazole, Gentamicin)
Class	:	9
Packing group	:	III
Labels	:	9

**Clotrimazole / Gentamicin / Betamethasone
(0.1%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
7.0	03.12.2024	808849-00023	Date of first issue: 22.07.2016

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Federal Law for the control of chemical precursors, : Not applicable
essential chemical products and machinery for
producing capsules, tablets and pills.

The ingredients of this product are reported in the following inventories:

AICS	: not determined
DSL	: not determined
IECSC	: not determined

SECTION 16. OTHER INFORMATION

Revision Date	: 03.12.2024
Date format	: dd.mm.yyyy

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
NOM-010-STPS-2014	: Mexico. Norm NOM-010-STPS-2014 on Chemicals Polluting the Work Environment - Identification, Assessment and Control - Appendix 1 Occupational Exposure Limits
ACGIH / TWA	: 8-hour, time-weighted average
NOM-010-STPS-2014 / VLE-	: Time weighted average limit value
PPT	

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median

**Clotrimazole / Gentamicin / Betamethasone
(0.1%) Formulation**

Version	Revision Date:	SDS Number:	Date of last issue: 06.07.2024
7.0	03.12.2024	808849-00023	Date of first issue: 22.07.2016

Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information is considered as correct, but not exhaustive, and will be used only as a guide, which is based in the current knowledge of the substance or mixture, and is applicable to proper safety precautions for the product.

MX / Z8