

**Florfenicol (with Triacetin) Liquid Formulation**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04.04.2023  |
| 8.1     | 30.09.2023     | 898722-00018 | Date of first issue: 16.09.2016 |

---

**Section 1: Identification**

Product name : Florfenicol (with Triacetin) Liquid Formulation

**Manufacturer or supplier's details**

Company : MSD

Address : 33 Whakatiki Street - Private Bag 908  
Upper Hutt - New Zealand

Telephone : 0800 800 543

Emergency telephone number : 0800 764 766 (0800 POISON) 0800 243 622 (0800 CHEMCALL)

E-mail address : EHSDATASTEWARD@msd.com

**Recommended use of the chemical and restrictions on use**

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

**Section 2: Hazard identification****GHS Classification**

Serious eye damage/eye irritation : Category 2

Reproductive toxicity : Category 1

Specific target organ toxicity - repeated exposure : Category 1 (Liver, Brain, Testis, Spinal cord, Blood, gallbladder)

Hazardous to the aquatic environment - acute hazard : Category 1

Hazardous to the aquatic environment - chronic hazard : Category 1

**GHS label elements**

Hazard pictograms :



Signal word : Danger

Hazard statements : H319 Causes serious eye irritation.

**Florfenicol (with Triacetin) Liquid Formulation**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04.04.2023  |
| 8.1     | 30.09.2023     | 898722-00018 | Date of first issue: 16.09.2016 |

H360FD May damage fertility. May damage the unborn child.  
H372 Causes damage to organs (Liver, Brain, Testis, Spinal cord, Blood, gallbladder) through prolonged or repeated exposure.  
H410 Very toxic to aquatic life with long lasting effects.

**Precautionary statements**

:

**Prevention:**

P201 Obtain special instructions before use.  
P260 Do not breathe mist or vapours.  
P264 Wash skin thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P313 IF exposed or concerned: Get medical advice/ attention.  
P337 + P313 If eye irritation persists: Get medical advice/ attention.  
P391 Collect spillage.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards which do not result in classification**

None known.

**Section 3: Composition/information on ingredients**

Substance / Mixture : Mixture

**Components**

| Chemical name | CAS-No.    | Concentration (% w/w) |
|---------------|------------|-----------------------|
| 2-Pyrrolidone | 616-45-5   | >= 30 -< 50           |
| Florfenicol   | 73231-34-2 | >= 30 -< 50           |

**Section 4: First-aid measures****General advice**

: In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

## Florfenicol (with Triacetin) Liquid Formulation

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue:             |
| 8.1     | 30.09.2023     | 898722-00018 | 04.04.2023                      |
|         |                |              | Date of first issue: 16.09.2016 |

---

|                                                             |   |                                                                                                                                                                                                                       |
|-------------------------------------------------------------|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| If inhaled                                                  | : | If inhaled, remove to fresh air.<br>Get medical attention.                                                                                                                                                            |
| In case of skin contact                                     | : | In case of contact, immediately flush skin with soap and plenty of water.<br>Remove contaminated clothing and shoes.<br>Get medical attention.<br>Wash clothing before reuse.<br>Thoroughly clean shoes before reuse. |
| In case of eye contact                                      | : | In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.<br>If easy to do, remove contact lens, if worn.<br>Get medical attention.                                                    |
| If swallowed                                                | : | If swallowed, DO NOT induce vomiting.<br>Get medical attention.<br>Rinse mouth thoroughly with water.                                                                                                                 |
| Most important symptoms and effects, both acute and delayed | : | Causes serious eye irritation.<br>May damage fertility. May damage the unborn child.<br>Causes damage to organs through prolonged or repeated exposure.                                                               |
| Protection of first-aiders                                  | : | First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).                                           |
| Notes to physician                                          | : | Treat symptomatically and supportively.                                                                                                                                                                               |

---

### Section 5: Fire-fighting measures

|                                               |   |                                                                                                                                                                                                                                                 |
|-----------------------------------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Suitable extinguishing media                  | : | Water spray<br>Alcohol-resistant foam<br>Carbon dioxide (CO <sub>2</sub> )<br>Dry chemical                                                                                                                                                      |
| Unsuitable extinguishing media                | : | None known.                                                                                                                                                                                                                                     |
| Specific hazards during fire-fighting         | : | Exposure to combustion products may be a hazard to health.                                                                                                                                                                                      |
| Hazardous combustion products                 | : | Carbon oxides<br>Nitrogen oxides (NO <sub>x</sub> )                                                                                                                                                                                             |
| Specific extinguishing methods                | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.<br>Use water spray to cool unopened containers.<br>Remove undamaged containers from fire area if it is safe to do so.<br>Evacuate area. |
| Special protective equipment for firefighters | : | In the event of fire, wear self-contained breathing apparatus.<br>Use personal protective equipment.                                                                                                                                            |
| Hazchem Code                                  | : | 3Z                                                                                                                                                                                                                                              |

---

### Section 6: Accidental release measures

|                                                                     |   |                                                                                                                                                      |
|---------------------------------------------------------------------|---|------------------------------------------------------------------------------------------------------------------------------------------------------|
| Personal precautions, protective equipment and emergency procedures | : | Use personal protective equipment.<br>Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8). |
|---------------------------------------------------------------------|---|------------------------------------------------------------------------------------------------------------------------------------------------------|

**Florfenicol (with Triacetin) Liquid Formulation**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue:             |
| 8.1     | 30.09.2023     | 898722-00018 | 04.04.2023                      |
|         |                |              | Date of first issue: 16.09.2016 |

---

- Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

**Section 7: Handling and storage**

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapours.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.

**Florfenicol (with Triacetin) Liquid Formulation**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue:             |
| 8.1     | 30.09.2023     | 898722-00018 | 04.04.2023                      |
|         |                |              | Date of first issue: 16.09.2016 |

Materials to avoid : Store in accordance with the particular national regulations.  
: Do not store with the following product types:  
Strong oxidizing agents

**Section 8: Exposure controls/personal protection****Components with workplace control parameters**

| Components  | CAS-No.    | Value type<br>(Form of exposure) | Control parameters / Permissible concentration | Basis    |
|-------------|------------|----------------------------------|------------------------------------------------|----------|
| Florfenicol | 73231-34-2 | TWA                              | 100 µg/m <sup>3</sup> (OEB 2)                  | Internal |

**Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Laboratory operations do not require special containment.

**Personal protective equipment**

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.  
Filter type : Combined particulates and organic vapour type  
Hand protection :  
Material : Chemical-resistant gloves  
Eye protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.  
Skin and body protection : Work uniform or laboratory coat.

**Section 9: Physical and chemical properties**

Appearance : liquid  
Colour : yellow  
Odour : No data available  
Odour Threshold : No data available  
pH : No data available  
Melting point/freezing point : No data available

**Florfenicol (with Triacetin) Liquid Formulation**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04.04.2023  |
| 8.1     | 30.09.2023     | 898722-00018 | Date of first issue: 16.09.2016 |

---

|                                                  |   |                                                          |
|--------------------------------------------------|---|----------------------------------------------------------|
| Initial boiling point and boiling range          | : | No data available                                        |
| Flash point                                      | : | No data available                                        |
| Evaporation rate                                 | : | No data available                                        |
| Flammability (solid, gas)                        | : | Not applicable                                           |
| Flammability (liquids)                           | : | No data available                                        |
| Upper explosion limit / Upper flammability limit | : | No data available                                        |
| Lower explosion limit / Lower flammability limit | : | No data available                                        |
| Vapour pressure                                  | : | No data available                                        |
| Relative vapour density                          | : | No data available                                        |
| Relative density                                 | : | No data available                                        |
| Density                                          | : | No data available                                        |
| Solubility(ies)<br>Water solubility              | : | No data available                                        |
| Partition coefficient: n-octanol/water           | : | Not applicable                                           |
| Auto-ignition temperature                        | : | No data available                                        |
| Decomposition temperature                        | : | No data available                                        |
| Viscosity<br>Viscosity, kinematic                | : | No data available                                        |
| Explosive properties                             | : | Not explosive                                            |
| Oxidizing properties                             | : | The substance or mixture is not classified as oxidizing. |
| Particle size                                    | : | Not applicable                                           |

---

**Section 10: Stability and reactivity**

|                                    |   |                                         |
|------------------------------------|---|-----------------------------------------|
| Reactivity                         | : | Not classified as a reactivity hazard.  |
| Chemical stability                 | : | Stable under normal conditions.         |
| Possibility of hazardous reactions | : | Can react with strong oxidizing agents. |

**Florfenicol (with Triacetin) Liquid Formulation**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04.04.2023  |
| 8.1     | 30.09.2023     | 898722-00018 | Date of first issue: 16.09.2016 |

---

|                                  |   |                                                |
|----------------------------------|---|------------------------------------------------|
| Conditions to avoid              | : | None known.                                    |
| Incompatible materials           | : | Oxidizing agents                               |
| Hazardous decomposition products | : | No hazardous decomposition products are known. |

---

**Section 11: Toxicological information**

|                 |   |                                                        |
|-----------------|---|--------------------------------------------------------|
| Exposure routes | : | Inhalation<br>Skin contact<br>Ingestion<br>Eye contact |
|-----------------|---|--------------------------------------------------------|

**Acute toxicity**

Not classified based on available information.

**Components:****2-Pyrrolidone:**

|                       |   |                                                                                                                                      |
|-----------------------|---|--------------------------------------------------------------------------------------------------------------------------------------|
| Acute oral toxicity   | : | LD50 (Rat): > 2,000 mg/kg<br>Method: OECD Test Guideline 401<br>Assessment: The substance or mixture has no acute oral toxicity      |
| Acute dermal toxicity | : | LD50 (Rabbit): > 2,000 mg/kg<br>Method: OECD Test Guideline 402<br>Assessment: The substance or mixture has no acute dermal toxicity |

**Florfenicol:**

|                                                 |   |                                                                                                                                        |
|-------------------------------------------------|---|----------------------------------------------------------------------------------------------------------------------------------------|
| Acute oral toxicity                             | : | LD50 (Rat): > 2,000 mg/kg<br><br>LD50 (Mouse): > 2,000 mg/kg<br><br>LD50 (Dog): > 1,280 mg/kg                                          |
| Acute inhalation toxicity                       | : | LC50 (Rat): > 0.28 mg/l<br>Exposure time: 4 h                                                                                          |
| Acute dermal toxicity                           | : | Remarks: No data available                                                                                                             |
| Acute toxicity (other routes of administration) | : | LD50 (Rat): 1,913 - 2,253 mg/kg<br>Application Route: Intraperitoneal<br><br>LD50 (Mouse): 100 mg/kg<br>Application Route: Intravenous |

**Skin corrosion/irritation**

Not classified based on available information.

**Components:****2-Pyrrolidone:**

**Florfenicol (with Triacetin) Liquid Formulation**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04.04.2023  |
| 8.1     | 30.09.2023     | 898722-00018 | Date of first issue: 16.09.2016 |

---

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

**Florfenicol:**

Species : Rabbit  
Result : No skin irritation

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Components:****2-Pyrrolidone:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 7 days

**Florfenicol:**

Species : Rabbit  
Result : Mild eye irritation

**Respiratory or skin sensitisation****Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Components:****2-Pyrrolidone:**

Test Type : Local lymph node assay (LLNA)  
Exposure routes : Skin contact  
Species : Mouse  
Method : OECD Test Guideline 429  
Result : negative  
Remarks : Based on data from similar materials

**Florfenicol:**

Test Type : Maximisation Test  
Species : Guinea pig  
Result : negative

**Chronic toxicity****Germ cell mutagenicity**

Not classified based on available information.

**Florfenicol (with Triacetin) Liquid Formulation**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04.04.2023  |
| 8.1     | 30.09.2023     | 898722-00018 | Date of first issue: 16.09.2016 |

---

**Components:****2-Pyrrolidone:**

- Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative
- Test Type: In vitro mammalian cell gene mutation test  
Method: OECD Test Guideline 476  
Result: negative  
Remarks: Based on data from similar materials
- Test Type: Chromosome aberration test in vitro  
Method: OECD Test Guideline 473  
Result: negative
- Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)  
Species: Mouse  
Application Route: Intraperitoneal injection  
Method: OECD Test Guideline 474  
Result: negative

**Florfenicol:**

- Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative
- Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)  
Test system: rat hepatocytes  
Result: negative
- Test Type: In vitro mammalian cell gene mutation test  
Test system: mouse lymphoma cells  
Result: negative
- Test Type: Chromosome aberration test in vitro  
Test system: Chinese hamster ovary cells  
Result: positive
- Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Cell type: Bone marrow  
Application Route: Oral  
Result: negative

**Carcinogenicity**

Not classified based on available information.

**Florfenicol (with Triacetin) Liquid Formulation**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04.04.2023  |
| 8.1     | 30.09.2023     | 898722-00018 | Date of first issue: 16.09.2016 |

---

**Components:****2-Pyrrolidone:**

|                   |                                        |
|-------------------|----------------------------------------|
| Species           | : Mouse                                |
| Application Route | : Ingestion                            |
| Exposure time     | : 18 month(s)                          |
| Result            | : negative                             |
| Remarks           | : Based on data from similar materials |

**Florfenicol:**

|                   |                 |
|-------------------|-----------------|
| Species           | : Rat           |
| Application Route | : oral (gavage) |
| Exposure time     | : 2 Years       |
| Result            | : negative      |
| Target Organs     | : Liver, Testes |

|                   |                 |
|-------------------|-----------------|
| Species           | : Mouse         |
| Application Route | : oral (gavage) |
| Exposure time     | : 2 Years       |
| Result            | : negative      |
| Target Organs     | : Testes, Blood |

**Reproductive toxicity**

May damage fertility. May damage the unborn child.

**Components:****2-Pyrrolidone:**

|                      |                                                                                                                                                                              |
|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Effects on fertility | : Test Type: One-generation reproduction toxicity study<br>Species: Rat<br>Application Route: Ingestion<br>Result: positive<br>Remarks: Based on data from similar materials |
|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                               |                                                                                                            |
|-------------------------------|------------------------------------------------------------------------------------------------------------|
| Effects on foetal development | : Test Type: Embryo-foetal development<br>Species: Rat<br>Application Route: Ingestion<br>Result: positive |
|-------------------------------|------------------------------------------------------------------------------------------------------------|

|                                    |                                                                                                                                                                                    |
|------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Reproductive toxicity - Assessment | : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments. |
|------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

**Florfenicol:**

|                      |                                                                                                                                                                                                   |
|----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Effects on fertility | : Test Type: Two-generation reproduction toxicity study<br>Species: Rat<br>Application Route: Oral<br>Fertility: LOAEL: 12 mg/kg body weight<br>Result: decreased pup survival, reduced lactation |
|----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|                               |                                        |
|-------------------------------|----------------------------------------|
| Effects on foetal development | : Test Type: Embryo-foetal development |
|-------------------------------|----------------------------------------|

**Florfenicol (with Triacetin) Liquid Formulation**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04.04.2023  |
| 8.1     | 30.09.2023     | 898722-00018 | Date of first issue: 16.09.2016 |

---

ment

Species: Rat  
General Toxicity Maternal: NOAEL: 4 mg/kg body weight  
Embryo-foetal toxicity: LOAEL: 40 mg/kg body weight  
Result: No teratogenic effects, Fetotoxicity  
Remarks: The effects were seen only at maternally toxic doses.

Test Type: Embryo-foetal development  
Species: Mouse  
Application Route: oral (gavage)  
General Toxicity Maternal: NOAEL: 120 mg/kg body weight  
Embryo-foetal toxicity: LOAEL: 40 mg/kg body weight  
Result: Fetotoxicity

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Causes damage to organs (Liver, Brain, Testis, Spinal cord, Blood, gallbladder) through prolonged or repeated exposure.

**Components:****Florfenicol:**

Target Organs : Liver, Brain, Testis, Spinal cord, Blood, gallbladder  
Assessment : Causes damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****2-Pyrrolidone:**

Species : Rat  
NOAEL : 207 mg/kg  
Application Route : Ingestion  
Exposure time : 3 Months  
Method : OECD Test Guideline 408

**Florfenicol:**

Species : Dog  
NOAEL : 3 mg/kg  
Exposure time : 13 Weeks  
Target Organs : Liver, Testis, Brain, Spinal cord

Species : Mouse

**Florfenicol (with Triacetin) Liquid Formulation**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04.04.2023  |
| 8.1     | 30.09.2023     | 898722-00018 | Date of first issue: 16.09.2016 |

---

NOAEL : 200 mg/kg  
Exposure time : 13 Weeks  
Target Organs : Liver, Testis

Species : Rat  
NOAEL : 30 mg/kg  
Exposure time : 13 Weeks  
Target Organs : Liver, Testis

Species : Dog  
NOAEL : 3 mg/kg  
LOAEL : 12 mg/kg  
Exposure time : 52 Weeks  
Target Organs : Liver, gallbladder

Species : Rat  
NOAEL : 1 mg/kg  
LOAEL : 3 mg/kg  
Exposure time : 52 Weeks  
Target Organs : Testis

**Aspiration toxicity**

Not classified based on available information.

---

**Section 12: Ecological information****Ecotoxicity****Components:****2-Pyrrolidone:**

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 4,600 - 10,000 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 500 mg/l  
aquatic invertebrates Exposure time: 48 h

Toxicity to algae/aquatic : ErC50 (Desmodesmus subspicatus (green algae)): > 500 mg/l  
plants Exposure time: 72 h

EC10 (Desmodesmus subspicatus (green algae)): 22.2 mg/l  
Exposure time: 72 h

Toxicity to microorganisms : EC50: > 1,000 mg/l  
Exposure time: 30 min  
Method: OECD Test Guideline 209

**Florfenicol:**

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): > 830 mg/l  
Exposure time: 96 h

**Florfenicol (with Triacetin) Liquid Formulation**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue:             |
| 8.1     | 30.09.2023     | 898722-00018 | 04.04.2023                      |
|         |                |              | Date of first issue: 16.09.2016 |

---

Method: FDA 4.11

LC50 (*Oncorhynchus mykiss* (rainbow trout)): > 780 mg/l  
Exposure time: 96 h  
Method: FDA 4.11

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 330 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (*Pseudokirchneriella subcapitata* (green algae)): > 2.9 mg/l  
Exposure time: 14 d  
Method: FDA 4.01

NOEC (*Pseudokirchneriella subcapitata* (green algae)): 2.9 mg/l  
Exposure time: 14 d  
Method: FDA 4.01

IC50 (*Skeletonema costatum* (marine diatom)): 0.0336 mg/l  
Exposure time: 72 h  
Method: ISO 10253

NOEC (*Skeletonema costatum* (marine diatom)): 0.00423 mg/l  
Exposure time: 72 h  
Method: ISO 10253

EC50 (*Lemna gibba* (gibbous duckweed)): 0.76 mg/l  
Exposure time: 7 d  
Method: OECD Test Guideline 221

NOEC (*Lemna gibba* (gibbous duckweed)): 0.39 mg/l  
Exposure time: 7 d  
Method: OECD Test Guideline 221

EC50 (*Navicula pelliculosa* (Freshwater diatom)): 61 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (*Navicula pelliculosa* (Freshwater diatom)): 19 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

EC50 (*Anabaena flos-aquae*): 0.066 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (*Anabaena flos-aquae*): 0.051 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

**Florfenicol (with Triacetin) Liquid Formulation**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue:             |
| 8.1     | 30.09.2023     | 898722-00018 | 04.04.2023                      |
|         |                |              | Date of first issue: 16.09.2016 |

---

M-Factor (Acute aquatic toxicity) : 10

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 5.5 mg/l  
Exposure time: 32 d  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1.5 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

M-Factor (Chronic aquatic toxicity) : 10

**Persistence and degradability****Components:****2-Pyrrolidone:**

Biodegradability : Result: Readily biodegradable.  
Remarks: Based on data from similar materials

**Bioaccumulative potential****Components:****2-Pyrrolidone:**

Partition coefficient: n-octanol/water : log Pow: -0.71  
Method: OECD Test Guideline 107

**Florfenicol:**

Partition coefficient: n-octanol/water : log Pow: 0.373  
pH: 7

**Mobility in soil****Components:****Florfenicol:**

Distribution among environmental compartments : Koc: 52  
Method: FDA 3.08

**Other adverse effects**

No data available

---

**Section 13: Disposal considerations****Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste han-

**Florfenicol (with Triacetin) Liquid Formulation**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04.04.2023  |
| 8.1     | 30.09.2023     | 898722-00018 | Date of first issue: 16.09.2016 |

---

ding site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

**Section 14: Transport information****International Regulations****UNRTDG**

|                           |   |                                                                      |
|---------------------------|---|----------------------------------------------------------------------|
| UN number                 | : | UN 3082                                                              |
| Proper shipping name      | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(Florfenicol) |
| Class                     | : | 9                                                                    |
| Packing group             | : | III                                                                  |
| Labels                    | : | 9                                                                    |
| Environmentally hazardous | : | yes                                                                  |

**IATA-DGR**

|                                          |   |                                                                      |
|------------------------------------------|---|----------------------------------------------------------------------|
| UN/ID No.                                | : | UN 3082                                                              |
| Proper shipping name                     | : | Environmentally hazardous substance, liquid, n.o.s.<br>(Florfenicol) |
| Class                                    | : | 9                                                                    |
| Packing group                            | : | III                                                                  |
| Labels                                   | : | Miscellaneous                                                        |
| Packing instruction (cargo aircraft)     | : | 964                                                                  |
| Packing instruction (passenger aircraft) | : | 964                                                                  |
| Environmentally hazardous                | : | yes                                                                  |

**IMDG-Code**

|                      |   |                                                                      |
|----------------------|---|----------------------------------------------------------------------|
| UN number            | : | UN 3082                                                              |
| Proper shipping name | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(Florfenicol) |
| Class                | : | 9                                                                    |
| Packing group        | : | III                                                                  |
| Labels               | : | 9                                                                    |
| EmS Code             | : | F-A, S-F                                                             |
| Marine pollutant     | : | yes                                                                  |

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**National Regulations****NZS 5433**

|                      |   |                                                                      |
|----------------------|---|----------------------------------------------------------------------|
| UN number            | : | UN 3082                                                              |
| Proper shipping name | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.<br>(Florfenicol) |
| Class                | : | 9                                                                    |
| Packing group        | : | III                                                                  |
| Labels               | : | 9                                                                    |

**Florfenicol (with Triacetin) Liquid Formulation**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04.04.2023  |
| 8.1     | 30.09.2023     | 898722-00018 | Date of first issue: 16.09.2016 |

---

Hazchem Code : 3Z  
Marine pollutant : no

**Special precautions for user**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

**Section 15: Regulatory information****Safety, health and environmental regulations/legislation specific for the substance or mixture****HSNO Approval Number**

HSR100759 Veterinary Medicines Non dispersive Open System Application Group Standard

**HSW Controls**

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

**The components of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

---

**Section 16: Other information**

Revision Date : 30.09.2023

**Further information**

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

**Full text of other abbreviations**

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized Sys-

**Florfenicol (with Triacetin) Liquid Formulation**

|         |                |              |                                 |
|---------|----------------|--------------|---------------------------------|
| Version | Revision Date: | SDS Number:  | Date of last issue: 04.04.2023  |
| 8.1     | 30.09.2023     | 898722-00018 | Date of first issue: 16.09.2016 |

---

tem; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN