

Butorphanol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	03.12.2024	918977-00020	Date of first issue: 03.10.2016

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Butorphanol Formulation

Other means of identification : Dolorex® (A006877)

Manufacturer or supplier's details

Company : MSD

Address : Briahnager - Off Pune Nagar Road
Wagholi - Pune - India 412 207

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

GHS Classification

Specific target organ toxicity - : Category 2 (Central nervous system)
single exposure (Oral)

Specific target organ toxicity - : Category 2 (Blood, Central nervous system)
repeated exposure (Oral)

GHS label elements

Hazard pictograms



Signal word : Warning

Hazard statements : H371 May cause damage to organs (Central nervous system) if swallowed.
H373 May cause damage to organs (Blood, Central nervous system) through prolonged or repeated exposure if swallowed.

Butorphanol Formulation

Version 5.0 Revision Date: 03.12.2024 SDS Number: 918977-00020 Date of last issue: 28.09.2024
Date of first issue: 03.10.2016

Precautionary statements : **Prevention:**
P260 Do not breathe mist or vapours.
P264 Wash hands thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.

Response:
P308 + P316 IF exposed or concerned: Get emergency medical help immediately.

Storage:
P405 Store locked up.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification
None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
17-(cyclobutylmethyl)morphinan-3,14-diyl [S-(R*,R*)]-2,3-dihydroxysuccinate	58786-99-5	>= 1 - < 2.5

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed : May cause damage to organs if swallowed.
May cause damage to organs through prolonged or repeated exposure if swallowed.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

Butorphanol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	03.12.2024	918977-00020	Date of first issue: 03.10.2016

Notes to physician : and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
: Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

Butorphanol Formulation

Version 5.0 Revision Date: 03.12.2024 SDS Number: 918977-00020 Date of last issue: 28.09.2024
Date of first issue: 03.10.2016

mine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.
- Advice on safe handling : Do not breathe mist or vapours.
Do not swallow.
Avoid contact with eyes.
Avoid prolonged or repeated contact with skin.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.
- Conditions for safe storage : Keep in properly labelled containers.
Store locked up.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
17-(cyclobutylmethyl)morphinan-3,14-diyl [S-(R*,R*)]-2,3-dihydroxysuccinate	58786-99-5	TWA	3 µg/m ³ (OEB 4)	Internal
		Wipe limit	30 µg/100 cm ²	Internal
		STEL	25 µg/m ³	Internal

- Engineering measures** : The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably

Butorphanol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	03.12.2024	918977-00020	Date of first issue: 03.10.2016

achievable.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies.

If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

Personal protective equipment

- | | | |
|--------------------------|---|--|
| Respiratory protection | : | If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. |
| Filter type | : | Particulates type |
| Hand protection | : | |
| Material | : | Chemical-resistant gloves |
| Remarks | : | Consider double gloving. |
| Eye protection | : | Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols. |
| Skin and body protection | : | Work uniform or laboratory coat.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Use appropriate degowning techniques to remove potentially contaminated clothing. |
| Hygiene measures | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |

9. PHYSICAL AND CHEMICAL PROPERTIES

- | | | |
|-----------------|---|-------------------|
| Appearance | : | liquid |
| Colour | : | colourless |
| Odour | : | No data available |
| Odour Threshold | : | No data available |

Butorphanol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	03.12.2024	918977-00020	Date of first issue: 03.10.2016

pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	100 °C
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Particle characteristics	:	
Particle size	:	Not applicable

10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reac-	:	Can react with strong oxidizing agents.

Butorphanol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	03.12.2024	918977-00020	Date of first issue: 03.10.2016

tions
Conditions to avoid : None known.
Incompatible materials : Oxidizing agents
Hazardous decomposition products : No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:

17-(cyclobutylmethyl)morphinan-3,14-diyl [S-(R*,R*)]-2,3-dihydroxysuccinate:

Acute oral toxicity : LD50 (Mouse): 395 mg/kg
LD50 (Dog): > 50 mg/kg
LD50 (Monkey): > 50 mg/kg

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

Skin corrosion/irritation

Not classified based on available information.

Components:

17-(cyclobutylmethyl)morphinan-3,14-diyl [S-(R*,R*)]-2,3-dihydroxysuccinate:

Remarks : No data available

Serious eye damage/eye irritation

Not classified based on available information.

Components:

17-(cyclobutylmethyl)morphinan-3,14-diyl [S-(R*,R*)]-2,3-dihydroxysuccinate:

Species : Rat
Result : No eye irritation

Butorphanol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	03.12.2024	918977-00020	Date of first issue: 03.10.2016

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

17-(cyclobutylmethyl)morphinan-3,14-diyl [S-(R*,R*)]-2,3-dihydroxysuccinate:

Exposure routes	:	Dermal
Assessment	:	Does not cause skin sensitisation.
Result	:	negative

Germ cell mutagenicity

Not classified based on available information.

Components:

17-(cyclobutylmethyl)morphinan-3,14-diyl [S-(R*,R*)]-2,3-dihydroxysuccinate:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES)
	:	Result: negative

	:	Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
	:	Result: negative

Carcinogenicity

Not classified based on available information.

Components:

17-(cyclobutylmethyl)morphinan-3,14-diyl [S-(R*,R*)]-2,3-dihydroxysuccinate:

Species	:	Rat
Application Route	:	Oral
Exposure time	:	2 Years
Result	:	negative

Species	:	Mouse
Application Route	:	Oral
Exposure time	:	2 Years
Result	:	negative

Reproductive toxicity

Not classified based on available information.

Components:

17-(cyclobutylmethyl)morphinan-3,14-diyl [S-(R*,R*)]-2,3-dihydroxysuccinate:

Effects on fertility	:	Test Type: Fertility/early embryonic development
	:	Species: Rat
	:	Application Route: Oral
	:	Fertility: LOAEL: 160 mg/kg body weight

Butorphanol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	03.12.2024	918977-00020	Date of first issue: 03.10.2016

Result: Effects on fertility

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Subcutaneous
Developmental Toxicity: LOAEL: 1 mg/kg body weight
Result: No teratogenic effects, Increased stillbirths

Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: LOAEL: 30 mg/kg body weight
Result: No teratogenic effects, Maternal toxicity observed.,
Postimplantation loss.

Test Type: Embryo-foetal development
Species: Rat
Application Route: Subcutaneous
Developmental Toxicity: LOAEL: 0.5 mg/kg body weight
Result: Maternal toxicity observed.

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments., Some evidence of adverse effects on development, based on animal experiments.

STOT - single exposure

May cause damage to organs (Central nervous system) if swallowed.

Components:

17-(cyclobutylmethyl)morphinan-3,14-diyl [S-(R*,R*)]-2,3-dihydroxysuccinate:

Target Organs : Central nervous system
Assessment : Causes damage to organs.

STOT - repeated exposure

May cause damage to organs (Blood, Central nervous system) through prolonged or repeated exposure if swallowed.

Components:

17-(cyclobutylmethyl)morphinan-3,14-diyl [S-(R*,R*)]-2,3-dihydroxysuccinate:

Target Organs : Blood, Central nervous system
Assessment : Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity

Components:

17-(cyclobutylmethyl)morphinan-3,14-diyl [S-(R*,R*)]-2,3-dihydroxysuccinate:

Species : Rat
LOAEL : 0.4 mg/kg

Butorphanol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	03.12.2024	918977-00020	Date of first issue: 03.10.2016

Application Route : Subcutaneous
Exposure time : 6 Months
Target Organs : Blood, Central nervous system

Species : Monkey
LOAEL : 0.15 mg/kg
Application Route : Intramuscular
Exposure time : 6 Months
Target Organs : Central nervous system

Species : Dog
LOAEL : 0.1 mg/kg
Application Route : Intramuscular
Exposure time : 3 Months
Symptoms : reduced body weight gain

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

17-(cyclobutylmethyl)morphinan-3,14-diyl [S-(R*,R*)]-2,3-dihydroxysuccinate:

Ingestion : Symptoms: Drowsiness, Sweating, Nausea, Dizziness, Vertigo, Palpitation, respiratory depression

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

17-(cyclobutylmethyl)morphinan-3,14-diyl [S-(R*,R*)]-2,3-dihydroxysuccinate:

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 38.1 mg/l
aquatic invertebrates Exposure time: 48 h
Method: OECD Test Guideline 202

Persistence and degradability

No data available

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

No data available

Butorphanol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	03.12.2024	918977-00020	Date of first issue: 03.10.2016

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues	:	Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

Not applicable

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

16. OTHER INFORMATION

Revision Date : 03.12.2024

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Butorphanol Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 28.09.2024
5.0	03.12.2024	918977-00020	Date of first issue: 03.10.2016

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IN / EN