

SAFETY DATA SHEET



Pirimiphos-Methyl / Lambda-Cyhalothrin Formulation

Version 5.0 Revision Date: 14.04.2025 SDS Number: 1204431-00020 Date of last issue: 06.07.2024
Date of first issue: 09.01.2017

Section 1: Identification

Product identifier : Pirimiphos-Methyl / Lambda-Cyhalothrin Formulation

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product
Restrictions on use : Not applicable

Manufacturer or supplier's details

Company : MSD
Address : 50 Tuas West Drive
Singapore - Singapore 638408
Telephone : +1-908-740-4000
Emergency telephone number : 65 6697 2111 (24/7/365)
E-mail address : EHSDATASTEWARD@msd.com

Section 2: Hazard identification

Classification of the substance or mixture

Acute toxicity (Oral) : Category 4
Acute toxicity (Inhalation) : Category 3
Skin corrosion/irritation : Category 2
Serious eye damage/eye irritation : Category 2
Specific target organ toxicity - single exposure : Category 1 (Central nervous system)
Specific target organ toxicity - single exposure : Category 2 (Nervous system)
Short-term (acute) aquatic hazard : Category 1
Long-term (chronic) aquatic hazard : Category 1

GHS Label elements, including precautionary statements

Pirimiphos-Methyl / Lambda-Cyhalothrin Formulation

Version 5.0 Revision Date: 14.04.2025 SDS Number: 1204431-00020 Date of last issue: 06.07.2024
Date of first issue: 09.01.2017

Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	<p>H302 Harmful if swallowed. H315 Causes skin irritation. H319 Causes serious eye irritation. H331 Toxic if inhaled. H370 Causes damage to organs (Central nervous system). H371 May cause damage to organs (Nervous system). H410 Very toxic to aquatic life with long lasting effects.</p>
Precautionary statements	:	<p>Prevention: P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P273 Avoid release to the environment. P280 Wear protective gloves/ eye protection/ face protection.</p> <p>Response: P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth. P302 + P352 IF ON SKIN: Wash with plenty of water. P304 + P340 + P311 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor. P332 + P313 If skin irritation occurs: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P362 + P364 Take off contaminated clothing and wash it before reuse. P391 Collect spillage.</p> <p>Storage: P405 Store locked up.</p> <p>Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.</p>

SAFETY DATA SHEET



Pirimiphos-Methyl / Lambda-Cyhalothrin Formulation

Version 5.0 Revision Date: 14.04.2025 SDS Number: 1204431-00020 Date of last issue: 06.07.2024 Date of first issue: 09.01.2017

Other hazards which do not result in classification

None known.

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
Polyvinyl chloride	9002-86-2	>= 70 -< 90
Pirimiphos-methyl (ISO)	29232-93-7	>= 10 -< 20
lambda-cyhalothrin (ISO)	91465-08-6	>= 2.5 -< 10
Titanium dioxide	13463-67-7	>= 0.1 -< 1

Section 4: First-aid measures

Description of necessary first-aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.

When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.
Get medical attention.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Risks : Harmful if swallowed.
Causes skin irritation.
Causes serious eye irritation.
Toxic if inhaled.
Causes damage to organs.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment

SAFETY DATA SHEET



Pirimiphos-Methyl / Lambda-Cyhalothrin Formulation

Version
5.0

Revision Date:
14.04.2025

SDS Number:
1204431-00020

Date of last issue: 06.07.2024
Date of first issue: 09.01.2017

when the potential for exposure exists (see section 8).

Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

Section 5: Fire-fighting measures

Extinguishing media

Suitable extinguishing media : Water spray
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : None known.

Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Nitrogen oxides (NO_x)
Chlorine compounds
Fluorine compounds

Special protective actions for fire-fighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages

Pirimiphos-Methyl / Lambda-Cyhalothrin FormulationVersion
5.0Revision Date:
14.04.2025SDS Number:
1204431-00020Date of last issue: 06.07.2024
Date of first issue: 09.01.2017

cannot be contained.

Methods and materials for containment and cleaning up

Methods for cleaning up : Surround spill with absorbents and place a damp covering over the area to minimise entry of the material into the air. Add excess liquid to allow the material to enter into solution. Soak up with inert absorbent material. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

Section 7: Handling and storage**Precautions for safe handling**

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing. Avoid breathing dust, fume, gas, mist, vapours or spray. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Keep container tightly closed. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Conditions for safe storage, including any incompatibilities

Conditions for safe storage : Keep in properly labelled containers. Store locked up. Keep tightly closed.

SAFETY DATA SHEET



Pirimiphos-Methyl / Lambda-Cyhalothrin Formulation

Version Revision Date: SDS Number: Date of last issue: 06.07.2024
5.0 14.04.2025 1204431-00020 Date of first issue: 09.01.2017

Materials to avoid	Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. : Do not store with the following product types: Explosives
--------------------	---

Section 8: Exposure controls/personal protection

Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Polyvinyl chloride	9002-86-2	TWA (Respirable particulate matter)	1 mg/m3	ACGIH
Pirimiphos-methyl (ISO)	29232-93-7	TWA	60 µg/m3 (OEB 3)	Internal
Further information: Skin				
lambda-cyhalothrin (ISO)	91465-08-6	Wipe limit	600 µg/100 cm ²	Internal
Further information: Skin				
Titanium dioxide	13463-67-7	PEL (long term)	10 mg/m3	SG OEL

Appropriate engineering control measures : All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment. Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices). Minimize open handling.

Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin protection : Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

SAFETY DATA SHEET



Pirimiphos-Methyl / Lambda-Cyhalothrin Formulation

Version 5.0 Revision Date: 14.04.2025 SDS Number: 1204431-00020 Date of last issue: 06.07.2024
Date of first issue: 09.01.2017

Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	: Particulates type
Hand protection	
Material	: Chemical-resistant gloves
Remarks	: Consider double gloving.

Section 9: Physical and chemical properties

Appearance	: solid
Colour	: No data available
Odour	: characteristic
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: Not classified as a flammability hazard
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: No data available
Solubility(ies)	
Water solubility	: insoluble

SAFETY DATA SHEET



Pirimiphos-Methyl / Lambda-Cyhalothrin Formulation

Version
5.0

Revision Date:
14.04.2025

SDS Number:
1204431-00020

Date of last issue: 06.07.2024
Date of first issue: 09.01.2017

Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics		
Particle size	:	No data available

Section 10: Stability and reactivity

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

Section 11: Toxicological information

Information on likely routes of exposure	:	Skin contact Ingestion Eye contact
--	---	--

Acute toxicity

Harmful if swallowed.
Toxic if inhaled.

Product:

Acute oral toxicity	:	Acute toxicity estimate: 654.55 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: 0.7676 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method

Pirimiphos-Methyl / Lambda-Cyhalothrin FormulationVersion
5.0Revision Date:
14.04.2025SDS Number:
1204431-00020Date of last issue: 06.07.2024
Date of first issue: 09.01.2017

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg
Method: Calculation method

Components:**Pirimiphos-methyl (ISO):**

Acute oral toxicity : LD50 (Rat): 1,180 mg/kg
LD50 (Rat): 2,400 - 5,976 mg/kg
LD50 (Mouse): > 575 mg/kg
LD50 (Dog): > 1,500 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.04 mg/l
Exposure time: 4 h

Acute dermal toxicity : LD50 (Rabbit): 2,000 mg/kg
LD50 (Rat): > 4,592 mg/kg

Lambda-cyhalothrin (ISO):

Acute oral toxicity : LD50 (Rat): 56 - 79 mg/kg
LD50 (Mouse): 20 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.06 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): 632 - 696 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 250 - 750 mg/kg
Application Route: Intraperitoneal

Titanium dioxide:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 6.82 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Skin corrosion/irritation

Causes skin irritation.

Pirimiphos-Methyl / Lambda-Cyhalothrin FormulationVersion
5.0Revision Date:
14.04.2025SDS Number:
1204431-00020Date of last issue: 06.07.2024
Date of first issue: 09.01.2017**Components:****Pirimiphos-methyl (ISO):**

Species	:	Rabbit
Result	:	irritating

Lambda-cyhalothrin (ISO):

Species	:	Rabbit
Result	:	No skin irritation

Titanium dioxide:

Species	:	Rabbit
Result	:	No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:**Pirimiphos-methyl (ISO):**

Species	:	Rabbit
Result	:	Mild eye irritation

Lambda-cyhalothrin (ISO):

Species	:	Rabbit
Result	:	Mild eye irritation

Titanium dioxide:

Species	:	Rabbit
Result	:	No eye irritation

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**Pirimiphos-methyl (ISO):**

Test Type	:	Maximisation Test
Exposure routes	:	Dermal
Species	:	Guinea pig
Result	:	Not a skin sensitizer.

Pirimiphos-Methyl / Lambda-Cyhalothrin FormulationVersion
5.0Revision Date:
14.04.2025SDS Number:
1204431-00020Date of last issue: 06.07.2024
Date of first issue: 09.01.2017**lambda-cyhalothrin (ISO):**

Test Type	:	Magnusson-Kligman-Test
Exposure routes	:	Dermal
Species	:	Guinea pig
Result	:	Not a skin sensitizer.

Titanium dioxide:

Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Skin contact
Species	:	Mouse
Result	:	negative

Germ cell mutagenicity

Not classified based on available information.

Components:**Pirimiphos-methyl (ISO):**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: equivocal
		Test Type: sister chromatid exchange assay Result: positive
Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Result: negative
		Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Mouse Result: negative

lambda-cyhalothrin (ISO):

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
		Test Type: Chromosomal aberration Test system: Human lymphocytes Result: negative
		Test Type: unscheduled DNA synthesis assay Test system: rat hepatocytes Result: negative
		Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Result: negative
Genotoxicity in vivo	:	Test Type: Micronucleus test

Pirimiphos-Methyl / Lambda-Cyhalothrin Formulation

Version
5.0

Revision Date:
14.04.2025

SDS Number:
1204431-00020

Date of last issue: 06.07.2024
Date of first issue: 09.01.2017

Species: Mouse
Cell type: Bone marrow
Application Route: Intraperitoneal
Result: negative

Titanium dioxide:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	:	Test Type: In vivo micronucleus test Species: Mouse Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Pirimiphos-methyl (ISO):

Species	:	Rat
Application Route	:	Oral
Exposure time	:	2 Years
Result	:	negative
Species	:	Mouse
Application Route	:	Oral
Exposure time	:	80 weeks
Result	:	negative
Carcinogenicity - Assessment	:	Animal testing did not show any carcinogenic effects.

lambda-cyhalothrin (ISO):

Species	:	Mouse
Application Route	:	oral (feed)
Exposure time	:	2 Years
Result	:	negative
Remarks	:	Based on data from similar materials
Species	:	Rat
Application Route	:	oral (feed)
Exposure time	:	2 Years
Result	:	negative
Remarks	:	Based on data from similar materials

Titanium dioxide:

Species	:	Rat
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	2 Years

Pirimiphos-Methyl / Lambda-Cyhalothrin Formulation

Version
5.0

Revision Date:
14.04.2025

SDS Number:
1204431-00020

Date of last issue: 06.07.2024
Date of first issue: 09.01.2017

Method	:	OECD Test Guideline 453
Result	:	positive
Remarks	:	The mechanism or mode of action may not be relevant in humans.
Carcinogenicity - Assessment	:	Limited evidence of carcinogenicity in inhalation studies with animals.

Reproductive toxicity

Not classified based on available information.

Components:

Pirimiphos-methyl (ISO):

Effects on fertility	:	Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Oral Fertility: NOAEL: 15.4 mg/kg body weight Result: No effects on fertility
Effects on foetal development	:	Test Type: Development Species: Rat Application Route: Oral Developmental Toxicity: NOAEL: 150 mg/kg body weight Result: No effects on early embryonic development Remarks: Maternal toxicity observed.
	:	Test Type: Development Species: Rabbit Application Route: Oral Developmental Toxicity: NOAEL: 48 mg/kg body weight Result: No effects on early embryonic development Remarks: Maternal toxicity observed.

Lambda-cyhalothrin (ISO):

Effects on fertility	:	Test Type: Three-generation study Species: Rat Application Route: oral (feed) General Toxicity - Parent: NOAEL: 2 mg/kg body weight General Toxicity F1: LOAEL: 6.7 mg/kg body weight Symptoms: Reduced offspring weight gain Result: No effects on fertility Remarks: Based on data from similar materials
Effects on foetal development	:	Test Type: Development Species: Rat Application Route: Oral General Toxicity Maternal: NOAEL: 10 mg/kg body weight Developmental Toxicity: LOAEL: 15 mg/kg body weight Result: No effects on foetal development, Reduced maternal

Pirimiphos-Methyl / Lambda-Cyhalothrin Formulation

Version 5.0 Revision Date: 14.04.2025 SDS Number: 1204431-00020 Date of last issue: 06.07.2024
Date of first issue: 09.01.2017



body weight gain, Reduced foetal weight
Remarks: Based on data from similar materials

Test Type: Development
Species: Rabbit
Application Route: Oral
General Toxicity Maternal: NOAEL: 10 mg/kg body weight
Developmental Toxicity: NOAEL: 30 mg/kg body weight
Result: No effects on foetal development, Reduced maternal body weight gain, Reduced foetal weight
Remarks: Based on data from similar materials

STOT - single exposure

Causes damage to organs (Central nervous system).
May cause damage to organs (Nervous system).

Components:**Pirimiphos-methyl (ISO):**

Target Organs : Central nervous system
Assessment : Causes damage to organs.

lambda-cyhalothrin (ISO):

Target Organs : Nervous system
Assessment : Causes damage to organs.

STOT - repeated exposure

Not classified based on available information.

Components:**Pirimiphos-methyl (ISO):**

Remarks : Not classified due to inconclusive data.

Repeated dose toxicity**Components:****Pirimiphos-methyl (ISO):**

Species : Rat
NOAEL : 0.5 mg/kg
LOAEL : 2.5 mg/kg
Application Route : Oral
Exposure time : 28 d
Target Organs : Central nervous system
Symptoms : cholinesterase inhibition

Species : Dog
LOAEL : 2 mg/kg

Pirimiphos-Methyl / Lambda-Cyhalothrin FormulationVersion
5.0Revision Date:
14.04.2025SDS Number:
1204431-00020Date of last issue: 06.07.2024
Date of first issue: 09.01.2017

Application Route	:	Oral
Exposure time	:	13 Weeks
Target Organs	:	Central nervous system
Symptoms	:	cholinesterase inhibition
Species	:	Rat
NOAEL	:	25 mg/kg
Application Route	:	Oral
Exposure time	:	90 d
Target Organs	:	Central nervous system
Symptoms	:	cholinesterase inhibition
Remarks	:	No significant adverse effects were reported
Species	:	Dog
LOAEL	:	0.5 mg/kg
Application Route	:	Oral
Exposure time	:	2 yr
Target Organs	:	Central nervous system
Symptoms	:	cholinesterase inhibition
Species	:	Rat
LOAEL	:	2.1 mg/kg
Application Route	:	Oral
Exposure time	:	2 yr
Target Organs	:	Central nervous system
Symptoms	:	cholinesterase inhibition
lambda-cyhalothrin (ISO):		
Species	:	Dog
NOAEL	:	2.5 mg/kg
LOAEL	:	12.5 mg/kg
Application Route	:	oral (feed)
Exposure time	:	90 d
Symptoms	:	reduced body weight gain, reduced food consumption
Species	:	Rat
NOAEL	:	10 mg/kg
LOAEL	:	50 mg/kg
Application Route	:	Dermal
Exposure time	:	21 d
Target Organs	:	Nervous system
Species	:	Rat
NOAEL	:	0.08 mg/kg
LOAEL	:	0.9 mg/kg
Application Route	:	Inhalation
Exposure time	:	21 d
Target Organs	:	Nervous system
Species	:	Dog

SAFETY DATA SHEET



Pirimiphos-Methyl / Lambda-Cyhalothrin Formulation

Version
5.0

Revision Date:
14.04.2025

SDS Number:
1204431-00020

Date of last issue: 06.07.2024
Date of first issue: 09.01.2017

NOAEL	:	0.1 mg/kg
LOAEL	:	0.5 mg/kg
Application Route	:	Oral
Exposure time	:	1 yr
Target Organs	:	Nervous system
Symptoms	:	Gastrointestinal disturbance, Vomiting, Convulsions, ataxia, Liver effects

Titanium dioxide:

Species	:	Rat
NOAEL	:	24,000 mg/kg
Application Route	:	Ingestion
Exposure time	:	28 Days

Species	:	Rat
NOAEL	:	10 mg/m ³
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	2 yr

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Pirimiphos-methyl (ISO):

Ingestion	:	Symptoms: Nausea, Vomiting, Dizziness, confusion, Headache, Weakness, stomach discomfort, Blurred vision, muscle twitching
-----------	---	--

lambda-cyhalothrin (ISO):

Inhalation	:	Symptoms: Cough, Local irritation, sneezing
Skin contact	:	Symptoms: Skin irritation, tingling, superficial burning sensation, Local irritation Remarks: Can be absorbed through skin.
Eye contact	:	Symptoms: Eye irritation
Ingestion	:	Symptoms: Gastrointestinal disturbance

Section 12: Ecological information

Toxicity

Components:

Pirimiphos-methyl (ISO):

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0.2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
------------------	---	--

Pirimiphos-Methyl / Lambda-Cyhalothrin FormulationVersion
5.0Revision Date:
14.04.2025SDS Number:
1204431-00020Date of last issue: 06.07.2024
Date of first issue: 09.01.2017

Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.00021 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Pseudokirchneriella subcapitata (green algae)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	:	1,000
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0.13 mg/l Exposure time: 35 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.00011 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
M-Factor (Chronic aquatic toxicity)	:	100
lambda-cyhalothrin (ISO):		
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 0.00019 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
		LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.00021 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.00004 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
M-Factor (Acute aquatic toxicity)	:	10,000
Toxicity to fish (Chronic toxicity)	:	NOEC (Pimephales promelas (fathead minnow)): 0.000062 mg/l Exposure time: 32 d Method: OECD Test Guideline 210 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.0035 µg/l Exposure time: 21 d Method: OECD Test Guideline 211 Remarks: Based on data from similar materials

Pirimiphos-Methyl / Lambda-Cyhalothrin FormulationVersion
5.0Revision Date:
14.04.2025SDS Number:
1204431-00020Date of last issue: 06.07.2024
Date of first issue: 09.01.2017**M-Factor (Chronic aquatic toxicity)** : 10,000**Titanium dioxide:**

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50 (Skeletonema costatum (marine diatom)): > 10,000 mg/l Exposure time: 72 h
Toxicity to microorganisms	: EC50: > 1,000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209

Persistence and degradability**Components:****Pirimiphos-methyl (ISO):**

Stability in water	: Hydrolysis: 50 %(117 d)
--------------------	---------------------------

Bioaccumulative potential**Components:****Pirimiphos-methyl (ISO):**

Partition coefficient: n-octanol/water	: log Pow: 4.2
--	----------------

lambda-cyhalothrin (ISO):

Bioaccumulation	: Bioconcentration factor (BCF): 2,240 Method: OECD Test Guideline 305
-----------------	---

Partition coefficient: n-octanol/water	: log Pow: 7.0 (20 °C)
--	------------------------

Mobility in soil**Components:****lambda-cyhalothrin (ISO):**

Distribution among environmental compartments	: log Koc: 5.5
---	----------------

Other adverse effects

No data available

Pirimiphos-Methyl / Lambda-Cyhalothrin FormulationVersion
5.0Revision Date:
14.04.2025SDS Number:
1204431-00020Date of last issue: 06.07.2024
Date of first issue: 09.01.2017

Section 13: Disposal considerations**Disposal methods**

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

Section 14: Transport information**International Regulations****UNRTDG**

UN number : UN 2811

UN proper shipping name : TOXIC SOLID, ORGANIC, N.O.S.
(lambda-cyhalothrin (ISO), Pirimiphos-methyl (ISO))

Transport hazard class(es) : 6.1

Packing group : III

Labels : 6.1

Environmental hazards : yes

IATA-DGR

UN/ID No. : UN 2811

UN proper shipping name : Toxic solid, organic, n.o.s.
(lambda-cyhalothrin (ISO), Pirimiphos-methyl (ISO))

Transport hazard class(es) : 6.1

Packing group : III

Labels : Toxic

Packing instruction (cargo aircraft) : 677

Packing instruction (passenger aircraft) : 670

IMDG-Code

UN number : UN 2811

Proper shipping name : TOXIC SOLID, ORGANIC, N.O.S.
(lambda-cyhalothrin (ISO), Pirimiphos-methyl (ISO))

Transport hazard class(es) : 6.1

Packing group : III

Labels : 6.1

EmS Code : F-A, S-A

Marine pollutant : yes

Transport in bulk according to IMO instruments

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

SAFETY DATA SHEET



Pirimiphos-Methyl / Lambda-Cyhalothrin Formulation

Version 5.0 Revision Date: 14.04.2025 SDS Number: 1204431-00020 Date of last issue: 06.07.2024
Date of first issue: 09.01.2017

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information

Safety, health and environmental regulations specific for the product in question

Workplace Safety and Health Act and Workplace Safety and Health (General Provisions) Regulations: This product is subject to the requirements in the Act/Regulations.

Environmental Protection and Management Act and Environmental Protection and Management (Hazardous Substances) Regulations	:	Pyrethroid compounds used as pesticides
Fire Safety (Petroleum and Flammable Materials) Regulations	:	Not applicable

The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

Section 16: Other information

Revision Date : 14.04.2025

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
SG OEL	:	Singapore. Workplace Safety and Health (General Provisions) Regulations - First Schedule Permissible Exposure Limits of Toxic Substances.
ACGIH / TWA	:	8-hour, time-weighted average
SG OEL / PEL (long term)	:	Permissible Exposure Level (PEL) Long Term

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule;

SAFETY DATA SHEET



Pirimiphos-Methyl / Lambda-Cyhalothrin Formulation

Version
5.0

Revision Date:
14.04.2025

SDS Number:
1204431-00020

Date of last issue: 06.07.2024
Date of first issue: 09.01.2017

ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECL - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

SG / EN