

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Lambda-Cyhalothrin / Decamethylcyclopenta-siloxane Formulation

Version  
7.0

Revision Date:  
14.04.2025

SDS Number:  
1078838-00021

Date of last issue: 03.12.2024  
Date of first issue: 18.11.2016

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : Briahnager - Off Pune Nagar Road  
Wagholi - Pune - India 412 207

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### 2. HAZARDS IDENTIFICATION

#### Manufacture, Storage and Import of Hazardous Chemicals Rules 1989

##### Classification

Not classified as hazardous according to criteria laid down in Part I of Schedule-1.

##### GHS Classification

Acute toxicity (Inhalation) : Category 4

Acute toxicity (Dermal) : Category 4

Serious eye damage/eye irritation : Category 2B

Specific target organ toxicity - single exposure : Category 2 (Nervous system)

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

##### GHS label elements

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Lambda-Cyhalothrin / Decamethylcyclopenta-siloxane Formulation

Version  
7.0

Revision Date:  
14.04.2025

SDS Number:  
1078838-00021

Date of last issue: 03.12.2024  
Date of first issue: 18.11.2016

Hazard pictograms



Signal word

: Warning

Hazard statements

: H312 + H332 Harmful in contact with skin or if inhaled.  
H320 Causes eye irritation.  
H371 May cause damage to organs (Nervous system).  
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

: **Prevention:**

P260 Do not breathe mist or vapours.  
P264+P265 Wash hands thoroughly after handling. Do not touch eyes.  
P270 Do not eat, drink or smoke when using this product.  
P271 Use only outdoors or with adequate ventilation.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/ protective clothing.

**Response:**

P302 + P352 + P317 IF ON SKIN: Wash with plenty of water.  
Get medical help.  
P304 + P340 + P317 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical help.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P316 IF exposed or concerned: Get emergency medical help immediately.  
P337 + P317 If eye irritation persists: Get medical help.  
P362 + P364 Take off contaminated clothing and wash it before reuse.  
P391 Collect spillage.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (%) w/w)

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Lambda-Cyhalothrin / Decamethylcyclopenta-siloxane Formulation

Version  
7.0

Revision Date:  
14.04.2025

SDS Number:  
1078838-00021

Date of last issue: 03.12.2024  
Date of first issue: 18.11.2016

Decamethylcyclopentasiloxane lambda-cyhalothrin (ISO)	541-02-6 91465-08-6	>= 5 - < 10 >= 1 - < 2.5
--	------------------------	-----------------------------

### 4. FIRST AID MEASURES

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
In case of skin contact	: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.
If swallowed	: If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel. Get medical attention. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	: Harmful in contact with skin or if inhaled. Causes eye irritation. May cause damage to organs.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire-fighting	: Vapours may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Nitrogen oxides (NO <sub>x</sub> ) Chlorine compounds Fluorine compounds Silicon oxides

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Lambda-Cyhalothrin / Decamethylcyclopenta-siloxane Formulation

Version  
7.0

Revision Date:  
14.04.2025

SDS Number:  
1078838-00021

Date of last issue: 03.12.2024  
Date of first issue: 18.11.2016

### Formaldehyde

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

---

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.  
Clean up remaining materials from spill with suitable absorbent.  
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.  
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

## 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapours.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Lambda-Cyhalothrin / Decamethylcyclopenta-siloxane Formulation

Version 7.0 Revision Date: 14.04.2025 SDS Number: 1078838-00021 Date of last issue: 03.12.2024 Date of first issue: 18.11.2016

	Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
	Keep container tightly closed.
	Do not eat, drink or smoke when using this product.
	Take care to prevent spills, waste and minimize release to the environment.
	Do not breathe decomposition products.
Conditions for safe storage	: Keep in properly labelled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations.
Materials to avoid	: Do not store with the following product types: Strong oxidizing agents

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
lambda-cyhalothrin (ISO)	91465-08-6	TWA	5 µg/m <sup>3</sup> (OEB 4)	Internal
	Further information: Skin			
		Wipe limit	50 µg/100 cm <sup>2</sup>	Internal

### Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Formaldehyde	50-00-0	STEL	2 ppm 3 mg/m <sup>3</sup>	IN OEL
	Further information: Suspected human carcinogens			
		TWA	1 ppm 1.5 mg/m <sup>3</sup>	IN OEL
	Further information: Suspected human carcinogens			
		TWA	0.1 ppm	ACGIH
		STEL	0.3 ppm	ACGIH

**Engineering measures** : The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Lambda-Cyhalothrin / Decamethylcyclopenta-siloxane Formulation

Version 7.0	Revision Date: 14.04.2025	SDS Number: 1078838-00021	Date of last issue: 03.12.2024 Date of first issue: 18.11.2016
----------------	------------------------------	------------------------------	---

established, maintain airborne levels as low as reasonably achievable.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

### Personal protective equipment

Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	: Combined particulates, inorganic gas/vapour and organic vapour type
Hand protection	
Material	: Chemical-resistant gloves
Remarks	: Consider double gloving.
Eye protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: gold
Odour	: oily

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Lambda-Cyhalothrin / Decamethylcyclopenta-siloxane Formulation

Version 7.0      Revision Date: 14.04.2025      SDS Number: 1078838-00021      Date of last issue: 03.12.2024  
Date of first issue: 18.11.2016

---

Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	> 93.3 °C Method: Tag closed cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	0.924 - 0.974 g/cm³ (20 °C)
Solubility(ies)		
Water solubility	:	insoluble
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	61.69 - 73.9 mm²/s
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	Not applicable

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Lambda-Cyhalothrin / Decamethylcyclopentasiloxane Formulation

Version  
7.0

Revision Date:  
14.04.2025

SDS Number:  
1078838-00021

Date of last issue: 03.12.2024  
Date of first issue: 18.11.2016

---

### Particle characteristics

Particle size : Not applicable

## 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air. Can react with strong oxidizing agents. Hazardous decomposition products will be formed at elevated temperatures.
Conditions to avoid	: None known.
Incompatible materials	: Oxidizing agents
<b>Hazardous decomposition products</b>	
Thermal decomposition	: Formaldehyde

## 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

### Acute toxicity

Harmful in contact with skin or if inhaled.

#### Product:

Acute oral toxicity	: LD50(Rat): > 9,500 mg/kg
Acute inhalation toxicity	: LC50(Rat): > 4.1 mg/l Remarks: No mortality observed at this dose.
Acute dermal toxicity	: LD50(Rabbit): > 1,900 mg/kg

#### Components:

##### **Decamethylcyclopentasiloxane:**

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 8.67 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg Assessment: The substance or mixture has no acute dermal toxicity

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Lambda-Cyhalothrin / Decamethylcyclopenta-siloxane Formulation

Version  
7.0

Revision Date:  
14.04.2025

SDS Number:  
1078838-00021

Date of last issue: 03.12.2024  
Date of first issue: 18.11.2016

### **lambda-cyhalothrin (ISO):**

Acute oral toxicity	:	LD50 (Rat): 56 - 79 mg/kg
		LD50 (Mouse): 20 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0.06 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rat): 632 - 696 mg/kg
Acute toxicity (other routes of administration)	:	LD50 (Rat): 250 - 750 mg/kg Application Route: Intraperitoneal

### **Skin corrosion/irritation**

Not classified based on available information.

### **Product:**

Species	:	Rabbit
Result	:	Mild skin irritation

### **Components:**

#### **Decamethylcyclopentasiloxane:**

Species	:	Rabbit
Result	:	No skin irritation

### **lambda-cyhalothrin (ISO):**

Species	:	Rabbit
Result	:	No skin irritation

### **Serious eye damage/eye irritation**

Causes eye irritation.

### **Product:**

Species	:	Rabbit
Result	:	Mild eye irritation

### **Components:**

#### **Decamethylcyclopentasiloxane:**

Species	:	Rabbit
Result	:	No eye irritation

### **lambda-cyhalothrin (ISO):**

Species	:	Rabbit
Result	:	Mild eye irritation

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Lambda-Cyhalothrin / Decamethylcyclopenta-siloxane Formulation

Version  
7.0

Revision Date:  
14.04.2025

SDS Number:  
1078838-00021

Date of last issue: 03.12.2024  
Date of first issue: 18.11.2016

### Respiratory or skin sensitisation

#### Skin sensitisation

Not classified based on available information.

#### Respiratory sensitisation

Not classified based on available information.

#### Product:

Species	:	Guinea pig
Result	:	Not a skin sensitizer.

#### Components:

##### Decamethylcyclopentasiloxane:

Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Skin contact
Species	:	Mouse
Result	:	negative

##### lambda-cyhalothrin (ISO):

Test Type	:	Magnusson-Kligman-Test
Exposure routes	:	Dermal
Species	:	Guinea pig
Result	:	Not a skin sensitizer.

#### Germ cell mutagenicity

Not classified based on available information.

#### Components:

##### Decamethylcyclopentasiloxane:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
		Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative
		Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Rat Application Route: inhalation (vapour) Method: OECD Test Guideline 474 Result: negative
		Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Lambda-Cyhalothrin / Decamethylcyclopenta-siloxane Formulation

Version  
7.0

Revision Date:  
14.04.2025

SDS Number:  
1078838-00021

Date of last issue: 03.12.2024  
Date of first issue: 18.11.2016

Species: Rat  
Application Route: Inhalation  
Method: OECD Test Guideline 486  
Result: negative

### **lambda-cyhalothrin (ISO):**

Genotoxicity in vitro

: Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosomal aberration  
Test system: Human lymphocytes  
Result: negative

Test Type: unscheduled DNA synthesis assay  
Test system: rat hepatocytes  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: mouse lymphoma cells  
Result: negative

Genotoxicity in vivo

: Test Type: Micronucleus test  
Species: Mouse  
Cell type: Bone marrow  
Application Route: Intraperitoneal  
Result: negative

### **Carcinogenicity**

Not classified based on available information.

### **Components:**

#### **lambda-cyhalothrin (ISO):**

Species : Mouse  
Application Route : oral (feed)  
Exposure time : 2 Years  
Result : negative  
Remarks : Based on data from similar materials

Species : Rat  
Application Route : oral (feed)  
Exposure time : 2 Years  
Result : negative  
Remarks : Based on data from similar materials

### **Reproductive toxicity**

Not classified based on available information.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Lambda-Cyhalothrin / Decamethylcyclopenta-siloxane Formulation

Version  
7.0

Revision Date:  
14.04.2025

SDS Number:  
1078838-00021

Date of last issue: 03.12.2024  
Date of first issue: 18.11.2016

### Components:

#### Decamethylcyclopentasiloxane:

Effects on fertility	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: inhalation (vapour) Method: OPPTS 870.3800 Result: negative
Effects on foetal development	: Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: inhalation (vapour) Method: OPPTS 870.3800 Result: negative

#### lambda-cyhalothrin (ISO):

Effects on fertility	: Test Type: Three-generation study Species: Rat Application Route: oral (feed) General Toxicity - Parent: NOAEL: 2 mg/kg body weight General Toxicity F1: LOAEL: 6.7 mg/kg body weight Symptoms: Reduced offspring weight gain Result: No effects on fertility Remarks: Based on data from similar materials
Effects on foetal development	: Test Type: Development Species: Rat Application Route: Oral General Toxicity Maternal: NOAEL: 10 mg/kg body weight Developmental Toxicity: LOAEL: 15 mg/kg body weight Result: No effects on foetal development, Reduced maternal body weight gain, Reduced foetal weight Remarks: Based on data from similar materials
	: Test Type: Development Species: Rabbit Application Route: Oral General Toxicity Maternal: NOAEL: 10 mg/kg body weight Developmental Toxicity: NOAEL: 30 mg/kg body weight Result: No effects on foetal development, Reduced maternal body weight gain, Reduced foetal weight Remarks: Based on data from similar materials

#### STOT - single exposure

May cause damage to organs (Nervous system).

### Components:

#### lambda-cyhalothrin (ISO):

Target Organs	: Nervous system
Assessment	: Causes damage to organs.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Lambda-Cyhalothrin / Decamethylcyclopenta-siloxane Formulation

Version 7.0

Revision Date: 14.04.2025

SDS Number: 1078838-00021

Date of last issue: 03.12.2024  
Date of first issue: 18.11.2016

### STOT - repeated exposure

Not classified based on available information.

### Repeated dose toxicity

#### Components:

##### Decamethylcyclopentasiloxane:

Species	:	Rat
NOAEL	:	1,000 mg/kg
LOAEL	:	> 1,000 mg/kg
Application Route	:	Ingestion
Method	:	OECD Test Guideline 408

##### lambda-cyhalothrin (ISO):

Species	:	Dog
NOAEL	:	2.5 mg/kg
LOAEL	:	12.5 mg/kg
Application Route	:	oral (feed)
Exposure time	:	90 d
Symptoms	:	reduced body weight gain, reduced food consumption

Species	:	Rat
NOAEL	:	10 mg/kg
LOAEL	:	50 mg/kg
Application Route	:	Dermal
Exposure time	:	21 d
Target Organs	:	Nervous system

Species	:	Rat
NOAEL	:	0.08 mg/kg
LOAEL	:	0.9 mg/kg
Application Route	:	Inhalation
Exposure time	:	21 d
Target Organs	:	Nervous system

Species	:	Dog
NOAEL	:	0.1 mg/kg
LOAEL	:	0.5 mg/kg
Application Route	:	Oral
Exposure time	:	1 yr
Target Organs	:	Nervous system
Symptoms	:	Gastrointestinal disturbance, Vomiting, Convulsions, ataxia, Liver effects

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Product:

Skin contact : Symptoms: May cause, Local irritation

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Lambda-Cyhalothrin / Decamethylcyclopenta-siloxane Formulation

Version 7.0      Revision Date: 14.04.2025      SDS Number: 1078838-00021      Date of last issue: 03.12.2024  
Date of first issue: 18.11.2016

---

Eye contact : Symptoms: irritating

### Components:

#### **lambda-cyhalothrin (ISO):**

Inhalation	: Symptoms: Cough, Local irritation, sneezing
Skin contact	: Symptoms: Skin irritation, tingling, superficial burning sensation, Local irritation Remarks: Can be absorbed through skin.
Eye contact	: Symptoms: Eye irritation
Ingestion	: Symptoms: Gastrointestinal disturbance

---

## 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

#### Components:

#### **Decamethylcyclopentasiloxane:**

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): > 16 µg/l Exposure time: 96 h Remarks: No toxicity at the limit of solubility
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 2.9 µg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: No toxicity at the limit of solubility
Toxicity to algae/aquatic plants	: ErC50 ( Pseudokirchneriella subcapitata (green algae)): > 12 µg/l Exposure time: 96 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
	: EC10 ( Pseudokirchneriella subcapitata (green algae)): > 12 µg/l Exposure time: 96 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility
Toxicity to microorganisms	: EC50: > 2,000 mg/l Exposure time: 3 h Method: 88/302/EC
Toxicity to fish (Chronic toxicity)	: NOEC: 14 µg/l Exposure time: 90 d Species: Oncorhynchus mykiss (rainbow trout) Method: OECD Test Guideline 210 Remarks: No toxicity at the limit of solubility
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 15 µg/l Exposure time: 21 d Species: Daphnia magna (Water flea)

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Lambda-Cyhalothrin / Decamethylcyclopenta-siloxane Formulation

Version  
7.0

Revision Date:  
14.04.2025

SDS Number:  
1078838-00021

Date of last issue: 03.12.2024  
Date of first issue: 18.11.2016

Method: OECD Test Guideline 211  
Remarks: No toxicity at the limit of solubility

### lambda-cyhalothrin (ISO):

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 0.00019 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
	LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.00021 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0.00004 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
M-Factor (Acute aquatic toxicity)	: 10,000
Toxicity to fish (Chronic toxicity)	: NOEC: 0.000062 mg/l Exposure time: 32 d Species: Pimephales promelas (fathead minnow) Method: OECD Test Guideline 210 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 0.0035 µg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211 Remarks: Based on data from similar materials
M-Factor (Chronic aquatic toxicity)	: 10,000

### Persistence and degradability

#### Components:

##### Decamethylcyclopentasiloxane:

Biodegradability	: Result: Not readily biodegradable. Biodegradation: 0.14 % Exposure time: 28 d Method: OECD Test Guideline 310
------------------	--

### Bioaccumulative potential

#### Components:

##### Decamethylcyclopentasiloxane:

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Lambda-Cyhalothrin / Decamethylcyclopenta-siloxane Formulation

Version 7.0      Revision Date: 14.04.2025      SDS Number: 1078838-00021      Date of last issue: 03.12.2024  
Date of first issue: 18.11.2016

---

**Bioaccumulation** : Species: Pimephales promelas (fathead minnow)  
Bioconcentration factor (BCF): 7,060 - 13,300  
Method: OECD Test Guideline 305

**Partition coefficient: n-octanol/water** : log Pow: 8.023

### **lambda-cyhalothrin (ISO):**

**Bioaccumulation** : Bioconcentration factor (BCF): 2,240  
Method: OECD Test Guideline 305

**Partition coefficient: n-octanol/water** : log Pow: 7.0 (20 °C)

### **Mobility in soil**

#### **Components:**

### **lambda-cyhalothrin (ISO):**

**Distribution among environmental compartments** : log Koc: 5.5

### **Other adverse effects**

No data available

---

## 13. DISPOSAL CONSIDERATIONS

### **Disposal methods**

**Waste from residues** : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
**Contaminated packaging** : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## 14. TRANSPORT INFORMATION

### **International Regulations**

#### **UNRTDG**

**UN number** : UN 3082  
**Proper shipping name** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(lambda-cyhalothrin (ISO))  
**Class** : 9  
**Packing group** : III  
**Labels** : 9  
**Environmentally hazardous** : yes

#### **IATA-DGR**

**UN/ID No.** : UN 3082  
**Proper shipping name** : Environmentally hazardous substance, liquid, n.o.s.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Lambda-Cyhalothrin / Decamethylcyclopenta-siloxane Formulation

Version  
7.0

Revision Date:  
14.04.2025

SDS Number:  
1078838-00021

Date of last issue: 03.12.2024  
Date of first issue: 18.11.2016

---

		(lambda-cyhalothrin (ISO))
Class	:	9
Packing group	:	III
Labels	:	Miscellaneous
Packing instruction (cargo aircraft)	:	964
Packing instruction (passenger aircraft)	:	964
Environmentally hazardous	:	yes
<b>IMDG-Code</b>		
UN number	:	UN 3082
Proper shipping name	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (lambda-cyhalothrin (ISO))
Class	:	9
Packing group	:	III
Labels	:	9
EmS Code	:	F-A, S-F
Marine pollutant	:	yes

### Transport in bulk according to IMO instruments

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

#### The components of this product are reported in the following inventories:

AICS	:	not determined
DSL	:	not determined
IECSC	:	not determined

---

## 16. OTHER INFORMATION

Revision Date : 14.04.2025

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Lambda-Cyhalothrin / Decamethylcyclopenta-siloxane Formulation

Version 7.0      Revision Date: 14.04.2025      SDS Number: 1078838-00021      Date of last issue: 03.12.2024  
Date of first issue: 18.11.2016

---

Date format : dd.mm.yyyy

### Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
IN OEL	: India. Permissible levels of certain chemical substances in work environment.
ACGIH / TWA	: 8-hour, time-weighted average
ACGIH / STEL	: Short-term exposure limit
IN OEL / TWA	: Time-Weighted Average Concentration (TWA) (8 hrs.)
IN OEL / STEL	: Short-term exposure Limit STEL (15 min)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

# SAFETY DATA SHEET

according to the Globally Harmonized System



## Lambda-Cyhalothrin / Decamethylcyclopenta-siloxane Formulation

Version  
7.0

Revision Date:  
14.04.2025

SDS Number:  
1078838-00021

Date of last issue: 03.12.2024  
Date of first issue: 18.11.2016

---

IN / EN