

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version 7.1      Revision Date: 14.04.2025      SDS Number: 9373129-00011      Date of last issue: 03.12.2024  
Date of first issue: 27.08.2021

---

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Veterinary product

Recommended restrictions on use : Not applicable

#### 1.3 Details of the supplier of the safety data sheet

Company : MSD  
Walton Manor, Walton  
MK7 7AJ Milton Keynes - United Kingdom

Telephone : +1-908-740-4000

E-mail address of person responsible for the SDS : EHSDATASTEWARD@msd.com

#### 1.4 Emergency telephone number

+1-908-423-6000

---

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)

Acute toxicity, Category 4      H302: Harmful if swallowed.

Specific target organ toxicity - single exposure, Category 1      H370: Causes damage to organs.

Short-term (acute) aquatic hazard, Category 1      H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, Category 1      H410: Very toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version  
7.1

Revision Date:  
14.04.2025

SDS Number:  
9373129-00011

Date of last issue: 03.12.2024  
Date of first issue: 27.08.2021

### 2.2 Label elements

**Labelling (REGULATION (EC) No 1272/2008) as amended by GB-CLP Regulation, UK SI 2019/720, and UK SI 2020/1567)**

Hazard pictograms



Signal word

: Danger

Hazard statements

: H302      Harmful if swallowed.  
                  H370      Causes damage to organs.  
                  H410      Very toxic to aquatic life with long lasting effects.

Precautionary statements

: **Prevention:**

P264      Wash skin thoroughly after handling.  
P270      Do not eat, drink or smoke when using this product.  
P273      Avoid release to the environment.

**Response:**

P301 + P312 + P330    IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.  
P308 + P311    IF exposed or concerned: Call a POISON CENTER/ doctor.  
P391      Collect spillage.

Hazardous components which must be listed on the label:

lambda-cyhalothrin (ISO)

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	51-03-6 200-076-7 604-096-00-0	Eye Irrit. 2; H319 STOT SE 3; H335 Aquatic Acute 1; H400	>= 10 - < 20

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version 7.1      Revision Date: 14.04.2025      SDS Number: 9373129-00011      Date of last issue: 03.12.2024  
Date of first issue: 27.08.2021

		Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	
lambda-cyhalothrin (ISO)	91465-08-6 415-130-7 607-252-00-6	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Eye Irrit. 2; H319 STOT SE 1; H370 (Nervous system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410  M-Factor (Acute aquatic toxicity): 10,000 M-Factor (Chronic aquatic toxicity): 10,000	>= 10 - < 20
Substances with a workplace exposure limit :			
Polyvinyl chloride	9002-86-2		>= 50 - < 70

For explanation of abbreviations see section 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.  
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with soap and plenty of water.  
Remove contaminated clothing and shoes.  
Get medical attention.  
Wash clothing before reuse.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version 7.1	Revision Date: 14.04.2025	SDS Number: 9373129-00011	Date of last issue: 03.12.2024 Date of first issue: 27.08.2021
----------------	------------------------------	------------------------------	---

Thoroughly clean shoes before reuse.

In case of eye contact : Flush eyes with water as a precaution.  
Get medical attention if irritation develops and persists.

If swallowed : If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.  
Get medical attention.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

Risks : Harmful if swallowed.  
Causes damage to organs.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Nitrogen oxides (NO<sub>x</sub>)  
Chlorine compounds  
Fluorine compounds

### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version 7.1	Revision Date: 14.04.2025	SDS Number: 9373129-00011	Date of last issue: 03.12.2024 Date of first issue: 27.08.2021
----------------	------------------------------	------------------------------	---

Evacuate area.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

### 6.2 Environmental precautions

Environmental precautions : Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Surround spill with absorbents and place a damp covering over the area to minimise entry of the material into the air. Add excess liquid to allow the material to enter into solution. Soak up with inert absorbent material. Clean up remaining materials from spill with suitable absorbent. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version 7.1 Revision Date: 14.04.2025 SDS Number: 9373129-00011 Date of last issue: 03.12.2024 Date of first issue: 27.08.2021

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use. The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep in properly labelled containers. Store locked up. Store in accordance with the particular national regulations.

Advice on common storage : Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Explosives  
Gases

### 7.3 Specific end use(s)

Specific use(s) : No data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Polyvinyl chloride	9002-86-2	TWA (inhalable dust)	10 mg/m <sup>3</sup>	GB EH40
		TWA (Respirable dust)	4 mg/m <sup>3</sup>	GB EH40
2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	51-03-6	TWA	4 mg/m <sup>3</sup> (OEB 1)	Internal
lambda-cyhalothrin (ISO)	91465-08-6	TWA	5 µg/m <sup>3</sup> (OEB 4)	Internal
		Further information: Skin		
		Wipe limit	50 µg/100 cm <sup>2</sup>	Internal

#### Derived No Effect Level (DNEL)

Substance name	End Use	Exposure routes	Potential health effects	Value

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version 7.1 Revision Date: 14.04.2025 SDS Number: 9373129-00011 Date of last issue: 03.12.2024  
Date of first issue: 27.08.2021

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	Workers	Inhalation	Long-term systemic effects	3.875 mg/m3
	Workers	Inhalation	Acute systemic effects	7.75 mg/m3
	Workers	Inhalation	Long-term systemic effects	3.875 mg/m3
	Workers	Inhalation	Acute local effects	3.875 mg/m3
	Workers	Skin contact	Long-term systemic effects	27.7 mg/kg bw/day
	Workers	Skin contact	Acute systemic effects	55.5 mg/kg bw/day
	Workers	Skin contact	Long-term local effects	0.44 mg/cm2
	Workers	Skin contact	Acute local effects	0.888 mg/cm2
	Consumers	Inhalation	Long-term systemic effects	1.94 mg/m3
	Consumers	Inhalation	Acute systemic effects	3.875 mg/m3
	Consumers	Inhalation	Long-term local effects	1.94 mg/m3
	Consumers	Inhalation	Acute local effects	1.94 mg/m3
	Consumers	Skin contact	Long-term systemic effects	13.9 mg/kg bw/day
	Consumers	Skin contact	Acute systemic effects	27.8 mg/kg bw/day
	Consumers	Skin contact	Long-term local effects	0.22 mg/cm2
	Consumers	Skin contact	Acute local effects	0.22 mg/cm2
	Consumers	Ingestion	Long-term systemic effects	1.14 mg/kg bw/day
	Consumers	Ingestion	Acute systemic effects	2.3 mg/kg bw/day
Soybean oil, epoxidized	Workers	Inhalation	Long-term systemic effects	11.9 mg/m3
	Workers	Inhalation	Acute systemic effects	70 mg/m3
	Workers	Skin contact	Long-term systemic effects	1.7 mg/kg bw/day
	Workers	Skin contact	Acute systemic effects	10 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	2.8 mg/m3
	Consumers	Inhalation	Acute systemic effects	17.5 mg/m3
	Consumers	Skin contact	Long-term systemic effects	0.8 mg/kg bw/day
	Consumers	Skin contact	Acute systemic effects	5 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0.8 mg/kg bw/day

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version 7.1 Revision Date: 14.04.2025 SDS Number: 9373129-00011 Date of last issue: 03.12.2024 Date of first issue: 27.08.2021

	Consumers	Ingestion	Acute systemic effects	5 mg/kg bw/day
--	-----------	-----------	------------------------	----------------

### Predicted No Effect Concentration (PNEC)

Substance name	Environmental Compartment	Value
2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	Fresh water	0.001 mg/l
	Marine water	0.0001 - 0.000148 mg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	0.019 mg/kg
	Marine sediment	0.0002 mg/kg
	Soil	0.016 mg/kg
	Oral (Secondary Poisoning)	12.53 mg/kg food
Soybean oil, epoxidized	Soil	6.25 mg/kg dry weight (d.w.)

## 8.2 Exposure controls

### Engineering measures

The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., vacuum conveying from a closed system, packout head with inflatable seal from stationary container, ventilated enclosure, etc.).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies.

### Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Hand protection

Material : Chemical-resistant gloves

Remarks : Consider double gloving.

Skin and body protection

: Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version 7.1      Revision Date: 14.04.2025      SDS Number: 9373129-00011      Date of last issue: 03.12.2024  
Date of first issue: 27.08.2021

---

	suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. Filter should conform to BS EN 14387
Filter type	: Combined particulates and organic vapour type (A-P)

---

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance	: solid
Colour	: violet
Odour	: No data available
Odour Threshold	: No data available
pH	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: Not classified as a flammability hazard
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: No data available
Solubility(ies)	
Water solubility	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version 7.1      Revision Date: 14.04.2025      SDS Number: 9373129-00011      Date of last issue: 03.12.2024  
Date of first issue: 27.08.2021

---

Decomposition temperature : No data available  
Viscosity  
Viscosity, kinematic : No data available  
Explosive properties : Not explosive  
Oxidizing properties : The substance or mixture is not classified as oxidizing.

### 9.2 Other information

Molecular weight : No data available  
Particle size : No data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Not classified as a reactivity hazard.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

### 10.4 Conditions to avoid

Conditions to avoid : None known.

### 10.5 Incompatible materials

Materials to avoid : Oxidizing agents

### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Information on likely routes of exposure : Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Harmful if swallowed.

#### Product:

Acute oral toxicity : Acute toxicity estimate: 560 mg/kg

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version 7.1      Revision Date: 14.04.2025      SDS Number: 9373129-00011      Date of last issue: 03.12.2024  
Date of first issue: 27.08.2021

---

Method: Calculation method

Acute inhalation toxicity : Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

### Components:

#### **2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 423

Acute inhalation toxicity : LC50 (Rat): > 5.2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg  
Method: OECD Test Guideline 402

#### **lambda-cyhalothrin (ISO):**

Acute oral toxicity : LD50 (Rat): 56 - 79 mg/kg  
LD50 (Mouse): 20 mg/kg

Acute inhalation toxicity : LC50 (Rat): 0.06 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): 632 - 696 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 250 - 750 mg/kg  
Application Route: Intraperitoneal

### **Skin corrosion/irritation**

Not classified based on available information.

### Components:

#### **2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:**

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Assessment : Repeated exposure may cause skin dryness or cracking.

#### **lambda-cyhalothrin (ISO):**

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version 7.1      Revision Date: 14.04.2025      SDS Number: 9373129-00011      Date of last issue: 03.12.2024  
Date of first issue: 27.08.2021

---

Species : Rabbit  
Result : No skin irritation

### **Serious eye damage/eye irritation**

Not classified based on available information.

#### **Product:**

Result : No eye irritation

#### **Components:**

##### **2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:**

Species : Rabbit  
Method : OECD Test Guideline 405  
Result : Irritation to eyes, reversing within 21 days

##### **lambda-cyhalothrin (ISO):**

Species : Rabbit  
Result : Mild eye irritation

#### **Respiratory or skin sensitisation**

##### **Skin sensitisation**

Not classified based on available information.

##### **Respiratory sensitisation**

Not classified based on available information.

#### **Components:**

##### **2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:**

Test Type : Maximisation Test  
Exposure routes : Skin contact  
Species : Guinea pig  
Method : OECD Test Guideline 406  
Result : negative

##### **lambda-cyhalothrin (ISO):**

Test Type : Magnusson-Kligman-Test  
Exposure routes : Dermal  
Species : Guinea pig  
Result : Not a skin sensitizer.

#### **Germ cell mutagenicity**

Not classified based on available information.

#### **Components:**

##### **2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:**

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



# **Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag**

Version Revision Date: SDS Number: Date of last issue: 03.12.2024  
7.1 14.04.2025 9373129-00011 Date of first issue: 27.08.2021

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

### **lambda-cyhalothrin (ISO):**

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)  
Result: negative

Test Type: Chromosomal aberration  
Test system: Human lymphocytes  
Result: negative

Test Type: unscheduled DNA synthesis assay  
Test system: rat hepatocytes  
Result: negative

Test Type: In vitro mammalian cell gene mutation test  
Test system: mouse lymphoma cells  
Result: negative

Genotoxicity in vivo : Test Type: Micronucleus test  
Species: Mouse  
Cell type: Bone marrow  
Application Route: Intraperitoneal  
Result: negative

## Carcinogenicity

Not classified based on available information.

## Components:

### 2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Species : Rat  
Application Route : Ingestion  
Exposure time : 107 weeks  
Method : OECD Test Guideline 451  
Result : negative

### **lambda-cyhalothrin (ISO):**

Species : Mouse  
Application Route : oral (feed)  
Exposure time : 2 Years  
Result : negative  
Remarks : Based on data from similar materials

Species : Rat  
Application Route : oral (feed)  
Exposure time : 2 Years  
Result : negative  
Remarks : Based on data from similar materials

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version 7.1      Revision Date: 14.04.2025      SDS Number: 9373129-00011      Date of last issue: 03.12.2024  
Date of first issue: 27.08.2021

### Reproductive toxicity

Not classified based on available information.

#### Components:

##### **2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:**

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Application Route: Ingestion  
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

##### **lambda-cyhalothrin (ISO):**

Effects on fertility : Test Type: Three-generation study  
Species: Rat  
Application Route: oral (feed)  
General Toxicity - Parent: NOAEL: 2 mg/kg body weight  
General Toxicity F1: LOAEL: 6.7 mg/kg body weight  
Symptoms: Reduced offspring weight gain  
Result: No effects on fertility  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Development  
Species: Rat  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 10 mg/kg body weight  
Developmental Toxicity: LOAEL: 15 mg/kg body weight  
Result: No effects on foetal development, Reduced maternal body weight gain, Reduced foetal weight  
Remarks: Based on data from similar materials

Test Type: Development  
Species: Rabbit  
Application Route: Oral  
General Toxicity Maternal: NOAEL: 10 mg/kg body weight  
Developmental Toxicity: NOAEL: 30 mg/kg body weight  
Result: No effects on foetal development, Reduced maternal body weight gain, Reduced foetal weight  
Remarks: Based on data from similar materials

### STOT - single exposure

Causes damage to organs.

#### Components:

##### **2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:**

Assessment : May cause respiratory irritation.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version 7.1      Revision Date: 14.04.2025      SDS Number: 9373129-00011      Date of last issue: 03.12.2024  
Date of first issue: 27.08.2021

---

### **lambda-cyhalothrin (ISO):**

Target Organs : Nervous system  
Assessment : Causes damage to organs.

### **STOT - repeated exposure**

Not classified based on available information.

### **Repeated dose toxicity**

#### **Components:**

##### **2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:**

Species : Rat  
NOAEL : 1,323 mg/kg  
Application Route : Ingestion  
Exposure time : 7 Weeks

### **lambda-cyhalothrin (ISO):**

Species : Dog  
NOAEL : 2.5 mg/kg  
LOAEL : 12.5 mg/kg  
Application Route : oral (feed)  
Exposure time : 90 d  
Symptoms : reduced body weight gain, reduced food consumption

Species : Rat  
NOAEL : 10 mg/kg  
LOAEL : 50 mg/kg  
Application Route : Dermal  
Exposure time : 21 d  
Target Organs : Nervous system

Species : Rat  
NOAEL : 0.08 mg/kg  
LOAEL : 0.9 mg/kg  
Application Route : Inhalation  
Exposure time : 21 d  
Target Organs : Nervous system

Species : Dog  
NOAEL : 0.1 mg/kg  
LOAEL : 0.5 mg/kg  
Application Route : Oral  
Exposure time : 1 yr  
Target Organs : Nervous system  
Symptoms : Gastrointestinal disturbance, Vomiting, Convulsions, ataxia, Liver effects

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version 7.1      Revision Date: 14.04.2025      SDS Number: 9373129-00011      Date of last issue: 03.12.2024  
Date of first issue: 27.08.2021

---

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Product:

Skin contact : Symptoms: Skin irritation, tingling, superficial burning sensation, Local irritation  
Remarks: Can be absorbed through skin.  
Eye contact : Remarks: May irritate eyes.

#### Components:

##### **lambda-cyhalothrin (ISO):**

Inhalation : Symptoms: Cough, Local irritation, sneezing  
Skin contact : Symptoms: Skin irritation, tingling, superficial burning sensation, Local irritation  
Remarks: Can be absorbed through skin.  
Eye contact : Symptoms: Eye irritation  
Ingestion : Symptoms: Gastrointestinal disturbance

---

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Components:

##### **2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:**

Toxicity to fish : LC50 (Cyprinodon variegatus (sheepshead minnow)): 3.94 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.51 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Pseudokirchneriella subcapitata (green algae)): 3.89 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0.824 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50 : > 1,000 mg/l  
Exposure time: 3 h

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version 7.1      Revision Date: 14.04.2025      SDS Number: 9373129-00011      Date of last issue: 03.12.2024  
Date of first issue: 27.08.2021

Method: OECD Test Guideline 209

Toxicity to fish (Chronic toxicity) : NOEC: 0.18 mg/l  
Exposure time: 35 d  
Species: Pimephales promelas (fathead minnow)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.03 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)

M-Factor (Chronic aquatic toxicity) : 1

### **lambda-cyhalothrin (ISO):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.00019 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

LC50 (Lepomis macrochirus (Bluegill sunfish)): 0.00021 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.00004 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
Remarks: Based on data from similar materials

M-Factor (Acute aquatic toxicity) : 10,000

Toxicity to fish (Chronic toxicity) : NOEC: 0.000062 mg/l  
Exposure time: 32 d  
Species: Pimephales promelas (fathead minnow)  
Method: OECD Test Guideline 210  
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0.0035 µg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Method: OECD Test Guideline 211  
Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 10,000

## 12.2 Persistence and degradability

### Components:

#### **2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:**

Biodegradability : Result: Not readily biodegradable.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

---

Version 7.1	Revision Date: 14.04.2025	SDS Number: 9373129-00011	Date of last issue: 03.12.2024 Date of first issue: 27.08.2021
----------------	------------------------------	------------------------------	---

---

Biodegradation: 0 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301D

### 12.3 Bioaccumulative potential

#### Components:

##### **2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:**

Partition coefficient: n-octanol/water : log Pow: 5

##### **lambda-cyhalothrin (ISO):**

Bioaccumulation : Bioconcentration factor (BCF): 2,240  
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 7.0 (20 °C)

### 12.4 Mobility in soil

#### Components:

##### **lambda-cyhalothrin (ISO):**

Distribution among environmental compartments : log Koc: 5.5

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Other adverse effects

#### Product:

Endocrine disrupting potential : This substance/mixture does not contain components considered to have endocrine disrupting properties for environment according to UK REACH Article 57(f).

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version 7.1 Revision Date: 14.04.2025 SDS Number: 9373129-00011 Date of last issue: 03.12.2024  
Date of first issue: 27.08.2021

Contaminated packaging : Do not dispose of waste into sewer.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

### SECTION 14: Transport information

#### 14.1 UN number

ADN : UN 3077  
ADR : UN 3077  
RID : UN 3077  
IMDG : UN 3077  
IATA : UN 3077

#### 14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether, lambda-cyhalothrin (ISO))  
ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether, lambda-cyhalothrin (ISO))  
RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether, lambda-cyhalothrin (ISO))  
IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether, lambda-cyhalothrin (ISO))  
IATA : Environmentally hazardous substance, solid, n.o.s.  
(2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether, lambda-cyhalothrin (ISO))

#### 14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	: 9	
ADR	: 9	
RID	: 9	
IMDG	: 9	
IATA	: 9	

#### 14.4 Packing group

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version 7.1	Revision Date: 14.04.2025	SDS Number: 9373129-00011	Date of last issue: 03.12.2024 Date of first issue: 27.08.2021
----------------	------------------------------	------------------------------	---

---

### ADN

Packing group : III  
Classification Code : M7  
Hazard Identification Number : 90  
Labels : 9

### ADR

Packing group : III  
Classification Code : M7  
Hazard Identification Number : 90  
Labels : 9  
Tunnel restriction code : (-)

### RID

Packing group : III  
Classification Code : M7  
Hazard Identification Number : 90  
Labels : 9

### IMDG

Packing group : III  
Labels : 9  
EmS Code : F-A, S-F

### IATA (Cargo)

Packing instruction (cargo aircraft) : 956  
Packing instruction (LQ) : Y956  
Packing group : III  
Labels : Miscellaneous

### IATA (Passenger)

Packing instruction (passenger aircraft) : 956  
Packing instruction (LQ) : Y956  
Packing group : III  
Labels : Miscellaneous

## 14.5 Environmental hazards

### ADN

Environmentally hazardous : yes

### ADR

Environmentally hazardous : yes

### RID

Environmentally hazardous : yes

### IMDG

Marine pollutant : yes

### IATA (Passenger)

Environmentally hazardous : yes

### IATA (Cargo)

Environmentally hazardous : yes

## SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758



## **Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag**

Version Revision Date: SDS Number: Date of last issue: 03.12.2024  
7.1 14.04.2025 9373129-00011 Date of first issue: 27.08.2021

## 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

## 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

---

## SECTION 15: Regulatory information

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant EU provisions transposed through retained EU law

UK REACH List of restrictions (Annex 17)	:	Not applicable
UK REACH Candidate list of substances of very high concern (SVHC) for Authorisation	:	Not applicable
The Persistent Organic Pollutants Regulations (retained Regulation (EU) 2019/1021 as amended for Great Britain)	:	Not applicable
Regulation (EU) No 2024/590 on substances that deplete the ozone layer	:	Not applicable
UK REACH List of substances subject to authorisation (Annex XIV)	:	Not applicable
GB Export and import of hazardous chemicals - Prior Informed Consent (PIC) Regulation	:	Not applicable
Control of Major Accident Hazards Regulations 2015 (COMAH)		
H3	STOT SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE	Quantity 1 50 t Quantity 2 200 t
E1	ENVIRONMENTAL HAZARDS	100 t 200 t

## Other regulations:

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to new and expectant mothers at work contained in Regulation 16 to 18) and of the Pregnant Workers Directive 92/85/EEC.

Take note of The Management of Health and Safety at Work Regulations 1999 (requirements relating to protection of young people at work contained in Regulation 19) and of Directive 94/33/EC on the protection of young people at work.

The components of this product are reported in the following inventories:

AICS : not determined

DSI : not determined

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version 7.1      Revision Date: 14.04.2025      SDS Number: 9373129-00011      Date of last issue: 03.12.2024  
Date of first issue: 27.08.2021

IECSC : not determined

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

### Full text of H-Statements

H301 : Toxic if swallowed.  
H311 : Toxic in contact with skin.  
H319 : Causes serious eye irritation.  
H330 : Fatal if inhaled.  
H335 : May cause respiratory irritation.  
H370 : Causes damage to organs.  
H400 : Very toxic to aquatic life.  
H410 : Very toxic to aquatic life with long lasting effects.

### Full text of other abbreviations

Acute Tox. : Acute toxicity  
Aquatic Acute : Short-term (acute) aquatic hazard  
Aquatic Chronic : Long-term (chronic) aquatic hazard  
Eye Irrit. : Eye irritation  
STOT SE : Specific target organ toxicity - single exposure  
GB EH40 : UK. EH40 WEL - Workplace Exposure Limits  
GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of

# SAFETY DATA SHEET

According to REACH Regulation (EC) No 1907/2006, as amended by  
UK REACH Regulations SI 2019/758



## Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version 7.1      Revision Date: 14.04.2025      SDS Number: 9373129-00011      Date of last issue: 03.12.2024  
Date of first issue: 27.08.2021

---

Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

### Classification of the mixture:

Acute Tox. 4	H302
STOT SE 1	H370
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

### Classification procedure:

Calculation method
Calculation method
Calculation method
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

GB / EN