

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
7.1	14.04.2025	1139837-00025	Date of first issue: 06.12.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : Veterinary product

Recommended restrictions
on use : Not applicable

1.3 Details of the supplier of the safety data sheet

Company : MSD
Kilsheelan
Clonmel Tipperary, IE

Telephone : 353-51-601000

E-mail address of person
responsible for the SDS : EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H302: Harmful if swallowed.
Specific target organ toxicity - single exposure, Category 1	H370: Causes damage to organs.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 1	H410: Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
7.1	14.04.2025	1139837-00025	Date of first issue: 06.12.2016

Hazard pictograms :



Signal word : Danger

Hazard statements :
H302 Harmful if swallowed.
H370 Causes damage to organs.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :
Prevention:
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P273 Avoid release to the environment.
Response:
P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.
P391 Collect spillage.

Hazardous components which must be listed on the label:
lambda-cyhalothrin (ISO)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
2-(2-butoxyethoxy)ethyl 6-	51-03-6	Eye Irrit. 2; H319	>= 10 - < 20

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
7.1	14.04.2025	1139837-00025	Date of first issue: 06.12.2016

propylpiperonyl ether	200-076-7 604-096-00-0	STOT SE 3; H335 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH066 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	
lambda-cyhalothrin (ISO)	91465-08-6 415-130-7 607-252-00-6	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 3; H311 Eye Irrit. 2; H319 STOT SE 1; H370 (Nervous system) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10.000 M-Factor (Chronic aquatic toxicity): 10.000 Acute toxicity esti- mate Acute inhalation toxicity (dust/mist): 0,06 mg/l	>= 10 - < 20

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- | | |
|----------------------------|---|
| General advice | : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice. |
| Protection of first-aiders | : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
7.1	14.04.2025	1139837-00025	Date of first issue: 06.12.2016

- | | | |
|-------------------------|---|---|
| If inhaled | : | If inhaled, remove to fresh air.
Get medical attention. |
| In case of skin contact | : | In case of contact, immediately flush skin with soap and plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse. |
| In case of eye contact | : | Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists. |
| If swallowed | : | If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.
Get medical attention.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person. |

4.2 Most important symptoms and effects, both acute and delayed

- | | | |
|-------|---|---|
| Risks | : | Harmful if swallowed.
Causes damage to organs. |
|-------|---|---|

4.3 Indication of any immediate medical attention and special treatment needed

- | | | |
|-----------|---|---|
| Treatment | : | Treat symptomatically and supportively. |
|-----------|---|---|

SECTION 5: Firefighting measures

5.1 Extinguishing media

- | | | |
|--------------------------------|---|--|
| Suitable extinguishing media | : | Water spray
Alcohol-resistant foam
Carbon dioxide (CO ₂)
Dry chemical |
| Unsuitable extinguishing media | : | None known. |

5.2 Special hazards arising from the substance or mixture

- | | | |
|---------------------------------------|---|---|
| Specific hazards during fire-fighting | : | Exposure to combustion products may be a hazard to health. |
| Hazardous combustion products | : | Carbon oxides
Nitrogen oxides (NO _x)
Chlorine compounds
Fluorine compounds |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
7.1	14.04.2025	1139837-00025	Date of first issue: 06.12.2016

5.3 Advice for firefighters

- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- Personal precautions : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

6.2 Environmental precautions

- Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Surround spill with absorbents and place a damp covering over the area to minimise entry of the material into the air.
Add excess liquid to allow the material to enter into solution.
Soak up with inert absorbent material.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : Use only with adequate ventilation.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
7.1	14.04.2025	1139837-00025	Date of first issue: 06.12.2016

Advice on safe handling : Do not swallow.
Avoid contact with eyes.
Avoid prolonged or repeated contact with skin.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep in properly labelled containers. Store locked up. Store in accordance with the particular national regulations.

Advice on common storage : Do not store with the following product types:
Strong oxidizing agents
Self-reactive substances and mixtures
Organic peroxides
Explosives
Gases

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	51-03-6	TWA	4 mg/m ³ (OEB 1)	Internal
lambda-cyhalothrin (ISO)	91465-08-6	TWA	5 µg/m ³ (OEB 4)	Internal
Further information: Skin				
		Wipe limit	50 µg/100 cm ²	Internal

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version 7.1 Revision Date: 14.04.2025 SDS Number: 1139837-00025 Date of last issue: 03.12.2024
Date of first issue: 06.12.2016

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	Workers	Inhalation	Long-term systemic effects	3,875 mg/m3
	Workers	Inhalation	Acute systemic effects	7,75 mg/m3
	Workers	Inhalation	Long-term systemic effects	3,875 mg/m3
	Workers	Inhalation	Acute local effects	3,875 mg/m3
	Workers	Skin contact	Long-term systemic effects	27,7 mg/kg bw/day
	Workers	Skin contact	Acute systemic effects	55,5 mg/kg bw/day
	Workers	Skin contact	Long-term local effects	0,44 mg/cm2
	Workers	Skin contact	Acute local effects	0,888 mg/cm2
	Consumers	Inhalation	Long-term systemic effects	1,94 mg/m3
	Consumers	Inhalation	Acute systemic effects	3,875 mg/m3
	Consumers	Inhalation	Long-term local effects	1,94 mg/m3
	Consumers	Inhalation	Acute local effects	1,94 mg/m3
	Consumers	Skin contact	Long-term systemic effects	13,9 mg/kg bw/day
	Consumers	Skin contact	Acute systemic effects	27,8 mg/kg bw/day
	Consumers	Skin contact	Long-term local effects	0,22 mg/cm2
	Consumers	Skin contact	Acute local effects	0,22 mg/cm2
	Consumers	Ingestion	Long-term systemic effects	1,14 mg/kg bw/day
	Consumers	Ingestion	Acute systemic effects	2,3 mg/kg bw/day
Soybean oil, epoxidized	Workers	Inhalation	Long-term systemic effects	11,9 mg/m3
	Workers	Inhalation	Acute systemic effects	70 mg/m3
	Workers	Skin contact	Long-term systemic effects	1,7 mg/kg bw/day
	Workers	Skin contact	Acute systemic effects	10 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	2,8 mg/m3
	Consumers	Inhalation	Acute systemic effects	17,5 mg/m3
	Consumers	Skin contact	Long-term systemic	0,8 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version 7.1 Revision Date: 14.04.2025 SDS Number: 1139837-00025 Date of last issue: 03.12.2024
Date of first issue: 06.12.2016

			effects	bw/day
	Consumers	Skin contact	Acute systemic effects	5 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	0,8 mg/kg bw/day
	Consumers	Ingestion	Acute systemic effects	5 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether	Fresh water	0,001 mg/l
	Marine water	0,0001 - 0,000148 mg/l
	Sewage treatment plant	10 mg/l
	Fresh water sediment	0,019 mg/kg
	Marine sediment	0,0002 mg/kg
	Soil	0,016 mg/kg
	Oral (Secondary Poisoning)	12,53 mg/kg food
Soybean oil, epoxidized	Soil	6,25 mg/kg dry weight (d.w.)

8.2 Exposure controls

Engineering measures

The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., vacuum conveying from a closed system, packout head with inflatable seal from stationary container, ventilated enclosure, etc.).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies.

Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Hand protection

Material : Chemical-resistant gloves

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
7.1	14.04.2025	1139837-00025	Date of first issue: 06.12.2016

Remarks	:	Consider double gloving.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. Filter should conform to NS EN 14387
Filter type	:	Combined particulates and organic vapour type (A-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	solid
Colour	:	violet
Odour	:	No data available
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flammability (solid, gas)	:	Not classified as a flammability hazard
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
pH	:	No data available
Viscosity	:	

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
7.1	14.04.2025	1139837-00025	Date of first issue: 06.12.2016

Viscosity, kinematic : No data available

Solubility(ies)
Water solubility : No data available

Partition coefficient: n-
octanol/water : No data available

Vapour pressure : No data available

Relative density : No data available

Density : No data available

Relative vapour density : No data available

Particle characteristics
Particle size : No data available

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Evaporation rate : No data available

Molecular weight : No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
7.1	14.04.2025	1139837-00025	Date of first issue: 06.12.2016

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure : Skin contact
Ingestion
Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity	: Acute toxicity estimate: 560 mg/kg Method: Calculation method
Acute inhalation toxicity	: Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	: Acute toxicity estimate: > 2.000 mg/kg Method: Calculation method

Components:

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Acute oral toxicity	: LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 423
Acute inhalation toxicity	: LC50 (Rat): > 5,2 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity	: LD50 (Rat): > 2.000 mg/kg Method: OECD Test Guideline 402

lambda-cyhalothrin (ISO):

Acute oral toxicity	: LD50 (Rat): 56 - 79 mg/kg LD50 (Mouse): 20 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 0,06 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 (Rat): 632 - 696 mg/kg
Acute toxicity (other routes of administration)	: LD50 (Rat): 250 - 750 mg/kg Application Route: Intraperitoneal

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
7.1	14.04.2025	1139837-00025	Date of first issue: 06.12.2016

Skin corrosion/irritation

Not classified based on available information.

Components:

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Assessment	:	Repeated exposure may cause skin dryness or cracking.
------------	---	---

lambda-cyhalothrin (ISO):

Species	:	Rabbit
Result	:	No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Result	:	No eye irritation
--------	---	-------------------

Components:

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Irritation to eyes, reversing within 21 days

lambda-cyhalothrin (ISO):

Species	:	Rabbit
Result	:	Mild eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Test Type	:	Maximisation Test
Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
7.1	14.04.2025	1139837-00025	Date of first issue: 06.12.2016

Result : negative

lambda-cyhalothrin (ISO):

Test Type	: Magnusson-Kligman-Test
Exposure routes	: Dermal
Species	: Guinea pig
Result	: Not a skin sensitizer.

Germ cell mutagenicity

Not classified based on available information.

Components:

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES)
	Result: negative

lambda-cyhalothrin (ISO):

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES)
	Result: negative

Test Type: Chromosomal aberration
Test system: Human lymphocytes
Result: negative

Test Type: unscheduled DNA synthesis assay
Test system: rat hepatocytes
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Test system: mouse lymphoma cells
Result: negative

Genotoxicity in vivo	: Test Type: Micronucleus test
	Species: Mouse
	Cell type: Bone marrow
	Application Route: Intraperitoneal
	Result: negative

Carcinogenicity

Not classified based on available information.

Components:

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Species	: Rat
Application Route	: Ingestion
Exposure time	: 107 weeks
Method	: OECD Test Guideline 451
Result	: negative

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
7.1	14.04.2025	1139837-00025	Date of first issue: 06.12.2016

lambda-cyhalothrin (ISO):

Species : Mouse
Application Route : oral (feed)
Exposure time : 2 Years
Result : negative
Remarks : Based on data from similar materials

Species : Rat
Application Route : oral (feed)
Exposure time : 2 Years
Result : negative
Remarks : Based on data from similar materials

Reproductive toxicity

Not classified based on available information.

Components:

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: negative

lambda-cyhalothrin (ISO):

Effects on fertility : Test Type: Three-generation study
Species: Rat
Application Route: oral (feed)
General Toxicity - Parent: NOAEL: 2 mg/kg body weight
General Toxicity F1: LOAEL: 6,7 mg/kg body weight
Symptoms: Reduced offspring weight gain
Result: No effects on fertility
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Development
Species: Rat
Application Route: Oral
General Toxicity Maternal: NOAEL: 10 mg/kg body weight
Developmental Toxicity: LOAEL: 15 mg/kg body weight
Result: No effects on foetal development, Reduced maternal body weight gain, Reduced foetal weight
Remarks: Based on data from similar materials

Test Type: Development

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
7.1	14.04.2025	1139837-00025	Date of first issue: 06.12.2016

Species: Rabbit
Application Route: Oral
General Toxicity Maternal: NOAEL: 10 mg/kg body weight
Developmental Toxicity: NOAEL: 30 mg/kg body weight
Result: No effects on foetal development, Reduced maternal body weight gain, Reduced foetal weight
Remarks: Based on data from similar materials

STOT - single exposure

Causes damage to organs.

Components:

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Assessment : May cause respiratory irritation.

lambda-cyhalothrin (ISO):

Target Organs : Nervous system
Assessment : Causes damage to organs.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Species : Rat
NOAEL : 1.323 mg/kg
Application Route : Ingestion
Exposure time : 7 Weeks

lambda-cyhalothrin (ISO):

Species : Dog
NOAEL : 2,5 mg/kg
LOAEL : 12,5 mg/kg
Application Route : oral (feed)
Exposure time : 90 d
Symptoms : reduced body weight gain, reduced food consumption

Species : Rat
NOAEL : 10 mg/kg
LOAEL : 50 mg/kg
Application Route : Dermal
Exposure time : 21 d
Target Organs : Nervous system

Species : Rat
NOAEL : 0,08 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
7.1	14.04.2025	1139837-00025	Date of first issue: 06.12.2016

LOAEL	:	0,9 mg/kg
Application Route	:	Inhalation
Exposure time	:	21 d
Target Organs	:	Nervous system
Species	:	Dog
NOAEL	:	0,1 mg/kg
LOAEL	:	0,5 mg/kg
Application Route	:	Oral
Exposure time	:	1 yr
Target Organs	:	Nervous system
Symptoms	:	Gastrointestinal disturbance, Vomiting, Convulsions, ataxia, Liver effects

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Not classified based on available information.

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Experience with human exposure

Product:

Skin contact : Symptoms: Skin irritation, tingling, superficial burning sensation, Local irritation
Remarks: Can be absorbed through skin.

Eye contact : Remarks: May irritate eyes.

Components:

lambda-cyhalothrin (ISO):

Inhalation : Symptoms: Cough, Local irritation, sneezing

Skin contact : Symptoms: Skin irritation, tingling, superficial burning sensation, Local irritation
Remarks: Can be absorbed through skin.

Eye contact : Symptoms: Eye irritation

Ingestion : Symptoms: Gastrointestinal disturbance

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
7.1	14.04.2025	1139837-00025	Date of first issue: 06.12.2016

SECTION 12: Ecological information

12.1 Toxicity

Components:

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Toxicity to fish	: LC50 (Cyprinodon variegatus (sheepshead minnow)): 3,94 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0,51 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): 3,89 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 0,824 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	: 1
Toxicity to microorganisms	: EC50 : > 1.000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209
Toxicity to fish (Chronic toxicity)	: NOEC: 0,18 mg/l Exposure time: 35 d Species: Pimephales promelas (fathead minnow)
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 0,03 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)
M-Factor (Chronic aquatic toxicity)	: 1

lambda-cyhalothrin (ISO):

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 0,00019 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials LC50 (Lepomis macrochirus (Bluegill sunfish)): 0,00021 mg/l
------------------	--

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
7.1	14.04.2025	1139837-00025	Date of first issue: 06.12.2016

Exposure time: 96 h
Method: OECD Test Guideline 203
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,00004 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
Remarks: Based on data from similar materials

M-Factor (Acute aquatic toxicity) : 10.000

Toxicity to fish (Chronic toxicity) : NOEC: 0,000062 mg/l
Exposure time: 32 d
Species: Pimephales promelas (fathead minnow)
Method: OECD Test Guideline 210
Remarks: Based on data from similar materials

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,0035 µg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211
Remarks: Based on data from similar materials

M-Factor (Chronic aquatic toxicity) : 10.000

12.2 Persistence and degradability

Components:

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 0 %
Exposure time: 28 d
Method: OECD Test Guideline 301D

12.3 Bioaccumulative potential

Components:

2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether:

Partition coefficient: n-octanol/water : log Pow: 5

lambda-cyhalothrin (ISO):

Bioaccumulation : Bioconcentration factor (BCF): 2.240
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 7,0 (20 °C)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
7.1	14.04.2025	1139837-00025	Date of first issue: 06.12.2016

12.4 Mobility in soil

Components:

lambda-cyhalothrin (ISO):

Distribution among environmental compartments : log Koc: 5,5

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	: Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number or ID number

ADN	: UN 3077
ADR	: UN 3077
RID	: UN 3077

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
7.1	14.04.2025	1139837-00025	Date of first issue: 06.12.2016

IMDG : UN 3077

IATA : UN 3077

14.2 UN proper shipping name

ADN : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.
(2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether, lambda-
cyhalothrin (ISO))

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.
(2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether, lambda-
cyhalothrin (ISO))

RID : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.
(2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether, lambda-
cyhalothrin (ISO))

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,
N.O.S.
(2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether, lambda-
cyhalothrin (ISO))

IATA : Environmentally hazardous substance, solid, n.o.s.
(2-(2-butoxyethoxy)ethyl 6-propylpiperonyl ether, lambda-
cyhalothrin (ISO))

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	: 9	
ADR	: 9	
RID	: 9	
IMDG	: 9	
IATA	: 9	

14.4 Packing group

ADN
Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

ADR
Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9
Tunnel restriction code : (-)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
7.1	14.04.2025	1139837-00025	Date of first issue: 06.12.2016

RID

Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9

IMDG

Packing group : III
Labels : 9
EmS Code : F-A, S-F

IATA (Cargo)

Packing instruction (cargo aircraft) : 956
Packing instruction (LQ) : Y956
Packing group : III
Labels : Miscellaneous

IATA (Passenger)

Packing instruction (passenger aircraft) : 956
Packing instruction (LQ) : Y956
Packing group : III
Labels : Miscellaneous

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
7.1	14.04.2025	1139837-00025	Date of first issue: 06.12.2016

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:
Number on list 75: If you intend to use this product as tattoo ink, please contact your vendor.

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Regulation (EU) No 2024/590 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
H3	STOT SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE	50 t	200 t
E1	ENVIRONMENTAL HAZARDS	100 t	200 t

Other regulations:

Note the Working Environment Act § 4-1 and § 4-2 on requirements for the employer to protect pregnant employees against discomfort and injury as a result of the work situation and the working environment.

Note the regulation on organization, leadership and participation, chapter 12 on the work of children and young people.

The components of this product are reported in the following inventories:

AICS : not determined

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
7.1	14.04.2025	1139837-00025	Date of first issue: 06.12.2016

DSL : not determined

IECSC : not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of H-Statements

H301 : Toxic if swallowed.
H311 : Toxic in contact with skin.
H319 : Causes serious eye irritation.
H330 : Fatal if inhaled.
H335 : May cause respiratory irritation.
H370 : Causes damage to organs.
H400 : Very toxic to aquatic life.
H410 : Very toxic to aquatic life with long lasting effects.
EUH066 : Repeated exposure may cause skin dryness or cracking.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard
Eye Irrit. : Eye irritation
STOT SE : Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified;

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Lambda-Cyhalothrin / Piperonyl Butoxide Ear Tag

Version	Revision Date:	SDS Number:	Date of last issue: 03.12.2024
7.1	14.04.2025	1139837-00025	Date of first issue: 06.12.2016

NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Classification of the mixture:

Acute Tox. 4	H302
STOT SE 1	H370
Aquatic Acute 1	H400
Aquatic Chronic 1	H410

Classification procedure:

Calculation method
Calculation method
Calculation method
Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NO / EN