

Amitraz (12.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
6.0	14.04.2025	1829149-00017	Date of first issue: 11.07.2017

SECTION 1: IDENTIFICATION

Product name : Amitraz (12.5%) Formulation

Manufacturer or supplier's details

Company : Intervet Australia Pty Limited (trading as MSD Animal Health)

Address : 91-105 Harpin Street
Bendigo 3550, Victoria Australia

Telephone : 1 800 033 461

Emergency telephone number : Poisons Information Centre: Phone 13 11 26

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Acute toxicity (Oral) : Category 4

Serious eye damage/eye irritation : Category 2A

Reproductive toxicity : Category 1B

Specific target organ toxicity - single exposure : Category 3

Specific target organ toxicity - repeated exposure : Category 2 (Liver, Central nervous system, Kidney, Heart, Gastrointestinal tract, Lymph nodes)

Aspiration hazard : Category 1

GHS label elements

Hazard pictograms :  

Signal word : Danger

Hazard statements : H302 Harmful if swallowed.
H304 May be fatal if swallowed and enters airways.

Amitraz (12.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
6.0	14.04.2025	1829149-00017	Date of first issue: 11.07.2017

H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
H360F May damage fertility.
H373 May cause damage to organs (Liver, Central nervous system, Kidney, Heart, Gastrointestinal tract, Lymph nodes) through prolonged or repeated exposure.

Supplemental Hazard Statements : AUH066 Repeated exposure may cause skin dryness or cracking.

Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mist or vapours.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P331 Do NOT induce vomiting.
P337 + P313 If eye irritation persists: Get medical advice/ attention.

Storage:
P405 Store locked up.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)
---------------	---------	-----------------------

Amitraz (12.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
6.0	14.04.2025	1829149-00017	Date of first issue: 11.07.2017

Hydrocarbons, C10, aromatics, <1% naphthalene	64742-94-5	>= 60 -<= 100
4-Nonylphenol, branched, ethoxylated	127087-87-0	>= 10 -< 30
amitraz (ISO)	33089-61-1	>= 10 -< 30
Bis(2,6-diisopropylphenyl)carbodiimide	2162-74-5	>= 1 -< 10

Alternative CAS Numbers for some regions

Chemical name	Alternative CAS Number(s)
4-Nonylphenol, branched, ethoxylated	68412-54-4

SECTION 4. FIRST AID MEASURES

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	: In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse. Thoroughly clean shoes before reuse.
In case of eye contact	: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lens, if worn. Get medical attention.
If swallowed	: If swallowed, DO NOT induce vomiting. If vomiting occurs have person lean forward. Call a physician or poison control centre immediately. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	: Harmful if swallowed. May be fatal if swallowed and enters airways. Causes serious eye irritation. May cause drowsiness or dizziness. May damage fertility. May cause damage to organs through prolonged or repeated exposure. Repeated exposure may cause skin dryness or cracking.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
------------------------------	--

Amitraz (12.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
6.0	14.04.2025	1829149-00017	06.04.2024
			Date of first issue: 11.07.2017

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Nitrogen oxides (NOx)

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Hazchem Code : •3Z

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Amitraz (12.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
6.0	14.04.2025	1829149-00017	Date of first issue: 11.07.2017

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.
- Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapours.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.
- Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.
- Conditions for safe storage : Keep in properly labelled containers.
Store locked up.
Keep tightly closed.
Keep in a cool, well-ventilated place.
Store in accordance with the particular national regulations.
- Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Hydrocarbons, C10, aromatics, <1% naphthalene	64742-94-5	TWA (Mist)	5 mg/m ³	AU OEL
		TWA (Inhalable particulate matter)	5 mg/m ³	ACGIH
amitraz (ISO)	33089-61-1	TWA	10 µg/m ³ (OEB 3)	Internal
		Wipe limit	1250 µg/100 cm ²	Internal

- Engineering measures** : Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-

Amitraz (12.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
6.0	14.04.2025	1829149-00017	06.04.2024
			Date of first issue: 11.07.2017

less quick connections).

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Containment technologies suitable for controlling compounds are required to control at source and to prevent migration of the compound to uncontrolled areas (e.g., open-face containment devices).

Minimize open handling.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection

II Material : Chemical-resistant gloves

II Remarks : Consider double gloving.

Eye protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Use appropriate degowning techniques to remove potentially contaminated clothing.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : yellow

Odour : characteristic, aromatic, hydrocarbon-like

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : Not applicable

Initial boiling point and boiling range : No data available

Flash point : 106 °C

Amitraz (12.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
6.0	14.04.2025	1829149-00017	Date of first issue: 11.07.2017

Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents

Amitraz (12.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
6.0	14.04.2025	1829149-00017	Date of first issue: 11.07.2017

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

Harmful if swallowed.

Product:

Acute oral toxicity : Acute toxicity estimate: 1,505 mg/kg
Method: Calculation method

Components:**Hydrocarbons, C10, aromatics, <1% naphthalene:**

Acute oral toxicity	: LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 420 Remarks: Based on data from similar materials
Acute inhalation toxicity	: LC50 (Rat): > 4.778 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Remarks: Based on data from similar materials
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on data from similar materials

4-Nonylphenol, branched, ethoxylated:

Acute oral toxicity	: LD50 (Rat): > 300 - 2,000 mg/kg Remarks: Based on data from similar materials
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg

amitraz (ISO):

Acute oral toxicity	: LD50 (Rat): > 400 mg/kg LD50 (Mouse): > 1,085 mg/kg LD50 (Guinea pig): > 400 mg/kg
Acute inhalation toxicity	: Remarks: No data available

Amitraz (12.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
6.0	14.04.2025	1829149-00017	Date of first issue: 11.07.2017

Acute dermal toxicity : LD50 (Rat): > 1,600 mg/kg

Bis(2,6-diisopropylphenyl)carbodiimide:

Acute oral toxicity : LD50 (Rat): > 300 - 2,000 mg/kg
Method: OECD Test Guideline 423

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Repeated exposure may cause skin dryness or cracking.

Components:**Hydrocarbons, C10, aromatics, <1% naphthalene:**

Assessment : Repeated exposure may cause skin dryness or cracking.

amitraz (ISO):

Species : Rabbit
Result : No skin irritation

Bis(2,6-diisopropylphenyl)carbodiimide:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:**Hydrocarbons, C10, aromatics, <1% naphthalene:**

Species : Rabbit
Result : No eye irritation
Remarks : Based on data from similar materials

4-Nonylphenol, branched, ethoxylated:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days

amitraz (ISO):

Species : Rabbit
Result : No eye irritation

Amitraz (12.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
6.0	14.04.2025	1829149-00017	Date of first issue: 11.07.2017

Bis(2,6-diisopropylphenyl)carbodiimide:

Species	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**Hydrocarbons, C10, aromatics, <1% naphthalene:**

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Result	: negative
Remarks	: Based on data from similar materials

4-Nonylphenol, branched, ethoxylated:

Test Type	: Human repeat insult patch test (HRIPT)
Exposure routes	: Skin contact
Result	: negative
Remarks	: Based on data from similar materials

amitraz (ISO):

Test Type	: Maximisation Test
Exposure routes	: Dermal
Species	: Guinea pig
Result	: Not a skin sensitizer.

Bis(2,6-diisopropylphenyl)carbodiimide:

Test Type	: Maximisation Test
Exposure routes	: Skin contact
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: negative

Chronic toxicity**Germ cell mutagenicity**

Not classified based on available information.

Components:**Hydrocarbons, C10, aromatics, <1% naphthalene:**

Genotoxicity in vitro	: Test Type: In vitro sister chromatid exchange assay in mam-
-----------------------	---

Amitraz (12.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
6.0	14.04.2025	1829149-00017	06.04.2024
			Date of first issue: 11.07.2017

Genotoxicity in vivo	malian cells Result: negative Remarks: Based on data from similar materials
	: Test Type: Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis) Species: Rat Application Route: inhalation (vapour) Result: negative Remarks: Based on data from similar materials

4-Nonylphenol, branched, ethoxylated:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Result: negative

amitraz (ISO):

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: In vitro mammalian cell gene mutation test Result: negative
	Test Type: Chromosome aberration test in vitro Result: negative
	Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Result: negative

Bis(2,6-diisopropylphenyl)carbodiimide:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative
	Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: negative
	Test Type: In vitro mammalian cell gene mutation test Method: OECD Test Guideline 476 Result: negative

Carcinogenicity

Not classified based on available information.

Amitraz (12.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
6.0	14.04.2025	1829149-00017	Date of first issue: 11.07.2017

Components:**4-Nonylphenol, branched, ethoxylated:**

Species	: Rat
Application Route	: Ingestion
Exposure time	: 2 Years
Result	: negative
Remarks	: Based on data from similar materials

amitraz (ISO):

Species	: Rat
Application Route	: Oral
Exposure time	: 2 Years
NOAEL	: > 10.18 mg/kg body weight
Result	: negative

Species	: Mouse
Exposure time	: 2 Years
LOAEL	: 2.3 mg/kg body weight
Result	: positive
Target Organs	: Liver, Stomach

Reproductive toxicity

May damage fertility.

Components:**Hydrocarbons, C10, aromatics, <1% naphthalene:**

Effects on fertility	: Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: inhalation (vapour) Result: negative Remarks: Based on data from similar materials
----------------------	--

Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative Remarks: Based on data from similar materials
-------------------------------	---

amitraz (ISO):

Effects on fertility	: Test Type: Three-generation reproduction toxicity study Species: Rat Application Route: Oral Fertility: NOAEL: > 4.8 mg/kg body weight Result: No significant adverse effects were reported
----------------------	---

Effects on foetal development	: Test Type: Embryo-foetal development Species: Rat Application Route: Oral Developmental Toxicity: NOAEL: 3 mg/kg body weight
-------------------------------	---

Amitraz (12.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
6.0	14.04.2025	1829149-00017	06.04.2024
			Date of first issue: 11.07.2017

Remarks: No significant adverse effects were reported

Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Oral
Developmental Toxicity: NOAEL: 5 mg/kg body weight
Result: Effects on foetal development

Bis(2,6-diisopropylphenyl)carbodiimide:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 421
Result: positive

Test Type: Fertility
Species: Rat
Application Route: Ingestion
Result: positive

Effects on foetal development : Test Type: Reproduction/Developmental toxicity screening test
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 421
Result: equivocal

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments.

STOT - single exposure

May cause drowsiness or dizziness.

Components:**Hydrocarbons, C10, aromatics, <1% naphthalene:**

Assessment : May cause drowsiness or dizziness.
Remarks : Based on data from similar materials

STOT - repeated exposure

May cause damage to organs (Liver, Central nervous system, Kidney, Heart, Gastrointestinal tract, Lymph nodes) through prolonged or repeated exposure.

Components:**amitraz (ISO):**

Target Organs : Liver, Central nervous system
Assessment : May cause damage to organs through prolonged or repeated exposure.

Amitraz (12.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
6.0	14.04.2025	1829149-00017	Date of first issue: 11.07.2017

Bis(2,6-diisopropylphenyl)carbodiimide:

Exposure routes	: Ingestion
Target Organs	: Kidney, Heart, Gastrointestinal tract, Lymph nodes
Assessment	: Causes damage to organs through prolonged or repeated exposure.

Repeated dose toxicity**Components:****Hydrocarbons, C10, aromatics, <1% naphthalene:**

Species	: Rat
NOAEL	: 300 mg/kg
Application Route	: Ingestion
Exposure time	: 13 Weeks
Remarks	: Based on data from similar materials

4-Nonylphenol, branched, ethoxylated:

Species	: Rat
LOAEL	: > 100 mg/kg
Application Route	: Ingestion
Exposure time	: 90 Days
Remarks	: Based on data from similar materials

amitraz (ISO):

Species	: Mouse
NOAEL	: 3 mg/kg
Application Route	: Oral
Exposure time	: 90 Days
Target Organs	: Liver

Species	: Dog
NOAEL	: 0.25 mg/kg
Application Route	: Oral
Exposure time	: 90 Days
Target Organs	: Central nervous system, Liver

Bis(2,6-diisopropylphenyl)carbodiimide:

Species	: Rat
NOAEL	: 4 mg/kg
LOAEL	: 16 mg/kg
Application Route	: Ingestion
Exposure time	: 28 Days
Method	: OECD Test Guideline 407

Aspiration toxicity

May be fatal if swallowed and enters airways.

Amitraz (12.5%) Formulation

Version 6.0	Revision Date: 14.04.2025	SDS Number: 1829149-00017	Date of last issue: 06.04.2024 Date of first issue: 11.07.2017
----------------	------------------------------	------------------------------	---

Product:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Components:**Hydrocarbons, C10, aromatics, <1% naphthalene:**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Experience with human exposure**Components:****amitraz (ISO):**

Ingestion : Target Organs: Central nervous system

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Hydrocarbons, C10, aromatics, <1% naphthalene:**

Toxicity to fish	: LL50 (Oncorhynchus mykiss (rainbow trout)): 2 - 5 mg/l Exposure time: 96 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 203 Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EL50 (Daphnia magna (Water flea)): 3 - 10 mg/l Exposure time: 48 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 202 Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: EL50 (Pseudokirchneriella subcapitata (green algae)): > 1 - 3 mg/l Exposure time: 72 h Test substance: Water Accommodated Fraction Method: OECD Test Guideline 201 Remarks: Based on data from similar materials

4-Nonylphenol, branched, ethoxylated:

Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): > 0.1 - 1 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Ceriodaphnia dubia (water flea)): > 0.1 - 1 mg/l Exposure time: 48 h

Amitraz (12.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
6.0	14.04.2025	1829149-00017	06.04.2024
			Date of first issue: 11.07.2017

	Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	: ErC50 (<i>Selenastrum capricornutum</i> (green algae)): > 1 - 10 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
	EC10 (<i>Selenastrum capricornutum</i> (green algae)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials
Toxicity to fish (Chronic toxicity)	: NOEC (<i>Oryzias latipes</i> (Japanese medaka)): > 0.1 - 1 mg/l Exposure time: 100 d Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (<i>Mysidopsis bahia</i> (opossum shrimp)): > 0.001 - 0.01 mg/l Exposure time: 28 d Remarks: Based on data from similar materials

amitraz (ISO):

Toxicity to fish	: LC50 (<i>Lepomis macrochirus</i> (Bluegill sunfish)): 0.45 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (<i>Daphnia magna</i> (Water flea)): 0.035 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: NOEC (<i>Pseudokirchneriella subcapitata</i> (green algae)): 0.04 mg/l Exposure time: 91 h
Toxicity to fish (Chronic toxicity)	: NOEC (<i>Pimephales promelas</i> (fathead minnow)): 0.00148 mg/l Exposure time: 32 d
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (<i>Daphnia magna</i> (Water flea)): 0.0011 mg/l Exposure time: 21 d

Bis(2,6-diisopropylphenyl)carbodiimide:

Toxicity to fish	: LC50 (<i>Oncorhynchus mykiss</i> (rainbow trout)): > 0.1 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: No toxicity at the limit of solubility
Toxicity to daphnia and other aquatic invertebrates	: EC50 (<i>Daphnia magna</i> (Water flea)): > 1 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: No toxicity at the limit of solubility

Amitraz (12.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue:
6.0	14.04.2025	1829149-00017	06.04.2024
			Date of first issue: 11.07.2017

Toxicity to algae/aquatic plants	: ErC50 (Desmodesmus subspicatus (green algae)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility NOEC (Desmodesmus subspicatus (green algae)): > 1 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to microorganisms	: EC50: > 1,000 mg/l Exposure time: 3 h Method: OECD Test Guideline 209

Persistence and degradability**Components:****Hydrocarbons, C10, aromatics, <1% naphthalene:**

Biodegradability	: Result: Not readily biodegradable. Biodegradation: 49.56 % Exposure time: 28 d Method: OECD Test Guideline 301F
------------------	--

4-Nonylphenol, branched, ethoxylated:

Biodegradability	: Result: Not readily biodegradable. Remarks: Based on data from similar materials
------------------	---

Bis(2,6-diisopropylphenyl)carbodiimide:

Biodegradability	: Result: Not readily biodegradable. Biodegradation: 3 % Exposure time: 28 d Method: OECD Test Guideline 301B
------------------	--

Bioaccumulative potential**Components:****4-Nonylphenol, branched, ethoxylated:**

Partition coefficient: n-octanol/water	: log Pow: < 4
--	----------------

amitraz (ISO):

Bioaccumulation	: Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): 1,333
-----------------	---

Partition coefficient: n-octanol/water	: log Pow: 5.5
--	----------------

Bis(2,6-diisopropylphenyl)carbodiimide:

Bioaccumulation	: Bioconcentration factor (BCF): > 500
-----------------	--

Amitraz (12.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
6.0	14.04.2025	1829149-00017	Date of first issue: 11.07.2017

Partition coefficient: n-octanol/water : log Pow: > 6.2

Mobility in soil**Components:****amitraz (ISO):**

Distribution among environmental compartments : log Koc: 3.3

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Do not dispose of waste into sewer.
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(amitraz (ISO))

Class : 9

Packing group : III

Labels : 9

Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(amitraz (ISO))

Class : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo aircraft) : 964

Packing instruction (passenger aircraft) : 964

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Amitraz (12.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
6.0	14.04.2025	1829149-00017	Date of first issue: 11.07.2017

(amitraz (ISO))

Class	: 9
Packing group	: III
Labels	: 9
EmS Code	: F-A, S-F
Marine pollutant	: yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**ADG**

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(amitraz (ISO))

Class	: 9
Packing group	: III
Labels	: 9
Hazchem Code	: •3Z
Environmentally hazardous	: yes

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

Therapeutic Goods (Poisons Standard) Instrument	: Schedule 7 (Please use the original publication to check for specific uses, specific conditions or threshold limits that might apply for this chemical)
Prohibition/Licensing Requirements	: There is no applicable prohibition, authorisation and restricted use requirements, including for carcinogens referred to in Schedule 10 of the model WHS Act and Regulations.

The components of this product are reported in the following inventories:

AICS	: not determined
DSL	: not determined
IECSC	: not determined

Amitraz (12.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
6.0	14.04.2025	1829149-00017	Date of first issue: 11.07.2017

SECTION 16: ANY OTHER RELEVANT INFORMATION**Further information**

Revision Date : 14.04.2025
Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)
AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.

ACGIH / TWA : 8-hour, time-weighted average
AU OEL / TWA : Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Amitraz (12.5%) Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 06.04.2024
6.0	14.04.2025	1829149-00017	Date of first issue: 11.07.2017

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN