

# SAFETY DATA SHEET



## Enrofloxacin / Diclofenac Liquid Formulation

Version 4.1      Revision Date: 2025/04/14      SDS Number: 1239752-00019      Date of last issue: 2024/09/28  
Date of first issue: 2017/01/26

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Enrofloxacin / Diclofenac Liquid Formulation

#### Manufacturer or supplier's details

Company : MSD

Address : 126 E. Lincoln Avenue  
Rahway, New Jersey U.S.A. 07065

Telephone : +1-908-740-4000

Emergency telephone number : +1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### 2. HAZARDS IDENTIFICATION

#### GHS Classification

Skin corrosion/irritation : Category 1

Serious eye damage/eye irritation : Category 1

Skin sensitisation : Category 1

Reproductive toxicity : Category 2

Specific target organ toxicity - repeated exposure : Category 1 (cartilage, Testis)

Specific target organ toxicity - repeated exposure : Category 2 (Gastrointestinal tract, Blood, lymphatic system, Liver, Prostate)

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 1

#### GHS label elements

# SAFETY DATA SHEET



## Enrofloxacin / Diclofenac Liquid Formulation

Version 4.1	Revision Date: 2025/04/14	SDS Number: 1239752-00019	Date of last issue: 2024/09/28 Date of first issue: 2017/01/26
----------------	------------------------------	------------------------------	---

Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	<p>H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H361f Suspected of damaging fertility. H372 Causes damage to organs (cartilage, Testis) through prolonged or repeated exposure. H373 May cause damage to organs (Gastrointestinal tract, Blood, lymphatic system, Liver, Prostate) through prolonged or repeated exposure. H410 Very toxic to aquatic life with long lasting effects.</p>
Precautionary statements	:	<p><b>Prevention:</b> P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe mist or vapours. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p><b>Response:</b> P301 + P330 + P331 + P310 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/ doctor. P303 + P361 + P353 + P310 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. Immediately call a POISON CENTER/ doctor. P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P362 + P364 Take off contaminated clothing and wash it before reuse. P391 Collect spillage.</p> <p><b>Storage:</b></p>

# SAFETY DATA SHEET



## Enrofloxacin / Diclofenac Liquid Formulation

Version 4.1	Revision Date: 2025/04/14	SDS Number: 1239752-00019	Date of last issue: 2024/09/28 Date of first issue: 2017/01/26
----------------	------------------------------	------------------------------	---

P405 Store locked up.

### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Enrofloxacin	93106-60-6	>= 10 -< 25
Benzyl alcohol	100-51-6	>= 1 -< 10
Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate	15307-79-6	>= 1 -< 2.5

## 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.  
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
Get medical attention immediately.

In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.  
Get medical attention immediately.  
Wash clothing before reuse.

In case of eye contact : Thoroughly clean shoes before reuse.  
In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.  
If easy to do, remove contact lens, if worn.  
Get medical attention immediately.

If swallowed : If swallowed, DO NOT induce vomiting.  
If vomiting occurs have person lean forward.  
Call a physician or poison control centre immediately.  
Rinse mouth thoroughly with water.  
Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed : Causes digestive tract burns.  
May cause an allergic skin reaction.  
Causes serious eye damage.  
Suspected of damaging fertility.  
Causes damage to organs through prolonged or repeated exposure.

# SAFETY DATA SHEET



## Enrofloxacin / Diclofenac Liquid Formulation

Version 4.1      Revision Date: 2025/04/14      SDS Number: 1239752-00019      Date of last issue: 2024/09/28  
Date of first issue: 2017/01/26

---

Protection of first-aiders	Causes severe burns. First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	Treat symptomatically and supportively.

---

### 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO <sub>2</sub> ) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire-fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Chlorine compounds Nitrogen oxides (NO <sub>x</sub> ) Sodium oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

---

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can

# SAFETY DATA SHEET



## Enrofloxacin / Diclofenac Liquid Formulation

Version 4.1	Revision Date: 2025/04/14	SDS Number: 1239752-00019	Date of last issue: 2024/09/28 Date of first issue: 2017/01/26
----------------	------------------------------	------------------------------	---

be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

## 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe mist or vapours.  
Do not swallow.  
Do not get in eyes.  
Wash skin thoroughly after handling.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Do not eat, drink or smoke when using this product.  
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labelled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Self-reactive substances and mixtures  
Organic peroxides  
Oxidizing agents  
Explosives

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Enrofloxacin	93106-60-6	TWA	0.2 mg/m <sup>3</sup> (OEB 2)	Internal
Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate	15307-79-6	TWA	100 µg/m <sup>3</sup> (OEB 2)	Internal
Further information: Skin				

# SAFETY DATA SHEET



## Enrofloxacin / Diclofenac Liquid Formulation

Version 4.1      Revision Date: 2025/04/14      SDS Number: 1239752-00019      Date of last issue: 2024/09/28  
Date of first issue: 2017/01/26

---

### Engineering measures

: Use appropriate engineering controls and manufacturing technologies to control airborne concentrations (e.g., drip-less quick connections).  
All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.  
Laboratory operations do not require special containment.

### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection : Chemical-resistant gloves

Material : Chemical-resistant gloves

Eye protection : Wear safety glasses with side shields or goggles.  
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.  
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Contaminated work clothing should not be allowed out of the workplace.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: light yellow
Odour	: No data available
Odour Threshold	: No data available
pH	: 10.5 - 11.5 (as aqueous solution)
Melting point/freezing point	: No data available

# SAFETY DATA SHEET



## Enrofloxacin / Diclofenac Liquid Formulation

Version 4.1      Revision Date: 2025/04/14      SDS Number: 1239752-00019      Date of last issue: 2024/09/28  
Date of first issue: 2017/01/26

---

Initial boiling point and boiling range	: No data available
Flash point	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit / Upper flammability limit	: No data available
Lower explosion limit / Lower flammability limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: 1.07 - 1.08 g/cm <sup>3</sup>
Solubility(ies)	
Water solubility	: soluble
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	
Viscosity, kinematic	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.
Particle characteristics	
Particle size	: Not applicable

---

## 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Can react with strong oxidizing agents.

# SAFETY DATA SHEET



## Enrofloxacin / Diclofenac Liquid Formulation

Version 4.1      Revision Date: 2025/04/14      SDS Number: 1239752-00019      Date of last issue: 2024/09/28  
Date of first issue: 2017/01/26

---

Conditions to avoid	: None known.
Incompatible materials	: Oxidizing agents Acids
Hazardous decomposition products	: No hazardous decomposition products are known.

### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

#### Components:

##### **Enrofloxacin:**

Acute oral toxicity : LD50 (Rabbit): 500 - 800 mg/kg  
LD50 (Rat): > 5,000 mg/kg  
LD50 (Mouse): > 5,000 mg/kg

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg

##### **Benzyl alcohol:**

Acute oral toxicity : LD50 (Rat): 1,200 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5.4 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403  
Assessment: The substance or mixture has no acute inhalation toxicity

##### **Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:**

Acute oral toxicity : LD50 (Rat): 55 - 240 mg/kg  
LD50 (Mouse): 170 - 389 mg/kg

Acute toxicity (other routes of administration) : LD50 (Rat): 97 - 161 mg/kg  
Application Route: Intravenous  
LD50 (Mouse): 92 - 147 mg/kg  
Application Route: Intravenous

# SAFETY DATA SHEET



## Enrofloxacin / Diclofenac Liquid Formulation

Version 4.1      Revision Date: 2025/04/14      SDS Number: 1239752-00019      Date of last issue: 2024/09/28  
Date of first issue: 2017/01/26

---

### **Skin corrosion/irritation**

Causes severe burns.

#### **Components:**

##### **Enrofloxacin:**

Result : No skin irritation

##### **Benzyl alcohol:**

Species : Rabbit  
Method : OECD Test Guideline 404  
Result : No skin irritation

##### **Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:**

Result : irritating

### **Serious eye damage/eye irritation**

Causes serious eye damage.

#### **Components:**

##### **Enrofloxacin:**

Result : Mild eye irritation

##### **Benzyl alcohol:**

Species : Rabbit  
Result : Irritation to eyes, reversing within 21 days  
Method : OECD Test Guideline 405

##### **Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:**

Result : Mild eye irritation

### **Respiratory or skin sensitisation**

#### **Skin sensitisation**

May cause an allergic skin reaction.

#### **Respiratory sensitisation**

Not classified based on available information.

#### **Components:**

##### **Enrofloxacin:**

Test Type : Maximisation Test  
Exposure routes : Dermal  
Species : Guinea pig  
Result : Not a skin sensitizer.

# SAFETY DATA SHEET



## Enrofloxacin / Diclofenac Liquid Formulation

Version  
4.1

Revision Date:  
2025/04/14

SDS Number:  
1239752-00019

Date of last issue: 2024/09/28  
Date of first issue: 2017/01/26

---

### **Benzyl alcohol:**

Test Type	:	Human repeat insult patch test (HRIPT)
Exposure routes	:	Skin contact
Species	:	Humans
Result	:	positive
Assessment	:	Probability or evidence of low to moderate skin sensitisation rate in humans

### **Germ cell mutagenicity**

Not classified based on available information.

### **Components:**

#### **Enrofloxacin:**

Genotoxicity in vitro	:	Test Type: Chromosomal aberration Result: positive
Genotoxicity in vivo	:	Test Type: Micronucleus test Species: Mouse Result: negative
	:	Test Type: Mammalian bone marrow sister chromatid exchange Species: Hamster Result: negative
	:	Test Type: Chromosomal aberration Species: Rat Result: negative

#### **Benzyl alcohol:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative

#### **Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	:	Test Type: Mouse Lymphoma Result: negative
Genotoxicity in vivo	:	Test Type: Chromosomal aberration Species: CHO

# SAFETY DATA SHEET



## Enrofloxacin / Diclofenac Liquid Formulation

Version 4.1      Revision Date: 2025/04/14      SDS Number: 1239752-00019      Date of last issue: 2024/09/28  
Date of first issue: 2017/01/26

---

Result: negative

### Carcinogenicity

Not classified based on available information.

### Components:

#### **Enrofloxacin:**

Species	:	Rat
Application Route	:	Oral
Exposure time	:	2 Years
Result	:	negative
Species	:	Mouse
Application Route	:	Oral
Exposure time	:	2 Years
Result	:	negative

#### **Benzyl alcohol:**

Species	:	Mouse
Application Route	:	Ingestion
Exposure time	:	103 weeks
Method	:	OECD Test Guideline 451
Result	:	negative

#### **Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:**

Species	:	Rat
Application Route	:	Oral
Exposure time	:	2 Years
Result	:	negative
Species	:	Mouse
Application Route	:	Oral
Exposure time	:	2 Years
Result	:	negative

### **Reproductive toxicity**

Suspected of damaging fertility.

### Components:

#### **Enrofloxacin:**

Effects on fertility	:	Test Type: Two-generation study Species: Rat Application Route: Oral Fertility: LOAEL: 15 mg/kg body weight Result: Effects on fertility, alteration in sperm morphology
Effects on foetal development	:	Test Type: Development Species: Rat

# SAFETY DATA SHEET



## Enrofloxacin / Diclofenac Liquid Formulation

Version 4.1      Revision Date: 2025/04/14      SDS Number: 1239752-00019      Date of last issue: 2024/09/28  
Date of first issue: 2017/01/26

---

Application Route: Oral  
Developmental Toxicity: LOAEL: 210 mg/kg body weight  
Result: Reduced foetal weight, No teratogenic effects  
Remarks: Maternal toxicity observed.

Test Type: Development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: NOAEL: 25 mg/kg body weight  
Result: No fetotoxicity, No teratogenic effects

Reproductive toxicity - Assessment : Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

### Benzyl alcohol:

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat  
Application Route: Ingestion  
Result: negative  
Remarks: Based on data from similar materials

Effects on foetal development : Test Type: Embryo-foetal development  
Species: Mouse  
Application Route: Ingestion  
Result: negative

### Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:

Effects on fertility : Test Type: Fertility  
Species: Rat, male and female  
Application Route: Oral  
Fertility: NOAEL: 4 mg/kg body weight  
Result: No effects on fertility

Effects on foetal development : Test Type: Development  
Species: Rat  
Application Route: Oral  
Developmental Toxicity: LOAEL: 1 mg/kg body weight  
Result: Embryo-foetal toxicity, No teratogenic effects

Test Type: Development  
Species: Rabbit  
Application Route: Oral  
Developmental Toxicity: LOAEL: 5 mg/kg body weight  
Result: Embryo-foetal toxicity, No teratogenic effects

Reproductive toxicity - Assessment : Suspected of damaging the unborn child.

### STOT - single exposure

Not classified based on available information.

# SAFETY DATA SHEET



## Enrofloxacin / Diclofenac Liquid Formulation

Version  
4.1

Revision Date:  
2025/04/14

SDS Number:  
1239752-00019

Date of last issue: 2024/09/28  
Date of first issue: 2017/01/26

---

### STOT - repeated exposure

Causes damage to organs (cartilage, Testis) through prolonged or repeated exposure.  
May cause damage to organs (Gastrointestinal tract, Blood, lymphatic system, Liver, Prostate) through prolonged or repeated exposure.

#### Components:

##### **Enrofloxacin:**

Target Organs : cartilage, Testis  
Assessment : Causes damage to organs through prolonged or repeated exposure.

##### **Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:**

Target Organs : Gastrointestinal tract, Blood, lymphatic system, Liver, Prostate  
Assessment : Causes damage to organs through prolonged or repeated exposure.

### Repeated dose toxicity

#### Components:

##### **Enrofloxacin:**

Species	:	Rat
NOAEL	:	36 mg/kg
LOAEL	:	150 mg/kg
Application Route	:	Oral
Exposure time	:	13 Weeks
Target Organs	:	Testis
Species	:	Dog
NOAEL	:	3 mg/kg
LOAEL	:	9.6 mg/kg
Application Route	:	Oral
Exposure time	:	13 Weeks
Target Organs	:	cartilage
Species	:	Cat
NOAEL	:	25 mg/kg
Application Route	:	Oral
Exposure time	:	30 Days
Remarks	:	No significant adverse effects were reported

##### **Benzyl alcohol:**

Species : Rat  
NOAEL : 1.072 mg/l  
Application Route : inhalation (dust/mist/fume)  
Exposure time : 28 Days  
Method : OECD Test Guideline 412

##### **Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:**

# SAFETY DATA SHEET



## Enrofloxacin / Diclofenac Liquid Formulation

Version 4.1      Revision Date: 2025/04/14      SDS Number: 1239752-00019      Date of last issue: 2024/09/28  
Date of first issue: 2017/01/26

---

Species	:	Rat
LOAEL	:	0.25 mg/kg
Application Route	:	Oral
Exposure time	:	98 w
Target Organs	:	Gastrointestinal tract, Blood, lymphatic system, Liver, Prostate
Species	:	Dog
LOAEL	:	1 mg/kg
Application Route	:	Oral
Exposure time	:	12 w
Target Organs	:	Blood
Species	:	Baboon
NOAEL	:	0.5 mg/kg
LOAEL	:	5 mg/kg
Application Route	:	Oral
Exposure time	:	52 w
Target Organs	:	Gastrointestinal tract, Blood
Symptoms	:	constipation, Diarrhoea

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

##### **Enrofloxacin:**

Ingestion : Symptoms: Gastrointestinal disturbance, central nervous system effects, Sensitivity to light

##### **Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:**

Ingestion : Symptoms: Abdominal pain, Diarrhoea, constipation, heartburn, Ulceration, Dizziness, Headache, Breathing difficulties, Rash

---

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

#### Components:

##### **Enrofloxacin:**

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 79.5 mg/l  
Exposure time: 96 h

LC50 (Oncorhynchus mykiss (rainbow trout)): > 196 mg/l  
Exposure time: 96 h

LC50 (Oryzias latipes (Japanese medaka)): > 100 mg/l  
Exposure time: 96 h

## Enrofloxacin / Diclofenac Liquid Formulation

Version 4.1 Revision Date: 2025/04/14 SDS Number: 1239752-00019 Date of last issue: 2024/09/28 Date of first issue: 2017/01/26

---

Toxicity to daphnia and other aquatic invertebrates	: EC50 (Hyalella azteca (Amphipod)): > 206 mg/l Exposure time: 96 h
	EC50 (Daphnia magna (Water flea)): 79.9 mg/l Exposure time: 48 h
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): 3.1 mg/l Exposure time: 72 h
	EC50 (Microcystis aeruginosa (blue-green algae)): 0.049 mg/l Exposure time: 5 d
M-Factor (Acute aquatic toxicity)	: 10
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 9.8 mg/l Exposure time: 21 d
	NOEC (Daphnia magna (Water flea)): 5 mg/l Exposure time: 21 d
	LOEC (Daphnia magna (Water flea)): 15 mg/l Exposure time: 21 d
M-Factor (Chronic aquatic toxicity)	: 10
<b>Benzyl alcohol:</b>	
Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 460 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 230 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): 770 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	NOEC (Pseudokirchneriella subcapitata (green algae)): 310 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 51 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
<b>Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:</b>	
Toxicity to fish	: LC50 (Pimephales promelas (fathead minnow)): 166.6 mg/l Exposure time: 96 h

# SAFETY DATA SHEET



## Enrofloxacin / Diclofenac Liquid Formulation

Version 4.1      Revision Date: 2025/04/14      SDS Number: 1239752-00019      Date of last issue: 2024/09/28  
Date of first issue: 2017/01/26

---

Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 80.1 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 71.9 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 49.2 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

Toxicity to fish (Chronic toxicity) : NOEC (Pimephales promelas (fathead minnow)): 0.32 mg/l  
Exposure time: 32 d  
Method: OECD Test Guideline 210

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 10 mg/l  
Exposure time: 21 d  
Method: OECD Test Guideline 211

### Persistence and degradability

#### Components:

##### **Benzyl alcohol:**

Biodegradability : Result: Readily biodegradable.  
Biodegradation: 92 - 96 %  
Exposure time: 14 d

### Bioaccumulative potential

#### Components:

##### **Enrofloxacin:**

Partition coefficient: n-octanol/water : log Pow: 0.5

##### **Benzyl alcohol:**

Partition coefficient: n-octanol/water : log Pow: 1.05

##### **Sodium [2-[(2,6-dichlorophenyl)amino]phenyl]acetate:**

Partition coefficient: n-octanol/water : log Pow: 4.51

# SAFETY DATA SHEET



## Enrofloxacin / Diclofenac Liquid Formulation

Version 4.1 Revision Date: 2025/04/14 SDS Number: 1239752-00019 Date of last issue: 2024/09/28 Date of first issue: 2017/01/26

---

### Mobility in soil

#### Components:

##### **Enrofloxacin:**

Distribution among environmental compartments : Koc: 5.55

##### **Other adverse effects**

No data available

---

## 13. DISPOSAL CONSIDERATIONS

#### **Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## 14. TRANSPORT INFORMATION

#### **International Regulations**

##### **UNRTDG**

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Enrofloxacin)  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

##### **IATA-DGR**

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(Enrofloxacin)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

##### **IMDG-Code**

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Enrofloxacin)  
Class : 9

# SAFETY DATA SHEET



## Enrofloxacin / Diclofenac Liquid Formulation

Version 4.1 Revision Date: 2025/04/14 SDS Number: 1239752-00019 Date of last issue: 2024/09/28 Date of first issue: 2017/01/26

---

Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

**Minister of Industry Regulation No. 23/M-IND/PER/4/2013 concerning the Revision of Minister of Industry Regulation No. 87/M-IND/PER/9/2009 concerning Globally Harmonized System of Classification and Labelling of Chemicals.**

**Regulation of the Minister of Health No. 472 of 1996 on the Safeguarding of Substances Hazardous to Health**

Hazardous substances that must be registered : Not applicable

**Government Regulation No. 74 of 2001 on the Management of Hazardous and Toxic Substances**

Hazardous substances approved for use : Not applicable

Prohibited substances : Not applicable

Restricted substances : Not applicable

**Regulation of the Ministry of Trade No. 7 of 2022 on Distribution and Control of Hazardous Materials**

Type of hazardous materials subject to distribution and control, Annex I : Not applicable

Type of hazardous materials subject to distribution and control, Annex II : Not applicable

**The components of this product are reported in the following inventories:**

AICS : not determined

DSL : not determined

IECSC : not determined

---

## 16. OTHER INFORMATION

Revision Date : 2025/04/14

# SAFETY DATA SHEET



## Enrofloxacin / Diclofenac Liquid Formulation

Version 4.1	Revision Date: 2025/04/14	SDS Number: 1239752-00019	Date of last issue: 2024/09/28 Date of first issue: 2017/01/26
----------------	------------------------------	------------------------------	---

### Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

### Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECL - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

ID / EN