

# SAFETY DATA SHEET



## Gentamicin / Posaconazole / Mometasone Suspension Formulation

Version 6.0      Revision Date: 03.12.2024      SDS Number: 1244597-00020      Date of last issue: 20.11.2023  
Date of first issue: 27.01.2017

---

### SECTION 1. IDENTIFICATION

Product name : Gentamicin / Posaconazole / Mometasone Suspension Formulation  
Product code : Mometamax Single  
Other means of identification : Mometamax Ultra Ear Drops Suspension for Dogs (91464)

#### Manufacturer or supplier's details

Company : MSD  
Address : Talcahuano 750, 6th floor, Ciudad Autonoma Buenos Aires, Argentina C1013AAP  
Telephone : 908-740-4000  
Emergency telephone : 1-908-423-6000  
E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product  
Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Reproductive toxicity : Category 1A  
Short-term (acute) aquatic hazard : Category 1  
Long-term (chronic) aquatic hazard : Category 2

#### GHS label elements

Hazard pictograms :   
Signal Word : Danger  
Hazard Statements : H360D May damage the unborn child.  
H400 Very toxic to aquatic life.  
H411 Toxic to aquatic life with long lasting effects.

# SAFETY DATA SHEET



## Gentamicin / Posaconazole / Mometasone Suspension Formulation

Version 6.0	Revision Date: 03.12.2024	SDS Number: 1244597-00020	Date of last issue: 20.11.2023 Date of first issue: 27.01.2017
----------------	------------------------------	------------------------------	---

Precautionary Statements	:	<b>Prevention:</b> P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
	:	<b>Response:</b> P308 + P313 IF exposed or concerned: Get medical advice/ attention. P391 Collect spillage.
	:	<b>Storage:</b> P405 Store locked up.
	:	<b>Disposal:</b> P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
White mineral oil (petroleum)	8042-47-5	>= 90 -<= 100
Gentamicin	1403-66-3	>= 0,3 -< 1
Posaconazole	171228-49-2	>= 0,25 -< 1
Mometasone	83919-23-7	>= 0,1 -< 0,25

## SECTION 4. FIRST AID MEASURES

General advice	:	In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention.
In case of skin contact	:	In case of contact, immediately flush skin with soap and plenty of water. Remove contaminated clothing and shoes. Get medical attention. Wash clothing before reuse.
		Thoroughly clean shoes before reuse.
In case of eye contact	:	Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.
If swallowed	:	If swallowed, DO NOT induce vomiting.

# SAFETY DATA SHEET



## Gentamicin / Posaconazole / Mometasone Suspension Formulation

Version 6.0 Revision Date: 03.12.2024 SDS Number: 1244597-00020 Date of last issue: 20.11.2023 Date of first issue: 27.01.2017

Most important symptoms and effects, both acute and delayed	Get medical attention. Rinse mouth thoroughly with water. : May damage the unborn child.
Protection of first-aiders	: First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).
Notes to physician	: Treat symptomatically and supportively.

## SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	: None known.
Specific hazards during fire fighting	: Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g., by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material. For large spills, provide diking or other appropriate

# SAFETY DATA SHEET



## Gentamicin / Posaconazole / Mometasone Suspension Formulation

Version 6.0      Revision Date: 03.12.2024

SDS Number:  
1244597-00020

Date of last issue: 20.11.2023  
Date of first issue: 27.01.2017

containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.

Clean up remaining materials from spill with suitable absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

## SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.  
Do not breathe vapors or spray mist.  
Do not swallow.  
Avoid contact with eyes.  
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment  
Keep container tightly closed.  
Take care to prevent spills, waste and minimize release to the environment.

Conditions for safe storage : Keep in properly labeled containers.  
Store locked up.  
Keep tightly closed.  
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:  
Strong oxidizing agents  
Self-reactive substances and mixtures  
Organic peroxides  
Explosives  
Gases

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
White mineral oil (petroleum)	8042-47-5	CMP (Mist)	5 mg/m <sup>3</sup>	AR OEL
		CMP - CPT (Mist)	10 mg/m <sup>3</sup>	AR OEL
		TWA (Inhalable particulate)	5 mg/m <sup>3</sup>	ACGIH

## Gentamicin / Posaconazole / Mometasone Suspension Formulation

Version  
6.0

Revision Date:  
03.12.2024

SDS Number:  
1244597-00020

Date of last issue: 20.11.2023  
Date of first issue: 27.01.2017

		(matter)		
Gentamicin	1403-66-3	TWA	0.1 mg/m <sup>3</sup> (OEB 2)	Internal
Further information: OTO				
Posaconazole	171228-49-2	TWA	300 µg/m <sup>3</sup> (OEB 2)	Internal
Further information: Skin				
		Wipe limit	10 µg/100 cm <sup>2</sup>	Internal

### Engineering measures

: The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type Hand protection : Combined particulates and organic vapor type

Material : Chemical-resistant gloves

Remarks Eye protection : Consider double gloving.

: Wear safety glasses with side shields or goggles.

If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.

Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Skin and body protection : Work uniform or laboratory coat.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.

**Gentamicin / Posaconazole / Mometasone Suspension Formulation**

Version 6.0      Revision Date: 03.12.2024      SDS Number: 1244597-00020      Date of last issue: 20.11.2023  
Date of first issue: 27.01.2017

---

Hygiene measures : Use appropriate degowning techniques to remove potentially contaminated clothing.  
If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.  
When using do not eat, drink or smoke.  
Wash contaminated clothing before re-use.  
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	:	suspension
Color	:	white to off-white
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available
Density	:	0,874 g/cm <sup>3</sup>
Solubility(ies) Water solubility	:	No data available

**Gentamicin / Posaconazole / Mometasone Suspension Formulation**

Version 6.0      Revision Date: 03.12.2024      SDS Number: 1244597-00020      Date of last issue: 20.11.2023  
Date of first issue: 27.01.2017

---

Partition coefficient: n-octanol/water	:	Not applicable
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	Not applicable

---

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

**Acute toxicity**

Not classified based on available information.

**Components:****White mineral oil (petroleum):**

Acute oral toxicity	:	LD50 (Rat): > 5.000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	:	LD50 (Rabbit): > 2.000 mg/kg Assessment: The substance or mixture has no acute dermal

**Gentamicin / Posaconazole / Mometasone  
Suspension Formulation**Version  
6.0Revision Date:  
03.12.2024SDS Number:  
1244597-00020Date of last issue: 20.11.2023  
Date of first issue: 27.01.2017

toxicity

**Gentamicin:**

Acute oral toxicity : LD50 (Rat): 8.000 - 10.000 mg/kg  
LD50 (Mouse): 10.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 0,2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Remarks: No mortality observed at this dose.

Acute toxicity (other routes of administration) : LD50 (Rat): 67 - 96 mg/kg  
Application Route: Intravenous  
LD50 (Rat): 371 - 384 mg/kg  
Application Route: Intramuscular  
LDLo (Monkey): 30 mg/kg  
Application Route: Intravenous

**Posaconazole:**

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg  
LD50 (Mouse): > 3.000 mg/kg

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

**Mometasone:**

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg  
LD50 (Mouse): > 2.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 3,3 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Remarks: No mortality observed at this dose.  
LC50 (Mouse): > 3,2 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist

Acute toxicity (other routes of administration) : LD50 (Rat): 300 mg/kg  
Application Route: Subcutaneous  
Symptoms: Breathing difficulties

**Skin corrosion/irritation**

Not classified based on available information.

**Gentamicin / Posaconazole / Mometasone Suspension Formulation**Version  
6.0Revision Date:  
03.12.2024SDS Number:  
1244597-00020Date of last issue: 20.11.2023  
Date of first issue: 27.01.2017**Components:****White mineral oil (petroleum):**

Species	:	Rabbit
Result	:	No skin irritation

**Gentamicin:**

Species	:	Rabbit
Result	:	Mild skin irritation

**Posaconazole:**

Species	:	Rabbit
Result	:	No skin irritation

**Mometasone:**

Species	:	Rabbit
Result	:	No skin irritation

**Serious eye damage/eye irritation**

Not classified based on available information.

**Components:****White mineral oil (petroleum):**

Species	:	Rabbit
Result	:	No eye irritation

**Gentamicin:**

Species	:	Rabbit
Result	:	Mild eye irritation

**Posaconazole:**

Species	:	Rabbit
Result	:	Mild eye irritation

**Mometasone:**

Species	:	Rabbit
Result	:	No eye irritation

**Respiratory or skin sensitization****Skin sensitization**

Not classified based on available information.

**Respiratory sensitization**

Not classified based on available information.

**Gentamicin / Posaconazole / Mometasone  
Suspension Formulation**Version  
6.0Revision Date:  
03.12.2024SDS Number:  
1244597-00020Date of last issue: 20.11.2023  
Date of first issue: 27.01.2017**Components:****White mineral oil (petroleum):**

Test Type	:	Buehler Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Result	:	negative

**Gentamicin:**

Remarks	:	No data available
---------	---	-------------------

**Posaconazole:**

Test Type	:	Magnusson-Kligman-Test
Routes of exposure	:	Skin contact
Species	:	Guinea pig
Result	:	negative

**Mometasone:**

Test Type	:	Maximization Test
Routes of exposure	:	Dermal
Species	:	Guinea pig
Assessment	:	Does not cause skin sensitization.
Result	:	negative
Remarks	:	The results of a test on guinea pigs showed this substance to be a weak skin sensitizer.

**Germ cell mutagenicity**

Not classified based on available information.

**Components:****White mineral oil (petroleum):**

Genotoxicity in vitro	:	Test Type: In vitro mammalian cell gene mutation test Result: negative
Genotoxicity in vivo	:	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 Result: negative Remarks: Based on data from similar materials

**Gentamicin:**

Genotoxicity in vitro	:	Test Type: In vitro mammalian cell gene mutation test Result: negative
		Test Type: Chromosome aberration test in vitro Result: equivocal

**Gentamicin / Posaconazole / Mometasone  
Suspension Formulation**

Version 6.0      Revision Date: 03.12.2024      SDS Number: 1244597-00020      Date of last issue: 20.11.2023  
Date of first issue: 27.01.2017

---

Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intravenous injection Result: negative
<b>Posaconazole:</b>	
Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: Chromosomal aberration Result: negative
Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Intravenous Result: negative
<b>Mometasone:</b>	
Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: Chromosomal aberration Test system: Chinese hamster lung cells Result: negative
	Test Type: Chromosomal aberration Test system: Chinese hamster ovary cells Result: positive
	Test Type: Mouse Lymphoma Result: negative
Genotoxicity in vivo	: Test Type: Micronucleus test Species: Mouse Application Route: Oral Result: negative
	Test Type: Chromosomal aberration Species: Rat Cell type: Bone marrow Result: negative
	Test Type: unscheduled DNA synthesis assay Species: Rat Cell type: Liver cells Result: negative
Germ cell mutagenicity - Assessment	: Weight of evidence does not support classification as a germ cell mutagen.

**Gentamicin / Posaconazole / Mometasone Suspension Formulation**Version  
6.0Revision Date:  
03.12.2024SDS Number:  
1244597-00020Date of last issue: 20.11.2023  
Date of first issue: 27.01.2017**Carcinogenicity**

Not classified based on available information.

**Components:****White mineral oil (petroleum):**

Species	:	Rat
Application Route	:	Ingestion
Exposure time	:	24 Months
Result	:	negative

**Gentamicin:**

Carcinogenicity - Assessment	:	No data available
------------------------------	---	-------------------

**Posaconazole:**

Species	:	Rat
Application Route	:	oral (feed)
Exposure time	:	2 Years
Result	:	positive
Remarks	:	The mechanism or mode of action is not relevant in humans.

  

Species	:	Mouse
Application Route	:	Oral
Exposure time	:	2 Years
Result	:	positive
Remarks	:	The mechanism or mode of action is not relevant in humans.

**Mometasone:**

Species	:	Rat
Application Route	:	Inhalation
Exposure time	:	2 Years
Dose	:	0.067 mg/kg body weight
Result	:	negative

  

Species	:	Mouse
Application Route	:	Inhalation
Exposure time	:	19 Months
Dose	:	0.160 mg/kg body weight
Result	:	negative

**Reproductive toxicity**

May damage the unborn child.

**Components:****White mineral oil (petroleum):**

Effects on fertility	:	Test Type: One-generation reproduction toxicity study
	:	Species: Rat
	:	Application Route: Skin contact
	:	Result: negative

# **Gentamicin / Posaconazole / Mometasone Suspension Formulation**

Version Revision Date: SDS Number: Date of last issue: 20.11.2023  
6.0 03.12.2024 1244597-00020 Date of first issue: 27.01.2017

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Ingestion  
Result: negative

## Gentamicin:

Effects on fertility : Test Type: Two-generation reproduction toxicity study  
Species: Rat  
Fertility: NOAEL: 20 mg/kg body weight  
Result: No significant adverse effects were reported

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rabbit  
Developmental Toxicity: NOAEL: 3,6 mg/kg body weight  
Result: No embryo-fetal toxicity.

Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Intraperitoneal  
Developmental Toxicity: LOAEL: 75 mg/kg body weight  
Result: Embryo-fetal toxicity.

Test Type: Embryo-fetal development  
Species: Mouse  
Application Route: Intraperitoneal  
Developmental Toxicity: LOAEL: 10 mg/kg body weight  
Result: Fetal mortality.. No malformations were observed.

Test Type: Embryo-fetal development  
Species: Rat  
Application Route: Intraperitoneal  
Developmental Toxicity: LOAEL: 50 mg/kg body weight  
Result: Fetal mortality.. No malformations were observed.

Reproductive toxicity - Assessment : Positive evidence of adverse effects on development from human epidemiological studies.

## **Posaconazole:**

Effects on fertility : Test Type: Fertility/early embryonic development  
Species: Rat, male  
General Toxicity Parent: NOAEL: 180 mg/kg body weight  
Symptoms: No effects on mating performance.  
Result: negative

Test Type: Fertility/early embryonic development  
Species: Rat, female  
General Toxicity Parent: NOAEL: 45 mg/kg body weight  
Symptoms: No effects on mating performance.  
Result: negative

Effects on fetal development : Test Type: Embryo-fetal development  
Species: Rat, female

**Gentamicin / Posaconazole / Mometasone Suspension Formulation**

Version 6.0	Revision Date: 03.12.2024	SDS Number: 1244597-00020	Date of last issue: 20.11.2023 Date of first issue: 27.01.2017
----------------	------------------------------	------------------------------	---

		Application Route: Oral Developmental Toxicity: LOAEL: 29 mg/kg body weight Result: Fetotoxicity., Malformations were observed.
		Test Type: Embryo-fetal development Species: Rabbit, female Developmental Toxicity: LOAEL: 40 mg/kg body weight Result: Fetotoxicity.
Reproductive toxicity - Assessment	:	Some evidence of adverse effects on development, based on animal experiments.
<b>Mometasone:</b>		
Effects on fertility	:	Test Type: Fertility Species: Rat Application Route: Subcutaneous Fertility: NOAEL: 0,015 mg/kg body weight Symptoms: Reduced embryonic survival, Reduced fetal weight. Result: No effects on fertility., Effect on reproduction capacity.
Effects on fetal development	:	Test Type: Embryo-fetal development Species: Mouse Application Route: Subcutaneous Embryo-fetal toxicity.: LOAEL: 0,06 mg/kg body weight Result: Embryotoxic effects., Teratogenicity and developmental toxicity
		Test Type: Embryo-fetal development Species: Rat Application Route: Dermal Embryo-fetal toxicity.: LOAEL: 0,3 mg/kg body weight Result: Embryo-fetal toxicity.
		Test Type: Embryo-fetal development Species: Rabbit Application Route: Dermal Embryo-fetal toxicity.: LOAEL: 0,15 mg/kg body weight Result: Embryo-fetal toxicity., Malformations were observed.
		Test Type: Embryo-fetal development Species: Rat Application Route: Subcutaneous Embryo-fetal toxicity.: LOAEL: 0,15 mg/kg body weight Result: Effects on newborn.
		Test Type: Embryo-fetal development Species: Rabbit Application Route: Oral Embryo-fetal toxicity.: LOAEL: 0,7 mg/kg body weight Result: Embryo-fetal toxicity., Malformations were observed.
Reproductive toxicity - As-	:	Clear evidence of adverse effects on development, based on

**Gentamicin / Posaconazole / Mometasone Suspension Formulation**Version  
6.0Revision Date:  
03.12.2024SDS Number:  
1244597-00020Date of last issue: 20.11.2023  
Date of first issue: 27.01.2017

**Assessment** animal experiments., Some evidence of adverse effects on sexual function and fertility, based on animal experiments.

**STOT-single exposure**

Not classified based on available information.

**Components:****Mometasone:**

**Remarks** : Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Not classified based on available information.

**Components:****Gentamicin:**

**Target Organs** : Kidney, inner ear  
**Assessment** : Causes damage to organs through prolonged or repeated exposure.

**Posaconazole:**

**Routes of exposure** : Ingestion  
**Target Organs** : Adrenal gland, Bone marrow, Kidney, Liver, Reproductive organs, Nervous system  
**Assessment** : Causes damage to organs through prolonged or repeated exposure.

**Mometasone:**

**Routes of exposure** : inhalation (dust/mist/fume)  
**Target Organs** : Immune system, Liver, Kidney, Skin  
**Assessment** : May cause damage to organs through prolonged or repeated exposure.

**Repeated dose toxicity****Components:****White mineral oil (petroleum):**

**Species** : Rat  
**LOAEL** : 160 mg/kg  
**Application Route** : Ingestion  
**Exposure time** : 90 Days

**Species** : Rat  
**LOAEL** : >= 1 mg/l  
**Application Route** : inhalation (dust/mist/fume)  
**Exposure time** : 4 Weeks  
**Method** : OECD Test Guideline 412

**Gentamicin:**

**Gentamicin / Posaconazole / Mometasone Suspension Formulation**

Version 6.0      Revision Date: 03.12.2024      SDS Number: 1244597-00020      Date of last issue: 20.11.2023  
Date of first issue: 27.01.2017

---

Species	:	Dog
LOAEL	:	3 mg/kg
Application Route	:	Intramuscular
Exposure time	:	12 Months
Target Organs	:	Kidney
Symptoms	:	Vomiting, Salivation
Species	:	Monkey
LOAEL	:	50 mg/kg
Application Route	:	Subcutaneous
Exposure time	:	3 Weeks
Target Organs	:	Kidney, inner ear
Species	:	Monkey
LOAEL	:	6 mg/kg
Application Route	:	Intramuscular
Exposure time	:	3 Weeks
Target Organs	:	Blood, Kidney, inner ear, Liver
Species	:	Rat
NOAEL	:	5 mg/kg
LOAEL	:	10 mg/kg
Application Route	:	Intramuscular
Exposure time	:	52 Weeks
Target Organs	:	Kidney, Blood
Species	:	Rat
NOAEL	:	12,5 mg/kg
LOAEL	:	50 mg/kg
Application Route	:	Intramuscular
Exposure time	:	13 Weeks
Target Organs	:	Kidney
<b>Posaconazole:</b>		
Species	:	Rat, female
LOAEL	:	5 mg/kg
Application Route	:	Oral
Exposure time	:	6 Months
Target Organs	:	Adrenal gland, Lungs, Heart, Liver, spleen, Kidney, Ovary
Species	:	Dog
LOAEL	:	3 mg/kg
Application Route	:	Oral
Exposure time	:	392 Days
Target Organs	:	Lungs, Liver, Brain, small intestine, Adrenal gland, Spinal cord, lymphoid tissue
Species	:	Monkey
LOAEL	:	15 mg/kg
Application Route	:	Oral
Exposure time	:	1 Months
Target Organs	:	Bone marrow, Adrenal gland, Lymph nodes, Blood

**Gentamicin / Posaconazole / Mometasone  
Suspension Formulation**

Version 6.0

Revision Date: 03.12.2024

SDS Number: 1244597-00020

Date of last issue: 20.11.2023  
Date of first issue: 27.01.2017

Species	:	Dog
LOAEL	:	3 mg/kg
Application Route	:	Oral
Exposure time	:	56 Weeks
Target Organs	:	Adrenal gland, Bone marrow, Kidney, Nervous system, spleen, thymus gland, Testis, lymphoid tissue

Species	:	Monkey
LOAEL	:	180 mg/kg
Application Route	:	Oral
Exposure time	:	12 Months
Target Organs	:	Blood, Gastrointestinal tract, spleen

Species	:	Monkey
LOAEL	:	8 mg/kg
Application Route	:	Intravenous
Exposure time	:	1 Months
Target Organs	:	Cardio-vascular system, Lungs, Adrenal gland, Blood

**Mometasone:**

Species	:	Rat
NOAEL	:	0,005 mg/kg
LOAEL	:	0,3 mg/kg
Application Route	:	Oral
Exposure time	:	30 d
Target Organs	:	Lymph nodes, Liver, Adrenal gland, Skin, thymus gland

Species	:	Dog
LOAEL	:	0,5 mg/kg
Application Route	:	Oral
Exposure time	:	30 d
Target Organs	:	Lymph nodes, Liver, Adrenal gland, Skin, thymus gland

Species	:	Rat
NOAEL	:	0,00013 mg/l
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	90 d
Target Organs	:	Adrenal gland, Lungs, Lymph nodes, spleen, Bone marrow, Kidney, Liver, thymus gland

Species	:	Dog
NOAEL	:	0,0005 mg/l
Application Route	:	inhalation (dust/mist/fume)
Exposure time	:	90 d
Target Organs	:	Adrenal gland, Lungs, Lymph nodes, spleen, Bone marrow, Kidney, thymus gland, Liver

**Aspiration toxicity**

Not classified based on available information.

**Gentamicin / Posaconazole / Mometasone Suspension Formulation**Version  
6.0Revision Date:  
03.12.2024SDS Number:  
1244597-00020Date of last issue: 20.11.2023  
Date of first issue: 27.01.2017**Components:****Mometasone:**

|| Not applicable

**Experience with human exposure****Components:****Gentamicin:**||| Ingestion : Target Organs: Kidney  
Target Organs: inner ear  
Symptoms: Dizziness, Vertigo, hearing loss, tinnitus, fetal deafness**Posaconazole:**

||| Ingestion : Symptoms: Cough, Headache, Nausea, Vomiting, Fever, Liver effects, Rash, pruritis, Diarrhea, hypertension, neutropenia, electrolyte imbalance

**Mometasone:**||| Inhalation : Symptoms: allergic rhinitis, Headache, pharyngitis, upper respiratory tract infection, sinusitis, oral candidiasis, Back pain, musculoskeletal pain, immune system effects, indigestion  
||| Skin contact : Symptoms: Dermatitis, Itching**Further information****Components:****Mometasone:**

||| Remarks : Dermal absorption possible

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:****White mineral oil (petroleum):**||| Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
  
||| Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202  
  
||| Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (green algae)): 100 mg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

# **Gentamicin / Posaconazole / Mometasone Suspension Formulation**

Version Revision Date: SDS Number: Date of last issue: 20.11.2023  
6.0 03.12.2024 1244597-00020 Date of first issue: 27.01.2017

Toxicity to fish (Chronic toxicity) : NOEC (*Oncorhynchus mykiss* (rainbow trout)): 1.000 mg/l  
Exposure time: 28 d

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1.000 mg/l  
Exposure time: 21 d

## Gentamicin-

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 86 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

LC50 (Americamysis): 30 mg/l  
Exposure time: 96 h  
Method: US-EPA OPPTS 850.1035

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 10 µg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (*Pseudokirchneriella subcapitata* (green algae)): 1,5 µg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

EC50 (*Anabaena flos-aquae* (cyanobacterium)): 4,7 µg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

NOEC (*Anabaena flos-aquae* (cyanobacterium)): 1,6 µg/l  
Exposure time: 72 h  
Method: OECD Test Guideline 201

M-Factor (Acute aquatic toxicity) : 100

M-Factor (Chronic aquatic toxicity) : 1

Toxicity, /  
Toxicity to microorganisms : EC50: 288,7 mg/l  
Exposure time: 3 h  
Test Type: Respiration inhibition  
Method: OECD Test Guideline 209

## **Posaconazole:**

Toxicity to fish : LC50 (*Oncorhynchus mykiss* (rainbow trout)): > 0,95 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203  
Remarks: No toxicity at the limit of solubility.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0,276 mg/l  
Exposure time: 48 h  
Method: OECD Test Guideline 202

Toxicity to algae/aquatic : EC50 (*Pseudokirchneriella subcapitata* (green algae)): >

## SAFETY DATA SHEET



# **Gentamicin / Posaconazole / Mometasone Suspension Formulation**

Version Revision Date: SDS Number: Date of last issue: 20.11.2023  
6.0 03.12.2024 1244597-00020 Date of first issue: 27.01.2017

plants	0,509 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	NOEC (Pseudokirchneriella subcapitata (green algae)): 0,041 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	: 1
Toxicity to fish (Chronic toxicity)	: NOEC (Pimephales promelas (fathead minnow)): 0,206 mg/l Exposure time: 33 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0,244 mg/l Exposure time: 21 d Method: OECD Test Guideline 211 Remarks: No toxicity at the limit of solubility.
M-Factor (Chronic aquatic toxicity)	: 1
Toxicity to microorganisms	: EC50 (Natural microorganism): > 1.000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209
<b>Mometasone:</b>	
Toxicity to fish	: LC50 (Menidia beryllina (Silverside)): 0,11 mg/l Exposure time: 96 h Remarks: No toxicity at the limit of solubility.
	LC50 (Cyprinodon variegatus (sheepshead minnow)): > 5 mg/l Exposure time: 7 d Remarks: No toxicity at the limit of solubility.
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 5 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: No toxicity at the limit of solubility.
	EC50 (Americamysis): > 5 mg/l Exposure time: 96 h Method: US-EPA OPPTS 850.1035 Remarks: No toxicity at the limit of solubility.
Toxicity to algae/aquatic plants	: EC50 (Pseudokirchneriella subcapitata (green algae)): > 3,2 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: No toxicity at the limit of solubility.
Toxicity to fish (Chronic tox-)	: NOEC (Pimephales promelas (fathead minnow)): 0,00014

**Gentamicin / Posaconazole / Mometasone  
Suspension Formulation**Version  
6.0Revision Date:  
03.12.2024SDS Number:  
1244597-00020Date of last issue: 20.11.2023  
Date of first issue: 27.01.2017

icity)	mg/l Exposure time: 32 d Method: OECD Test Guideline 210
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0,34 mg/l Exposure time: 21 d Method: OECD Test Guideline 211 Remarks: No toxicity at the limit of solubility.
M-Factor (Chronic aquatic toxicity)	: 100
Toxicity to microorganisms	: EC50: > 1.000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 Remarks: No toxicity at the limit of solubility.
	NOEC: 1.000 mg/l Exposure time: 3 h Test Type: Respiration inhibition Method: OECD Test Guideline 209 Remarks: No toxicity at the limit of solubility.

**Persistence and degradability****Components:****White mineral oil (petroleum):**

Biodegradability	: Result: Not readily biodegradable. Biodegradation: 31 % Exposure time: 28 d
------------------	---

**Gentamicin:**

Biodegradability	: Result: rapidly degradable Biodegradation: 100 % Exposure time: 28 d Method: OECD Test Guideline 314
------------------	---

**Posaconazole:**

Biodegradability	: Result: Not readily biodegradable. Biodegradation: 50 % Exposure time: 28 h Method: OECD Test Guideline 314
Stability in water	: Degradation half life (DT50): > 30 d Method: OECD Test Guideline 111

**Mometasone:**

Biodegradability	: Result: Not readily biodegradable. Biodegradation: 50 % Exposure time: 28 d
------------------	---

**Gentamicin / Posaconazole / Mometasone  
Suspension Formulation**Version  
6.0Revision Date:  
03.12.2024SDS Number:  
1244597-00020Date of last issue: 20.11.2023  
Date of first issue: 27.01.2017

Method: OECD Test Guideline 314

Stability in water : Hydrolysis: 50 %(12 d)  
Method: OECD Test Guideline 111**Bioaccumulative potential****Components:****Gentamicin:**

Partition coefficient: n-octanol/water : log Pow: &lt; -2

**Posaconazole:**Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 20  
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4,15

**Mometasone:**Bioaccumulation : Species: Lepomis macrochirus (Bluegill sunfish)  
Bioconcentration factor (BCF): 107,1  
Method: OECD Test Guideline 305

Partition coefficient: n-octanol/water : log Pow: 4,68

**Mobility in soil****Components:****Posaconazole:**

Distribution among environmental compartments : log Koc: 5,52

**Mometasone:**

Distribution among environmental compartments : log Koc: 4,02

**Other adverse effects**

No data available

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.  
Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

# SAFETY DATA SHEET



## Gentamicin / Posaconazole / Mometasone Suspension Formulation

Version 6.0 Revision Date: 03.12.2024 SDS Number: 1244597-00020 Date of last issue: 20.11.2023 Date of first issue: 27.01.2017

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### UNRTDG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Mometasone, Gentamicin)  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

##### IATA-DGR

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(Mometasone, Gentamicin)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

##### IMDG-Code

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Mometasone, Gentamicin)  
Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

### SECTION 15. REGULATORY INFORMATION

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Argentina. Carcinogenic Substances and Agents Registry. : Not applicable

# SAFETY DATA SHEET



## Gentamicin / Posaconazole / Mometasone Suspension Formulation

Version 6.0 Revision Date: 03.12.2024 SDS Number: 1244597-00020 Date of last issue: 20.11.2023 Date of first issue: 27.01.2017

---

Control of precursors and essential chemicals for the preparation of drugs. : Not applicable

### The ingredients of this product are reported in the following inventories:

AICS : not determined  
DSL : not determined  
IECSC : not determined

---

## SECTION 16. OTHER INFORMATION

Revision Date : 03.12.2024  
Date format : dd.mm.yyyy

### Further information

Sources of key data used to compile the Material Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

### Full text of other abbreviations

ACGIH : USA. ACGIH Threshold Limit Values (TLV)  
AR OEL : Argentina. Occupational Exposure Limits  
ACGIH / TWA : 8-hour, time-weighted average  
AR OEL / CMP : TLV (Threshold Limit Value)  
AR OEL / CMP - CPT : STEL (Short Term Limit Value)

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development

# SAFETY DATA SHEET



## Gentamicin / Posaconazole / Mometasone Suspension Formulation

Version 6.0	Revision Date: 03.12.2024	SDS Number: 1244597-00020	Date of last issue: 20.11.2023 Date of first issue: 27.01.2017
----------------	------------------------------	------------------------------	---

ment; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AR / Z8