

# SAFETY DATA SHEET



## Coccivac B / Coccivac D Formulation

Version 5.0      Revision Date: 17.06.2025      SDS Number: 1481186-00019      Date of last issue: 14.04.2025  
Date of first issue: 23.03.2017

---

### SECTION 1: IDENTIFICATION

Product name : Coccivac B / Coccivac D Formulation

#### Manufacturer or supplier's details

Company : Intervet Australia Pty Limited (trading as MSD Animal Health)

Address : 91-105 Harpin Street  
Bendigo 3550, Victoria Australia

Telephone : 1 800 033 461

Emergency telephone number : Poisons Information Centre: Phone 13 11 26

E-mail address : EHSDATASTEWARD@msd.com

#### Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Acute toxicity (Inhalation) : Category 4

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 2A

Respiratory sensitisation : Category 1

Skin sensitisation : Category 1

Germ cell mutagenicity : Category 1B

Carcinogenicity : Category 1B

Reproductive toxicity : Category 1B

Specific target organ toxicity - repeated exposure : Category 2 (Blood)

#### GHS label elements

# SAFETY DATA SHEET



## Coccivac B / Coccivac D Formulation

Version 5.0      Revision Date: 17.06.2025      SDS Number: 1481186-00019      Date of last issue: 14.04.2025  
Date of first issue: 23.03.2017

Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	<p>H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H332 Harmful if inhaled. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H340 May cause genetic defects. H350 May cause cancer. H360FD May damage fertility. May damage the unborn child. H373 May cause damage to organs (Blood) through prolonged or repeated exposure.</p>
Precautionary statements	:	<p><b>Prevention:</b> P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P260 Do not breathe mist or vapours. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P284 Wear respiratory protection.</p> <p><b>Response:</b> P302 + P352 IF ON SKIN: Wash with plenty of water. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.</p> <p><b>Storage:</b> P405 Store locked up.</p> <p><b>Disposal:</b></p>

# SAFETY DATA SHEET



## Coccivac B / Coccivac D Formulation

Version  
5.0

Revision Date:  
17.06.2025

SDS Number:  
1481186-00019

Date of last issue: 14.04.2025  
Date of first issue: 23.03.2017



P501 Dispose of contents/ container to an approved waste disposal plant.

### Other hazards which do not result in classification

None known.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

### Components

Chemical name	CAS-No.	Concentration (% w/w)
Eimeria Species (live)	Not Assigned	>= 10 -< 30
potassium dichromate	7778-50-9	>= 1 -< 3

## SECTION 4. FIRST AID MEASURES

### General advice

: In the case of accident or if you feel unwell, seek medical advice immediately.

When symptoms persist or in all cases of doubt seek medical advice.

### If inhaled

: If inhaled, remove to fresh air.

If not breathing, give artificial respiration.

If breathing is difficult, give oxygen.

Get medical attention.

### In case of skin contact

: In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.

Get medical attention.

Wash clothing before reuse.

Thoroughly clean shoes before reuse.

### In case of eye contact

: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

### If swallowed

: If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

### Most important symptoms and effects, both acute and delayed

: Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome).

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

Harmful if inhaled.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause genetic defects.

May cause cancer.

May damage fertility. May damage the unborn child.

May cause damage to organs through prolonged or repeated

**Coccivac B / Coccivac D Formulation**

---

Version 5.0	Revision Date: 17.06.2025	SDS Number: 1481186-00019	Date of last issue: 14.04.2025 Date of first issue: 23.03.2017
----------------	------------------------------	------------------------------	---

---

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

---

**SECTION 5. FIREFIGHTING MEASURES**

Suitable extinguishing media : Water spray  
Alcohol-resistant foam  
Carbon dioxide (CO<sub>2</sub>)  
Dry chemical

Unsuitable extinguishing media : None known.

Specific hazards during fire-fighting : Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides  
Metal oxides  
Chromium compounds

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
Use water spray to cool unopened containers.  
Remove undamaged containers from fire area if it is safe to do so.  
Evacuate area.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

Hazchem Code : •3Z

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

Environmental precautions : Avoid release to the environment.  
Prevent further leakage or spillage if safe to do so.  
Prevent spreading over a wide area (e.g. by containment or oil barriers).  
Retain and dispose of contaminated wash water.  
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.  
For large spills, provide dyking or other appropriate contain-

---

**Coccivac B / Coccivac D Formulation**

---

Version 5.0	Revision Date: 17.06.2025	SDS Number: 1481186-00019	Date of last issue: 14.04.2025 Date of first issue: 23.03.2017
----------------	------------------------------	------------------------------	---

---

ment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

---

**SECTION 7. HANDLING AND STORAGE**

Technical measures	: See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	: If sufficient ventilation is unavailable, use with local exhaust ventilation.
Advice on safe handling	: Do not get on skin or clothing. Do not breathe mist or vapours. Do not swallow. Do not get in eyes. Wash skin thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment Keep container tightly closed. Already sensitised individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitisers. Do not eat, drink or smoke when using this product. Take care to prevent spills, waste and minimize release to the environment.
Hygiene measures	: If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before re-use.
Conditions for safe storage	: Keep in properly labelled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations.
Materials to avoid	: Do not store with the following product types: Strong oxidizing agents

# SAFETY DATA SHEET



## Coccivac B / Coccivac D Formulation

Version 5.0      Revision Date: 17.06.2025      SDS Number: 1481186-00019      Date of last issue: 14.04.2025  
Date of first issue: 23.03.2017

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
potassium dichromate	7778-50-9	TWA	0.05 mg/m <sup>3</sup> (chromium)	AU OEL
	Further information: Sensitiser			
		TWA (Inhal- able particu- late matter)	0.0002 mg/m <sup>3</sup> (Cr(VI): Hexava- lent chromium)	ACGIH
		STEL (Inhal- able particu- late matter)	0.0005 mg/m <sup>3</sup> (Cr(VI): Hexava- lent chromium)	ACGIH

**Engineering measures** : Minimize workplace exposure concentrations.  
If sufficient ventilation is unavailable, use with local exhaust ventilation.

#### Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type  
Hand protection

Material : Chemical-resistant gloves

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:  
Safety goggles

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.  
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : yellow, brown

# SAFETY DATA SHEET



## Coccivac B / Coccivac D Formulation

Version 5.0      Revision Date: 17.06.2025      SDS Number: 1481186-00019      Date of last issue: 14.04.2025  
Date of first issue: 23.03.2017

---

Odour	:	No data available
Odour Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	No data available
Solubility(ies)		
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available

# SAFETY DATA SHEET



## Coccivac B / Coccivac D Formulation

Version 5.0      Revision Date: 17.06.2025      SDS Number: 1481186-00019      Date of last issue: 14.04.2025  
Date of first issue: 23.03.2017

---

Particle characteristics  
Particle size : Not applicable

### SECTION 10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.  
Chemical stability : Stable under normal conditions.  
Possibility of hazardous reactions : Can react with strong oxidizing agents.  
Conditions to avoid : None known.  
Incompatible materials : Oxidizing agents  
Hazardous decomposition products : No hazardous decomposition products are known.

### SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes : Inhalation  
Skin contact  
Ingestion  
Eye contact

#### Acute toxicity

Harmful if inhaled.

#### Product:

Acute oral toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method  
  
Acute inhalation toxicity : Acute toxicity estimate: 3.76 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: Calculation method  
  
Acute dermal toxicity : Acute toxicity estimate: > 2,000 mg/kg  
Method: Calculation method

#### Components:

##### **Eimeria Species (live):**

Acute oral toxicity : Remarks: No data available  
Acute inhalation toxicity : Remarks: No data available  
Acute dermal toxicity : Remarks: No data available

##### **potassium dichromate:**

Acute oral toxicity : LD50 (Rat): 90.5 mg/kg  
Acute inhalation toxicity : LC50 (Rat): 0.094 mg/l  
Exposure time: 4 h

**Coccivac B / Coccivac D Formulation**

Version 5.0      Revision Date: 17.06.2025      SDS Number: 1481186-00019      Date of last issue: 14.04.2025  
Date of first issue: 23.03.2017

---



Test atmosphere: dust/mist  
Assessment: Corrosive to the respiratory tract.

Acute dermal toxicity : Acute toxicity estimate: 1,100 mg/kg  
Method: Expert judgement  
Remarks: Based on national or regional regulation.

**Skin corrosion/irritation**

Causes skin irritation.

**Components:****Eimeria Species (live):**

Remarks : No data available

**potassium dichromate:**

Result : Corrosive after 3 minutes to 1 hour of exposure  
Remarks : Based on national or regional regulation.

**Serious eye damage/eye irritation**

Causes serious eye irritation.

**Components:****Eimeria Species (live):**

Remarks : No data available

**potassium dichromate:**

Result : Irreversible effects on the eye  
Remarks : Based on skin corrosivity.

**Respiratory or skin sensitisation****Skin sensitisation**

May cause an allergic skin reaction.

**Respiratory sensitisation**

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

**Components:****Eimeria Species (live):**

Remarks : No data available

**potassium dichromate:**

Exposure routes : Skin contact  
Result : positive  
Remarks : Based on national or regional regulation.

Assessment : Probability or evidence of skin sensitisation in humans

# SAFETY DATA SHEET



## Coccivac B / Coccivac D Formulation

Version 5.0      Revision Date: 17.06.2025      SDS Number: 1481186-00019      Date of last issue: 14.04.2025  
Date of first issue: 23.03.2017

---

Remarks	: Based on national or regional regulation.
Exposure routes	: Inhalation
Result	: positive
Remarks	: Based on national or regional regulation.
Assessment	: Probability of respiratory sensitisation in humans based on animal testing
Remarks	: Based on national or regional regulation.

### Chronic toxicity

#### Germ cell mutagenicity

May cause genetic defects.

#### Components:

##### **potassium dichromate:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: positive
	: Test Type: In vitro mammalian cell gene mutation test Result: positive
Genotoxicity in vivo	: Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Mouse Application Route: Intraperitoneal injection Result: positive
Germ cell mutagenicity - Assessment	: Positive result(s) from in vivo somatic cell mutagenicity tests in mammals. Evidence that the substance has potential to cause mutations to germ cells Remarks: Based on national or regional regulation.

### Carcinogenicity

May cause cancer.

#### Components:

##### **potassium dichromate:**

Species	: Rat
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 18 month(s)
Result	: positive
Remarks	: Based on data from similar materials
Species	: Mouse
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 18 month(s)
Result	: positive
Remarks	: Based on data from similar materials

# SAFETY DATA SHEET



## Coccivac B / Coccivac D Formulation

Version 5.0      Revision Date: 17.06.2025      SDS Number: 1481186-00019      Date of last issue: 14.04.2025  
Date of first issue: 23.03.2017

**Carcinogenicity - Assessment** : Sufficient evidence of carcinogenicity in animal experiments  
Remarks: Based on national or regional regulation.

### Reproductive toxicity

May damage fertility. May damage the unborn child.

#### Components:

##### **potassium dichromate:**

**Effects on fertility** : Test Type: One-generation reproduction toxicity study  
Species: Mouse  
Application Route: Ingestion  
Result: positive

**Effects on foetal development** : Test Type: Embryo-foetal development  
Species: Mouse  
Application Route: Ingestion  
Result: positive

**Reproductive toxicity - Assessment** : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments.  
Remarks: Based on national or regional regulation.

### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

May cause damage to organs (Blood) through prolonged or repeated exposure.

#### Components:

##### **potassium dichromate:**

**Exposure routes** : inhalation (dust/mist/fume)  
**Target Organs** : Blood  
**Assessment** : Shown to produce significant health effects in animals at concentrations of 0.02 mg/l/6h/d or less.

### Aspiration toxicity

Not classified based on available information.

### Experience with human exposure

#### Components:

##### **potassium dichromate:**

**Inhalation** : Target Organs: Bronchia  
Symptoms: Asthma, Sensitisation, mutagenic effects

**Skin contact** : Target Organs: Skin  
Symptoms: Sensitisation, Corrosion, Burn

**Ingestion** : Target Organs: Testis  
Symptoms: toxic effects for reproduction

**Coccivac B / Coccivac D Formulation**

Version 5.0      Revision Date: 17.06.2025      SDS Number: 1481186-00019      Date of last issue: 14.04.2025  
Date of first issue: 23.03.2017

---

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Components:*****Eimeria Species (live):***

Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available

***potassium dichromate:***

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 10 - 100 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Ceriodaphnia (water flea)): > 0.01 - 0.1 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	ErC50 (Selenastrum capricornutum (green algae)): 0.659 mg/l Exposure time: 72 h  EC10 (Selenastrum capricornutum (green algae)): 0.028 mg/l Exposure time: 72 h
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): > 0.1 - 1 mg/l Exposure time: 60 d Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Ceriodaphnia dubia (water flea)): 0.084 mg/l Exposure time: 7 d
Toxicity to microorganisms	:	EC50 (Photobacterium phosphoreum): 20 - 27 mg/l Exposure time: 30 h Remarks: Based on data from similar materials

***Persistence and degradability*****Components:*****Eimeria Species (live):***

Biodegradability	:	Remarks: No data available
------------------	---	----------------------------

# SAFETY DATA SHEET



## Coccivac B / Coccivac D Formulation

Version 5.0      Revision Date: 17.06.2025      SDS Number: 1481186-00019      Date of last issue: 14.04.2025  
Date of first issue: 23.03.2017

---

### Bioaccumulative potential

#### Components:

#### **Eimeria Species (live):**

||| Bioaccumulation : Remarks: No data available

#### **Mobility in soil**

No data available

#### **Other adverse effects**

No data available

---

## SECTION 13. DISPOSAL CONSIDERATIONS

#### **Disposal methods**

Waste from residues : Do not dispose of waste into sewer.  
Dispose of in accordance with local regulations.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.  
If not otherwise specified: Dispose of as unused product.

---

## SECTION 14. TRANSPORT INFORMATION

#### **International Regulations**

##### **UNRTDG**

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(potassium dichromate)  
Class : 9  
Packing group : III  
Labels : 9  
Environmentally hazardous : yes

##### **IATA-DGR**

UN/ID No. : UN 3082  
Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.  
(potassium dichromate)  
Class : 9  
Packing group : III  
Labels : Miscellaneous  
Packing instruction (cargo aircraft) : 964  
Packing instruction (passenger aircraft) : 964  
Environmentally hazardous : yes

##### **IMDG-Code**

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

# SAFETY DATA SHEET



## Coccivac B / Coccivac D Formulation

Version 5.0      Revision Date: 17.06.2025      SDS Number: 1481186-00019      Date of last issue: 14.04.2025  
Date of first issue: 23.03.2017

---

N.O.S.  
(potassium dichromate)

Class : 9  
Packing group : III  
Labels : 9  
EmS Code : F-A, S-F  
Marine pollutant : yes

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

### National Regulations

#### ADG

UN number : UN 3082  
Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(potassium dichromate)

Class : 9  
Packing group : III  
Labels : 9  
Hazchem Code : •3Z  
Environmentally hazardous : yes

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

---

## SECTION 15. REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Therapeutic Goods (Poisons Standard) Instrument : No poison schedule number allocated (Please use the original publication to check for specific uses, specific conditions or threshold limits that might apply for this chemical)

Prohibition/Licensing Requirements : potassium dichromate  
Refer to model WHS Act and Regulations for prohibition, authorisation and restricted use.

### The components of this product are reported in the following inventories:

AICS : not determined  
DSL : not determined  
IECSC : not determined

---

## SECTION 16: ANY OTHER RELEVANT INFORMATION

### Further information

# SAFETY DATA SHEET



## Coccivac B / Coccivac D Formulation

Version 5.0	Revision Date: 17.06.2025	SDS Number: 1481186-00019	Date of last issue: 14.04.2025 Date of first issue: 23.03.2017
----------------	------------------------------	------------------------------	---

Revision Date : 17.06.2025  
Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

### Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
AU OEL	: Australia. Workplace Exposure Standards for Airborne Contaminants.
ACGIH / TWA	: 8-hour, time-weighted average
ACGIH / STEL	: Short-term exposure limit
AU OEL / TWA	: Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be

# SAFETY DATA SHEET



## Coccivac B / Coccivac D Formulation

---

Version 5.0	Revision Date: 17.06.2025	SDS Number: 1481186-00019	Date of last issue: 14.04.2025
			Date of first issue: 23.03.2017

---

considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

AU / EN