

Coccivac B / Coccivac D Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	17.06.2025	1481183-00020	Date of first issue: 23.03.2017

SECTION 1. IDENTIFICATION

Product identifier : Coccivac B / Coccivac D Formulation

Manufacturer or supplier's details

Company : MSD

Address : Rua Coronel Bento Soares, 530
Cruzeiro - Sao Paulo - Brazil CEP 12730-340

Telephone : 908-740-4000

Emergency telephone : 1-908-423-6000

E-mail address : EHSDATASTEWARD@msd.com

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification in accordance with ABNT NBR 14725 Standard**

Acute toxicity (Oral) : Category 5

Acute toxicity (Inhalation) : Category 4

Skin irritation : Category 2

Eye irritation : Category 2A

Respiratory sensitization : Category 1

Skin sensitization : Category 1

Germ cell mutagenicity : Category 1B

Carcinogenicity : Category 1B

Reproductive toxicity : Category 1B

Specific target organ toxicity - : Category 2 (Blood)
repeated exposure




Short-term (acute) aquatic : Category 1
hazard

Long-term (chronic) aquatic : Category 2
hazard

Coccivac B / Coccivac D Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	17.06.2025	1481183-00020	Date of first issue: 23.03.2017

GHS label elements in accordance with ABNT NBR 14725 Standard

Hazard pictograms	:	  
Signal Word	:	Danger
Hazard Statements	:	H303 May be harmful if swallowed. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H332 Harmful if inhaled. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H340 May cause genetic defects. H350 May cause cancer. H360FD May damage fertility. May damage the unborn child. H373 May cause damage to organs (Blood) through prolonged or repeated exposure. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects.
Precautionary Statements	:	Prevention: P201 Obtain special instructions before use. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: P301 + P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. P302 + P352 IF ON SKIN: Wash with plenty of water. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor. P391 Collect spillage.

Coccivac B / Coccivac D Formulation

Version 8.0 Revision Date: 17.06.2025 SDS Number: 1481183-00020 Date of last issue: 14.04.2025
 Date of first issue: 23.03.2017

Storage:

P405 Store locked up.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Eimeria Species (live)	Not Assigned		>= 10 -< 20
potassium dichromate	7778-50-9	Ox. Sol., 2 Acute Tox. (Oral), 3 Acute Tox. (Inhalation), 2 Acute Tox. (Dermal), 4 Skin Corr., 1B Eye Dam., 1 Resp. Sens., 1 Skin Sens., 1 Muta., 1B Carc., 1B Repr., 1B STOT RE, (Blood) , 1 Aquatic Acute, 1 Aquatic Chronic, 1	>= 2,5 -< 3

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
 When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
 If not breathing, give artificial respiration.
 If breathing is difficult, give oxygen.
 Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
 Get medical attention.
 Wash clothing before reuse.
 Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
 If easy to do, remove contact lens, if worn.
 Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.
 Get medical attention.
 Rinse mouth thoroughly with water.

Coccivac B / Coccivac D Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	17.06.2025	1481183-00020	Date of first issue: 23.03.2017

- | | | |
|---|---|---|
| Most important symptoms and effects, both acute and delayed | : | Excessive exposure may aggravate preexisting asthma and other respiratory disorders (e.g. emphysema, bronchitis, reactive airways dysfunction syndrome).
May be harmful if swallowed.
Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye irritation.
Harmful if inhaled.
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause genetic defects.
May cause cancer.
May damage fertility. May damage the unborn child.
May cause damage to organs through prolonged or repeated exposure. |
| Protection of first-aiders | : | First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). |
| Notes to physician | : | Treat symptomatically and supportively. |

SECTION 5. FIRE-FIGHTING MEASURES

- | | | |
|--|---|---|
| Suitable extinguishing media | : | Water spray
Alcohol-resistant foam
Carbon dioxide (CO ₂)
Dry chemical |
| Unsuitable extinguishing media | : | None known. |
| Specific hazards during fire fighting | : | Exposure to combustion products may be a hazard to health. |
| Hazardous combustion products | : | Carbon oxides
Metal oxides
Chromium compounds |
| Specific extinguishing methods | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area. |
| Special protective equipment for fire-fighters | : | In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment. |

SECTION 6. ACCIDENTAL RELEASE MEASURES

- | | | |
|---|---|--|
| Personal precautions, protective equipment and emergency procedures | : | Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8). |
| Environmental precautions | : | Avoid release to the environment. |

Coccivac B / Coccivac D Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	17.06.2025	1481183-00020	Date of first issue: 23.03.2017

Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g., by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapors.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Already sensitized individuals, and those susceptible to asthma, allergies, chronic or recurrent respiratory disease, should consult their physician regarding working with respiratory irritants or sensitizers.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.

Conditions for safe storage : Keep in properly labeled containers.
Store locked up.
Keep tightly closed.

Coccivac B / Coccivac D Formulation

Version 8.0 Revision Date: 17.06.2025 SDS Number: 1481183-00020 Date of last issue: 14.04.2025
 Date of first issue: 23.03.2017

Materials to avoid : Keep in a cool, well-ventilated place.
 Store in accordance with the particular national regulations.
 : Do not store with the following product types:
 Strong oxidizing agents
 Self-reactive substances and mixtures
 Organic peroxides
 Explosives
 Gases

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
potassium dichromate	7778-50-9	TWA (Inhalable particulate matter)	0,0002 mg/m ³ (Cr(VI): Hexavalent chromium)	ACGIH
		STEL (Inhalable particulate matter)	0,0005 mg/m ³ (Cr(VI): Hexavalent chromium)	ACGIH

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sampling time	Permissible concentration	Basis
potassium dichromate	7778-50-9	chromium (chromium)	Urine	End of workday at end of work-week	25 µg/l	BR BEI
		chromium (chromium)	Urine	Increase during workday, Difference before and after working day	10 µg/l	BR BEI

Engineering measures : Minimize workplace exposure concentrations.
 If sufficient ventilation is unavailable, use with local exhaust ventilation.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Particulates type

Hand protection

Coccivac B / Coccivac D Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	17.06.2025	1481183-00020	Date of first issue: 23.03.2017

Material	:	Chemical-resistant gloves
Remarks	:	Choose gloves to protect hands against chemicals depending on the concentration specific to place of work. Breakthrough time is not determined for the product. Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
Eye protection	:	Wear the following personal protective equipment: Safety goggles
Skin and body protection	:	Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	:	liquid
Color	:	yellow, brown
Odor	:	No data available
Odor Threshold	:	No data available
pH	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	No data available
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	No data available
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Vapor pressure	:	No data available
Relative vapor density	:	No data available
Relative density	:	No data available

Coccivac B / Coccivac D Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	17.06.2025	1481183-00020	Date of first issue: 23.03.2017

Density	:	No data available
Solubility(ies)	:	
Water solubility	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Autoignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	
Viscosity, kinematic	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	No data available
Particle characteristics	:	
Particle size	:	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Can react with strong oxidizing agents.
Conditions to avoid	:	None known.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

Acute toxicity

May be harmful if swallowed.
Harmful if inhaled.

Product:

Acute oral toxicity	:	Acute toxicity estimate: 3.620 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: 3,76 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method

Coccivac B / Coccivac D Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	17.06.2025	1481183-00020	Date of first issue: 23.03.2017

Acute dermal toxicity : Acute toxicity estimate: > 5.000 mg/kg
Method: Calculation method

Components:**Eimeria Species (live):**

Acute oral toxicity	: Remarks: No data available
Acute inhalation toxicity	: Remarks: No data available
Acute dermal toxicity	: Remarks: No data available

potassium dichromate:

Acute oral toxicity	: LD50 (Rat): 90,5 mg/kg
Acute inhalation toxicity	: LC50 (Rat): 0,094 mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: Corrosive to the respiratory tract.
Acute dermal toxicity	: Acute toxicity estimate: 1.100 mg/kg Method: Expert judgment Remarks: Based on national or regional regulation.

Skin corrosion/irritation

Causes skin irritation.

Components:**Eimeria Species (live):**

Remarks	: No data available
---------	---------------------

potassium dichromate:

Result	: Corrosive after 3 minutes to 1 hour of exposure
Remarks	: Based on national or regional regulation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:**Eimeria Species (live):**

Remarks	: No data available
---------	---------------------

potassium dichromate:

Result	: Irreversible effects on the eye
Remarks	: Based on skin corrosivity.

Coccivac B / Coccivac D Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	17.06.2025	1481183-00020	Date of first issue: 23.03.2017

Respiratory or skin sensitization**Skin sensitization**

May cause an allergic skin reaction.

Respiratory sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Components:**Eimeria Species (live):**

Remarks	: No data available
---------	---------------------

potassium dichromate:

Routes of exposure	: Skin contact
Result	: positive
Remarks	: Based on national or regional regulation.

Assessment	: Probability or evidence of skin sensitization in humans
Remarks	: Based on national or regional regulation.

Routes of exposure	: Inhalation
Result	: positive
Remarks	: Based on national or regional regulation.

Assessment	: Probability of respiratory sensitization in humans based on animal testing
Remarks	: Based on national or regional regulation.

Germ cell mutagenicity

May cause genetic defects.

Components:**potassium dichromate:**

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: positive
-----------------------	--

	: Test Type: In vitro mammalian cell gene mutation test Result: positive
--	---

Genotoxicity in vivo	: Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Mouse Application Route: Intraperitoneal injection Result: positive
----------------------	--

Germ cell mutagenicity - Assessment	: Positive result(s) from in vivo somatic cell mutagenicity tests in mammals. Evidence that the substance has potential to cause mutations to germ cells Remarks: Based on national or regional regulation.
-------------------------------------	--

Carcinogenicity

May cause cancer.

Coccivac B / Coccivac D Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	17.06.2025	1481183-00020	Date of first issue: 23.03.2017

Components:**potassium dichromate:**

Species	: Rat
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 18 month(s)
Result	: positive
Remarks	: Based on data from similar materials

Species	: Mouse
Application Route	: inhalation (dust/mist/fume)
Exposure time	: 18 month(s)
Result	: positive
Remarks	: Based on data from similar materials

Carcinogenicity - Assessment	: Sufficient evidence of carcinogenicity in animal experiments Remarks: Based on national or regional regulation.
------------------------------	--

Reproductive toxicity

May damage fertility. May damage the unborn child.

Components:**potassium dichromate:**

Effects on fertility	: Test Type: One-generation reproduction toxicity study Species: Mouse Application Route: Ingestion Result: positive
----------------------	---

Effects on fetal development	: Test Type: Embryo-fetal development Species: Mouse Application Route: Ingestion Result: positive
------------------------------	---

Reproductive toxicity - Assessment	: Clear evidence of adverse effects on sexual function and fertility, based on animal experiments., Clear evidence of adverse effects on development, based on animal experiments. Remarks: Based on national or regional regulation.
------------------------------------	--

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

May cause damage to organs (Blood) through prolonged or repeated exposure.

Components:**potassium dichromate:**

Routes of exposure	: inhalation (dust/mist/fume)
Target Organs	: Blood
Assessment	: Shown to produce significant health effects in animals at concentrations of 0.02 mg/l/6h/d or less.

Coccivac B / Coccivac D Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	17.06.2025	1481183-00020	Date of first issue: 23.03.2017

Aspiration toxicity

Not classified based on available information.

Experience with human exposure**Components:****potassium dichromate:**

Inhalation	:	Target Organs: Bronchia Symptoms: Asthma, Sensitization, mutagenic effects
Skin contact	:	Target Organs: Skin Symptoms: Sensitization, Corrosion, Burn
Ingestion	:	Target Organs: Testis Symptoms: toxic effects for reproduction

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Eimeria Species (live):**

Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available

potassium dichromate:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 10 - 100 mg/l Exposure time: 96 h Remarks: Based on data from similar materials
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Ceriodaphnia (water flea)): > 0,01 - 0,1 mg/l Exposure time: 48 h Remarks: Based on data from similar materials
Toxicity to algae/aquatic plants	:	ErC50 (Selenastrum capricornutum (green algae)): 0,659 mg/l Exposure time: 72 h EC10 (Selenastrum capricornutum (green algae)): 0,028 mg/l Exposure time: 72 h
M-Factor (Acute aquatic toxicity)	:	10
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): > 0,1 - 1 mg/l Exposure time: 60 d Remarks: Based on data from similar materials
Toxicity to daphnia and other	:	NOEC (Ceriodaphnia dubia (water flea)): 0,084 mg/l

Coccivac B / Coccivac D Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	17.06.2025	1481183-00020	Date of first issue: 23.03.2017

aquatic invertebrates (Chronic toxicity)	Exposure time: 7 d
M-Factor (Chronic aquatic toxicity)	: 1
Toxicity to microorganisms	: EC50 (Photobacterium phosphoreum): 20 - 27 mg/l Exposure time: 30 h Remarks: Based on data from similar materials

Persistence and degradability**Components:****Eimeria Species (live):**

Biodegradability	: Remarks: No data available
------------------	------------------------------

Bioaccumulative potential**Components:****Eimeria Species (live):**

Bioaccumulation	: Remarks: No data available
-----------------	------------------------------

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues	: Do not dispose of waste into sewer. Dispose of in accordance with local regulations.
Contaminated packaging	: Empty containers should be taken to an approved waste handling site for recycling or disposal. If not otherwise specified: Dispose of as unused product.

SECTION 14. TRANSPORT INFORMATION**International Regulations****UNRTDG**

UN number	: UN 3082
Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (potassium dichromate)
Class	: 9
Packing group	: III
Labels	: 9
Environmentally hazardous	: yes

IATA-DGR

UN/ID No.	: UN 3082
Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s.

Coccivac B / Coccivac D Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	17.06.2025	1481183-00020	Date of first issue: 23.03.2017

(potassium dichromate)

Class : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo aircraft) : 964

Packing instruction (passenger aircraft) : 964

Environmentally hazardous : yes

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(potassium dichromate)

Class : 9

Packing group : III

Labels : 9

EmS Code : F-A, S-F

Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation**ANTT**

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(potassium dichromate)

Class : 9

Packing group : III

Labels : 9

Hazard Identification Number : 90

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION**Safety, health and environmental regulations/legislation specific for the substance or mixture**

National List of Carcinogenic Agents for Humans - (LINACH)

Group 1: Carcinogenic to humans	
potassium dichromate	7778-50-9

Brazil. List of chemicals controlled by the Federal Police : potassium dichromate

The ingredients of this product are reported in the following inventories:

AICS : not determined

Coccivac B / Coccivac D Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	17.06.2025	1481183-00020	Date of first issue: 23.03.2017

DSL	:	not determined
IECSC	:	not determined

SECTION 16. OTHER INFORMATION

Revision Date	:	17.06.2025
Date format	:	dd.mm.yyyy

Further information

Sources of key data used to compile the Material Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/
--	---	---

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
BR BEI	:	Brazil. NR7. Parameters for Biological Control of Occupational Exposure to Some Chemical Agents

ACGIH / TWA	:	8-hour, time-weighted average
ACGIH / STEL	:	Short-term exposure limit

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Sub-

Coccivac B / Coccivac D Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 14.04.2025
8.0	17.06.2025	1481183-00020	Date of first issue: 23.03.2017

stances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

BR / Z8