

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Embutramide / Mebezonium / Tetracaine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
10.0	14.04.2025	1714389-00026	Date of first issue: 25.05.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : Embutramide / Mebezonium / Tetracaine Formulation

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Veterinary product

Recommended restrictions on use : Not applicable

1.3 Details of the supplier of the safety data sheet

Company : MSD
Drynam Road
K67 P263 Dublin, Ireland

Telephone : +1-908-740-4000

E-mail address of person responsible for the SDS : EHSDATASTEWARD@msd.com

1.4 Emergency telephone number

+1-908-423-6000

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4	H302: Harmful if swallowed.
Acute toxicity, Category 4	H332: Harmful if inhaled.
Acute toxicity, Category 4	H312: Harmful in contact with skin.
Eye irritation, Category 2	H319: Causes serious eye irritation.
Reproductive toxicity, Category 1B	H360D: May damage the unborn child.
Specific target organ toxicity - single exposure, Category 3	H336: May cause drowsiness or dizziness.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Embutramide / Mebezonium / Tetracaine For- mulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
10.0	14.04.2025	1714389-00026	Date of first issue: 25.05.2017

Hazard pictograms : 

Signal word : Danger

Hazard statements : H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
H360D May damage the unborn child.

Precautionary statements : **Prevention:**
P201 Obtain special instructions before use.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:
P302 + P352 + P312 IF ON SKIN: Wash with plenty of water. Call a POISON CENTER/ doctor if you feel unwell.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P337 + P313 If eye irritation persists: Get medical advice/ attention.

Hazardous components which must be listed on the label:

N,N-Dimethylformamide
Embutramide
Mebezonium iodide

Additional Labelling

|| EUH208 Contains tetracaine hydrochloride. May produce an allergic reaction.
Restricted to professional users.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Embutramide / Mebezonium / Tetracaine For- mulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
10.0	14.04.2025	1714389-00026	Date of first issue: 25.05.2017

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Vapours may form explosive mixture with air.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
N,N-Dimethylformamide	68-12-2 200-679-5 616-001-00-X	Flam. Liq. 3; H226 Acute Tox. 4; H332 Acute Tox. 4; H312 Eye Irrit. 2; H319 Repr. 1B; H360D Acute toxicity esti- mate Acute inhalation tox- icity (vapour): 11 mg/l Acute dermal toxicity: 1,100 mg/kg	>= 50 - < 70
Embutramide	15687-14-6 239-780-4	Acute Tox. 4; H302 STOT SE 3; H336 Aquatic Chronic 3; H412	>= 20 - < 25
Mebezonium iodide	7681-78-9 231-676-7	Acute Tox. 3; H301 STOT SE 2; H371 (Nervous system, muscle)	>= 1 - < 10
tetracaine hydrochloride	136-47-0 205-248-5	Skin Sens. 1B; H317 STOT SE 1; H370 (Central nervous system, Cardio- vascular system)	>= 0.1 - < 1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Embutramide / Mebezonium / Tetracaine For- mulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
10.0	14.04.2025	1714389-00026	Date of first issue: 25.05.2017

- | | |
|----------------------------|--|
| Protection of first-aiders | : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). |
| If inhaled | : If inhaled, remove to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Get medical attention. |
| In case of skin contact | : In case of contact, immediately flush skin with plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse. |
| In case of eye contact | : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention. |
| If swallowed | : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person. |

4.2 Most important symptoms and effects, both acute and delayed

- | | |
|-------|--|
| Risks | : May produce an allergic reaction.

Harmful if swallowed, in contact with skin or if inhaled.
Causes serious eye irritation.
May cause drowsiness or dizziness.
May damage the unborn child. |
|-------|--|

4.3 Indication of any immediate medical attention and special treatment needed

- | | |
|-----------|---|
| Treatment | : Treat symptomatically and supportively. |
|-----------|---|

SECTION 5: Firefighting measures

5.1 Extinguishing media

- | | |
|--------------------------------|--|
| Suitable extinguishing media | : Water spray
Alcohol-resistant foam
Carbon dioxide (CO ₂)
Dry chemical |
| Unsuitable extinguishing media | : High volume water jet |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Embutramide / Mebezonium / Tetracaine For- mulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
10.0	14.04.2025	1714389-00026	Date of first issue: 25.05.2017

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Do not use a solid water stream as it may scatter and spread fire.
Flash back possible over considerable distance.
Vapours may form explosive mixtures with air.
Exposure to combustion products may be a hazard to health.

Hazardous combustion products : Carbon oxides
Nitrogen oxides (NOx)

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use water spray to cool unopened containers.
Remove undamaged containers from fire area if it is safe to do so.
Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Remove all sources of ignition.
Use personal protective equipment.
Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent further leakage or spillage if safe to do so.
Prevent spreading over a wide area (e.g. by containment or oil barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Non-sparking tools should be used.
Soak up with inert absorbent material.
Suppress (knock down) gases/vapours/mists with a water spray jet.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.
Clean up remaining materials from spill with suitable absorbent.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Embutramide / Mebezonium / Tetracaine For- mulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
10.0	14.04.2025	1714389-00026	Date of first issue: 25.05.2017

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- | | | |
|-------------------------|---|--|
| Technical measures | : | See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section. |
| Local/Total ventilation | : | If sufficient ventilation is unavailable, use with local exhaust ventilation. |
| Advice on safe handling | : | Do not get on skin or clothing.
Do not breathe mist or vapours.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Take precautionary measures against static discharges.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment. |
| Hygiene measures | : | If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls. |

7.2 Conditions for safe storage, including any incompatibilities

- | | | |
|---|---|---|
| Requirements for storage areas and containers | : | Keep in properly labelled containers. Store locked up. Keep tightly closed. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Keep away from heat and sources of ignition. |
| Advice on common storage | : | Do not store with the following product types:
Strong oxidizing agents |

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Embutramide / Mebezonium / Tetracaine For- mulation

Version 10.0 Revision Date: 14.04.2025 SDS Number: 1714389-00026 Date of last issue: 04.12.2024
Date of first issue: 25.05.2017

Self-reactive substances and mixtures
Organic peroxides
Explosives
Gases

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
N,N-Dimethylformamide	68-12-2	STEL	10 ppm 30 mg/m ³	2009/161/EU
	Further information: Identifies the possibility of significant uptake through the skin, Indicative			
		TWA	5 ppm 15 mg/m ³	2009/161/EU
	Further information: Identifies the possibility of significant uptake through the skin, Indicative			
		OELV - 8 hrs (TWA)	5 ppm 15 mg/m ³	IE OEL
	Further information: Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body, Repr 1B - Substances which are presumed human reproductive toxicants			
		OELV - 15 min (STEL)	10 ppm 30 mg/m ³	IE OEL
	Further information: Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body, Repr 1B - Substances which are presumed human reproductive toxicants			
		TWA	5 ppm 15 mg/m ³	2004/37/EC
	Further information: Skin, Carcinogens or mutagens			
		STEL	10 ppm 30 mg/m ³	2004/37/EC
	Further information: Skin, Carcinogens or mutagens			
Embutramide	15687-14-6	TWA	10 µg/m ³ (OEB 3)	Internal
		STEL	30 µg/m ³	Internal
		Wipe limit	100 µg/100 cm ²	Internal
Mebezonium iodide	7681-78-9	TWA	1 µg/m ³ (OEB 4)	Internal
		STEL	3 µg/m ³ (OEB 4)	Internal
		Wipe limit	10 µg/100 cm ²	Internal
tetracaine hydro-	136-47-0	TWA	5 µg/m ³ (OEB 4)	Internal

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Embutramide / Mebezonium / Tetracaine For- mulation

Version 10.0 Revision Date: 14.04.2025 SDS Number: 1714389-00026 Date of last issue: 04.12.2024
Date of first issue: 25.05.2017

chloride				
	Further information: DSEN, Skin			
		Wipe limit	50 µg/100 cm ²	Internal

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
N,N-Dimethylformamide	Workers	Inhalation	Long-term systemic effects	6 mg/m ³
	Workers	Skin contact	Long-term systemic effects	1.1 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	1.1 mg/m ³
	Consumers	Ingestion	Long-term systemic effects	0.16 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
N,N-Dimethylformamide	Sewage treatment plant	44 mg/l
	Fresh water sediment	111 mg/kg dry weight (d.w.)
	Marine sediment	11.1 mg/kg dry weight (d.w.)

8.2 Exposure controls

Engineering measures

The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies.

If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

Personal protective equipment

Eye/face protection : Wear safety glasses with side shields or goggles.
If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles.
Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.

Hand protection

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Embutramide / Mebezonium / Tetracaine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
10.0	14.04.2025	1714389-00026	Date of first issue: 25.05.2017

Material	:	Chemical-resistant gloves
Remarks	:	Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection.
Skin and body protection	:	Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.
Respiratory protection	:	If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection. Filter should conform to I.S. EN 14387
Filter type	:	Combined particulates, ammonia/amines and organic vapour type (AK-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	81 °C
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Embutramide / Mebezonium / Tetracaine For- mulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
10.0	14.04.2025	1714389-00026	Date of first issue: 25.05.2017

pH	:	5 - 6
Viscosity		
Viscosity, kinematic	:	No data available
Solubility(ies)		
Water solubility	:	soluble
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	No data available
Relative density	:	No data available
Density	:	No data available
Relative vapour density	:	No data available
Particle characteristics		
Particle size	:	Not applicable

9.2 Other information

Explosives	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Evaporation rate	:	No data available
Molecular weight	:	Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Combustible liquid. Vapours may form explosive mixture with air. Can react with strong oxidizing agents.
---------------------	---	--

10.4 Conditions to avoid

Conditions to avoid	:	Heat, flames and sparks.
---------------------	---	--------------------------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Embutramide / Mebezonium / Tetracaine For- mulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
10.0	14.04.2025	1714389-00026	Date of first issue: 25.05.2017

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure : Inhalation
Skin contact
Ingestion
Eye contact

Acute toxicity

|| Harmful if swallowed, in contact with skin or if inhaled.

Product:

Acute oral toxicity : Acute toxicity estimate: 1,590 mg/kg
Method: Calculation method

Acute inhalation toxicity : Acute toxicity estimate: 19.41 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: 1,942 mg/kg
Method: Calculation method

Components:

N,N-Dimethylformamide:

|| Acute oral toxicity : LD50 (Rat): 3,010 mg/kg

|| Acute inhalation toxicity : Acute toxicity estimate: 11 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: Expert judgement
Remarks: Based on national or regional regulation.

|| Acute dermal toxicity : Acute toxicity estimate: 1,100 mg/kg
Method: Expert judgement
Remarks: Based on national or regional regulation.

Embutramide:

|| Acute oral toxicity : LD50 (Rat): 1,550 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Embutramide / Mebezonium / Tetracaine For- mulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
10.0	14.04.2025	1714389-00026	Date of first issue: 25.05.2017

Acute toxicity (other routes of administration) : LD50 (Dog): 31 mg/kg
Application Route: Intravenous

TDLo (Dog): 15.5 mg/kg
Application Route: Intravenous
Symptoms: narcosis

LD50 (Horse): 20 mg/kg
Application Route: Intravenous

LD50 (sheep): 80 mg/kg
Application Route: Intravenous

LD50 (Pig): 100 mg/kg
Application Route: Intravenous

Mebezonium iodide:

Acute oral toxicity : LD50 (Rat, female): 200 - 300 mg/kg

Acute toxicity (other routes of administration) : LC50 (Dog): 15 mg/kg
Application Route: Intravenous

tetracaine hydrochloride:

Acute toxicity (other routes of administration) : LD50 (Rat): 6 mg/kg
Application Route: Intravenous

LD50 (Mouse): 6 mg/kg
Application Route: Intravenous

Skin corrosion/irritation

Not classified based on available information.

Components:

N,N-Dimethylformamide:

Species : Rabbit
Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

N,N-Dimethylformamide:

Species : Rabbit
Result : Irritation to eyes, reversing within 21 days

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Embutramide / Mebezonium / Tetracaine For- mulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
10.0	14.04.2025	1714389-00026	Date of first issue: 25.05.2017

Respiratory or skin sensitisation

Skin sensitisation

|| Not classified based on available information.

Respiratory sensitisation

|| Not classified based on available information.

Components:

N,N-Dimethylformamide:

Test Type	: Local lymph node assay (LLNA)
Exposure routes	: Skin contact
Species	: Mouse
Result	: negative

tetracaine hydrochloride:

Exposure routes	: Dermal
Result	: Sensitiser

Germ cell mutagenicity

|| Not classified based on available information.

Components:

N,N-Dimethylformamide:

Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES)
	Result: negative
	Test Type: In vitro mammalian cell gene mutation test
	Result: negative
	Test Type: Chromosome aberration test in vitro
	Result: negative
Genotoxicity in vivo	Test Type: DNA damage and repair, unscheduled DNA syn- thesis in mammalian cells (in vitro)
	Result: negative
	Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
	Species: Mouse
	Application Route: Intraperitoneal injection
	Result: negative
	Test Type: Rodent dominant lethal test (germ cell) (in vivo)
	Species: Rat
	Application Route: inhalation (vapour)
	Result: negative
	Test Type: Rodent dominant lethal test (germ cell) (in vivo)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Embutramide / Mebezonium / Tetracaine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
10.0	14.04.2025	1714389-00026	Date of first issue: 25.05.2017

Species: Mouse
Application Route: Intraperitoneal injection
Result: negative

tetracaine hydrochloride:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: Chromosomal aberration
Result: equivocal

Genotoxicity in vivo : Test Type: Micronucleus test
Species: Rat
Result: negative

Carcinogenicity

Not classified based on available information.

Components:

N,N-Dimethylformamide:

Species : Rat
Application Route : inhalation (vapour)
Exposure time : 2 Years
Method : OECD Test Guideline 451
Result : negative

Species : Mouse
Application Route : inhalation (vapour)
Exposure time : 18 Months
Method : OECD Test Guideline 451
Result : negative

Reproductive toxicity

May damage the unborn child.

Components:

N,N-Dimethylformamide:

Effects on fertility : Test Type: Two-generation study
Species: Mouse
Application Route: Ingestion
Result: negative

Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Skin contact
Result: negative

Effects on foetal develop- : Test Type: Embryo-foetal development

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Embutramide / Mebezonium / Tetracaine For- mulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
10.0	14.04.2025	1714389-00026	Date of first issue: 25.05.2017

ment

Species: Rabbit
Application Route: inhalation (vapour)
Method: OECD Test Guideline 414
Result: positive

Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Skin contact
Method: OECD Test Guideline 414
Result: positive

Reproductive toxicity - As-
sessment

: Clear evidence of adverse effects on development, based on
animal experiments.

tetracaine hydrochloride:

Effects on fertility

: Test Type: Fertility
Species: Rat, male and female
Application Route: Subcutaneous
Fertility: NOAEL: 7.5 mg/kg body weight
Result: No effects on fertility

Effects on foetal develop-
ment

: Test Type: Development
Species: Rat
Application Route: Subcutaneous
Developmental Toxicity: NOAEL: 5 mg/kg body weight
Result: No teratogenic effects

Test Type: Development
Species: Rabbit
Application Route: Subcutaneous
Developmental Toxicity: NOAEL: 10 mg/kg body weight
Result: No teratogenic effects

STOT - single exposure

May cause drowsiness or dizziness.

Components:

Embutramide:

Assessment

: May cause drowsiness or dizziness.

Mebezonium iodide:

Target Organs

: Nervous system, muscle

Assessment

: May cause damage to organs.

tetracaine hydrochloride:

Target Organs

: Central nervous system, Cardio-vascular system

Assessment

: Causes damage to organs.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Embutramide / Mebezonium / Tetracaine For- mulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
10.0	14.04.2025	1714389-00026	Date of first issue: 25.05.2017

STOT - repeated exposure

|| Not classified based on available information.

Repeated dose toxicity

Components:

N,N-Dimethylformamide:

Species	: Rat
NOAEL	: 238 mg/kg
LOAEL	: 475 mg/kg
Application Route	: Ingestion
Exposure time	: 28 Days

Species	: Rat
NOAEL	: 0.08 mg/l
LOAEL	: 0.3 mg/l
Application Route	: inhalation (vapour)
Exposure time	: 2 yr

Aspiration toxicity

|| Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

|| Not classified based on available information.

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Experience with human exposure

Components:

Embutramide:

Inhalation	: Target Organs: Central nervous system Symptoms: Drowsiness, Central nervous system depression, muscle weakness, Shortness of breath
------------	--

Mebezonium iodide:

Inhalation	: Symptoms: Weakness, Fatigue, Breathing difficulties
------------	---

tetracaine hydrochloride:

Inhalation	: Target Organs: Cardio-vascular system Target Organs: Central nervous system Symptoms: Central nervous system depression, Dizziness, Headache, hypotension, Vomiting
------------	---

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Embutramide / Mebezonium / Tetracaine For- mulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
10.0	14.04.2025	1714389-00026	Date of first issue: 25.05.2017

|| Skin contact : Symptoms: Redness, pruritis

SECTION 12: Ecological information

12.1 Toxicity

Components:

N,N-Dimethylformamide:

Toxicity to fish	: LC50 (Lepomis macrochirus (Bluegill sunfish)): 7,100 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 13,100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: ErC50 (Desmodesmus subspicatus (green algae)): > 1,000 mg/l Exposure time: 72 h EC10 (Desmodesmus subspicatus (green algae)): > 1,000 mg/l Exposure time: 72 h
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 1,500 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea)

Embutramide:

Toxicity to fish	: LC50 : 21 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to microorganisms	: EC50 : > 1,000 mg/l Exposure time: 24 h Test Type: Respiration inhibition of activated sludge Method: OECD Test Guideline 209

12.2 Persistence and degradability

Components:

N,N-Dimethylformamide:

Biodegradability	: Result: Readily biodegradable. Biodegradation: 100 % Exposure time: 21 d Method: OECD Test Guideline 301E
------------------	--

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Embutramide / Mebezonium / Tetracaine For- mulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
10.0	14.04.2025	1714389-00026	Date of first issue: 25.05.2017

12.3 Bioaccumulative potential

Components:

N,N-Dimethylformamide:

Bioaccumulation	:	Species: Cyprinus carpio (Carp) Bioconcentration factor (BCF): 0.3 - 1.2 Method: OECD Test Guideline 305C
Partition coefficient: n-octanol/water	:	log Pow: -0.93 Remarks: Calculation

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
------------	---	--

12.6 Endocrine disrupting properties

Product:

Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
------------	---	---

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	Dispose of in accordance with local regulations. According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities. Do not dispose of waste into sewer.
Contaminated packaging	:	Empty containers should be taken to an approved waste handling site for recycling or disposal. Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Embutramide / Mebezonium / Tetracaine For- mulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
10.0	14.04.2025	1714389-00026	Date of first issue: 25.05.2017

of ignition. They may explode and cause injury and/or death.
If not otherwise specified: Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA	:	Not regulated as a dangerous good

14.2 UN proper shipping name

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA	:	Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA	:	Not regulated as a dangerous good

14.4 Packing group

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good
IATA (Passenger)	:	Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Embutramide / Mebezonium / Tetracaine For- mulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
10.0	14.04.2025	1714389-00026	Date of first issue: 25.05.2017

14.7 Maritime transport in bulk according to IMO instruments

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Conditions of restriction for the following entries should be considered:
Number on list 3

Number on list 30: N,N-Dimethylformamide

Number on list 72: N,N-Dimethylformamide

Number on list 75: If you intend to use this product as tattoo ink, please contact your vendor.

Number on list 76: N,N-Dimethylformamide

Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not.

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : N,N-Dimethylformamide

Regulation (EU) No 2024/590 on substances that deplete the ozone layer : Not applicable

Regulation (EU) 2019/1021 on persistent organic pollutants (recast) : Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - List of substances subject to authorisation (Annex XIV) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.
Not applicable

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Embutramide / Mebezonium / Tetracaine Formulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
10.0	14.04.2025	1714389-00026	Date of first issue: 25.05.2017

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Full text of H-Statements

H226	: Flammable liquid and vapour.
H301	: Toxic if swallowed.
H302	: Harmful if swallowed.
H312	: Harmful in contact with skin.
H317	: May cause an allergic skin reaction.
H319	: Causes serious eye irritation.
H332	: Harmful if inhaled.
H336	: May cause drowsiness or dizziness.
H360D	: May damage the unborn child.
H370	: Causes damage to organs.
H371	: May cause damage to organs.
H412	: Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Aquatic Chronic	: Long-term (chronic) aquatic hazard
Eye Irrit.	: Eye irritation
Flam. Liq.	: Flammable liquids
Repr.	: Reproductive toxicity
Skin Sens.	: Skin sensitisation
STOT SE	: Specific target organ toxicity - single exposure
2004/37/EC	: Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens, mutagens or reprotoxic substances at work - Annex III
2009/161/EU	: Europe. COMMISSION DIRECTIVE 2009/161/EU establishing a third list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Embutramide / Mebezonium / Tetracaine For- mulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
10.0	14.04.2025	1714389-00026	Date of first issue: 25.05.2017

IE OEL	:	Commission Directive 2000/39/EC Ireland. List of Chemical Agents and Carcinogens with Occu- pational Exposure Limit Values - Code of Practice, Schedule 1 and 2
2004/37/EC / STEL	:	Short term exposure limit
2004/37/EC / TWA	:	Long term exposure limit
2009/161/EU / TWA	:	Limit Value - eight hours
2009/161/EU / STEL	:	Short term exposure limit
IE OEL / OELV - 8 hrs (TWA)	:	Occupational exposure limit value (8-hour reference period)
IE OEL / OELV - 15 min (STEL)	:	Occupational exposure limit value (15-minute reference peri- od)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, http://echa.europa.eu/
---	---	---

Classification of the mixture:

Classification procedure:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by
Commission Regulation (EU) 2020/878



Embutramide / Mebezonium / Tetracaine For- mulation

Version	Revision Date:	SDS Number:	Date of last issue: 04.12.2024
10.0	14.04.2025	1714389-00026	Date of first issue: 25.05.2017

Acute Tox. 4	H302	Calculation method
Acute Tox. 4	H332	Calculation method
Acute Tox. 4	H312	Calculation method
Eye Irrit. 2	H319	Calculation method
Repr. 1B	H360D	Calculation method
STOT SE 3	H336	Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

IE / EN