

SAFETY DATA SHEET



Embutramide / Mebezonium / Tetracaine Formulation

Version
14.0

Revision Date:
2025/04/14

SDS Number:
1714270-00027

Date of last issue: 2024/12/04
Date of first issue: 2017/05/25

1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : Embutramide / Mebezonium / Tetracaine Formulation

Supplier's company name, address and phone number

Company name of supplier : MSD

Address : 1-13-12, Kudan-kita, Chiyoda-ku, Tokyo, Japan

Telephone : 03-6272-1099

E-mail address : EHSDATASTEWARD@msd.com

Emergency telephone number : +1-908-423-6000

Recommended use of the chemical and restrictions on use

Recommended use : Veterinary product

Restrictions on use : Not applicable

2. HAZARDS IDENTIFICATION

GHS classification of chemical product

Flammable liquids : Category 4

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

Acute toxicity (Dermal) : Category 4

Serious eye damage/eye irritation : Category 2A

Reproductive toxicity : Category 1B

Specific target organ toxicity - single exposure : Category 3

GHS label elements

Hazard pictograms :



Signal word : Danger

Embutramide / Mebezonium / Tetracaine For-mulation

Version 14.0	Revision Date: 2025/04/14	SDS Number: 1714270-00027	Date of last issue: 2024/12/04 Date of first issue: 2017/05/25
-----------------	------------------------------	------------------------------	---

Hazard statements	: H227 Combustible liquid. H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H360D May damage the unborn child.
Precautionary statements	: Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261 Avoid breathing mist or vapours. P264 Wash skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
	Response: P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth. P302 + P352 + P312 IF ON SKIN: Wash with plenty of water. Call a POISON CENTER/ doctor if you feel unwell. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P337 + P313 If eye irritation persists: Get medical advice/ attention. P362 + P364 Take off contaminated clothing and wash it before reuse.
	Storage: P405 Store locked up.
	Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Important symptoms and out-lines of the emergency as-sumed

: Vapours may form explosive mixture with air.

SAFETY DATA SHEET



Embutramide / Mebezonium / Tetracaine Formulation

Version
14.0

Revision Date:
2025/04/14

SDS Number:
1714270-00027

Date of last issue: 2024/12/04
Date of first issue: 2017/05/25

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS No.
N,N-Dimethylformamide	68-12-2	57	2-680
Embutramide	15687-14-6	>= 20 - < 25	-
Mebezonium iodide	7681-78-9	>= 1 - < 10	-
tetracaine hydrochloride	136-47-0	>= 0.1 - < 1	-

4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.
Get medical attention.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed : Harmful if swallowed, in contact with skin or if inhaled.
Causes serious eye irritation.
May cause drowsiness or dizziness.
May damage the unborn child.

Protection of first-aiders : First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Embutramide / Mebezonium / Tetracaine FormulationVersion
14.0Revision Date:
2025/04/14SDS Number:
1714270-00027Date of last issue: 2024/12/04
Date of first issue: 2017/05/25

Suitable extinguishing media	: Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: High volume water jet
Specific hazards during fire-fighting	: Do not use a solid water stream as it may scatter and spread fire. Flash back possible over considerable distance. Vapours may form explosive mixtures with air. Exposure to combustion products may be a hazard to health.
Hazardous combustion products	: Carbon oxides Nitrogen oxides (NO _x)
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Remove all sources of ignition. Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8).
Environmental precautions	: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	: Non-sparking tools should be used. Soak up with inert absorbent material. Suppress (knock down) gases/vapours/mists with a water spray jet. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.

Embutramide / Mebezonium / Tetracaine FormulationVersion
14.0Revision Date:
2025/04/14SDS Number:
1714270-00027Date of last issue: 2024/12/04
Date of first issue: 2017/05/25

Clean up remaining materials from spill with suitable absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

7. HANDLING AND STORAGE**Handling**

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.
Do not breathe mist or vapours.
Do not swallow.
Do not get in eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Take precautionary measures against static discharges.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.

Avoidance of contact : Oxidizing agents

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Wash contaminated clothing before re-use.
The effective operation of a facility should include review of engineering controls, proper personal protective equipment, appropriate degowning and decontamination procedures, industrial hygiene monitoring, medical surveillance and the use of administrative controls.

Storage

Conditions for safe storage : Keep in properly labelled containers.
Store locked up.
Keep tightly closed.
Keep in a cool, well-ventilated place.
Store in accordance with the particular national regulations.
Keep away from heat and sources of ignition.

SAFETY DATA SHEET



Embutramide / Mebezonium / Tetracaine Formulation

Version
14.0

Revision Date:
2025/04/14

SDS Number:
1714270-00027

Date of last issue: 2024/12/04
Date of first issue: 2017/05/25

Materials to avoid : Do not store with the following product types:
Oxidizing solids
Oxidizing liquids

Packaging material : Unsuitable material: None known.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Threshold limit value and permissible exposure limits for each component in the work environment

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Concentration standard / Permissible concentration	Basis
N,N-Dimethylformamide	68-12-2	ACL	10 ppm	JP OEL ISHL
		OEL-M	10 ppm 30 mg/m ³	JP OEL JSOH
Further information: Group 2: Substances presumed to cause reproductive toxicity in humans, Skin absorption, Group 2A: probably carcinogenic to humans				
Embutramide	15687-14-6	TWA	5 ppm	ACGIH
		STEL	10 µg/m ³ (OEB 3)	Internal
		Wipe limit	30 µg/m ³	Internal
Mebezonium iodide	7681-78-9	TWA	1 µg/m ³ (OEB 4)	Internal
		STEL	3 µg/m ³ (OEB 4)	Internal
		Wipe limit	10 µg/100 cm ²	Internal
tetracaine hydrochloride	136-47-0	TWA	5 µg/m ³ (OEB 4)	Internal
		Further information: DSEN, Skin		
		Wipe limit	50 µg/100 cm ²	Internal

Biological occupational exposure limits

Components	CAS-No.	Target sub-stance	Biological specimen	Sam-pling time	Permissible concentra-tion	Basis
N,N-Dimethylformamide	68-12-2	Total N-Methylformamide	Urine	End of shift (As soon as possible after exposure ceases)	30 mg/l	ACGIH BEI
		N-Acetyl-S-(N-methylcarbamoyl)cysteine	Urine	End of shift at end of work-week	30 mg/l	ACGIH BEI

Embutramide / Mebezonium / Tetracaine FormulationVersion
14.0Revision Date:
2025/04/14SDS Number:
1714270-00027Date of last issue: 2024/12/04
Date of first issue: 2017/05/25**Engineering measures**

: The information below is intended for larger pilot/commercial-scale operations and manufacturing. For smaller scale, clinical, or pharmacy settings, site-specific internal risk assessment practices should be conducted to determine appropriate exposure control measures. The health hazard risks of handling this material are dependent on multiple factors, including but not limited to physical form and quantity handled. If applicable, use process enclosures, local exhaust ventilation (e.g., Biosafety Cabinet, Ventilated Balance Enclosures), or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels as low as reasonably achievable.

All engineering controls should be implemented by facility design and operated in accordance with GMP principles to protect products, workers, and the environment.

Essentially no open handling permitted.

Use closed processing systems or containment technologies. If handled in a laboratory, use a properly designed biosafety cabinet, fume hood, or other containment device if the potential exists for aerosolization. If this potential does not exist, handle over lined trays or benchtops.

Personal protective equipment

Respiratory protection	: If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.
Filter type	: Combined particulates, ammonia/amines and organic vapour type
Hand protection	
Material	: Chemical-resistant gloves
Remarks	: Consider double gloving. Take note that the product is flammable, which may impact the selection of hand protection. Impermeable protective gloves
Eye protection	: Wear safety glasses with side shields or goggles. If the work environment or activity involves dusty conditions, mists or aerosols, wear the appropriate goggles. Wear a faceshield or other full face protection if there is a potential for direct contact to the face with dusts, mists, or aerosols.
Skin and body protection	: Work uniform or laboratory coat. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Use appropriate degowning techniques to remove potentially contaminated clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

SAFETY DATA SHEET



Embutramide / Mebezonium / Tetracaine Formulation

Version
14.0

Revision Date:
2025/04/14

SDS Number:
1714270-00027

Date of last issue: 2024/12/04
Date of first issue: 2017/05/25

Physical state	:	liquid
Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	No data available
Melting point/freezing point	:	No data available
Boiling point, initial boiling point and boiling range	:	No data available
Flammability (solid, gas)	:	Not applicable
Flammability (liquids)	:	Not applicable
Lower explosion limit and upper explosion limit / flammability limit		
Upper explosion limit / Up- per flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	81 °C
Decomposition temperature	:	No data available
pH	:	5 - 6
Evaporation rate	:	No data available
Auto-ignition temperature	:	No data available
Viscosity		
Viscosity, kinematic	:	No data available
Solubility(ies)		
Water solubility	:	soluble
Partition coefficient: n-octanol/water	:	No data available
Vapour pressure	:	No data available
Density and / or relative density		
Relative density	:	No data available
Density	:	No data available

Embutramide / Mebezonium / Tetracaine FormulationVersion
14.0Revision Date:
2025/04/14SDS Number:
1714270-00027Date of last issue: 2024/12/04
Date of first issue: 2017/05/25

Relative vapour density	:	No data available
Explosive properties	:	Not explosive
Oxidizing properties	:	The substance or mixture is not classified as oxidizing.
Molecular weight	:	Not applicable
Particle characteristics		
Particle size	:	Not applicable

10. STABILITY AND REACTIVITY

Reactivity	:	Not classified as a reactivity hazard.
Chemical stability	:	Stable under normal conditions.
Possibility of hazardous reactions	:	Combustible liquid. Vapours may form explosive mixture with air. Can react with strong oxidizing agents.
Conditions to avoid	:	Heat, flames and sparks.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products are known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	:	Inhalation Skin contact Ingestion Eye contact
--	---	--

Acute toxicity

Harmful if swallowed, in contact with skin or if inhaled.

Product:

Acute oral toxicity	:	Acute toxicity estimate: 1,590 mg/kg Method: Calculation method
Acute inhalation toxicity	:	Acute toxicity estimate: 19.41 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Calculation method
Acute dermal toxicity	:	Acute toxicity estimate: 1,942 mg/kg Method: Calculation method

Embutramide / Mebezonium / Tetracaine FormulationVersion
14.0Revision Date:
2025/04/14SDS Number:
1714270-00027Date of last issue: 2024/12/04
Date of first issue: 2017/05/25**Components:****N,N-Dimethylformamide:**

Acute oral toxicity	:	LD50 (Rat): 3,010 mg/kg
Acute inhalation toxicity	:	Acute toxicity estimate: 11 mg/l Exposure time: 4 h Test atmosphere: vapour Method: Expert judgement Remarks: Based on national or regional regulation.
Acute dermal toxicity	:	Acute toxicity estimate: 1,100 mg/kg Method: Expert judgement Remarks: Based on national or regional regulation.

Embutramide:

Acute oral toxicity	:	LD50 (Rat): 1,550 mg/kg
Acute toxicity (other routes of administration)	:	LD50 (Dog): 31 mg/kg Application Route: Intravenous TDLo (Dog): 15.5 mg/kg Application Route: Intravenous Symptoms: narcosis
	:	LD50 (Horse): 20 mg/kg Application Route: Intravenous
	:	LD50 (sheep): 80 mg/kg Application Route: Intravenous
	:	LD50 (Pig): 100 mg/kg Application Route: Intravenous

Mebezonium iodide:

Acute oral toxicity	:	LD50 (Rat, female): 200 - 300 mg/kg
Acute toxicity (other routes of administration)	:	LC50 (Dog): 15 mg/kg Application Route: Intravenous

tetracaine hydrochloride:

Acute toxicity (other routes of administration)	:	LD50 (Rat): 6 mg/kg Application Route: Intravenous LD50 (Mouse): 6 mg/kg Application Route: Intravenous
---	---	--

Embutramide / Mebezonium / Tetracaine FormulationVersion
14.0Revision Date:
2025/04/14SDS Number:
1714270-00027Date of last issue: 2024/12/04
Date of first issue: 2017/05/25**Skin corrosion/irritation**

Not classified based on available information.

Components:**N,N-Dimethylformamide:**

Species	:	Rabbit
Result	:	No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:**N,N-Dimethylformamide:**

Species	:	Rabbit
Result	:	Irritation to eyes, reversing within 21 days

Respiratory or skin sensitisation**Skin sensitisation**

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:**N,N-Dimethylformamide:**

Test Type	:	Local lymph node assay (LLNA)
Exposure routes	:	Skin contact
Species	:	Mouse
Result	:	negative

tetracaine hydrochloride:

Exposure routes	:	Dermal
Result	:	Sensitiser

Germ cell mutagenicity

Not classified based on available information.

Components:**N,N-Dimethylformamide:**

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Result: negative
-----------------------	---	--

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Embutramide / Mebezonium / Tetracaine Formulation

Version 14.0 Revision Date: 2025/04/14 SDS Number: 1714270-00027 Date of last issue: 2024/12/04
Date of first issue: 2017/05/25

	Test Type: Chromosome aberration test in vitro Result: negative
	Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro) Result: negative
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Intraperitoneal injection Result: negative
	Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Rat Application Route: inhalation (vapour) Result: negative
	Test Type: Rodent dominant lethal test (germ cell) (in vivo) Species: Mouse Application Route: Intraperitoneal injection Result: negative
tetracaine hydrochloride:	
Genotoxicity in vitro	: Test Type: Bacterial reverse mutation assay (AMES) Result: negative
	Test Type: Chromosomal aberration Result: equivocal
Genotoxicity in vivo	: Test Type: Micronucleus test Species: Rat Result: negative

Carcinogenicity

Not classified based on available information.

Components:**N,N-Dimethylformamide:**

Species	:	Rat
Application Route	:	inhalation (vapour)
Exposure time	:	2 Years
Method	:	OECD Test Guideline 451
Result	:	negative
Species	:	Mouse
Application Route	:	inhalation (vapour)
Exposure time	:	18 Months
Method	:	OECD Test Guideline 451

Embutramide / Mebezonium / Tetracaine Formulation

Version
14.0Revision Date:
2025/04/14SDS Number:
1714270-00027Date of last issue: 2024/12/04
Date of first issue: 2017/05/25

Result : negative

Reproductive toxicity

May damage the unborn child.

Components:

N,N-Dimethylformamide:

Effects on fertility	: Test Type: Two-generation study Species: Mouse Application Route: Ingestion Result: negative
	Test Type: One-generation reproduction toxicity study Species: Rat Application Route: Skin contact Result: negative
Effects on foetal development	: Test Type: Embryo-foetal development Species: Rabbit Application Route: inhalation (vapour) Method: OECD Test Guideline 414 Result: positive
	Test Type: Embryo-foetal development Species: Rabbit Application Route: Skin contact Method: OECD Test Guideline 414 Result: positive
Reproductive toxicity - Assessment	: Clear evidence of adverse effects on development, based on animal experiments.

tetracaine hydrochloride:

Effects on fertility	: Test Type: Fertility Species: Rat, male and female Application Route: Subcutaneous Fertility: NOAEL: 7.5 mg/kg body weight Result: No effects on fertility
Effects on foetal development	: Test Type: Development Species: Rat Application Route: Subcutaneous Developmental Toxicity: NOAEL: 5 mg/kg body weight Result: No teratogenic effects

Embutramide / Mebezonium / Tetracaine Formulation

Version 14.0 Revision Date: 2025/04/14 SDS Number: 1714270-00027 Date of last issue: 2024/12/04 Date of first issue: 2017/05/25



Result: No teratogenic effects

STOT - single exposure

May cause drowsiness or dizziness.

Components:

Embutramide:

Assessment : May cause drowsiness or dizziness.

Mebezonium iodide:

Target Organs : Nervous system, muscle
Assessment : May cause damage to organs.

tetracaine hydrochloride:

Target Organs : Central nervous system, Cardio-vascular system
Assessment : Causes damage to organs.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity

Components:

N,N-Dimethylformamide:

Species : Rat
NOAEL : 238 mg/kg
LOAEL : 475 mg/kg
Application Route : Ingestion
Exposure time : 28 Days

Species : Rat
NOAEL : 0.08 mg/l
LOAEL : 0.3 mg/l
Application Route : inhalation (vapour)
Exposure time : 2 yr

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Components:

Embutramide:

Inhalation : Target Organs: Central nervous system
Symptoms: Drowsiness, Central nervous system depression, muscle weakness, Shortness of breath

Embutramide / Mebezonium / Tetracaine Formulation

Version
14.0Revision Date:
2025/04/14SDS Number:
1714270-00027Date of last issue: 2024/12/04
Date of first issue: 2017/05/25

II

Mebezonium iodide:

Inhalation : Symptoms: Weakness, Fatigue, Breathing difficulties

tetracaine hydrochloride:

Inhalation : Target Organs: Cardio-vascular system
Target Organs: Central nervous system
Symptoms: Central nervous system depression, Dizziness, Headache, hypotension, Vomiting

Skin contact : Symptoms: Redness, pruritis

12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

N,N-Dimethylformamide:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 7,100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 13,100 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : ErC50 (Desmodesmus subspicatus (green algae)): > 1,000 mg/l
Exposure time: 72 h
EC10 (Desmodesmus subspicatus (green algae)): > 1,000 mg/l
Exposure time: 72 h

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 1,500 mg/l
Exposure time: 21 d

Embutramide:

Toxicity to fish : LC50 : 21 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to microorganisms : EC50: > 1,000 mg/l
Exposure time: 24 h
Test Type: Respiration inhibition of activated sludge
Method: OECD Test Guideline 209

SAFETY DATA SHEET



Embutramide / Mebezonium / Tetracaine Formulation

Version 14.0 Revision Date: 2025/04/14 SDS Number: 1714270-00027 Date of last issue: 2024/12/04
Date of first issue: 2017/05/25

II

Persistence and degradability

Components:

N,N-Dimethylformamide:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 100 %
Exposure time: 21 d
Method: OECD Test Guideline 301E

Bioaccumulative potential

Components:

N,N-Dimethylformamide:

Bioaccumulation : Species: Cyprinus carpio (Carp)
Bioconcentration factor (BCF): 0.3 - 1.2
Method: OECD Test Guideline 305C

Partition coefficient: n-octanol/water : log Pow: -0.93
Remarks: Calculation

Mobility in soil

No data available

Hazardous to the ozone layer

Not applicable

Other adverse effects

No data available

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.
Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.
Empty containers retain residue and can be dangerous.
Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death.
If not otherwise specified: Dispose of as unused product.

14. TRANSPORT INFORMATION

International Regulations

SAFETY DATA SHEET



Embutramide / Mebezonium / Tetracaine Formulation

Version
14.0

Revision Date:
2025/04/14

SDS Number:
1714270-00027

Date of last issue: 2024/12/04
Date of first issue: 2017/05/25

UNRTDG

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Environmentally hazardous	:	no

IATA-DGR

UN/ID No.	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
Packing instruction (cargo aircraft)	:	Not applicable
Packing instruction (passenger aircraft)	:	Not applicable

IMDG-Code

UN number	:	Not applicable
Proper shipping name	:	Not applicable
Class	:	Not applicable
Subsidiary risk	:	Not applicable
Packing group	:	Not applicable
Labels	:	Not applicable
EmS Code	:	Not applicable
Marine pollutant	:	Not applicable

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

Special precautions for user

Not applicable

ERG Code : 171

15. REGULATORY INFORMATION

Related Regulations

Fire Service Law

Group 4, Type 3 petroleum, Water soluble liquid, (4000 litre), Hazardous rank III

Chemical Substance Control Law

Priority Assessment Chemical Substance

Chemical name	Number

Embutramide / Mebezonium / Tetracaine FormulationVersion
14.0Revision Date:
2025/04/14SDS Number:
1714270-00027Date of last issue: 2024/12/04
Date of first issue: 2017/05/25**[REDACTED] N,N-Dimethylformamide**

27

Industrial Safety and Health Law**Harmful Substances Prohibited from Manufacture**

Not applicable

Harmful Substances Required Permission for Manufacture

Not applicable

Substances Prevented From Impairment of Health**[REDACTED] Chemical name****[REDACTED] N,N-Dimethylformamide****Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity**

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

Substances Subject to be Notified Names**Law Article 57-2 (Ministerial Order Article 34-2 Appended Table 2)**

Chemical name	Concentration (%)	Remarks
[REDACTED] N,N-Dimethylformamide	56.67	-

Law Article 57-2 (Cabinet Order Article 18-2 Appended Table 9)

Chemical name	Concentration (%)	Remarks
[REDACTED] Iodides	>=1 - <10	-

Substances Subject to be Indicated Names**Law Article 57 (Ministerial Order Article 30 Appended Table 2)**

Chemical name	Remarks
[REDACTED] N,N-Dimethylformamide	-

Law Article 57 (Cabinet Order Article 18 Appended Table 9)

Chemical name	Remarks
[REDACTED] Iodides	-

Skin and Eye Damage Substances (ISHL MO Art. 594-2)

Chemical name
[REDACTED] N,N-Dimethylformamide

Carcinogenic Substances (Article 577-2 of the Occupational Health and Safety Regulations)

Chemical name
[REDACTED] N,N-dimethylformamide

Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

Ordinance on Prevention of Lead Poisoning

Not applicable

SAFETY DATA SHEET



Embutramide / Mebezonium / Tetracaine Formulation

Version
14.0

Revision Date:
2025/04/14

SDS Number:
1714270-00027

Date of last issue: 2024/12/04
Date of first issue: 2017/05/25

Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

Ordinance on Prevention of Organic Solvent Poisoning

Organic Solvents Class 2

Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Not applicable

Poisonous and Deleterious Substances Control Law

Not applicable

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

Class I Designated Chemical Substances

Chemical name	Administration number	Concentration (%)
N,N-Dimethylformamide	232	57

High Pressure Gas Safety Act

Not applicable

Explosive Control Law

Not applicable

Vessel Safety Law

Not regulated as a dangerous good

Aviation Law

Not regulated as a dangerous good

Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Noxious liquid substance(Category Y)

Pack transportation : Not classified as marine pollutant

Narcotics and Psychotropics Control Act

Narcotic or Psychotropic Raw Material (Export / Import Permission)

Not applicable

Specific Narcotic or Psychotropic Raw Material (Export / Import permission)

Not applicable

Waste Disposal and Public Cleansing Law

Industrial waste

The components of this product are reported in the following inventories:

AICS : not determined

DSL : not determined

IECSC : not determined

Embutramide / Mebezonium / Tetracaine FormulationVersion
14.0Revision Date:
2025/04/14SDS Number:
1714270-00027Date of last issue: 2024/12/04
Date of first issue: 2017/05/25**16. OTHER INFORMATION**

In this SDS, if the concentration of substances subject to notification under the Industrial Safety and Health Law is indicated as a range, it includes cases where it is a trade secret.

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : yyyy/mm/dd

Full text of other abbreviations

ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
ACGIH BEI	: ACGIH - Biological Exposure Indices (BEI)
JP OEL ISHL	: Japan. Administrative Control Levels
JP OEL JSOH	: Japan. The Japan Society for Occupational Health. Recommendation of Occupational Exposure Limits
ACGIH / TWA	: 8-hour, time-weighted average
JP OEL ISHL / ACL	: Administrative Control level
JP OEL JSOH / OEL-M	: Occupational Exposure Limit-Mean

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECL - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evalu-

SAFETY DATA SHEET



Embutramide / Mebezonium / Tetracaine Formulation

Version
14.0

Revision Date:
2025/04/14

SDS Number:
1714270-00027

Date of last issue: 2024/12/04
Date of first issue: 2017/05/25

tion, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

JP / EN